

FEEDANTS

FULL STACK DEVELOPMENT INTERNSHIP — TECHNICAL ASSIGNMENT

Complete Technical Guide

Competition Details Screen Full-Stack System Architecture, Workflow & Working Specification

A complete, illustrated end-to-end technical dossier: System workflows, capacity overflow and race-condition prevention diagrams, state machine lifecycle, bilingual localization, dynamic REST APIs, and database schemas.

- React Native (Expo Web & Mobile)
- Node.js + Express REST API
- MongoDB + Auto MongoMemoryServer
- Atomic Capacity Protected (No 21/20)
- Bilingual (English / हिंदी)

PROJECT NAME & OBJECTIVE Feedants ContestHub — Competition Details Full-Stack Module	DESIGN & SPECIFICATION SOURCES Official Assignment PDF & Visual Reference (Objective_Page.png)
GITHUB REPOSITORY https://github.com/1rajkamal/ContestHub	VERIFICATION STATUS 16/16 Automated Tests Passing • Zero Race Conditions

Author / Candidate: Raj Kamal (Full Stack Engineer)
Technology Stack: React Native, Node.js, Express, MongoDB Mongoose, Chrome DevTools

Date: September 2026
Document Version: 1.0.0 (Production-Ready)

1. Project Overview & Architectural Rationale (क्या है & क्यों है?)

1.1 Project Overview (क्या है?)

The **Feedants Competition Details Module** is a functional, production-ready full-stack mobile and web feature built for **Feedants**. It powers the discovery, inspection, real-time spot tracking, registration, video masterclasses, and dance performance submissions for competitive talent tournaments.

Unlike a static mockup with hardcoded strings, this system is a **complete decoupled three-tier architecture** where every piece of data—including competition metadata, live spot capacity, deadline countdowns, judge details, tier-based prize breakdowns, previous winners, and user participation states—is dynamically calculated and served via a high-performance REST API connected to MongoDB.

1.2 Core Architectural Decisions & Rationales (क्यों है?)

1. Why React Native with Expo?

Enables **100% code reuse** across iOS, Android (via Expo Go / APK), and Desktop Web (via React Native Web). The layout behaves natively with touch responsiveness, smooth scroll physics, and platform-adapted modals.

2. Why MongoMemoryServer Automatic Fallback?

Reviewers often test repositories without an active MongoDB daemon installed. The server detects if `MONGODB_URI` is absent or unreachable and seamlessly boots an embedded in-memory MongoDB instance on a dynamic port with zero configuration.

3. Why Dynamic Date Computations instead of Static Enums?

Storing static status strings (e.g. `"ACTIVE"`) in the database leads to status drift when deadlines pass. Our system computes states on the fly against authoritative UTC timestamps, ensuring instant transitions without cron lag.

4. Why Atomic Conditional Reservation (\$expr)?

A traditional "read-then-update" allows 10 concurrent requests to simultaneously read 19 booked spots and overbook a 20-spot competition to 29 spots. Our atomic MongoDB query guarantees spots can **never exceed capacity** under high concurrency.

5. Why Compound Unique Indexes?


The registration collection enforces `{ competitionId: 1, userId: 1 }` (unique). This acts as a database-level safety net preventing double payments and duplicate enrollments even if client network retries occur.

6. Why Context-Based Localization (i18n)?

Provides zero-latency, full-interface translation between English and Hindi with dynamic string interpolation (e.g. `"केवल 19 स्थान शेष"`) without reloading the page or losing input state.

2. End-to-End System Architecture (Working Diagram)

The system is designed with strict separation of concerns, divided into three robust layers:



2.1 How the Request Flow Works (Step-by-Step)

- Initial Page Load:** When the user opens the application, `CompetitionDetailsScreen` makes parallel non-blocking requests to fetch active competitions, demo user profiles, winners, reviews, and dynamic referral links.
- Dynamic Lifecycle Calculation:** The backend inspects the competition's `registrationDeadline`, `submissionStart`, `submissionEnd`, and capacity. It dynamically appends computed properties (`isOpen`, `spotsLeft`, `canRegister`, `countdownTarget`).
- User Context & State Attachment:** If a `userId` is passed, the server performs a compound lookup on the `registrations` and `submissions` collections, returning `isRegistered: true/false` and `hasSubmitted: true/false`.
- Adaptive UI Rendering:** The React Native frontend renders the matching action CTA (e.g. "Register Now (₹99)" vs "Upload Submission"), colors the registration status badge, and starts the ticking countdown timer.


3. Concurrency Protection & Capacity Overflow Diagram

Specification Requirement: "The system must handle multiple users interacting with the competition simultaneously.
Example: Competition has 20 maximum spots. Several users attempt to register at exactly the same time. The system must NOT allow 21/20."

3.1 The Race Condition Problem (Naive Read-Then-Write)

In a standard non-atomic architecture, an application reads `competition.bookedSpots`, checks if it is less than 20, and then issues a save. If 25 users register concurrently when 19 spots are booked, all 25 users read `19 < 20`, and all 25 registrations succeed—resulting in **44/20 spots**. This is catastrophic for tournament compliance and prize allocation.

3.2 The Capacity Overflow Prevention Workflow (Overflow Diagram)



3.3 Automated Stress Test Verification (16/16 Passed)

In `server/tests/concurrency.test.js`, an automated test spins up 25 parallel threads targeting a competition with only 5 spots remaining.


Stress Test Metrics & Results

- **Simultaneous Concurrent Requests:** 25 threads fired within 1 millisecond.
- **Successful Registrations:** Strictly 5 requests returned `HTTP 201 Created`.
- **Rejected Capacity Overflow:** Strictly 20 requests returned `HTTP 400 Bad Request ("Competition Full")`.
- **Database Integrity Verification:** Final `bookedSpots` in MongoDB evaluates to exactly **5 / 5** (Never 6 or higher).
- **Duplicate Call Idempotency:** 5 concurrent requests from the exact same user yielded strictly 1 success and 4 `HTTP 409 Conflict` rejections, with automatic compensation decrementing any duplicate increments.


4. Competition Lifecycle & User Journey Workflows

4.1 Date-Driven Competition Lifecycle State Machine

The competition transitions through 5 distinct states automatically computed from UTC timestamps:




4.2 Complete User Journey & Interaction Flowchart



5. Visual Design Reference vs Live Implementation (Photos)

The user interface was built to achieve pixel-level visual fidelity against the official design reference (Objective_Page.png) while ensuring all visual elements are live, animated, and reactive.




5.1 Element-by-Element Visual Mapping

UI Element	Design Reference Detail	Full-Stack Dynamic Implementation
Navigation & Localization	Back button, ENG / हिंदी pill, Evaluator toggle	Functional language switcher with full dictionary translation & live demo user selector.
Competition Card	Feedants Classical Dance, ₹1500 pool, ₹99 fee, 19 spots left	Dynamic card populated from MongoDB with dynamic green progress bar (1/20 Booked).
Registration Status	Green pill badge showing registration state	Dynamic badge showing "Registered" (Rohan) or "Not Registered" (Priya) based on API check.
Judge Profile	Smt. Manju Dubey portrait with "Intro Video" button	Clicking "Intro Video" launches a working high-definition video modal.
Countdown Banner	Mint hourglass banner with live ticking timer	Live countdown component ticking down every single second (01d : 06h : 27m : 52s).
Important Dates	2x2 grid showing Registration & Submission schedules	Clean split grid dynamically formatted using native date formatters from ISO UTC strings.

UI Element	Design Reference Detail	Full-Stack Dynamic Implementation
Previous Winners	Horizontal scroll list with performance thumbnails	FlatList with working video modal recitals for Riya Shah, Aarav Mehta, and Neha Verma.
Persistent CTA	Dark green sticky action button	Fixed bottom CTA adapting dynamically between "Upload Submission" and "Register Now (₹99)".

6. Interactive State Demonstrations (Live Photos)

The application supports multiple dynamic states without requiring database wipes or manual code changes:



6.1 Feature Deep-Dive in Captures

- Unregistered User View (Capture A):** Shows Priya Patel. Badge displays "Not Registered" with clock icon. The sticky CTA displays "Register Now (₹99) - Instant Entry". Clicking it reserves a spot atomically.
- Registered User View (Capture B):** Shows Rohan Sharma. Badge displays "Registered" with green check. The sticky CTA morphs into "Upload Submission".
- Full Hindi Mode (Capture C):** Toggling to "हिंदी" updates all labels instantly: "केवल 19 स्थान शेष", "पंजीकरण समाप्त होने में", "महत्वपूर्ण तिथियाँ", "प्रतियोगिता के बारे में".
- Submission Modal (Capture 1):** Prompts for performance title, style selection (Kathak, Bharatanatyam, Odissi, Mohiniyattam), video file / cloud URL, and choreography notes.
- Rewards Breakdown (Capture Scrolled):** Renders all 6 prize tiers: 1st (₹550), 2nd (₹300), 3rd (₹240), 4th (₹200), 5th (₹130), and 6th (₹80) with Razorpay security trust badges.

7. REST API Endpoints & Database Schemas

7.1 REST API Specification (Base: http://localhost:5000/api)

Method	Endpoint	Description & Constraints
GET	/competitions	Lists active competitions with basic metadata.
GET	/competitions/demo-users	Returns demo users (Rohan Sharma & Priya Patel) for evaluation switcher.
POST	/competitions/reset-demo	Resets demo database back to clean seed state (1/20 Booked, Rohan registered, Priya unregistered).
GET	/competitions/:id	Returns competition details, dynamic lifecycle state, and user participation flags (accepts ?userId=...).
GET	/competitions/:id/availability	Returns real-time capacity: booked spots, remaining spots, ratio, and countdown target.
GET	/competitions/:id/winners	Returns previous competition winners sorted by rank with recital video links.
GET	/competitions/:id/reviews	Returns verified participant ratings and testimonials.
GET	/competitions/:id/rewards	Returns tier list breakdown for all 6 winner positions.
POST	/competitions/:id/register	Atomic reservation endpoint. Prevents capacity overflow and duplicate registrations. Body: { userId } .
POST	/competitions/:id/submission	Uploads dance performance entry. Validates registration and submission window. Body: { userId, title, danceStyle, videoUrl, notes } .
GET	/competitions/:id/referral	Returns personalized referral link and reward earnings (₹10/signup).

7.2 Database Model Schemas (MongoDB Mongoose)

Competition Model

- title : String (Feedants Classical Dance)
- prizePool : Number (1500)
- entryFee : Number (99)
- maxParticipants : Number (20)
- bookedSpots : Number (1)
- registrationDeadline : Date (UTC ISO)
- submissionStart / submissionEnd : Date
- resultDate : Date
- judge : { name, title, experience, avatarUrl, introVideoUrl, bio }
- rewards : [{ position, title, amount, iconType }]

Registration & Submission Models

- competitionId : ObjectId (ref Competition)
- userId : ObjectId (ref User)
- paymentStatus : 'COMPLETED' | 'PENDING'
- amountPaid : Number (99)
- Unique Compound Index:**
{ competitionId: 1, userId: 1 } (Enforces idempotency)
- submission.title : String (Kathak Performance)
- submission.danceStyle : String (Kathak)
- submission.videoUrl : String
- submission.status : 'SUBMITTED'

8. Quickstart, Setup & Verification Guide

8.1 Prerequisites

- **Node.js:** v18.0.0 or higher
- **npm:** v9.0.0 or higher
- **MongoDB:** *Optional!* Embedded `mongodb-memory-server` starts automatically if no URI is supplied.

8.2 Terminal Commands

```
# 1. Clone repository
git clone https://github.com/1rajkamal/ContestHub.git
cd ContestHub

# 2. Run automated concurrency & capacity tests (16/16 Passed)
cd server && npm run test:concurrency

# 3. Start Backend API Server (Port 5000)
npm start

# 4. In a separate terminal, launch Mobile & Web Client (Port 8081)
cd ../mobile && npm run web
```

8.3 Browser Verification Checklist (<http://localhost:8081>)

- **Active Countdown:** Watch the countdown timer decrement every second without screen flickering.
- **Live Bilingual Switch:** Click "हिंदी" on the top right capsule to switch all labels to Hindi.
- **Video Modals:** Click "Intro Video" on the judge card or any previous winner card to launch video modals.
- **Copy Referral Link:** Click "Copy Link" in the referral section to copy link with clipboard toast feedback.
- **Evaluator State Switching:** Click the ⇌ switcher icon on the top right:
 - Select **Priya Patel**: Notice the badge turns to "Not Registered" and the button changes to "Register Now (₹99)".
 - Click "Register Now (₹99)": Watch the live spots count decrement from 19 to 18, and status update to "Registered".
 - Click "Upload Submission": Open the dance submission dialog and submit an entry.

8.4 Production Deployment Recommendations for Feedants

Component	Production Architecture Recommendation
Media & Video Storage	AWS S3 presigned direct uploads with AWS MediaConvert for adaptive HLS video streaming.
Live Spot Updates	WebSockets or Server-Sent Events (SSE) for zero-latency spot counters across all connected devices.
Caching Layer	Redis cluster caching competition details and winner recitals with pub/sub cache invalidation.
Plagiarism Check	Audio fingerprinting against classical music databases to verify genuine original dance recordings.

Conclusion & Deliverables

This implementation fully satisfies all technical and design requirements of the Feedants Full Stack Development Internship assignment. It delivers a decoupled, race-condition protected, dynamic, and bilingual system verified by automated concurrency stress tests.