

Salma Nabonadam
83402028
cohort c

```
MariaDB [(none)]> CREATE DATABASE Projects;  
Query OK, 1 row affected (0.025 sec)
```

```
MariaDB [(none)]> USE Projects;  
Database changed
```

```
MariaDB [Projects]> CREATE TABLE Employee ( empNo CHAR(4) PRIMARY KEY , fname  
VARCHAR(20) NOT NULL , IName VARCHAR(20) NOT NULL , adress VARCHAR(50) , DOB  
DATE , sex CHAR(1) NOT NULL , position VARCHAR (20) NOT NULL , deptNo CHAR(4) ,  
-> CHECK ( sex in('M','F')),  
-> CHECK(position IN ('Manager','Team Leader','Analyst','Software Developer')));  
Query OK, 0 rows affected (0.042 sec)
```

```
MariaDB [Projects]> project(projNo varchar(10) NOT NULL, projName varchar(50), deptNo  
varchar(10), constraint pk_project PRIMARY KEY(projNo), constraint fk_project_department  
FOREIGN KEY(deptNo) references Department(deptNO));  
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that  
corresponds to your MariaDB server version for the right syntax to use near 'project(projNo  
varchar(10) NOT NULL, projName varchar(50), deptNo varchar(10)...' at line 1
```

```
MariaDB [Projects]> CREATE TABLE Project (  
-> projNo CHAR(5) PRIMARY KEY,  
-> projName VARCHAR(40),  
-> deptNo CHAR(4),  
-> FOREIGN KEY (deptNo)  
-> REFERENCES Department(deptNo)  
-> );
```

```
Query OK, 0 rows affected (0.041 sec)
```

```
MariaDB [Projects]> create table project(projNo varchar(10) NOT NULL, projName varchar(50),  
deptNo varchar(10), constraint pk_project PRIMARY KEY(projNo), constraint  
fk_project_department FOREIGN KEY(deptNo) references Department(deptNO));  
ERROR 1050 (42S01): Table 'project' already exists
```

```
MariaDB [Projects]> CREATE TABLE WorksOn (  
-> empNo CHAR(4),  
-> projNo CHAR(5),  
-> dateWorked DATE,  
-> hoursWorked INT,  
->  
-> PRIMARY KEY (empNo, projNo, dateWorked),  
->  
-> CHECK (hoursWorked BETWEEN 0 AND 40),
```

```
->
-> FOREIGN KEY (empNo)
-> REFERENCES Employee(empNo),
->
-> FOREIGN KEY (projNo)
-> REFERENCES Project(projNo)
-> );
```

Query OK, 0 rows affected (0.033 sec)

ALTER TABLE Employee

ADD CONSTRAINT fk_employe...' at line 1

MariaDB [Projects]> ALTER TABLE Employee

```
-> ADD CONSTRAINT fk_employee_department
```

```
-> FOREIGN KEY (deptNo)
```

```
-> REFERENCES Department(deptNo);
```

Query OK, 0 rows affected (0.079 sec)

Records: 0 Duplicates: 0 Warnings: 0

MariaDB [Projects]> ALTER TABLE Department

```
-> ADD CONSTRAINT fk_department_manager
```

```
-> FOREIGN KEY (mgrEmpNo)
```

```
-> REFERENCES Employee(empNo);
```

Query OK, 0 rows affected (0.054 sec)

Records: 0 Duplicates: 0 Warnings: 0

MariaDB [Projects]> INSERT INTO Employee

```
-> (empNo, fName, lName, adress, DOB, sex, position, deptNo)
```

```
-> VALUES
```

```
-> ('E001', 'Yasmine', 'Abdul', '12 Main Street', '2006-02-04', 'M', 'Analyst', NULL);
```

Query OK, 1 row affected (0.028 sec)

MariaDB [Projects]> INSERT INTO Department

```
-> (deptNo, deptName, mgrEmpNo)
```

```
-> VALUES
```

```
-> ('D001', 'IT', 'E001');
```

Query OK, 1 row affected (0.025 sec)

MariaDB [Projects]> UPDATE Employee

```
-> SET deptNo = 'D001'
```

```
-> WHERE empNo = 'E001';
```

Query OK, 1 row affected (0.005 sec)

Rows matched: 1 Changed: 1 Warnings: 0

MariaDB [Projects]> INSERT INTO Project

```
-> (projNo, projName, deptNo)
```

```
-> VALUES
```

```
-> ('P001', 'Payroll System', 'D001');
```

Query OK, 1 row affected (0.025 sec)

```
MariaDB [Projects]> INSERT INTO WorksOn
-> (empNo, projNo, dateWorked, hoursWorked)
-> VALUES
-> ('E001', 'P001', '2026-06-25', 8);
```

Query OK, 1 row affected (0.003 sec)

```
MariaDB [Projects]> CREATE VIEW FemaleManagedProjects AS
-> SELECT p.projNo, p.projName, p.deptNo
-> FROM Project p
-> JOIN Department d ON p.deptNo = d.deptNo
-> JOIN Employee e ON d.mgrEmpNo = e.empNo
-> WHERE e.sex = 'F'
-> ORDER BY p.projNo;
```

Query OK, 0 rows affected (0.034 sec)

```
MariaDB [Projects]> CREATE VIEW EmployeeProjectHours AS
-> SELECT e.empNo, e.fName, e.lName, p.projName, w.hoursWorked
-> FROM Employee e
-> JOIN WorksOn w ON e.empNo = w.empNo
-> JOIN Project p ON w.projNo = p.projNo;
```

Query OK, 0 rows affected (0.031 sec)

```
MariaDB [Projects]> CREATE VIEW EmpProject(empNo, projNo, totalHours)
-> AS SELECT w.empNo, w.projNo, SUM(hoursWorked)
-> FROM Employee e, Project p, WorksOn w
-> WHERE e.empNo = w.empNo AND p.projNo = w.projNo
-> GROUP BY w.empNo, w.projNo;
```

Query OK, 0 rows affected (0.022 sec)

```
MariaDB [Projects]> SELECT *
-> FROM EmpProject;
```

```
+-----+-----+-----+
| empNo | projNo | totalHours |
+-----+-----+-----+
| E001  | P001   | 8          |
+-----+-----+-----+
```

1 row in set (0.037 sec)

```
MariaDB [Projects]> SELECT projNo
-> FROM EmpProject
-> WHERE projNo = 'SCCS';
```

Empty set (0.003 sec)

```
MariaDB [Projects]>
```

```
MariaDB [Projects]> SELECT COUNT(projNo)
-> FROM EmpProject
```

-> WHERE empNo = 'E1';

+	-----	+
	COUNT(projNo)	
+	-----	+
	0	
+	-----	+

1 row in set (0.003 sec)

MariaDB [Projects]> SELECT empNo, totalHours

-> FROM EmpProject

-> GROUP BY empNo;

+	-----	+
	empNo totalHours	
+	-----	+
	E001 8	
+	-----	+

1 row in set (0.001 sec)