中国人民大学 LaTeX 论文模板

王泽斌

me@zebinwang.com

2015.12.23

摘要

RUCThesis 文档类旨在建立符合中国人民大学《本科论文指导手册》和《研究生学位论文及其摘要的撰写和印制要求》的 LaTeX 学位论文模板。

免责声明

1. 本模板的发布遵守 LaTeX Project Public License，使用前请认真阅读协议内容。
2. 任何个人或组织以本模板为基础进行的使用、修改、拓展而产生的一切后果自行承担。

目录

1 安装 **3**

1.1 下载 3
1.2 文件组成 3
1.3 生成模板 4
1.4 使用模板 4

2 程序代码 **4**

2.1 文档类及选项定义 . . . 4
2.2 宏 5
2.3 页面布局 5
2.4 PDF 6
2.5 字体 6
2.6 行距 6
2.7 空白页样式 6
2.8 页眉页脚 7
2.9 扉页 8
2.10 中文摘要 10
2.11 英文摘要 10
2.12 致谢 10
2.13 授权 11
2.14 独创性声明 11
2.15 章节标题 12
2.16 目录样式 13
2.17 本科脚注 13
2.18 本科签名 14
2.19 封面 15
2.20 常用宏包 18

索 引 **18**

1 安装

1.1 下载

目前 RUCThesis 提供如下两种下载方式：GitHub、CTAN

1.2 文件组成

下图为本模板的文件结构。其中 `chap` 为章节目录，`figure` 为图像文件夹其中名称中有 logo 字样的为模板必要的图像，`ref` 为参考文献文件夹。其余所有文件都已标注在图中。



图 1: RUCThesis 文件目录

1.3 生成模板

如果对本模板机理不感兴趣的读者可以略过这里。模板源文件是 `ructhesis.ins` 和 `ructhesis.dtx` 文件，在终端中执行如下代码：

```
$ latex ructhesis.ins
```

可以得到 ructhesis.cls 文件，继续执行如下代码：

```
$ xelatex ructhesis.dtx
```

可以得到本文档，这里不再赘述。

1.4 使用模板

如果你的模板文件中已经有 `ructhesis.cls` 文件可以直接略过上一步。

2 程序代码

2.1 文档类及选项定义

```
⟨*cls⟩
\NeedsTeXFormat{LaTeX2e}
\ProvidesClass{ructhesis}[2015/12/01 v1.0.0]
\newif\ifruc@bachelor
\newif\ifruc@master
\newif\ifruc@doctor
\newif\ifruc@promaster
\newif\ifruc@shuji
```

bachelor 本科、硕士、专业硕士、博士选项

master

promaster

doctor

```
\DeclareOption{bachelor}{\ruc@bachelortrue}
\DeclareOption{master}{\ruc@mastertrue}
\DeclareOption{promaster}{\ruc@promastertrue}
\DeclareOption{doctor}{\ruc@doctortrue}
```

shuji 这个选项只能在 `cover.tex` 中使用，代表封皮是否打印书脊。

```
\DeclareOption{shuji}{\ruc@shujitrue}
\DeclareOption*{\PassOptionsToClass{\CurrentOption}{ctexbook}}
\ProcessOptions\relax
\ifruc@doctor\LoadClass[UTF8,zihao=-4,twoside,openright,fancyhdr]{ctexbook}
\else\LoadClass[UTF8,zihao=-4,oneside,openany,fancyhdr]{ctexbook}\fi
```

2.2 宏

```
\def\thesiscode#1{\gdef\@thesiscode{#1}}
\def\sign#1{\gdef\@sign{#1}}
\def\esign#1{\gdef\@esign{#1}}
\def\title#1{\gdef\@title{#1}}
\def\subtitle#1{\gdef\@subtitle{#1}}
\def\author#1{\gdef\@author{#1}}
\def\school#1{\gdef\@school{#1}}
\def\field#1{\gdef\@field{#1}}
\def\grade#1{\gdef\@grade{#1}}
\def\studentid#1{\gdef\@studentid{#1}}
\def\advisor#1{\gdef\@advisor{#1}}
\def\score#1{\gdef\@score{#1}}
\def\date#1{\gdef\@date{#1}}
\def\keywords#1{\gdef\@keywords{#1}}
\def\etitle#1{\gdef\@etitle{#1}}
\def\covertitle#1{\gdef\@covertitle{#1}}
\def\keywordzh#1{\gdef\@keywordzh{#1}}
\def\keyworden#1{\gdef\@keyworden{#1}}
\def\doctorsign{博士学位论文}
\def\doctoresign{DOCTORAL DISSERTATION}
\def\mastersign{硕士学位论文}
\def\masteresign{THESIS OF MASTER DEGREE}
\def\promastersign{专业硕士学位论文}
\def\promasteresign{THESIS OF PROFESSION MASTER DEGREE}
\def\bachelorsign{本科毕业论文}
\def\bacheloresign{THESIS OF BACHELOR DEGREE}
\def\cabstractpagesign{摘要}
\def\eabstractpagesign{Abstract}
\def\acknowledgesign{致谢}
\newcommand{\RUCThesis}{{\tt R\kern-.107em\lower.5ex\hbox{U}\kern-.1em CThesis}}
```

2.3 页面布局

```
\ifruc@bachelor
\RequirePackage[top=25mm,left=25mm,bottom=25mm,right=20mm,footskip=10mm]{geometry}
\setlength{\topskip}{10mm}
\else
\RequirePackage[top=45mm,left=35mm,bottom=40mm,right=30mm,headsep=20mm]{geometry}
```

```
\fi
```

2.4 PDF

```
\RequirePackage{hyperref}
\AtBeginDocument{
\hypersetup{
pdftitle={\@title},
pdfauthor={\@author},
pdfsubject={中国人民大学学位论文}}
}
```

2.5 字体

```
\setmainfont{TimesNewRomanPSMT}
\setsansfont{ArialMT}
\setmonofont{CourierNewPSMT}
\xeCJKsetup{AutoFakeSlant={true}}
\setCJKmainfont{SimSun}
\setCJKsansfont{SimHei}
\setCJKmonofont{FangSong}
```

2.6 行距

`\rowspace` 全文行距调整

```
\newcommand{\rowspace}{%
\setlength{\lineskiplimit}{2.625bp}
\setlength{\lineskip}{2.625bp}
\ifruc@bachelor
\linespread{1.25}\selectfont
\else
\linespread{1.35}\selectfont
\fi
}
```

2.7 空白页样式

`\cleardoublepage` 空白页样式设为 empty

```
\let\ruc@cleardoublepage\cleardoublepage
\newcommand{\ruc@clearemptydoublepage}{%
\clearpage{\pagestyle{empty}\ruc@cleardoublepage}}
```

```
\let\cleardoublepage\ruc@clearemptydoublepage
```

2.8 页眉页脚

这里之所以定义了这么多，完全是为了处理本科的要求.....

```
\pagestyle{fancy}
\fancyhf{}
\lhead{}
\rhead{}
\ifruc@bachelor
\chead{\includegraphics[width=4.13cm,height=0.8452cm]{figures/logo.pdf}}
\fancyfoot[CO,CE]{ 第 \thepage 页}
\else
\chead{\zihao{5}\@title}
\if@twoside
\fancyfoot[RO,LE]{\thepage}
\else
\fancyfoot[RO,RE]{\thepage}
\fi
\fi
\fancypagestyle{headings}{
\fancyhf{}
\lhead{}
\rhead{}
\ifruc@bachelor
\chead{\includegraphics[width=4.13cm,height=0.8452cm]{figures/logo.pdf}}
\fancyfoot[CO,CE]{\thepage}
\else
\chead{}\renewcommand*{\headrulewidth}{0bp}
\if@twoside
\fancyfoot[RO,LE]{\thepage}
\else
\fancyfoot[RO,RE]{\thepage}
\fi
\fi}
\fancypagestyle{myheadings}{
\fancyhf{}
\lhead{}
```

```
\rhead{}
\chead{\includegraphics[width=4.13cm,height=0.8452cm]{figures/logo.pdf}}
\fancyfoot[LO,LE]{}
\fancyfoot[RO,RE]{}
\fancyfoot[CO,CE]{}}
\fancypagestyle{plain}{
\fancyhf{}
\lhead{}
\rhead{}
\ifruc@bachelor
\chead{}\renewcommand*{\headrulewidth}{0pt}
\fancyfoot[CO,CE]{ 第 \thepage 页}
\else
\chead{}
\renewcommand*{\headrulewidth}{0pt}
\if@twoside
\fancyfoot[RO,LE]{\thepage}
\else
\fancyfoot[RO,RE]{\thepage}
\fi
\fi}
```

2.9 扉页

\maketitle 插入扉页

```
\RequirePackage{graphicx}
\newif\if@subtitle
\ifruc@bachelor
\renewcommand{\maketitle}{
\newgeometry{top=25mm,left=25mm,bottom=40mm,right=20mm,footskip=0mm,a4paper}
\setlength{\topskip}{5mm}
\thispagestyle{myheadings}
\linespread{1.5}\selectfont
{\hfill\zihao{-4}\sf\@thesiscode
\begin{center}\zihao{1}\rule[0mm]{0mm}{25mm}\@sign\par\vspace{15mm}
\@title\par
\zihao{2}\@subtitletrue\par\vskip\stretch{1}\zihao{3}
作\qquad 者: \underline{\makebox[90mm]\@author}\hfill\par
```

```
学\qquad 院: \underline{\makebox[90mm]\@school}\hfill\par
专\qquad 业: \underline{\makebox[90mm]\@field}\hfill\par
年\qquad 级: \underline{\makebox[90mm]\@grade}\hfill\par
学\qquad 号: \underline{\makebox[90mm]\@studentid}\hfill\par
指导教师: \underline{\makebox[90mm]\@advisor}\hfill\par
论文成绩: \underline{\makebox[90mm]\@score}\hfill\par
日\qquad 期: \underline{\makebox[90mm]\@date}\hfill
\end{center}}
\restoregeometry
\rowspace% 本科全文行距
}
\else
\renewcommand{\maketitle}{
\pagestyle{empty}
\begin{center}
\includegraphics[width=7.6cm,height=1.474cm]{figures/clogo.pdf}\\
\sf\zihao{1}\ziju{0.4}\@sign\par
\tt\zihao{3}
\vspace{25mm}\ziju{0}\linespread{1.5}\selectfont
（中文题目）\underline{\parbox[b]{110mm}\@title}\hfill\par\vspace{3mm}
（英文题目）\underline{\parbox[b]{110mm}\@etitle}\hfill\par
\vfill\ziju{0.65}
作者学号: \underline{\makebox[80mm]\@studentid}\hfill\par
作者姓名: \underline{\makebox[80mm]\@author}\hfill\par
所在学院: \underline{\makebox[80mm]\@school}\hfill\par
专业名称:\underline{\parbox[b]{80mm}{\centering\ziju{0}\@field}}\hfill\par\ziju{0.65}
导师姓名: \underline{\makebox[80mm]\@advisor}\hfill\par
\ziju{0.25}
论文主题词:\underline{\parbox[b]{80mm}{\vspace*{1pt}\centering\@keywords}}\hfill\par
\ziju{0}
论文提交日期: \underline{\makebox[80mm]\@date}\hfill
\end{center}
\rowspace% 研究生全文行距
\clearpage
\if@twoside
\thispagestyle{empty}
\vspace*{\stretch{1}}
{\zihao{5}
```

```
\definecolor{light-gray}{gray}{0.86}
\noindent
\textcolor{light-gray}{
Typeset by \LaTeXe{}\\
With package \tt{\RUCThesis}\\
}}
\cleardoublepage
\fi
}
\fi
```

2.10 中文摘要

`abstractzh` 中文摘要环境

```
\newenvironment{abstractzh}
{\clearpage\chapter*{\cabstractpagesign}\vspace*{-5mm}
\pagenumbering{Roman}\zihao{-4}\rm}
{\par\vspace*{7mm}\noindent\sf\zihao{-4} 关键词：
\rm\zihao{-4}\@keywordzh
\thispagestyle{headings}}
```

2.11 英文摘要

`abstracten` 英文摘要环境

```
\newenvironment{abstracten}
{\clearpage
\ifruc@bachelor\linespread{2}\selectfont
\chapter*{\bf{\eabstractpagesign}}\vspace*{-5mm}
\else\chapter*{\sf{\eabstractpagesign}}\vspace*{-5mm}\fi
\zihao{-4}\rm}
{\par\vspace*{7mm}\noindent
\zihao{-4}\textbf{Key Words : }
\rm\zihao{-4}\@keyworden
\thispagestyle{headings}\rowspace}
```

2.12 致谢

`\acknowledge` 致谢环境

```
\newenvironment{acknowledge}
{\chapter*{\acknowledgesign}\vspace*{-5mm}
\addcontentsline{toc}{chapter}{\acknowledgesign}\zihao{-4}\rm}
{\thispagestyle{plain}}
```

2.13 授权

\authorization 插入授权影印件

```
\newcommand{\authorization}[1]
{\ifruc@doctor\cleardoublepage\else\clearpage\fi
\newgeometry{top=0mm,left=0mm,bottom=0mm,right=0mm,
text={\paperwidth,\paperheight},marginparwidth=0mm}\hspace{-9mm}
\thispagestyle{empty}
\includegraphics[width=\paperwidth-1mm ,totalheight=\paperheight-1mm]{#1}
\restoregeometry}
```

2.14 独创性声明

\originality 插入独创性声明

```
\newcommand{\originality}{
\chapter*{\zihao{-2}\heiti 独创性声明}
{\tt\zihao{-4} 本人郑重声明：所呈交的论文是我个人在导师的指导下进行的研究工作及取得的研究成果。尽我所知，除了文中特别加以标注和致谢的地方外，论文中不包含其他人已经发表或撰写的研究成果，也不包含为获得中国人民大学或其他教育机构的学位或证书所使用过的材料。与我一同工作的同志对本研究所做的任何贡献均已在论文中作了明确的说明并表示了谢意。\par}
\vskip 10mm\hfill
论文作者：\rule[-1ex]{30mm}{0.25pt}\qquad
日\qquad 期：\rule[-1ex]{30mm}{0.25pt}\par
\vfil\centerline{\heiti\zihao{-2} 关于论文使用授权的说明}
\vskip 13mm
{\tt 本人完全了解中国人民大学有关保留、使用学位论文的规定，即：学校有保留送交论文的复印件，允许论文被查阅和借阅；学校可以公布论文的全部或部分内容，可以采用影印、缩印或其他复制手段保存论文。\par
\vskip 10mm\hfill
论文作者：\rule[-1ex]{30mm}{0.25pt}\qquad
日\qquad 期：\rule[-1ex]{30mm}{0.25pt}\par
\hfill \rule[0mm]{0mm}{8mm}
```

```
指导老师：\rule[-1ex]{30mm}{0.25pt}\qquad
日\qquad 期：\rule[-1ex]{30mm}{0.25pt}\par}
\thispagestyle{empty}
}
```

2.15 章节标题

```
\setcounter{secnumdepth}{4}
\ifruc@bachelor
\ctexset{
chapter = {
name = {,},
number = \arabic{chapter}
},
section = {
number = \thechapter.\arabic{section}
},
subsection = {
number = \thesection.\arabic{subsection}
},
subsubsection = {
number = \thesubsection.\arabic{subsubsection}
},
chapter/format =\vspace{-15mm}\centering,
chapter/numberformat = \bf\zihao{3},
chapter/titleformat = \sf\zihao{3},
chapter/nameformat = \sf\zihao{3},
section/format = ,
section/numberformat = \bf\zihao{4},
section/titleformat = \sf\zihao{4},
subsection/format = ,
subsection/numberformat = \bf\zihao{-4},
subsection/titleformat = \sf\zihao{-4},
subsubsection/format = ,
subsubsection/numberformat = \bf\zihao{5},
subsubsection/titleformat =\sf \zihao{5}
}
\else
\ctexset{
```

```
chapter = {
name = {第, 章},
number = \arabic{chapter}
},
chapter/format =\centering,
chapter/numberformat = \bf\zihao{-2},
chapter/nameformat = \sf\zihao{-2},
chapter/titleformat = \sf\zihao{-2},
section/format = ,
section/titleformat =\sf\zihao{-3},
section/numberformat = \bf\zihao{-3},
subsection/format = ,
subsection/numberformat = \bf\zihao{-4},
subsection/titleformat = \sf\zihao{-4},
subsubsection/format = ,
subsubsection/titleformat = \sf\zihao{5},
subsubsection/numberformat = \bf\zihao{5}
}
\fi
```

2.16 目录样式

```
\RequirePackage{titletoc}
\titlecontents{chapter}[0pt]{\sf\zihao{4}\addvspace{1em}\filright}
              {\contentspush{\thecontentslabel\ }}
              {}{\titlerule*[10pt]{.}\bf\contentspage}
\titlecontents{section}[2em]{\rm\zihao{-4}\addvspace{2pt}\filright}
              {\contentspush{\thecontentslabel\ }}
              {}{\titlerule*[10pt]{.}\contentspage}
\titlecontents{subsection}[4em]{\rm\zihao{-4}\addvspace{2pt}\filright}
              {\contentspush{\thecontentslabel\ }}
              {}{\titlerule*[10pt]{.}\contentspage}
```

2.17 本科脚注

`\ruc@textcircled` 本科的圆形脚注...

```
\RequirePackage{ifxetex}
\RequirePackage{ifthen,calc}
\def\ruc@textcircled#1{%
\ifnum \value{#1} <10 \textcircled{\zihao{-6}\arabic{#1}}
```

```
\else\ifnum \value{#1} <100 \textcircled{\zihao{7}\arabic{#1}}\fi
\fi}
\ifruc@bachelor
\renewcommand{\thefootnote}{\ruc@textcircled{footnote}}
\renewcommand{\thempfootnote}{\ruc@textcircled{mpfootnote}}
\def\footnoterule{\vskip-3\p@\hrule\@width0.3\textwidth\@height0.4\p@\vskip2.6\p@}
\let\ruc@footnotesize\footnotesize
\renewcommand\footnotesize{\ruc@footnotesize\zihao{-5}}
\def\@makefnmark{\textsuperscript{\hbox{\normalfont\@thefnmark}}}
\long\def\@makefntext#1{
\bgroup
\newbox\ruc@tempboxa
\setbox\ruc@tempboxa\hbox{%
\hb@xt@ 1.5em{\@thefnmark\hss}}
\leftmargin\wd\ruc@tempboxa
\rightmargin\z@
\linewidth \columnwidth
\advance \linewidth -\leftmargin
\parshape \@ne \leftmargin \linewidth
\footnotesize
\@setpar{{\@@par}}%
\leavevmode
\llap{\box\ruc@tempboxa}%
#1
\par\egroup}\else\fi
```

2.18 本科签名

\autograph 插入签名，在普通章节文件中插入无限制，但在 main.tex 文件插入时被插入的章节不能使用\include 命令，需使用\input 命令。

```
\ifruc@bachelor
\newcommand{\autograph}{\\{\noindent\zihao{4}\sf\rule[0mm]{0mm}{15mm} 作者签名：
\rule[-1ex]{30mm}{0.25pt}}}
\else\fi
```

2.19 封面

封皮都是研究生院统一从印刷厂印制，普通的打印店貌似做不出来.....

```
\RequirePackage{lscape}
\RequirePackage{multicol}
\RequirePackage{color}
\RequirePackage[dvipsnames,prologue,table]{pstricks}
\definecolor{rucblue}{rgb}{0.129,0.482,0.663}
\definecolor{rucorange}{rgb}{0.976,0.769,0.325}
\definecolor{rucred}{rgb}{0.569,0.129,0.2}
\definecolor{rucgreen}{rgb}{0.333,0.608,0.627}
\definecolor{rucwhite}{rgb}{0.999,0.999,0.999}
\definecolor{rucbalck}{rgb}{0,0,0}
```

`\X` 封面标识使用的是方正小标宋字体，PostScript 名称：FZXBSJW–GB1-0

```
\setCJKfamilyfont{X}{FZXBSJW--GB1-0}
\newcommand{\X}{\CJKfamily{X}}
```

`\cover` 封面生成命令需在 `cover.tex` 文件中使用

```
\newcommand{\cover}{
\newgeometry{top=0mm,left=20mm,bottom=40mm,right=0mm}
\ifruc@doctor
\pagecolor{rucorange}
\else
\ifruc@master
\pagecolor{rucblue}
\else
\ifruc@promaster
\pagecolor{rucgreen}
\else
\pagecolor{rucred}
\fi
\fi
\fi
\begin{landscape}
\begin{multicols}{2}
\rule[0mm]{2mm}{0mm}
\ifruc@doctor
\includegraphics[width=5.7cm,height=1.14cm]{figures/logo.pdf}\\
```

```
\else
\ifruc@promaster
\includegraphics[width=6.3cm,height=1.26cm]{figures/logoW.pdf}\\
\else
\includegraphics[width=5.7cm,height=1.14cm]{figures/logoW.pdf}\\
\fi\fi
{\X
\ifruc@doctor
\color{rucred}
\else\color{rucwhite}
\fi\zihao{2}\rule[10mm]{10mm}{0mm}
\ifruc@doctor
\makebox[5.7cm][s]{\doctorsign}\\
\zihao{-4}\rule[6mm]{12mm}{0mm}\makebox[5.7cm][s]{\doctoresign}
\else
\ifruc@master
\makebox[5.7cm][s]{\mastersign}\\
\zihao{-4}\rule[6mm]{12mm}{0mm}\makebox[5.7cm][s]{\masteresign}
\else
\ifruc@promaster
\makebox[6.3cm][s]{\promastersign}\\
\zihao{-5}\rule[6mm]{12mm}{0mm}\makebox[6.3cm][s]{\promasteresign}
\else
\makebox[5.7cm][s]{\bachelorsign}\\
\zihao{5}\rule[0mm]{12mm}{0mm}\makebox[5.7cm][s]{\bacheloresign}
\fi\fi\fi}
\vfill
\begin{center}
\rule[0mm]{0mm}{30mm}\\
\ifruc@doctor
\includegraphics[width=2cm,height=2cm]{figures/logo2.pdf}\vspace{2mm}\\
\includegraphics[width=5.7cm,height=1.5048cm]{figures/logo3.pdf}\\
\else
\includegraphics[width=2cm,height=2cm]{figures/logoW2.pdf}\vspace{2mm}\\
\includegraphics[width=5.7cm,height=1.5048cm]{figures/logoW3.pdf}\\
\fi
{\X
\ifruc@doctor
```

```
\color{rucred}
\else
\color{rucwhite}
\fi
\zihao{0}\ziju{0.3}
\ifruc@doctor\doctorsign
\else
\ifruc@master\mastersign
\else
 \ifruc@promaster\ziju{0.1}\promastersign
\else\bachelorsign
\fi\fi\fi\par\zihao{-4}\rule[0mm]{0mm}{10mm}
\ifruc@doctor\doctoresign
\else
\ifruc@master\masteresign
\else
\ifruc@promaster\promasteresign
\else\bacheloresign
\fi\fi\fi\par}\sf\zihao{-3}
\vspace{40mm}\ziju{0}\linespread{1.5}\rule[0mm]{0mm}{30mm}
\ifruc@doctor\color{rucbalck}\else\color{rucwhite}\fi
论文题目:\underline{\parbox[b]{100mm}\@title}\hfill\par \rule[0mm]{0mm}{10mm}
英\qquad 文: \underline{\parbox[b]{100mm}\@etitle}\hfill\par
\vspace{20mm}\
作\qquad 者:\underline{\makebox[100mm]\@author}\hfill\par\rule[0mm]{0mm}{10mm}
指导教师: \underline{\makebox[100mm]\@advisor}\hfill\par
\vspace{18mm}\@date
\end{center}
\end{multicols}
\thispagestyle{empty}
```

要求中只有博士是需要书脊的，目前位置参数是适合双面打印两百页的论文 (书脊宽度 1cm) 多 40 页将 18.3 减小 0.1（将书脊整体下移 1mm）

```
\ifruc@shuji
\ifruc@doctor\color{rucbalck}\else\color{rucwhite}\fi
\rput[l]{0}(18.3,20){\sf\zihao{3}%
\shortstack[c]{\@covertitle}}
\rput[l]{0}(18.3,5){\sf\zihao{3}%
\shortstack[c]{中\\国\\人\\民\\大\\学}}
```

```
\else\fi
\end{landscape}
\restoregeometry
}
```

2.20 常用宏包

```
\RequirePackage{booktabs}% 三线表
\RequirePackage{colortbl}% 表格颜色
\RequirePackage{diagbox}% 表头制作
\RequirePackage{longtable}% 长表格
\RequirePackage{wrapfig}% 图文混排，段落首字下沉
\RequirePackage{subfigure}% 子图
\RequirePackage{caption2}% 标题设置
\AtBeginDocument{
\captionstyle{normal}
\renewcommand{\captionfont}{\zihao{5}\rm}
\renewcommand{\captionlabelfont}{\zihao{5}\bf}
\renewcommand{\captionlabeldelim}{\,\,}
}
\RequirePackage{tikz}% 绘图
⟨/cls⟩
```

索引

Symbols

\@advisor 28, 152, 174, 429
\@author 23, 58, 147, 171, 428
\@covertitle . . 33, 437
\@date . 30, 154, 178, 430
\@esign 20
\@etitle . . . 32, 168, 426
\@field 25, 149, 173
\@grade 26, 150
\@height 310
\@keyworden . . . 35, 210
\@keywords 31, 176
\@keywordzh . . . 34, 200
\@makefnmark 313
\@makefntext 314
\@school . . . 24, 148, 172
\@score 29, 153
\@setpar 325
\@sign 19, 144, 164
\@studentid 27, 151, 170
\@subtitle 22
\@subtitletrue 146
\@thefnmark . . 313, 318
\@thesiscode . . 18, 143
\@title 21, 57, 89, 145, 167, 425
\@width 310
\␣ . . . 293, 296, 299, 427

A

\abstracten 202
\abstractzh 196
\acknowledge 212

\acknowledgesign 46, 213, 214
\addcontentsline . . 214
\addvspace 292, 295, 298
\advance 322
\advisor 28
\arabic 245, 248, 251, 254, 274, 304, 305
\author 23
\authorization 216
\autograph 330

B

\bachelor 9
\bacheloresign 43, 390, 421
\bachelorsign 42, 389, 414
\bf 205, 257, 261, 264, 267, 277, 282, 284, 288, 294, 454
\bgroup 315
\box 327

C

\cabstractpagesign 44, 197
\captionfont 453
\captionlabeldelim 455
\captionlabelfont . 454
\captionstyle 452
\centerline 229
\chapter 197, 205, 206, 213, 224
\chead . . 86, 89, 101, 104, 115, 124, 127
\CJKfamily 345
\cleardoublepage 77, 192, 217
\clearpage 79, 181, 197, 203, 217
\color 374, 375, 404, 406, 424, 435
\columnwidth 321
\contentspage 294, 297, 300
\contentspush 293, 296, 299
\cover 346
\covertitle 33
\ctexset 242, 271
\CurrentOption 14

D

\date 30
\DeclareOption . . . 9–14
\definecolor 186, 338–343
\doctor 9
\doctoresign 37, 379, 416
\doctorsign 36, 378, 409

E

\eabstractpagesign 45, 205, 206
\egroup 329
\esign 20
\etitle 32

F

\fancyfoot 87, 91, 93, 102, 106, 108, 116–118, 125, 130, 132
\fancyhf 82, 97, 112, 120
\fancypagestyle 96, 111, 119
\field 25
\filright . 292, 295, 298
\footnoterule 310

G

\gdef 18–35
\grade 26

H

\hb@xt@ 318
\hbox 47, 313, 317
\headrulewidth 104, 124, 128
\heiti 224, 229
\hfill . 143, 147–154, 167, 168, 170–174, 176, 178, 226, 232, 235, 425, 426, 428, 429
\hrule 310
\hspace 219
\hss 318
\hypersetup 56

I

\if@subtitle 136
\if@twoside 90, 105, 129, 182
\ifruc@bachelor 4, 48, 71, 85, 100, 123, 137, 204, 241, 307, 330
\ifruc@doctor 6, 16, 217, 348, 364, 373, 377, 395, 403, 409, 416, 424, 435
\ifruc@master . . . 5, 351, 381, 411, 418

\ifruc@promaster 7, 354, 367, 385, 413, 420
\ifruc@shuji . . . 8, 434
\includegraphics 86, 101, 115, 163, 221, 365, 368, 370, 396, 397, 399, 400

K

\kern 47
\keyworden 35
\keywords 31
\keywordzh 34

L

\LaTeXe 189
\leavevmode 326
\leftmargin 319, 322, 323
\lhead . . 83, 98, 113, 121
\lineskip 70
\lineskiplimit 69
\linespread . 72, 74, 142, 166, 204, 423
\linewidth 321–323
\llap 327
\long 314
\lower 47

M

\makebox 147–154, 170–172, 174, 178, 378, 379, 382, 383, 386, 387, 389, 390, 428, 429
\maketitle 135
\master 9
\masteresign 39, 383, 418
\mastersign 38, 382, 411

N

\NeedsTeXFormat 2
\newbox 316
\newenvironment 196, 202, 212
\newgeometry 139, 218, 347
\newif 4–8, 136
\noindent 187, 199, 208, 331

O

\originality 223

P

\pagecolor 349, 352, 355, 357
\pagenumbering 198
\pagestyle . . 79, 81, 161
\paperheight . 219, 221
\paperwidth . . 219, 221
\parbox . . . 167, 168, 173, 176, 425, 426
\parshape 323
\PassOptionsToClass 14
\ProcessOptions 15
\promaster 9
\promasteresign 41, 387, 420
\promastersign 40, 386, 413
\ProvidesClass 3

Q

\qquad 147–151, 154, 227, 228, 233, 234, 236, 237, 426, 428

R

\restoregeometry 156, 222, 442
\rhead . . 84, 99, 114, 122
\rightmargin 320
\rm 198, 200, 207, 210, 214, 295, 298, 453
\rowspace 68, 157, 180, 211
\rput 436, 438
\ruc@bachelortrue . . . 9
\ruc@cleardoublepage 77, 79
\ruc@clearemptydoublepage 78, 80
\ruc@doctortrue 12
\ruc@footnotesize 311, 312
\ruc@mastertrue 10
\ruc@promastertrue . 11
\ruc@shujitrue 13
\ruc@tempboxa 316, 317, 319, 327
\ruc@textcircled . . 301
\RUCThesis 47, 190
\rule 144, 227, 228, 233–237, 331, 332, 363, 376, 379, 383, 387, 390, 394, 415, 423, 425, 428

S

\school 24
\score 29

\selectfont 72, 74, 142, 166, 204
\setbox 317
\setCJKfamilyfont . 344
\setCJKmainfont 65
\setCJKmonofont 67
\setCJKsansfont 66
\setcounter 240
\setlength 50, 69, 70, 140
\setmainfont 61
\setmonofont 63
\setsansfont 62
\sf ... 143, 164, 199, 206, 258, 259, 262, 265, 268, 278, 279, 281, 285, 287, 292, 331, 422, 436, 438
\shortstack .. 437, 439
\shuji 13
\sign 19
\stretch 146, 184
\studentid 27
\subtitle 22

T

\textbf 209
\textcircled . 304, 305
\textcolor 188
\textsuperscript .. 313
\textwidth 310
\thechapter 248
\thecontentslabel 293, 296, 299
\thefootnote 308
\thempfootnote 309
\thepage 87, 91, 93, 102, 106, 108, 125, 130, 132
\thesection 251
\thesiscode 18
\thesubsection 254
\thispagestyle . 141, 183, 201, 211, 215, 220, 238, 433
\title 21
\titlecontents 292, 295, 298
\titlerule 294, 297, 300
\topskip 50, 140
\tt 47, 165, 190, 225, 231

U

\underline 147–154, 167, 168, 170–174, 176, 178, 425, 426, 428, 429

V

\value 304, 305
\vfil 229
\vfill 169, 392

W

\wd 319

X

\X 344, 372, 402
\xeCJKsetup 64

Z

\zihao 89, 143, 144, 146, 164, 165, 185, 198–200, 207, 209, 210, 214, 224, 225, 229, 257–259, 261, 262, 264, 265, 267, 268, 277–279, 281, 282, 284, 285, 287, 288, 292, 295, 298, 304, 305, 312, 331, 376, 379, 383, 387, 390, 408, 415, 422, 436, 438, 453, 454
\ziju 164, 166, 169, 173, 175, 177, 408, 413, 423