

COMPUTABLE STRUCTURES AND THE HYPERARITHMETICAL HIERARCHY

C.J. ASH [†]

J. KNIGHT

*University of Notre dame
Department of Mathematics
Notre Dame, IN 46556-0398, U.S.A.*



2000

ELSEVIER

AMSTERDAM • LAUSANNE • NEW YORK • OXFORD • SHANNON • SINGAPORE • TOKYO

Contents

Preface	v
0.1 Introduction	v
0.2 Constructivizations	vii
0.3 Authorship and acknowledgements	viii
1 Computability	1
1.1 Informal concepts	1
1.2 Church's Thesis	4
1.3 Proof by Church's Thesis	5
1.4 Some basic results	5
1.5 Coding functions	7
1.6 Kleene's Normal Form Theorem	8
1.7 Facts about c.e. sets and relations	8
1.8 The standard list of c.e. sets	12
1.9 The $s - m - n$ Theorem	12
1.10 The Recursion Theorem	13
1.11 Relative computability	14
1.12 The relativized $s - m - n$ Theorem	16
1.13 Turing reducibility	16
1.14 Other reducibilities	17
2 The arithmetical hierarchy	21
2.1 Jumps	21
2.2 Basic definitions	22
2.3 Basic theorems	24
2.4 Combining arithmetical relations	26
2.5 Alternative definitions	27
2.6 Approximations	28
2.7 Trees	30
3 Languages and structures	33
3.1 Propositional languages and structures	33
3.2 Predicate languages	34
3.3 Structures for a predicate language	36

3.4	Satisfaction	37
3.5	Enlarging a structure	38
3.6	Theories and models	39
3.7	Prenex normal form	40
3.8	Isomorphism	40
3.9	Quotient structures	41
3.10	Model existence	42
3.11	Compactness	44
3.12	Some special kinds of structures	45
3.13	Computable sets of sentences	49
3.14	Complexity of structures	50
3.15	Complexity of definable relations	51
3.16	Copies of a given structure	53
3.17	Complexity of quotient structures	55
4	Ordinals	57
4.1	Set theoretic facts	57
4.2	Inductive proofs and definitions	58
4.3	Operations on ordinals	59
4.4	Cantor normal form	60
4.5	Constructive and computable ordinals	60
4.6	Kleene's O	61
4.7	Constructive and computable ordinals	62
4.8	Transfinite induction on ordinal notation	66
5	The hyperarithmetical hierarchy	71
5.1	The hyperarithmetical hierarchy	71
5.2	The analytical hierarchy	75
5.3	The Kleene-Brouwer ordering	82
5.4	Relativizing	84
5.5	Ershov's hierarchy	86
6	Infinitary formulas	89
6.1	Predicate formulas	89
6.2	Sample formulas	90
6.3	Subformulas and free variables	92
6.4	Normal form	93
6.5	Model existence	94
6.6	Scott's Isomorphism Theorem	96
6.7	Ranks and special Scott families	98
6.8	Rigid structures and defining families	100
6.9	Definability of relations	101
6.10	Propositional formulas	102

7	Computable infinitary formulas	105
7.1	Informal definitions	105
7.2	Formal definition	107
7.3	Sample formulas	108
7.4	Satisfaction and the hyperarithmetical hierarchy	109
7.5	Further hierarchies of computable formulas	110
7.6	Computable propositional formulas	112
7.7	The simplest language	115
7.8	Hyperarithmetical formulas	116
7.9	X -computable formulas	118
8	The Barwise-Kreisel Compactness Theorem	121
8.1	Model existence and paths through trees	121
8.2	The Compactness Theorem	123
8.3	Hyperarithmetical saturation	127
8.4	Orderings and trees	129
8.5	Boolean algebras	131
8.6	Groups	132
8.7	Priority constructions	133
8.8	Ranks	136
9	Existence of computable structures	137
9.1	Equivalence structures	137
9.2	Abelian p -groups	139
9.3	Linear orderings	142
9.4	Boolean algebras	150
9.5	Results of Wehner	152
9.6	Decidable homogeneous structures	155
10	Completeness and forcing	159
10.1	Images of a relation	159
10.2	Ershov's hierarchy	167
10.3	Images of a pair of relations	169
10.4	Isomorphisms	173
10.5	Expansions	177
10.6	Sets computable in all copies	177
10.7	Copies of an arbitrary structure	179
11	The Ash-Nerode Theorem	181
11.1	Simple examples	181
11.2	Results of Ash and Nerode	182
11.3	Applications	185
11.3.1	Vector spaces	185
11.3.2	Algebraically closed fields	186
11.4	Expansions	187
11.5	Results of Harizanov	188

11.6 Ershov's hierarchy	189
11.7 Pairs of relations	192
12 Computable categoricity and stability	197
12.1 Simple examples	197
12.2 Relations between notions	198
12.3 Computable categoricity	199
12.4 Decidable structures	201
12.5 Computable stability	203
12.6 Computable dimension	205
12.7 One or infinitely many	206
12.8 Quotient structures	209
13 n-systems	213
13.1 Introduction	213
13.2 Statement of the metatheorem	214
13.3 Some examples	216
13.4 Proof of the metatheorem	220
13.5 Looking ahead	223
13.6 Michalski's Theorem	224
14 α-systems	227
14.1 Statement of the metatheorem	227
14.2 Organizing the construction	228
14.3 Derived systems	230
14.4 Simultaneous runs	234
14.5 Special (α_n)-systems	235
14.6 Further metatheorems	237
15 Back-and-forth relations	239
15.1 Standard back-and-forth relations	239
15.2 α -friendly families	241
15.3 Examples	242
15.3.1 Arithmetic	242
15.3.2 Vector spaces	242
15.3.3 Linear orderings	244
15.3.4 Boolean algebras	246
15.4 Ranks	247
15.5 Stronger back-and-forth relations	250
15.6 Abstract back-and-forth relations	251
15.7 Open problems	252
16 Theorems of Barker and Davey	253
16.1 Barker's Theorems	253
16.2 Davey's Theorems	259

17 Δ_α^0 stability and categoricity	263
17.1 Relations between notions	263
17.2 Δ_α^0 stability	264
17.3 Well orderings	268
17.4 Δ_α^0 categoricity	269
17.5 Superatomic Boolean algebras	272
18 Pairs of computable structures	275
18.1 Simple examples	275
18.2 General results	278
18.3 Results of Feiner and Thurber	281
18.4 Limit structures	284
18.5 Quotient orderings	287
19 Models of arithmetic	291
19.1 Scott sets	291
19.2 Enumerations	294
19.3 Structures representing a Scott set	296
19.4 Harrington's Theorem	305
19.5 Solovay's Theorems	307
19.6 Sets computable in all models	308
19.7 Open problems	309
A Special classes of structures	311
A.1 Vector spaces	311
A.2 Fields	312
A.3 Orderings	314
A.3.1 Operations on orderings	314
A.4 Boolean algebras	315
A.5 Equivalence structures	317
A.6 Abelian p -groups	317
A.7 Models of arithmetic	318
A.7.1 Matijasevic's Theorem	319
A.7.2 Definability of satisfaction	320
A.7.3 Independence	321
Bibliography	323
Index	335