

Section)

Introduction to HTML

11. Introduction to HTML

> HTML Hyper Pext Markey Language MIL Generalised Markey Language.

shall common history based off of markup that used to
be put into manusuipt where
editors would mark up the manusuipt
and either specify changes to the
author or specify structure and
layout to the publisher.

eg, squiggly line => bold et litalles HTML works the same way.

MDM Morlla Develope Network online w3 school. com Documentation devolocs io.

- + <H1> goes up to <H6>
 →

 -> <br/



13.	web. auhive. org
	Interet Austre Wayback Machine
	Popular scientists still have boste websites uniten just in HTML.
	witten just in HTML.
11977	
14.	HTML Bolleplate
	→ We used 'emmet' for the bollepspllate shortest
4	Shoctact
3.11	docs: emmet: io / cheat-sheet /
1 /	
i le s	Bolleiplate -> similar to having a
	Boilerplate -> sunclar to having a code template
	Back in the days.
,	•
	Punting pieces had non blotes
	In that would
	function as their funting template.
	With the state of
`	And because they looked very similar
	to the bolle small metal plate
4	that identified the builder of
	steam boller, they called It boller plate.
	actes place.
	Boileplate shortcut:
	HTML + Enter
	HTML + Pab
	! + Tab



- → New Elle Shocteut: A
- → Atom shoetcuts available on GitHub.
- → HTML4 had a long and difficult to learn doc-type declaration.

 HTML: 4t + Enter
- holds information about the webpage and it tells the browser how it should handle the page.
- -> unicode-table.com
 - · charset = the character set for rendering. · Unicode is very similar to UTF-8.
 - · Mojibake' means broweret encoding.


 eg. 124 ls different in Arabic,

 as that in UTF-8.

 If we set encoding to

 UTF-8, and use Arabic,

 'Mojibake' will happen.
 - → UTF-8 has all the involved symbols, even the emoji's.



→ Metadata aka associated data tells how the website is to be sendered. It also give info about webpage to the seach engine. The description attribute tells the seach engine about the webpage. It's the snippet of text that we see on the search page. Similar to set. 15. Text Formatting in HTML - Beautify blugin: The Housekeeper - Formatting + Telling the browser about the text (6> < strong > くじつ - Paragraph tog (p) HTML Lists: (ul), (ol), (li), Nesting Some of the attributes goes as,

| Size = "I" | I Roman Numeral Types

start = "7" | Change the start



	HTML Img
. ()	· La tra vrop-cucle. Emogeonline. co
	-> <ing alt=" " sec=" "></ing>
	- Self-closing tag
118.1 2013.	HTML Links and HTML Tag Hypertext: A text that takes you to another address.
	() another addance
	Condition and the second
	 Text
	(a hief=""> Text < la>
	(a hief=""> Text < la>
	<pre></pre>
	<pre></pre>