



Architectures des Systèmes de Bases de Données

Abstraction Encapsulation





Spaghetti Plate




Traduction en cours

Design By and For Interfaces (GOF)





*A driver doesn't care of engine's internal working.
He only knows the interface*

Design By and For Interfaces





*A driver doesn't care of engine's internal working.
He only knows the interface*

Design By and For Interfaces





*A driver doesn't care of engine's internal working.
He only knows the interface*

Design By and For Interfaces





*A driver doesn't care of engine's internal working.
He only knows the interface*

Design By and For Interfaces




*A driver doesn't care of engine's internal working.
He only knows the interface*

Design By and For Interfaces




*A driver doesn't care of engine's internal working.
He only knows the interface*

Design By and For Interfaces



*A driver doesn't care of
engine's internal working.
He only knows the interface*

Design By and For Interfaces




*A driver doesn't care of
engine's internal working.
He only knows the interface*

Design By and For Interfaces





*A driver doesn't care of engine's internal working.
He only knows the interface*

Interface and implementation




Source : **OBJECT-ORIENTED PROGRAMMING AND THE OBJECTIVE-C LANGUAGE**
NeXT DEVELOPER'S LIBRARY

Interface Versus Implementation




```
00101010001101001
00101111010101010
01001010010101010
01001110110010101
01010001010111111
00001001001001000
```



Interface
(specification)

```
Struct {  
  Int field1  
  double field2  
  abc field3  
  xxx field4  
}
```



Implementation
(body)

GOF




“program to an interface, not an implementation”


http://en.wikipedia.org/wiki/Design_Patterns



Didel ASI



Interface & Encapsulation = New paradigm




carriage



Carroserie Hypomobile



Shift




Domain Maturity

New paradigm stems from existing



- Starts from the low level

- Carriage



- Starts with what we know so far



- Modeling what we have today helps emergence of new concepts.




Back to the past !!!




Back to the past !!!




From Vacuum Tub to Transistor (solid state)



Simplified Push-Pull tube amp







<http://surfybear.weebly.com/the-amp.html>



http://www.co-bw.com/Audio_Vacuum_Tube_Amp.htm





Disk physical structure




0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 ----



A cylinder is the set of the same tracks across all platters.




Spaghetti Plate




Abstraction Model



**Create()
Open()
Write()
Read()
Close()
Delete()**





0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15




A cylinder is the set of the same tracks across all platters.




Spaghetti Plate




Disk content



Spaghetti Plate



Abstraction Model



File Format



Absolute Sector 0 (Cylinder 0, Head 0, Sector 1)

	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F	
0000	33	C0	8E	D0	BC	00	7C	FB	50	07	50	1F	FC	BE	1B	7C	3..... .P.P....
0010	BF	1B	06	50	57	B9	E5	01	F3	A4	CB	BE	BE	07	B1	04	...PW.....
0020	38	2C	7C	09	75	15	83	C6	10	E2	F5	CD	18	8B	14	8B	8, .u.....
0030	EE	83	C6	10	49	74	16	38	2C	74	F6	BE	10	07	4E	ACIt.8,t....N.
0040	3C	00	74	FA	BB	07	00	B4	0E	CD	10	EB	F2	89	46	25	<.t.....F%
0050	96	8A	46	04	B4	06	3C	0E	74	11	B4	0B	3C	0C	74	05	..F...<.t...<.t.
0060	3A	C4	75	2B	40	C6	46	25	06	75	24	BB	AA	55	50	B4	.u+@.F%.u\$..UP.
0070	41	CD	13	58	72	16	81	FB	55	AA	75	10	F6	C1	01	74	A..Xr...U.u....t
0080	0B	8A	E0	88	56	24	C7	06	A1	06	EB	1E	88	66	04	BFV\$.....f..
0090	0A	00	B8	01	02	8B	DC	33	C9	83	FF	05	7F	03	8B	4E3.....N
00A0	25	03	4E	02	CD	13	72	29	BE	46	07	81	3E	FE	7D	55	%.N...r).F..>.)U
00B0	AA	74	5A	83	EF	05	7F	DA	85	F6	75	83	BE	27	07	EB	.tZ.....u..'..
00C0	8A	98	91	52	99	03	46	08	13	56	0A	E8	12	00	5A	EB	...R..F..V....Z.
00D0	D5	4F	74	E4	33	C0	CD	13	EB	B8	00	00	00	00	00	00	.Ot.3.....
00E0	56	33	F6	56	56	52	50	06	53	51	BE	10	00	56	8B	F4	V3.VVRP.SQ...V..
00F0	50	52	B8	00	42	8A	56	24	CD	13	5A	58	8D	64	10	72	PR..B.V\$..ZX.d.r
0100	0A	40	75	01	42	80	C7	02	E2	F7	F8	5E	C3	EB	74	49	.@u.B.....^..tI
0110	6E	76	61	6C	69	64	20	70	61	72	74	69	74	69	6F	6E	nvalid partition

File Format




Absolute Sector 0 (Cylinder 0, Head 0, Sector 1)


	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F	
0000	33	C0	8E	D0	BC	00	7C	FB	50	07	50	1F	FC	BE	1B	7C	3..... .P.P....
0010	BF	1B	06	50	57	B9	E5	01	FA	44	BE	BE	07	B1	04		...PW.....
0020	38	2C	7C	09	75	15	83										8, .u.....
0030	EE	83	C6	10													It.8,t....N.
0040	3C	00	74													F%
0050	96	8A															<.t...<.t.
0060	3A																...UP.
0070																	...t
0080																	f..
0090	0A															N
00A0	25	03															...F...>.)U
00B0	AA	74	5A	8C												u..'..
00C0	8A	98	91	52	99	03	46	88	1A	58	EA	1A	58	1A	5A	EB	...R..F..V....Z.
00D0	D5	4F	74	E4	33	CD	0D	1B	01	E2	00	00	00	00	00	00	.Ot.3.....
00E0	56	33	F6	56	56	52	50	06	53	51	BE	10	00	56	8B	F4	V3.VVRP.SQ...V..
00F0	50	52	B8	00	42	8A	56	24	CD	13	5A	58	8D	64	10	72	PR..B.V\$..ZX.d.r
0100	0A	40	75	01	42	80	C7	02	E2	F7	F8	5E	C3	EB	74	49	.@u.B.....^..tI
0110	6E	76	61	6C	69	64	20	70	61	72	74	69	74	69	6F	6E	nvalid partition

Spaghetti Plate

File Format




Abstraction Model




Abstraction Model




ASCII




Layered Architecture



Layered Architecture




Layered Architecture



Spaghetti Plate

Layered Architecture




Spaghetti Plate

Layered Architecture



Spaghetti Plate

Layered Architecture




Spaghetti Plate

Analogie circuit électronique



AND gate with open-collector output



AND gate






A	B	Output
0	0	0
0	1	0
1	0	0
1	1	1


Equivalent circuit

http://www.allaboutcircuits.com/vol_4/chpt_3/5.html

Process and Virtual Memory




Abstraction en couches (vues)



SQL

Marque	Modèle	Couleur	Série	Compteur	millésime	Vendeurs
Renault	18	Bleue	RL	123450	2002	Blanc
Renault	Kangoo	Vert	RL	56000	1999	Boucher
Renault	Kangoo	Noir	RL	12000	1987	Fayard
Peugeot	106	Grise	KID	75600	2006	Gentil
Peugeot	309	Jaune	chorus	189500	2007	Germain
Ford	Escort	Blanche	Match	225000	2002	Girard
Fiat	Punto	Noir	GTI	12125	1995	Grosjean
Audi	A4	Blanche	Quattro	21350	1998	Legoff
Peugeot	407	Grise	club	75600	2006	Renard




API : Application Programming Interface



Traduction en cours

A.S.T



Abstraction en couches (vues)







Figure 1-2. Operating systems turn ugly hardware into beautiful abstractions.





Operating System





Linux



Linux



I/O



A File


**User
Mode**

**Kernel
Mode**



A File

**User
Mode**



**Kernel
Mode**



File	
0	0
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
10	10
11	11
12	12
13	13
14	14
15	15
16	16
17	17
18	18
19	19
20	20
21	21
22	22
23	23
24	24

A File

User
Mode

File



Kernel
Mode




File	
0	0
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
10	10
11	11
12	12
13	13
14	14
15	15
16	16
17	17
18	18
19	19
20	20
21	21
22	22
23	23
24	24

A File


User
Mode

File



	File
0	0
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
10	10
11	11
12	12
13	13
14	14
15	15
16	16
17	17
18	18
19	19
20	20
21	21
22	22
23	23
24	24

Kernel
Mode



	File
0	15
1	99
2	11
3	24
4	57
5	42

0	99	0
1	0	1
2	1	2
3	2	3
4	3	4

0	11	5
1	5	6
2	6	7
3	7	8
4	8	9

0	24	10
1	10	11
2	11	12
3	12	13
4	13	14

0	57	15
1	15	16
2	16	17
3	17	18
4	18	19


0	42	20
1	20	21
2	21	22
3	22	23
4	23	24



A File

User
Mode


File



	File
0	0
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
10	10
11	11
12	12
13	13
14	14
15	15
16	16
17	17
18	18
19	19
20	20
21	21
22	22
23	23
24	24

Kernel
Mode

File
Descriptor



	File
0	15
0	99
	11
	24
	57
	42

0	99	0
	0	0
	1	1
	2	2
	3	3
	4	4

0	11	5
	5	5
	6	6
	7	7
	8	8
	9	9

0	24	10
	10	10
	11	11
	12	12
	13	13
	14	14

0	57	15
	15	15
	16	16
	17	17
	18	18
	19	19


0	42	20
	20	20
	21	21
	22	22
	23	23
	24	24



A File

User
Mode


File



	File
0	0
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
10	10
11	11
12	12
13	13
14	14
15	15
16	16
17	17
18	18
19	19
20	20
21	21
22	22
23	23
24	24

Kernel
Mode

File
Descriptor



	File 15	
0	99	
	11	
	24	
	57	
	42	

	99	
0	0	0
	1	1
	2	2
	3	3
	4	4

	11	
0	5	5
	6	6
	7	7
	8	8
	9	9

	24	
0	10	10
	11	11
	12	12
	13	13
	14	14

	57	
0	15	15
	16	16
	17	17
	18	18
	19	19

	42	
0	20	20
	21	21
	22	22
	23	23
	24	24



Block

Block

Block



A File

**User
Mode**

**Kernel
Mode**

File



**File
Descriptor**

Block

Block

Block


Block





A File

User
Mode

Kernel
Mode



To indicate an instance of a class its name must be underlined.



A File

User
Mode

Kernel
Mode

I/O



File

File
Descriptor



Block

Block


Block

Block

Disk



Martin Fowler (1997)



A File

User
Mode

Kernel
Mode

I/O



File

File
Descriptor

Block



Block

Block

Block

Disk

Join



A Query

**User
Mode**

**Kernel
Mode**

I/O



File

**File
Descriptor**

Block

Block



Block

Block

Disk

Query

Join




A Query

**User
Mode**

**Kernel
Mode**

I/O



Disk



A Query

User Mode

Kernel Mode

I/O



Disk

File

**File
Descriptor**

Block

Block


Block

Block


Query

Join


Table



Marque	Modèle	Couleur	Série	Compteur	millésime	Vendeurs
Renault	18	Bleue	RL	123450	2002	Blanc
Renault	Kangoo	Vert	RL	56000	1999	Boucher
Renault	Kangoo	Noir	RL	12000	1987	Fayard
Peugeot	106	Grise	KID	75600	2006	Gentil
Peugeot	309	Jaune	chorus	189500	2007	Germain
Ford	Escort	Blanche	Match	225000	2002	Girard
Fiat	Punto	Noir	GTI	12125	1995	Grosjean
Audi	A4	Blanche	Quattro	21350	1998	Legoff
Peugeot	407	Grise	club	75600	2006	Renard



A Query




Query


Join

Table

Marque	Modèle	Couleur	Série	Compteur	millésime	Vendeurs
Renault	18	Bleue	RL	123450	2002	Blanc
Renault	Kangoo	Vert	RL	56000	1999	Boucher
Renault	Kangoo	Noir	RL	12000	1987	Fayard
Peugeot	106	Grise	KID	75600	2006	Gentil
Peugeot	309	Jaune	chorus	189500	2007	Germain
Ford	Escort	Blanche	Match	225000	2002	Girard
Fiat	Punto	Noir	GTI	12125	1995	Grosjean
Audi	A4	Blanche	Quattro	21350	1998	Legoff
Peugeot	407	Grise	club	75600	2006	Renard




A Query



Disk



A Query




Marque	Modèle	Couleur	Série	Compteur	millésime	Vendeurs
Renault	18	Bleue	RL	123450	2002	Blanc
Renault	Kangoo	Vert	RL	56000	1999	Boucher
Renault	Kangoo	Noir	RL	12000	1987	Fayard
Peugeot	106	Grise	KID	75600	2006	Gentil
Peugeot	309	Jaune	chorus	189500	2007	Germain
Ford	Escort	Blanche	Match	225000	2002	Girard
Fiat	Punto	Noir	GTI	12125	1995	Grosjean
Audi	A4	Blanche	Quattro	21350	1998	Legoff
Peugeot	407	Grise	club	75600	2006	Renard


Disk



A Query




A UML Class Diagramm






Marque	Modèle	Couleur	Série	Compteur	millésime	Vendeurs
Renault	18	Bleue	RL	123450	2002	Blanc
Renault	Kangoo	Vert	RL	56000	1999	Boucher
Renault	Kangoo	Noir	RL	12000	1987	Fayard
Peugeot	106	Grise	KID	75600	2006	Gentil
Peugeot	309	Jaune	chorus	189500	2007	Germain
Ford	Escort	Blanche	Match	225000	2002	Girard
Fiat	Punto	Noir	GTI	12125	1995	Grosjean
Audi	A4	Blanche	Quattro	21350	1998	Legoff
Peugeot	407	Grise	club	75600	2006	Renard



A UML Class Diagramm




A.S.T : Buffer




I/O


Process Address space




User Buffer



Disk Controller



A UML Class Diagramm




Encapsulation



Modèle = vue simplifiée

interface



Traduction en cours

Encapsulation

Tables


Marque	Modèle	Couleur	Série	Compteur	millésime	Vendeurs
Renault	18	Bleue	RL	123450	2002	Blanc
Renault	Kangoo	Vert	RL	56000	1999	Boucher
Renault	Kangoo	Noir	RL	12000	1987	Fayard
Peugeot	106	Grise	KID	75600	2006	Gentil
Peugeot	309	Jaune	chorus	189500	2007	Germain
Ford	Escort	Blanche	Match	225000	2002	Girard
Fiat	Punto	Noir	GTI	12125	1995	Grosjean
Audi	A4	Blanche	Quattro	21350	1998	Legoff
Peugeot	407	Grise	club	75600	2006	Renard



Modèle = vue simplifiée



interface



Fichiers



Traduction en cours

A File

**User
Mode**

**Kernel
Mode**

I/O

File

**File
Descriptor**



Block

Block

Block

Block

Disk



A File

User
Mode

Kernel
Mode

I/O

File

File
Descriptor



Block

Block

Block

Block

Disk



A File

User
Mode

Kernel
Mode

File

File
Descriptor

Block



Block

Block


Block

I/O


Disk



Grady BOOCH OOAD



Abstraction focuses upon the essential characteristics of some object, relative to the perspective of the viewer.



Architecture Framework

