

Conservative Fields

Component test for conservative fields

1) When $\vec{F} = M(x,y)\hat{i} + N(x,y)\hat{j}$
then \vec{F} is said to be
conservative if

$$\frac{\partial M}{\partial y} = \frac{\partial N}{\partial x}$$

2) When $\vec{F} = M(x,y)\hat{i} + N(x,y)\hat{j} + P(x,y)\hat{k}$ then \vec{F} is said to
be conservative if

$$\frac{\partial P}{\partial y} = \frac{\partial N}{\partial z}, \quad \frac{\partial M}{\partial z} = \frac{\partial P}{\partial x}, \quad \frac{\partial N}{\partial x} = \frac{\partial M}{\partial y}$$

E3) Show that $\vec{F} = (e^x \cos y + yz)\hat{i} + (xz - e^x \sin y)\hat{j} + (xy + z)\hat{k}$
is conservative over its natural
domain and find a potential
function for it.

Here,

$$M = e^x \cos y + yz$$

$$N = xz - e^x \sin y$$

$$P = xy + z$$

DAY: _____

DATE: _____

Now,

$$\Rightarrow \frac{\partial P}{\partial y} = \frac{\partial}{\partial y} (xy + z)$$

$$\frac{\partial y}{\partial y} = \frac{\partial y}{\partial x}$$

$$\Rightarrow \frac{\partial N}{\partial z} = \frac{\partial}{\partial z} (xz - e^x \sin y)$$

$$\frac{\partial z}{\partial z} = \frac{\partial z}{\partial x}$$

$$\therefore \frac{\partial P}{\partial y} = \frac{\partial N}{\partial z}$$

Also,

$$\Rightarrow \frac{\partial M}{\partial z} = \frac{\partial}{\partial z} (e^x \cos y + yz)$$

$$\frac{\partial z}{\partial z} = \frac{\partial z}{\partial y}$$

$$= y \quad (1)$$

$$\Rightarrow \frac{\partial P}{\partial x} = \frac{\partial}{\partial x} (xy + z)$$

$$\frac{\partial x}{\partial x} = \frac{\partial x}{\partial y}$$

$$= y \quad (1)$$

$$\therefore \frac{\partial M}{\partial z} = \frac{\partial P}{\partial x}$$

$$\frac{\partial z}{\partial z} = \frac{\partial x}{\partial x}$$

Also,

$$\Rightarrow \frac{\partial N}{\partial x} = \frac{\partial}{\partial x} (xz - e^x \sin y)$$

$$\frac{\partial x}{\partial x} = \frac{\partial x}{\partial z}$$

$$= z(1) - \sin y (e^x)$$

$$= z - e^x \sin y$$

$$\Rightarrow \frac{\partial M}{\partial y} = \frac{\partial}{\partial y} (e^x \cos y + yz)$$

$$\frac{\partial y}{\partial y} = \frac{\partial y}{\partial z}$$

DAY: _____

DATE: _____

$$\frac{\partial M}{\partial y} = e^x(-\sin y) + z(1)$$

$$\frac{\partial}{\partial y} = z - e^x \sin y$$

$$\therefore \frac{\partial N}{\partial x} = \frac{\partial M}{\partial y}$$

$$\frac{\partial}{\partial x} \quad \frac{\partial}{\partial y}$$

Hence, the given function
is conservative.

Exercise

16.3

Testing for Conservative fields

$$Q1) \vec{F} = yz\hat{i} + xz\hat{j} + xy\hat{k}$$

Here,

$$M = yz$$

$$N = xz$$

$$P = xy$$

Now,

$$\Rightarrow \frac{\partial P}{\partial y} = \frac{\partial}{\partial y}(xy) = x$$

$$\Rightarrow \frac{\partial N}{\partial z} = \frac{\partial}{\partial z}(xz) = x$$

$$\therefore \frac{\partial P}{\partial y} = \frac{\partial N}{\partial z}$$

DAY: _____

DATE: _____

DAY

Also,

$$\Rightarrow \frac{\partial M}{\partial z} = \frac{\partial (yz)}{\partial z} = y$$

$$\Rightarrow \frac{\partial P}{\partial x} = \frac{\partial (xy)}{\partial x} = y$$

$$\therefore \frac{\partial M}{\partial z} = \frac{\partial P}{\partial x}$$

Also,

$$\Rightarrow \frac{\partial N}{\partial x} = \frac{\partial (xz)}{\partial x} = z$$

$$\Rightarrow \frac{\partial M}{\partial y} = \frac{\partial (yz)}{\partial y} = z$$

$$\therefore \frac{\partial N}{\partial x} = \frac{\partial M}{\partial y}$$

Hence, the given function
is conservative.

Q3) $\vec{F} = y\hat{i} + (x+z)\hat{j} - y\hat{k}$

Here,

$$M = y$$

$$N = x+z$$

$$P = -y$$

Now,

$$\Rightarrow \frac{\partial P}{\partial y} = \frac{\partial (-y)}{\partial y} = -1$$

$$\Rightarrow \frac{\partial N}{\partial z} = \frac{\partial (x+z)}{\partial z} = 1$$

DAY:

DATE:

$$\therefore \frac{\partial P}{\partial y} \neq \frac{\partial N}{\partial z}$$

Hence,

the given function is
not conservative.

Q5) $\vec{F} = (z+y)\hat{i} + z\hat{j} + (y+x)\hat{k}$

Here,

$$M = z+y$$

$$N = z$$

$$P = y+x$$

Now,

$$\Rightarrow \frac{\partial P}{\partial y} = \frac{\partial}{\partial y}(z+y) = 1$$

$$\Rightarrow \frac{\partial N}{\partial z} = \frac{\partial}{\partial z}(z) = 1$$

$$\therefore \frac{\partial P}{\partial y} = \frac{\partial N}{\partial z}$$

Also,

$$\Rightarrow \frac{\partial M}{\partial z} = \frac{\partial}{\partial z}(z+y) = 1$$

$$\Rightarrow \frac{\partial P}{\partial x} = \frac{\partial}{\partial x}(y+x) = 1$$

$$\therefore \frac{\partial M}{\partial z} = \frac{\partial P}{\partial x}$$

Also,

$$\Rightarrow \frac{\partial N}{\partial x} = \frac{\partial}{\partial x}(z) = 0$$

DAY: _____

DATE: _____

$$\Rightarrow \frac{\partial M}{\partial y} = \frac{\partial}{\partial y}(z+y) = 1$$

$$\therefore \frac{\partial N}{\partial x} = \frac{\partial}{\partial x}(z+y) \neq \frac{\partial M}{\partial y}$$

Hence, the given function is
not conservative.