```
connectivity. Php

<h+mi> <body>

<h+mi> <body>
```

```
select php.
 22 Php
 &dbhost = "localhosr";
 8 dbuser = "root";
     $conn = mysay_connect ( &dbhost, &dbuser);
      18 (18 conn) & 160 x x 30000 = 20000 1 100 = 29/47 2075
      die ("could not connect". mysql- error ():);
     $ say = "select id, name from Table!,"
      mysou_suect_db ("Ashwini"):
     $ rervou = mysou-query ($ sq1,$(onn);
      if (! Bretvau) &
         die ( "could not get data", mysal-error ())
     Cohite C$ row = mysai_fetch_ assoc ($retrai))}
         Echo"Id: C&row['id'] ? 267?"
          rame ($7000 [ name ] ] & or>"
           echo" fetched data successfully";
           mysal_query C$Sall;
            mysq1 - (lose();
 nsertion. Php
  SIPHP
     & dbhost = "local host";
    $ dbuser = " root"
     $ conn = mysql - Connect ($dbhost, $d buser).
     if (! $conn)}
       die ('could not connect', myseu_error (7);
        mysal_select_db ('Ashwini');
    $ su = "Insert into table (Cid, name) values ( lo 1997) 12;
     mysel_query ($sou);
         mysay - closecy;
```

```
in-form. Php
thimit (pody)
ximpelt type = "teset" ioner name = "tret" 17 xory
 dinput type = "teset" name = "tet!"(} dbr)
  Kimpur type= "Submit"()
   21 Form > x160dy> <1h+m1>
get 1. Php
 x h+m1>
 & body)
x 5 byb
$dbhast = local host
9 dbuser = 1 700+1;
& conn = mysey_ connect (subhost, &dbuser);
 if (13conn) 3
 die C'could not connect; '. mysay_error ()); }
   mysou_select_db ( Ashwini)
   $ say = "Insert into table I (id, name) values
C & POST [FXLT]", & POST [ EXCHI]
if ( i mysou = query c. $591, $conn))
       die ('error:', myseu-error()); ?
      echo (record added ", and besi
  8 result = mysey_query ("select x from Table 1");?}
   xtable border = 112">
   «try othy (nor alth) (this name (1th) 141th
    while ($ array = mysql-fetch-row($ result ))
   22 PhP
       2 print "xtr; xtd>" = core solar
         echo garray [0]
         print 29 /tdy ( otd)
          echo sorrag[1];
```

```
view . Php
 (body)
  & dbhost = 10 calhost;
  8 dbuser = 'root'!
  & conn = mysey_connect (&dbhost, &dbuser);
    die C Coald not access, mysal-error ())
8 sq1 = "select Id, name from Table!;
 mysou_select-dbc'Ashwini);
  Bretver = myself-query c & sol, & conn)
    if (1 $ return ) §
   à die G'i could mot getdata!, megsal-error () 1-
     cubite C$ row = mysq1-fetch_assoc C$ retval DJS
         6CHO " 19; C&2000 [, 19, 15 (191) ,
        " reame : { 5 srow [ name 1] } 168>
          echo" fetched data" ? ?
```