REACT LABS

LAB-1:

Lab Question: Grocery Functional Component

Code:

```
import React from "react";
function GroceryList({ items }) {
 const handleAddToCart = () => {
  alert("Groceries Added to Cart!");
 };
 return (
  <div>
   <h2>Groceries List:</h2>
   <ul>
    {items.map((item, index) => (
     <li key={index}>{item}</li>
    ))}
   </ul>
   <button onClick={handleAddToCart}>Add to Cart</button>
  </div>
 );
}
export default GroceryList;
```

OUTPUT


16 aug REACTLabs.pdf
React App
localhost:3000
Groceries List:
Rice
Wheat
Sugar
Milk
Oil
Add to Cart
Search
ENG
IN
01:06 PM
17-08-2025


16 aug REACTLabs.pdf
React App
localhost:3000
localhost:3000 says
Groceries Added to Cart!
OK
Add to Cart
Search
ENG
IN
01:07 PM
17-08-2025

LAB-2

Lab Question: Car Class Component Using Props (Without State)

CODE:

```
import React, { Component } from "react";

class Car extends Component {

 render() {

  const { brand, model, color, year } = this.props;

  return (

   <div>

    <h2>Car Details:</h2>

    <p><b>Brand:</b> {brand}</p>

    <p><b>Model:</b> {model}</p>

    <p><b>Color:</b> {color}</p>

    <p><b>Year:</b> {year}</p>

   </div>

  );

}}

export default Car;
```

OUTPUT:



LAB-3:

Write a React arrow functional component called Phone using useState to manage and display a phone's details (brand, model, and price). Add a button to update the price when clicked.

CODE:

```
import React, { useState } from "react";

const Phone = () => {

 const [phone, setPhone] = useState({

  brand: "Samsung",

  model: "S-24 ultra",

  price: 99999,

 });

 const increasePrice = () => {

  setPhone({ ...phone, price: phone.price + 1000 });

 };

 return (

  <div>

   <h2>📱 Phone Details</h2>

   <p><b>Brand:</b> {phone.brand}</p>

   <p><b>Model:</b> {phone.model}</p>

   <p><b>Price:</b> ₹{phone.price}</p>

   <button

    onClick={increasePrice}

    style={{

     backgroundColor: "dodgerblue",

     color: "white",

     padding: "10px 20px",

     border: "none",

     borderRadius: "5px",

     fontSize: "16px",

     cursor: "pointer"}}
```

```
    >
      Increase Price
    </button>
  </div>); };
export default Phone;
```

OUTPUT:





LAB-4:

Create a React functional component called SweetsList that:

CODE:

```
import React from "react";
function SweetsList() {
 const sweets = [
  { id: 1, name: "Moti choorLaddu", price: 50 },
  { id: 2, name: "Jalebi", price: 40 },
  { id: 3, name: "Rasgulla", price: 60 },
  { id: 4, name: "Gulab Jamun", price: 70 }];
 return (
  <div>
   <h2>Sweets List:</h2>
   <ul>
    {sweets.map((sweet) => (
     <li key={sweet.id}>
      {sweet.name} - Price: ₹{sweet.price}
     </li>))}</ul></div>);}
export default SweetsList;
```

OUTPUT:



LAB-5:

Create a React functional component called Electronics using multiple useState hooks to store and update details of an electronic item (name, brand, and price). Display the details and provide separate buttons to update the brand and increase the price.

CODE:

```
import React, { useState } from "react";

function Electronics() {

 const [name, setName] = useState("Laptop");

 const [brand, setBrand] = useState("Dell");

 const [price, setPrice] = useState(65000);

 const changeBrand = () => {

  setBrand("Lenovo");

 };

 const increasePrice = () => {

  setPrice(price + 700);

 };

 return (

  <div style={{ textAlign: "center", marginTop: "20px" }}>

   <h2>⚡ Electronic Item Details</h2>

   <p><b>Name:</b> {name}</p>

   <p><b>Brand:</b> {brand}</p>

   <p><b>Price:</b> ₹{price}</p>

   <button

    onClick={changeBrand}

    style={{

     marginRight: "10px",

     padding: "8px 15px",

     backgroundColor: "#f0f0f0",

     border: "1px solid gray",

     borderRadius: "5px",

     cursor: "pointer"
```

```
}}
>
Change Brand
</button>
<button
onClick={increasePrice}
style={{
padding: "8px 15px",
backgroundColor: "dodgerblue",
color: "white",
border: "none",
borderRadius: "5px",
cursor: "pointer"
}}
>
Increase Price
</button>
</div>);}
export default Electronics;
```

OUTPUT:




16 aug REACTLabs.pdf
React App
localhost:3000
Electronic Item Details
Name: Laptop
Brand: Lenovo
Price: ₹65000
Change Brand
Increase Price
Search
ENG
IN
01:32 PM
17-08-2025


16 aug REACTLabs.pdf
React App
localhost:3000
Electronic Item Details
Name: Laptop
Brand: Lenovo
Price: ₹65700
Change Brand
Increase Price
Search
ENG
IN
01:33 PM
17-08-2025

LAB-6:

Lab Question: Canteen Menu with Parent + Child Extra Fields

CODE:

```
import React from "react";
const CanteenItem = ({ name, price, category, available }) => {
 return (
  <div style={{ borderBottom: "1px solid gray", padding: "8px 0" }}>
   <p>
    <b>{name}</b> - Price: ₹{price} - Category: {category} -{" "}
    {available === "Yes" ? "Available ✅" : "Not Available ❌"}
   </p>
  </div>
 );
};
export default CanteenItem;
```

```
import React from "react";
import CanteenItem from "./assignment6";
const CanteenMenu = () => {
 return (
  <div style={{ textAlign: "center", marginTop: "20px" }}>
   <h2>Canteen Name: Sajjas Food Court</h2>
   <p><b>Location:</b>Tenali,A.P</p>
   <p><b>Open Hours:</b> 8:00 AM - 11:00 PM</p>
   <h3>Canteen Menu:</h3>
   <CanteenItem name="Idli" price={30} category="Breakfast" available="Yes" />
   <CanteenItem name="Vada" price={2} category="Snack" available="No" />
    <CanteenItem name="Dosa" price={5} category="Breakfast" available="Yes" />
   <CanteenItem name="Poori" price={40} category="Breakfast" available="Yes" />
   <CanteenItem name="Meals" price={120} category="Lunch" available="Yes" />
  </div>
 );
};
```

export default CanteenMenu;

OUTPUT:



LAB-7:

.Create a React component called Juice to display a single juice item (id, name, price). Then create another component JuiceList that uses an array of juice objects and renders them inside an HTML

using map().

CODE:

```
import React from "react";
const Juice = ({ id, name, price }) => {
 return (
  <tr>
   <td>{id}</td>
   <td>{name}</td>
   <td>₹{price}</td>
  </tr>
 );
};
export default Juice;
```

```
import React from "react";
import Juice from "./assignment7";
const JuiceList = () => {
 const juices = [
  { id: 1, name: "Sapota Juice", price: 100 },
  { id: 2, name: "Watermelon Juice", price: 70 },
  { id: 3, name: "Mango Juice", price: 120 }
 ];
 return (
  <div style={{ textAlign: "center", marginTop: "20px" }}>
   <h2>🥤 Juice Menu</h2>
   <table border="1" align="center" cellPadding="10">
    <thead>
     <tr>
```

```
          <th>ID</th>
          <th>Juice Name</th>
          <th>Price</th>
        </tr>
      </thead>
      <tbody>
        {juices.map((juice) => (
          <Juice key={juice.id} id={juice.id} name={juice.name} price={juice.price} />
        ))}
      </tbody>
    </table>
  </div>
 );
};

export default JuiceList;
```

OUTPUT:



LAB-8:

Lab Question: Restaurant Menu using Class Components Write a React program using Class Components where

CODE:

```
import React, { Component } from "react";
class MenuItem extends Component {
 render() {
  const { name, price, category, available } = this.props;
  return (
   <li>
    {name} - ₹{price} ({category}) -{" "}
    <strong>{available ? "Available ✅" : "Not Available ❌"}</strong>
   </li>
  );
 }
}
export default MenuItem;
```

```
import React, { Component } from "react";
import MenuItem from "./assignment8";

class Restaurant extends Component {
 render() {
  return (
   <div style={{ padding: "20px", fontFamily: "Arial" }}>
    <h1>Restaurant Name: SaSi Delicious</h1>
    <p><b>Location:</b> Tenali,A.P</p>
    <p><b>Open Hours:</b> 9:00 AM - 11:00 PM</p>

    <h2>Restaurant Menu:</h2>
    <ul>
     <MenuItem name="Paneer Biryani" price={150} category="Main Course" available={true} />
     <MenuItem name="Onion Dosa" price={80} category="Breakfast" available={true} />
```

```
        <MenuItem name="Gulab Jamun" price={40} category="Dessert" available={true} />
          <MenuItem name="Chicken Biryani" price={200} category="Main Course" available={true} />
        <MenuItem name="Veg Thali" price={120} category="Combo" available={false} />
      </ul>
    </div>
  );
 }
}

export default Restaurant;
```

OUTPUT:



LAB-9:

Create a React functional component called TempleList that displays temples and their details (temple name, location, and deities). Use a nested map() function to show each temple's deities inside an HTML table.

CODE:

```
import React from "react";
const TempleList = () => {
 const temples = [
  {
    id: 1,
   name: "Sri Venkateswara Temple",
   location: "Tirupati, Andhra Pradesh",
   deities: ["Venkateswara", "Lakshmi"]
  },
  {
  id: 2,
   name: "Meenakshi Amman Temple",
   location: "Madurai, Tamil Nadu",
   deities: ["Meenakshi", "Sundareshwarar"]
  },
  {
   id: 3,
   name: "Jagannath Temple",
   location: "Puri, Odisha",
   deities: ["Jagannath", "Balabhadra", "Subhadra"]
  }
 ];
 return (
  <div style={{ padding: "20px", fontFamily: "Arial" }}>
   <h2>🙏 Famous Temples in India</h2>
   <table border="1" cellPadding="10" cellSpacing="0" style={{ borderCollapse: "collapse", width: "100%" }}>
    <thead>
```

```
        <tr>
          <th>ID</th>
          <th>Temple Name</th>
          <th>Location</th>
          <th>Deities</th>
        </tr>
      </thead>
      <tbody>
        {temples.map((temple) => (
          <tr key={temple.id}>
            <td>{temple.id}</td>
            <td>{temple.name}</td>
            <td>{temple.location}</td>
            <td>
              <ul>
                {temple.deities.map((deity, index) => (
                  <li key={index}>{deity}</li>
                ))}
              </ul>
            </td>
          </tr>
        ))}
      </tbody>
    </table>
  </div>
 );
};

export default TempleList;
```

OUTPUT:


16 aug REACTLabs.pdf
React App
localhost:3000
Restaurant Menu:
Paneer Biryani - ₹150 (Main Course) - Available
Onion Dosa - ₹80 (Breakfast) - Available
Gulab Jamun - ₹40 (Dessert) - Available
Chicken Biryani - ₹200 (Main Course) - Available
Veg Thali - ₹120 (Combo) - Not Available
Famous Temples in India
ID
Temple Name
Location
Deities
1
Sri Venkateswara Temple
Tirupati, Andhra Pradesh
Venkateswara
Lakshmi
2
Meenakshi Amman Temple
Madurai, Tamil Nadu
Meenakshi
Sundareshwarar
3
Jagannath Temple
Puri, Odisha
Jagannath
Balabhadra
Subhadra
Search
ENG
IN
02:09 PM
17-08-2025

LAB-10:

Create a Tailoring Shop React App using functional components usinf bootstrap

CODE:

```
import React from "react";
const ServiceCard = ({ service }) => {
 return (
  <div className="col-md-4 mb-4">
   <div className="card shadow">
    <div className="card-body">
     <h5 className="card-title">{service.serviceName}</h5>
     <h6 className="card-subtitle mb-2 text-muted">Price: ${service.price}</h6>
     <p><strong>Fabrics:</strong></p>
     <ul>
      {service.fabricsAvailable.map((fabric, index) => (
       <li key={index}>{fabric}</li>
      ))}
     </ul>
    </div>
   </div>
  </div>
 );
};

export default ServiceCard;

import React from "react";
import ServiceCard from "./assignment10";

const TailorShop = () => {
 const services = [
  {
```

```
      serviceName: "Shirt",
      price: 20,
      fabricsAvailable: ["Cotton", "Linen", "Polyester"]
    },
    {
      serviceName: "Pants",
      price: 30,
      fabricsAvailable: ["Denim", "Wool", "Chino"]
    },
    {
      serviceName: "Lehenga",
      price: 150,
      fabricsAvailable: ["Silk", "Georgette", "Chiffon"]
    },
    {
      serviceName: "Blouse",
      price: 40,
      fabricsAvailable: ["Cotton", "Silk", "Satin"]
    }
  ];

  return (
    <div className="container mt-5">
      <h2 className="text-center mb-4">🧵 Tailoring Services</h2>
      <div className="row">
        {services.map((service, index) => (
          <ServiceCard key={index} service={service} />
        ))}
      </div>
    </div>
  );
};

export default TailorShop;
```

OUTPUT:


16 aug REACTLabs.pdf
React App
localhost:3000
Tailoring Services
Shirt
Price: $20
Fabrics:
Cotton
Linen
Polyester
Pants
Price: $30
Fabrics:
Denim
Wool
Chino
Lehenga
Price: $150
Fabrics:
Silk
Georgette
Chiffon
Blouse
Price: $40
Fabrics:
Cotton
Silk
Satin
Search
02:21 PM
17-08-2025

APP.js:

```
import logo from './logo.svg';
import './App.css';
import React from "react";
import 'bootstrap/dist/css/bootstrap.min.css';
import GroceryList from "./ReactAssignments/assignment1";
import Car from "./ReactAssignments/assignment2";
import Phone from './ReactAssignments/assignment3';
import SweetsList from './ReactAssignments/assignment4';
import Electronics from './ReactAssignments/assignment5';
import CanteenMenu from './ReactAssignments/assignment6.1';
import JuiceList from './ReactAssignments/assignment7.1';
import Restaurant from './ReactAssignments/assignment8.1';
import TempleList from './ReactAssignments/assignment9';
import TailorShop from './ReactAssignments/assignment10.1';

function App() {
  //assignment-1
  const groceries = ["Rice", "Wheat", "Sugar", "Milk", "Oil"];
  //assignment-2 is car
  //assignment-3 is phone
  //assignment-4 is sweetslist
  //assignment-5 is electronics list
  //assignment-6 canteen menu
  //assignment-7 is juicelist

  //assignment-8 restaurant menu

  //assignment-9 temple list
```

```
  return (
    <div className="App">

      <GroceryList items={groceries} />

      <Car brand="Toyota" model="Fortuner" color="Blue" year="2022" />

      <Phone />

      <SweetsList />

      <Electronics />

      <CanteenMenu />

      <JuiceList />

      <Restaurant />

      <TempleList />

      <TailorShop />

    </div>
  );
}

export default App;
```