— Vocabulary-Selection Writing AI (Hors d'oeuvre Word System) —

"An AI-assisted writing tool that does not generate text, but helps users assemble *their own words* through vocabulary selection."

Origin of the Concept

1. Observing predicted vocabulary while typing individual words.
2. Reflecting on the responses of conversational AI systems.

"This proposal does not aim to have AI write text. It aims to support users in constructing sentences using their own words."

By selecting vocabulary chosen by a local, on-device AI, the system maintains coherence while preserving the user's intent.

Until now, writers have often been unable to fully express their own thoughts, ideas, and nuances— outsourcing only the "skeleton" of their writing to external tools.

This proposal rejects that limitation. By integrating an offline, ultra-low-latency writing AI as a "vocabulary secretary," the system restores authorship and intention to the user.

This is a conceptual proposal for a vocabulary-selection writing system— a method of composition that cannot be achieved through text generation.

— Main Components —

1. Write without opening external dictionaries; compose by clicking AI-suggested vocabulary.
2. Naturally learn and integrate newly created user terms for predictive assistance.
3. Introduce controller-based writing (intuitive selection writing: *Palette Writing*).
4. Improve voice-based writing.
5. Provide accessibility-focused support functions.

These objectives form the basis of the system's design.

— Section-by-Section Explanation —

Automatic Vocabulary Selection & Dictionary Functions

1-1

The system predicts surrounding vocabulary from the text being typed— related terms (opposites, synonyms, connectors, particles), lists of predicted next words, and words relevant to the current context.

These are displayed in a large, expandable area, allowing users to click and insert them directly.



Existing AI systems keep related vocabulary hidden due to system constraints. This proposal intentionally displays them. The display area is resizable, scrollable, and expandable, allowing additional vocabulary to appear as needed, and collapsible when unnecessary.

Hovering over a word shows a small pop-up with a brief explanation. (See related item 2-2.)



This system is a support AI designed to protect the user's ability to "write in their own words." Its purpose is not to generate text, but to quietly support vocabulary, world-building, and the flow of thought.

1-2

During writing, vocabulary suggestions can change rapidly, making it difficult to focus. To avoid visual disruption, suggestions appear only when the user pauses, and at a gentle, low-stress speed.

Words begin as faint, shadow-like elements, gradually becoming visible over the configured time.

If four suggestion categories are available, each category displays its first word, and up to 40 words per category (160 total) fill the display smoothly.

Words appear one by one, creating a "novel-game-like" sense of words emerging—avoiding pressure or visual overload





(Scrollbars and zoom functions do not use motion effects.)

When the user resumes writing, the system avoids sudden changes and gently fades out all displayed words. (Alternatively, settings may allow the next pause to overwrite them.)

Example: Vocabulary suggestions in the left panel appear as follows:

- Start after 0.4–1200 seconds, minus 0.15 seconds
- Fade from 35% to 100% opacity for the first word
- Each word appears at 0.1 seconds per word
- 40 words display in 4 seconds
- Initial fade-in begins around 6.0 seconds



Cursor movement does not affect these animations. All timings are user-configurable.

When writing resumes, the entire panel fades from 100% to 25% opacity over 0.6 seconds.

(Keyboard-only operation example: Tab + number key or F-key → move to category Arrow keys → navigate Enter → confirm Shift → details Backspace → step back to formatting)

Animation, dictionary behavior, and input design should be freely adjusted by designers, developers, and accessibility specialists.

Natural Integration of User-Created Vocabulary

2-1

To adapt to each user's world-building and regional language, newly created terms can be temporarily categorized.

Example (fantasy novel):

- Ouwl
  - Category 1: Character

    - Category 2: Enemy
    - Related terms: Demon King
    - Meaning: A goblin general commanding 3,000 troops
- **Thirdsun**
    - Category 1: Place
    - Related terms: Allied city, key location, Kiuln
    - Meaning: A small city in the Kiuln region; main setting
- **Kiuln**
    - Category 1: Place
    - Related terms: Allied city, Thirdsun
    - Meaning: A major city near Thirdsun

Using this function, the system can surface forgotten terms:

"In this country's (Kiuln), in the (Thirdsun) region, the enemy (goblins), led by (Ouwl), (attacked)."

Selecting terms fills the blanks and completes the user's sentence.

Unregistered or newly detected terms are temporarily placed into virtual categories by the AI, which the user can also view.

Users may exchange world-building dictionaries for collaborative writing.

2-2

Users can check information about displayed vocabulary at any time, and temporarily highlight related terms. This reduces cognitive load and supports natural sentence construction.



Pop-ups appear in a darkened frame with brief explanations. They begin semi-transparent, and users may adjust text and frame opacity for readability regardless of background or color settings.

Pop-ups automatically adapt to writing direction and layout. Left-click opens a detailed panel with extended definitions, examples, synonyms, world-building notes, and related vocabulary.

Intuitive Selection Writing: Palette Writing (Controller-Based Writing)

3-1

Using the above functions, users can select predicted vocabulary categories based on partial input or single-character cues, enabling *Palette Writing*.

The AI arranges frequently used or highly related terms into separate display areas, re-selecting and reorganizing them dynamically (similar to drill-down navigation in car GPS systems).

Categories include:

1. Predicted vocabulary during composition
2. Single-character predictions
3. Vocabulary related to completed words
4. Major groups (places, characters, minerals, concepts, numbers, etc.)

Sub-categories and detailed meanings can also be displayed.

Example: Biology → Snake → Python Plants → Flower → Rose





- Click / temporary confirm → branch
- Double-click / confirm → insert into text
- Right-click / reject → return to higher category

This reduces keyboard input and enables writing via mouse, controller, or touchpad.

(Imagine classic RPG name-entry or inventory screens.)

Selected words are layered into the text area below or beside the panel.

3-2

A separate dictionary mode allows sorting by category or spelling. This helps users understand unfamiliar terms or resolve phonetic ambiguities.

(Example: Right-click → open Confirm → proceed Reject → go back)

Together, 3-1 and 3-2 eliminate the need for external browser searches.

Feedback sounds may be added for accessibility, with 3-5 themes (including culturally relevant options) assigned to actions such as move, return, confirm, delete.

Improved Voice Input

4-1

By combining functions (1), (2), and (3), the system supports voice-based writing.

Users hold a button while speaking characters or words. Recognized terms are grouped into candidate sentences by the AI.

After recording, users can:

- Call up displayed terms
- Convert
- Merge
- Delete
- Decompose

Numbers or terms flash when referenced, and candidates appear in a list. The cursor moves to the selected item (e.g., “3-A”, “5-G”), and confirmation finalizes the choice.

If no candidates exist, the system flips to the next page and re-selects similar or related terms.

Short-press, long-press, and double-press distinguish system commands (passive) from input commands (active), reducing user burden.

Button layout and input difficulty are fully customizable.

This combination can serve as a communication aid.





Recording begins after a ~0.3-second long-press. Users may speak 5-6 words or more; up to 60 seconds / ~30 words is recommended (no upper limit if implementation allows).

A command-based extension allows single-character input:

(1-1 = A, 1-5 = E, 3-10 = ?, etc.) This follows the Palette Writing system.



Closing Note

While large companies provide excellent AI tools for efficiency, this proposal aims to add another perspective— the perspective of **expression**.

Input Examples: Keyboard, Controller, and Voice

【Selecting Candidates】 Keyboard: → + Tab Controller: D-pad or L/R Voice: "Move to number ●"

【Partial Modification】 Keyboard: Shift + Arrow Controller: Number selection Voice: “Convert number ●”

【Merge / Integrate】 Keyboard: Select range Controller: Merge Voice: “Merge number 1 and 2”

【Confirm / Return】 Keyboard: Enter / Esc Controller: A / B Voice: “Confirm all” / “Return”

All key assignments are customizable.

All functions described above and below represent the author’s ideal concepts and imagination. *Animation behavior, dictionary functions, and input systems should be freely adjusted by designers, developers, and accessibility specialists.*

This concept is designed to remain compatible with existing writing environments such as Word and PDF, and to function as a **non-competitive, complementary tool** alongside large-scale generative AI systems (Copilot, Gemini, etc.).

Anyone may implement it. The hope is simply that it reaches those who need it.

The only request is to preserve the core philosophy: **“Support the user’s agency and stay close to their expression.”**

Expected Business Models & Additional Features

— 1 to 4: Business Plans —

1. Short-Term Trial Plan (2-3 days)

・Try the interface → test with your own writing・Quickly understand whether it fits your style

Users can experience:

- Vocabulary appearance patterns
- UI selection behavior
- Style-consistency checking speed
- Dictionary depth

Experience communicates more than explanation.

Proposed specifications: · Full 30,000-word dictionary available · Consistency checking up to **** characters · Save up to * times · World-building dictionary is read-only, but demonstrates product value

2. Base System + Language Packs (DLC)

· Base operations + native-language pack (priced ****) · Optional packs: foreign languages, classical languages, sci-fi terminology, etc.

Vocabulary updates use large-scale AI (low frequency). The core system remains lightweight; users purchase only needed languages. User devices do not store unnecessary data.

Purchased language packs are updated via cloud servers using large AI models. The main application runs offline to protect user privacy.

Language packs are sold per cultural region.

(For resource optimization, only selected languages are loaded. Direct user input is always allowed. Documents can be switched between languages without losing content.)

3. Model Tiers

Example (Japan-oriented):

- Basic Pack — 30,000 words (daily writing)
- Pro Pack — 70,000 words (for authors)
- Scholar Pack — 500,000 words (for researchers, government, academia)

Tiering is based on vocabulary size. Larger models require higher device specifications. Upgrades available via download.

4. Local vs. Large-AI Usage

Short-text consistency checks can run on consumer PCs (recommended specs listed). Writers or researchers who require constant long-text checking may use large-AI processing under a separate pricing plan. (Non-subscribers may have limited-use access.)

— 5 to 9: Expected Corporate Implementation Load —

5. Mode Switching Based on Use Case

Modes: Daily / Business / Full-Spec

- Daily: a few thousand terms
- Business: domain-specific vocabulary
- Full: entire dictionary, reducing load on both user and AI

Additional modes:

- Child mode (grade-level vocabulary)
- Hidden dangerous terms
- Custom priority / exclusion lists

Multi-layered checklists improve writing speed. A dedicated "required terms" list is recommended.

6. Automatic Prioritization Based on Usage Frequency

The system stores insertion frequency per week/month/year. Older data can be deleted or reset. Family structure or writing genre may influence prioritization.

7. Character-Specific Speech Patterns

For fiction writers: Users can assign attributes to characters (age, gender, personality, speech style). Vocabulary categories can be layered (double/triple) to support more accurate stylistic predictions.

8. Synonym / Equivalent Term Suggestions

Within a selected range, the AI re-predicts and displays synonym candidates. For voice input, reducing commands may increase the need for optimized layout.

9. Re-use of Consistency Check Results

After local/cloud consistency checking, the screen splits to show original and duplicate text. Problematic areas are marked; hovering displays candidate replacements. Selecting a candidate applies it to the original.

Users may disable markers or manually add new ones for re-analysis.

— 10 to 13: Cultural Locality & Hospitality —

10. Full Customization of Visual Elements

To support color-vision diversity, visual sensitivity, and cultural differences, all colors and transparency settings—text area, vocabulary panels, pop-ups, text color, border color— should be fully adjustable.

This stabilizes the writing environment for diverse users.

11. Pop-ups Adapted to Writing Direction

Pop-ups automatically adjust to the user's page orientation and writing direction: vertical, horizontal, right-to-left, left-to-right.

Examples:

- Horizontal page + right-vertical writing → horizontal pop-up with right-vertical text
- Vertical page + left-horizontal writing → vertical pop-up with left-horizontal text

This enables natural support for languages such as Japanese, English, Chinese, Arabic, Hebrew, etc.

Future consideration: Dynamically generating pop-up frames after measuring rendered text size.

Existing direction-compatible fonts (Noto, Source Han, etc.) should be used, with minimal additions (vertical punctuation, rotated glyphs) to reduce cost.

12. Initial Paper Themes & Cultural Ownership

Two types of initial templates:

1. Blank paper with full color customization
2. Cultural paper themes (notebook, letter paper, manuscript paper, papyrus, etc.)

Local researchers in each country design culturally appropriate templates. Country-specific startup logos may also be included.

Examples: China — Tang paper Egypt — Papyrus Iraq — Clay tablet

Optional: User-voted templates distributed during updates (e.g., Australia → Ayers Rock / Kangaroo Japan → Bamboo / Mt. Fuji)

Cultural templates should be carefully curated to maintain quality. Community submissions may be considered.

This enhances cultural accuracy and user affinity, while naturally collecting feedback.

13. User Feedback

With user consent, the system may anonymously learn from writing tendencies and regional language patterns to improve naturalness and adapt to generational and regional differences.

The goal is to support language as a foundation of everyday life.

(Privacy and safety must be prioritized during implementation.)

This proposal is simply an idea. There are no copyrights. The author does not speak English and may not notice if mocked.

2026, 04 筆記者 2000CE

— Addendum —

As an extension of the system's hospitality philosophy, the following concept is presented as a standalone idea due to legal and technical concerns.

The "Pulse Write Project" — AI Writing Aid with Stealth SOS Protocol

A hidden-command emergency transmission function for users experiencing physical or situational danger.

When triggered, the program activates a **Silent Emergency Layer**, maintaining normal appearance while:

- Contacting designated recipients
- Recording audio/video via microphone and camera
- Saving data in the background
- Uploading to cloud storage
- Converting audio to text
- Analyzing context
- Re-sending messages at safe intervals

Recipients can review audio/text and respond quickly. A private dashboard may allow real-time monitoring.

This concept imagines an AI-integrated personal "nurse call."

During operation, subtle signals reassure the user and confirm system activity.

This idea should be handled by specialists; this document does not propose direct implementation.

Example sequence:

1. 5 seconds after trigger → gentle blinking stops (recording begins; first notification sent)
2. After 5 minutes → system voice: “No input detected.” (second notification)
3. After 10 minutes → system voice: “Ending input.” (final notifications; cloud upload)

A stop command must also be available.