

### **USER ACCEPTANCE TESTING**

Date	17 NOV 2022
Team ID	PNT2022TMID52124
Project Name	Digital Naturalist –AI Enabled Tool For Biodiversity Researchers
Maximum Marks	4 Mark

### Introduction:

Effectively documenting incidents during the testing process is improving software or processes before a system is released. Sometimes, the testers themselves document issues they encounter; but more often, a UAT Co-ordinator verifies, consolidates, and classifies reported issues before assigning them to the appropriate group to address. Then, that IT coordinator again validates and prioritizes the technical issues before handing them off to an IT developer to investigate further and resolve.

During the course of UAT, it is inevitable that issues will be discovered. It is shocking how often documented issues contain insufficient data to facilitate aquick and thorough investigation.

### **Deliverables of UAT:**

- ❖ Every interviewer very quickly stated that UAT is to assure quality. Project managers also stated that it can double as a training exercise for business users as well as ensuring that the requirements set match the functionality that is desired from the system.
- ❖ People managers expressed thatone of the most important deliverables is the decision to go forward with the update or new system; the "green" or "red" light.
- Individual contributors expressed that UAT and hand in hand. That the testers feel



- Included in the development and actually have a say in what works and what doesn't.
- ❖ Individual contributors stated that they felt that UAT has been done enough when the tests they are running are all success full but that it is a gut- feeling or intuition that says when they are content with the testing.
- They also stated many perks of UAT such as: learning the new system, cooperation between departments, learning something new, feeling valued by the company and inclusion in decision making.
- Project Managers stated that the organization at large sometimes acted as though it had forgotten the purpose of UAT - to assure quality and usability of a release.



# **Data Mining:**

This section represents the actions pillar of the research. Here results based on empirical insights from the system log files are presented. Results from the qualitative review of the tester use of test management tools are also presented in this section.



# Time spent on Testing:


Because access was granted to the SUTs application logs it was possible to track exactly how much time users spent on testing functionality in the system. In the blow table 4.3.1 average times are detailed some of the users from the SUT





## **Test Quality:**

- ❖ From the production logs of the SUT a Markov-chain with 68 states (one for each application feature that was left after filtering out non-relevant states) was created.
- ❖ Due to the fact that the SUT was a regular release of an existing system, and not a newly adopted software, a transition matrix could be made on a per-tester level for both the production system logs, as well as the test system logs.
- ❖ Variability due to changes in logging were taken into account by qualitatively examining the log files. As transition matrices for bothTEST and PROD had been computed, a similarity score could be computed to directly and in bulk estimate the quality of the testing.



### **Execution**

### Flow:

- C program (source code) is sent to preprocessor first.
- o Expanded source code is sent to compiler which compiles the code



and converts it into assembly code.

 The assembly code is sent to assembler which assembles the code and converts it into object code

```
Edit Search Run Compile
                                     Debug Project
                                                     Options
                                                                Window
                               — RAINBOW.C —
  nclude(stdio.h)
#include<comio.h>
#include<graphics.h>
#include(dos.h)
void main()
int gdriver = DETECT,gmode;
int x,y,i;
        initgraph(&gdriver, &gmode,
        x=getmaxx()/2;
        y=getmaxy()/2;
        for(i=30;i<200;i++)
                delay(100);
               setcolor(i/10);
               arc(x,y,0,180,i-10);
getch();
      = 3:34 ----(1
F1 Help F2 Save F3 Open Alt-F9 Compile F9 Make F10 Menu
```

- Usually, when possible, this testing happens in a conference or a war room sort of a set up where the users, PM, QA team representatives all sit together for a day or two and work through all the acceptance test cases.
- Once all the tests are run and the results are in hand, the Acceptance Decision is made. This is also called the Go/No-Go decision. If the users are satisfied it's a Go, or else it's a No-go.
- Reaching the acceptance decision is typically the end of this phase.

## **Conclusion:**

- ➤ UAT is not about the pages, fields or buttons. The underlying **assumption** even before this test begins is that all that basic stuff istested and is working fine.
- ➤ God forbid, the users find a bug as basic as that it is a piece of very bad news for the QA team.
- ➤ This testing is about the entity that is the primary element in the business.

```
class Program
    static async Task Main(string[] args)
       WriteLine("Please type the username for the desired user:");
        var username = ReadLine();
        var github = new GitHubClient(new ProductHeaderValue("MyAmazingApp"));
        try
           var user = await github.User.Get(username);
           WriteLine($"The user {user.Name} was successfully retrieved!");
           WriteLine($"\{user.Name\}\ has \{user.PublicRepos\}\ public repositories. Do you want to see the list? <math>(y/n)");
            var response = ReadLine();
            if (string.Equals(
                "Y",
                response,
                StringComparison.InvariantCultureIgnoreCase))
                var repos = await github.Repository.GetAllForUser(username);
                foreach (var repo in repos.OrderBy(x => x.CreatedAt))
                    WriteLine($"{repo.CreatedAt:yyyy-MM-dd} | {repo.Name}");
```



wondershare wondershare