Pythonチュートリアル5

Total points 90/100

The respondent's email (200202yr@yse-c.net) was recorded on submission of this form.

- ✓ chars = ["a","i","u","e","o"]に対して、chars.pop()を行うとcharsの内容は 10/10 どうなるか*
- ["a","e","i","o","u"]
-) [](要素がすべて削除される)
- ["a","i","u","e","o"]
- ["a","i","u","e"]



- [0,1,4,9,16]
- [0,2,4,6,8]
- 0,1,4,9,16,25
- [x**2,x**2,x**2,x**2,x**2]

/	a = [0,10,20,30,40]に対してdel a[2:4]を行ったとき、aの内容はどうなるか *	10/10
	[0,10]	
	[0,10,30]	
	[0]	
	[0,10,40]	✓
~	タプルはどれか *	10/10
	a = [1,2,3]	
	a = [[1,2],3]	
	a = (1,2,3)	✓
) a = 1	
~	chars = ["a","i","u","e","o"]に対して、chars.sort()を行うとcharsの内容は どうなるか *	10/10
•	["a","e","i","o","u"]	✓
) [] (要素がすべて削除される)	
	["a","i","u","e","o"]	
) ["a","i","u","e"]	

✓ a = (1,2,3) に対して、a[0] = 10 を行ったときの結果はどれか*	10/10
(10,1,2,3)	
(10,2,3)	
● エラーになる	~
(1,2,3,10)	
✓ スタックの動作として正しいのはどれか *	10/10
last in,second out	
last in, first out	✓
last in,last out	
first in,first out	

★ 要素が 1 つのタプルを定義したい。正しい書き方はどれか * 0/10
a = ["book"]
a = "book",
<pre>a = ("book")</pre>
○ 要素が1つだけのタプルは定義できない
Correct answer
<pre>a = "book",</pre>
Feedback 要素が1つのタプルを定義する場合、要素の後ろに,(コンマ)が必要です。
✓ chars = ["a","i","u","e","o"]に対して、chars.append("n")を行うとcharsの 10/10 内容はどうなるか *
["n"]
["a","e","i","n","o","u"]
<pre>["a","i","u","e","o","n"]</pre>
["n","a","i","u","e","o"]



This form was created inside of 横浜システム工学院専門学校.

Google Forms