

Componentes de ionic de una aplicación

<https://ionicframework.com/docs/components>

Cambiar inicio.page.html

```
componentes: Componente[] = [  
  {  
    icon: 'american-football-outline',  
    name: 'Action Sheet',  
    redirectTo: '/action-sheet'  
  },  
  {  
    icon: 'alert-circle-outline',  
    name: 'Alert',  
    redirectTo: '/alert'  
  },  
]
```

Cambiar Archivo action-sheet.page.html

```
<app-header titulo="action sheet"></app-header>  
  
<ion-content class="ion-padding">  
  <ion-button (click)="onClick()" expand="block" >  
    Mostrar action-sheet  
  </ion-button>  
</ion-content>
```

Cambiar archivo action-sheet.page.ts

▼ Action Sheet
ion-action-sheet

▼ Action Sheet

ion-action-sheet

▼ Accordion

ion-accordion

ion-accordion-group

▼ Alert

ion-alert

▼ Badge

ion-badge

```
@Component({
  selector: 'action-sheet-example',
  templateUrl: 'action-sheet-example.html',
  styleUrls: ['./action-sheet-example.css'],
})
export class ActionSheetExample {

  constructor(public actionSheetController: ActionSheetController) {}

  async presentActionSheet() {
    const actionSheet = await this.actionSheetController.create({
      header: 'Albums',
      cssClass: 'my-custom-class',
      buttons: [{
        text: 'Delete',
        role: 'destructive',
        icon: 'trash',
        id: 'delete-button',
        data: {
          type: 'delete'
        }
      }]
    });
  }
}
```

Copiar el código fuente :

```
async presentActionSheet()
```

Agregar:

```
constructor(private actionSheetCtrl: ActionSheetController) { }
```

```
import { Component, OnInit } from '@angular/core';
import { ActionSheetController } from '@ionic/angular';

@Component({
  selector: 'app-action-sheet',
  templateUrl: './action-sheet.page.html',
  styleUrls: ['./action-sheet.page.scss'],
})
export class ActionSheetPage implements OnInit {

  constructor(private actionSheetCtrl: ActionSheetController) { }

  ngOnInit() {
  }

  onClick() {
    this.presentActionSheet();
  }

  //actionSheetController.create
  async presentActionSheet() {
    const actionSheet = await this.actionSheetCtrl.create({
      header: 'Albumnes',
      cssClass: 'my-custom-class',
    });
  }
}
```

```

    buttons: [{
      text: 'Delete',
      role: 'destructive',
      icon: 'trash-outline',
      id: 'delete-button',
      data: {
        type: 'delete'
      },
      handler: () => {
        console.log('Delete clicked');
      }
    }, {
      text: 'Share',
      icon: 'share-outline',
      data: 10,
      handler: () => {
        console.log('Share clicked');
      }
    }, {
      text: 'Play (open modal)',
      icon: 'caret-forward-circle-outline',
      data: 'Data value',
      handler: () => {
        console.log('Play clicked');
      }
    }, {
      text: 'Favorite',
      icon: 'heart-outline',
      handler: () => {
        console.log('Favorite clicked');
      }
    }, {
      text: 'Cancel',
      icon: 'close-outline',
      role: 'cancel',
      handler: () => {
        console.log('Cancel clicked');
      }
    }
  ]
});
await actionSheet.present();

const { role, data } = await actionSheet.onDidDismiss();
console.log('onDidDismiss resolved with role and data', role, data);
}

```

```
}
```

En el archivo `action-sheet.page.ts` agregar:

```
header: 'Albumes',
cssClass: 'my-custom-class',
buttons: [{
  text: 'Delete',
  role: 'destructive',
  icon: 'trash-outline',
  cssClass: 'rojo',
  id: 'delete-button',
  data: {
    type: 'delete'
  },
},
```

Cambiar datos de archivo `global.scss`

```
/* Optional CSS utils that can be commented out */
@import "~@ionic/angular/css/padding.css";
@import "~@ionic/angular/css/float-elements.css";
@import "~@ionic/angular/css/text-alignment.css";
@import "~@ionic/angular/css/text-transformation.css";
@import "~@ionic/angular/css/flex-utils.css";

.rojo,.rojo .sc-ion-action-sheet-md {
  color: red !important;
}
```

```
.rojo,.rojo .sc-ion-action-sheet-md {
  color:red !important;
}
```

```
npm app _ngcontent-uyi-c141 class="hydrated" aria-hidden="true">_</ion-router-
outlet> container
<!--container-->
<ion-action-sheet class="sc-ion-action-sheet-md-h sc-ion-action-sheet-md-s md my-custom-class
hydrated" id="ion-overlay-4" role="dialog" aria-modal="true" tabindex="-1" style="z-index: 200
04;">
  <ion-backdrop class="sc-ion-action-sheet-md md hydrated" tabindex="-1" aria-hidden="true"
style>_</ion-backdrop>
  <div tabindex="0" class="sc-ion-action-sheet-md"></div>
```

Cambio en action-sheet.page.ts

```
const actionSheet = await this.actionSheetCtrl.create({
  header: 'Albumnes',
  backdropDismiss: false, //significa que no se puede cerrar, cuando
  se hace clic afuera del entorno
  cssClass: 'my-custom-class',
  buttons: [{
    text: 'Delete',
    role: 'destructive',
    icon: 'trash-outline',
    cssClass: 'rojo',
    id: 'delete-button',
    data: {
      type: 'delete'
    },
    handler: () => {
      console.log('Delete clicked');
    }
  ]
});
```

▼ Alert

ion-alert

Controller

JavaScript

Angular

React

Vue

iOS

MD

<> ⚡ 📄 ↺

CLICK ME

<> src/app/app.component.html

TS src/app/app.component.ts

```
  })
  export class AppComponent {
    constructor(private alertController: AlertController) {}

    async presentAlert() {
      const alert = await this.alertController.create({
        header: 'Alert',
        subHeader: 'Important message',
        message: 'This is an alert!',
        buttons: ['OK']
      });

      await alert.present();
    }
  }
}
```

alert.page.ts

```
import { Component, OnInit } from '@angular/core';
```

```
import { AlertController } from '@ionic/angular';

@Component({
  selector: 'app-alert',
  templateUrl: './alert.page.html',
  styleUrls: ['./alert.page.scss'],
})
export class AlertPage implements OnInit {

  constructor(private alertCtrl: AlertController) { }

  ngOnInit() {
  }

  async presentAlert() {
    const alert = await this.alertCtrl.create({
      backdropDismiss: false,
      header: 'Alert',
      subHeader: 'Important message',
      message: 'This is an alert!',
      buttons: ['OK']
    });
    await alert.present();
  }
}
```

alert.page.html

```
<app-header titulo="Alerta"></app-header>

<ion-content class="ion-padding">
<ion-button (click)="presentAlert()" expand="block">
  Alert
</ion-button>
</ion-content>
```

alert.page.ts

```
import { Component, OnInit } from '@angular/core';
import { AlertController } from '@ionic/angular';
```

```

@Component({
  selector: 'app-alert',
  templateUrl: './alert.page.html',
  styleUrls: ['./alert.page.scss'],
})
export class AlertPage implements OnInit {

  handlerMessage = '';
  roleMessage = '';

  constructor(private alertCtrl: AlertController) { }

  ngOnInit() {
  }

  async presentAlert() {
    const alert = await this.alertCtrl.create({
      backdropDismiss: false,
      header: 'Alert',
      subHeader: 'Important message',
      message: 'This is an alert!',
      buttons: ['OK']
    });
    await alert.present();
  };

  async presentAlertMultilpeButton() {
    const alert = await this.alertCtrl.create({
      backdropDismiss: false,
      header: 'Alert',
      subHeader: 'Important message',
      message: 'This is an alert!',
      buttons: ['Cancel', 'Opne Modal', 'Delete']
    });
    await alert.present();
  };

}

```


alert.page.html

```
<app-header titulo="Alerta"></app-header>

<ion-content class="ion-padding">
  <ion-button (click)="presentAlert()" expand="block">
    Alert
  </ion-button>

  <ion-button (click)="presentAlertMultilpeButton()" expand="block">
    Alert MultilpeButton
  </ion-button>

</ion-content>
```

Crear en clase ejemplo de Buttons

¿????????

Agregar en alert.page.ts

```
async presentAlertMultilpeButtonAction() {
  const alert = await this.alertCtrl.create({
    backdropDismiss: false,
    header: 'Alert',
    subHeader: 'Important message',
    message: 'This is an alert!',
    buttons: [
      {
        text: 'OK!',
        handler: () => {
          console.log('Click en OK!')
        }
      },
      /*
      {
        text: 'Cancelar',
        handler: () => {
          console.log('Click en Cancelar')
        }
      }
    ]
  });
}
```

```
    },  
    */  
    {  
      text: 'Cancelar',  
      role: 'cancel',  
      cssClass: 'rojo'  
    }  
  ]  
});  
await alert.present();  
};
```

Agregar en alert.page.html

```
<ion-button (click)="presentAlertMultipeButtonAction()" expand="block">  
  Alert Buttons  
</ion-button>
```

Ejemplo de **Inputs**