

Import Data using Transform Maps (Spreadsheet)


Description:

This micro project focuses on importing structured data from an external spreadsheet into the **ServiceNow** platform using Import Sets and Transform Maps. The project simulates a real-world scenario where bulk employee data is received in Excel format and must be migrated into ServiceNow efficiently and accurately. The spreadsheet data is first loaded into an Import Set table, which serves as a staging area, and a Transform Map is then configured to map source fields to the appropriate target table fields. Upon executing the transformation, records are created in the target table and validated to ensure data integrity. This project helps beginners understand the end-to-end data import process in ServiceNow, including data loading, field mapping, transformation execution, and result verification.

Step by Step process:

Phase 1: Prepare the sheets

1. Open a new Google Spreadsheet.
2. Create the spreadsheet with the sample employee data shown below (columns: **Employee ID, Name, Email, Department, Location**).



The screenshot shows a Google Sheet with the following data:

Employee ID	Name	Email	Department	Location
SB-0001	Ratan Kumar	test1@gmail.com	ServiceNow	Hyderabad
SB-0002	Sandeep Gupta	test2@gmail.com	ServiceNow	Hyderabad
SB-0003	Meghana Raju	test3@gmail.com	ServiceNow	Hyderabad
SB-0004	Ajay Kumar	test4@gmail.com	ServiceNow	Hyderabad
SB-0005	Bitu sai Prasad	test5@gmail.com	ServiceNow	Hyderabad
SB-0006	Sushma Gani	test6@gmail.com	ServiceNow	Hyderabad
SB-0007	Yaswanth Nika	test7@gmail.com	ServiceNow	Hyderabad
SB-0008	Prashanth Redd	test8@gmail.com	ServiceNow	Hyderabad
SB-0009	Praneeth S	test9@gmail.com	ServiceNow	Hyderabad
SB-0010	Ravi Teja	test10@gmail.com	ServiceNow	Hyderabad
SB-0011	Abhishek S	test11@gmail.com	Salesforce	Hyderabad
SB-0012	Rakesh Bhooma	test12@gmail.com	Salesforce	Hyderabad
SB-0013	Mounika K	test13@gmail.com	Salesforce	Hyderabad
SB-0014	Sushanth J	test14@gmail.com	Salesforce	Hyderabad
SB-0015	Srinu Nandipalli	test15@gmail.com	ServiceNow	Hyderabad

Figure 1: Google Sheet "Sample Spreadsheet" with the sample employee data

1. Download the spreadsheet in .xlsx format: **File > Download > Microsoft Excel (.xlsx)**.




Figure 2: Downloading the spreadsheet as Sample Spreadsheet.xlsx

Phase 2: Create new Custom table

Navigation:

- Tables > Create New

In the Application Navigator filter box, type **Tables** and open **Tables** under System Definition.




Figure 3: Opening Tables from the Application Navigator (System Definition > Tables)

Click **New** and enter the table details:

- Label: **Employee Test**
- Name: **u_employee_test**

ServiceNow recommends creating custom tables in scoped applications. To learn more about creating scoped applications, click [here](#).

A table is a collection of records in the database. Each record corresponds to a row in a table, and each field on a record corresponds to a column on that table. Applications use tables and records to manage data and processes. [More Info](#)

* Label: Employee Test
 * Name: u_employee_test
 Extends table:

Application: Global
 Create module: ☒
 Create mobile module: ☒
 Add module to menu: -- Create new --
 New menu name: Employee Test
 Remote Table: ☐
 Is Data Interface: ☐

Columns | Controls | Application Access

Table Columns for text Search

Dictionary Entries	Column label	Type	Reference	Max length	Default value	Display
Insert a new row...						

Figure 4: New table record with Label "Employee Test" and Name "u_employee_test"

After creating and saving the **Employee Test** table, scroll down to the bottom of the table form. Only the default system columns exist at this point.

ServiceNow

Table - Employee Test

Label: Employee Test
 Name: u_employee_test
 Application: Global
 Remote Table: ☐
 Is Data Interface: ☐

Columns | Controls | Application Access

Table Columns for text Search

Dictionary Entries	Column label	Type	Reference	Max length	Default value	Display
Updated by	String	(empty)	40	false		
Updates	Integer	(empty)	40	false		
Updated	Date/Time	(empty)	40	false		
Sys ID	Sys ID (GUID)	(empty)	32	false		
Created by	String	(empty)	40	false		
Created	Date/Time	(empty)	40	false		

Figure 5: Employee Test table created (default system columns only)

- Click **Show Form** to open the table form.
- On the form, locate the **Form Context Menu / Additional Actions** option on the left side of the form header and click it.
- Click **Configure** and select **Form Layout**.




Figure 6: Form Context Menu > Configure > Form Layout

The **Form Layout** page opens, where you can configure the fields displayed on the form. In the **Create new field** section enter the field details and click **Add** to create each field (Type: String, Field length: Small (40)):

- **Employee ID – Type: String**




Figure 7: Creating the field "Employee ID"

- **Employee Name – Type: String**

servicenow All Favorites History Workspaces Admin ServiceNow Search

< Configuring Employee Test form Cancel Save

Available

- Created
- Created by
- Updated
- Updated by
- Updates
- {- begin_split -}
- {- split -}
- {- end_split -}
- * Annotation
- * Chart
- Activities (filtered)
- Contextual Search Results
- Ratings

Selected

- Employee ID

Cancel Save

Form view and section

View name: Default view

Section: Employee Test

Create new field

Name: Employee Name

Type: String

Field length: Small (40)

Add

Figure 8: Creating the field "Employee Name"

- **Email – Type: String**

servicenow All Favorites History Workspaces Admin ServiceNow Search

< Configuring Employee Test form Cancel Save

Available

- Created
- Created by
- Updated
- Updated by
- Updates
- {- begin_split -}
- {- split -}
- {- end_split -}
- * Annotation
- * Chart
- Activities (filtered)
- Contextual Search Results
- Ratings

Selected

- Employee ID
- Employee Name

Cancel Save

Form view and section

View name: Default view

Section: Employee Test

Create new field

Name: Email

Type: String

Field length: Small (40)

Add

Figure 9: Creating the field "Email"

- **Department – Type: String**

Figure 10: Creating the field "Department"

- **Location – Type: String**

Figure 11: Creating the field "Location" – the other four fields already appear under Selected

After creating all the required fields, click **Save**. The "Saving Form Section" dialog confirms the form layout was saved successfully.




Figure 12: Saving Form Section – 100% complete

Verify that the newly created fields are displayed on the **Employee Test** form, then click **Submit** or **Save**.




Figure 13: Employee Test form showing Employee ID, Employee Name, Email, Department and Location

Phase 3: Import Set Table

Navigation:

In Application Navigator → **Load Data** (System Import Sets).




Figure 14: Opening Load Data from the Application Navigator

Click on **Load Data** and create an import table.




Figure 15: Load Data page before entering details

Fill in the details as shown below:

- Import set table: **Create table**
- Label: **Employee Import**
- Name: u_employee_import (auto-populated; it appears as u__employee_import in this instance)
- Source of the import: **File** – choose **Sample Spreadsheet.xlsx**
- Sheet number: **1**, Header row: **1**
- Click **Submit**.

servicenow All Favorites History Workspaces Admin Load Data Search

< Load Data Submit

Import set table ☒ Create table ☐ Existing table

* Label Employee Import

Name u_employee_import

Source of the import ☒ File ☐ Data source

File Browse... Sample Spreadsheet(1).xlsx

Sheet number 1

Header row 1

Submit

Figure 16: Load Data form filled in with Employee Import and the .xlsx file

Once we click on Submit, the success message is displayed: State **Complete**, Completion code **Success**, and the message "Processed: 15, inserts 15". Also make sure to click on **Create Transform Map** under Next steps.

servicenow All Favorites History Workspaces Admin ServiceNow Search

Progress

Name ImportProcessor

State Complete

Completion code Success

Message Processed: 15, inserts 15, updates 0, errors 0, empty and ignored 0, ignored errors 0 (0:00:02.251)

Next steps...

Import sets Go to the import sets for this data load

Loaded data Go to the newly imported data inside the staging table: u_employee_import

Create transform map Create a transform map for the newly staged data

Import log View the import log

Figure 17: Import Processor result – 15 rows processed, 15 inserted into the staging table

Phase 4: Create Transform Map

In this phase we create the Transform Map by clicking the **Create Transform Map** button shown in the previous screenshot. Give the inputs as shown below:

- Name: **Sample Spreadsheet Import**
- Source Table: **Employee Import** (auto-populated)
- Target Table: **Employee Test** – as created earlier

Figure 18: New Transform Map form – Source table is auto-populated, Name and Target table are still empty

Figure 19: Transform Map with Name "Sample Spreadsheet Import" and Target table "Employee Test"

Click **Submit**, then click **Auto Map Matching Fields**. Fields with identical names are mapped automatically. Here four field maps were created (location, employee id, email, department); the **Name** field did not map automatically because the target field is called Employee Name.




Figure 20: Field Maps (4) after Auto Map Matching Fields

Now click **Mapping Assist** and map the remaining source field **Name** to the target field **Employee Name**:




Figure 21: Mapping Assist – select source field "Name" and target field "Employee Name"

Source: Employee Import

Employee ID
Error
Import set run
Location
Name
Row
Set
State
Sys ID
Time

Field Map

Location	Location
Employee ID	Employee ID
Email	Email
Department	Department
Name	

Target: Employee Test

Employee Name

Buttons: Add, Remove, Save, Cancel

Data Viewer

Show ☒ All Fields ☐ Mapped Fields

Field	Value	Field	Value
Comment			
Created	2026-10-05 10:03:42		

Figure 22: Mapping Assist – "Name" added to the Field Map

Field Map

Location	Location
Employee ID	Employee ID
Email	Email
Department	Department
Name	Employee Name

Data Viewer

Show ☒ All Fields ☐ Mapped Fields

Field	Value	Field	Value
Comment			
Created	2026-10-05 10:03:42		

Figure 23: Mapping Assist – "Name" paired with "Employee Name"

Field Map

Name	Employee Name
Location	Location
Employee ID	Employee ID
Email	Email
Department	Department


Data Viewer

Show ☒ All Fields ☐ Mapped Fields

Field	Value	Field	Value
Comment			
Created	2026-10-05 10:03:42		
Created by	admin		

Figure 24: Mapping Assist – all five fields mapped; click Save


Click on **Save**. Make sure both the source and target table fields are mapped as shown below (Field Maps (5)).



Source field	Target field	Coalesce
u_location	u_location	false
u_employee_id	u_employee_id	false
u_name	u_employee_name	false
u_email	u_email	false
u_department	u_department	false

Figure 25: Field Maps (5): u_location, u_employee_id, u_name, u_email, u_department – Coalesce is false for all

Now click on **Transform** under Related Links.



* Name: Sample Spreadsheet Import
 * Source table: Employee Import [u_employee_import]
 Active: ☒
 Run business rules: ☒
 Enforce mandatory fields: No
 Copy empty fields: ☐
 Create new record on empty coalesce fields: ☐

Application: Global
 Created: 2026-10-05 10:08:59
 * Target table: Employee Test [u_employee_test]
 Order: 100
 Run script: ☐

Figure 26: Clicking Transform under Related Links on the Transform Map

On the "Specify Import set and Transform map" page, the import set and the Sample Spreadsheet Import map are already selected. Click the **Transform** button.




Figure 27: Specify Import set and Transform map – Transforming...

After clicking Transform, make sure you see the success message (State: Complete, Completion code: Success, "Transformation complete").




Figure 28: Transformation of ISET0010001 completed successfully

Phase 5: Transform Data & Validate

Navigation:

- Open the **Employee Tests** table from the Application Navigator as shown below.




Figure 29: Opening Employee Tests from the Application Navigator

As our import succeeded, all the records are created in the Employee Test table. Make sure you rearrange the fields accordingly by using **Personalize List Columns** (gear icon): move the columns into the order Employee ID, Employee Name, Email, Department, Location and click **OK**.




Figure 30: Personalize List Columns dialog

Department	Email	Employee ID	Employee Name	Location
ServiceNow	test8@gmail.com	SB-0008	Prashanth Reddy	Hyderabad
ServiceNow	test4@gmail.com	SB-0004	Ajay Kumar	Hyderabad
Salesforce	test12@gmail.com	SB-0012	Rakesh Bhoomani	Hyderabad
ServiceNow	test15@gmail.com	SB-0015	Srinu Nandipalli	Hyderabad
ServiceNow	test3@gmail.com	SB-0003	Meghana Raju	Hyderabad
ServiceNow	test1@gmail.com	SB-0001	Ratan Kumar	Hyderabad
ServiceNow	test7@gmail.com	SB-0007	Yaswanth Nika	Hyderabad
Salesforce	test11@gmail.com	SB-0011	Abhishek S	Hyderabad
ServiceNow	test10@gmail.com	SB-0010	Ravi Teja	Hyderabad
ServiceNow	test6@gmail.com	SB-0006	Sushma Gani	Hyderabad
ServiceNow	test2@gmail.com	SB-0002	Sandeep Gupta	Hyderabad
Salesforce	test14@gmail.com	SB-0014	Sushanth J	Hyderabad
ServiceNow	test9@gmail.com	SB-0009	Praneeth S	Hyderabad
ServiceNow	test5@gmail.com	SB-0005	Bitu sai Prasad	Hyderabad
Salesforce	test13@gmail.com	SB-0013	Mounika K	Hyderabad

Figure 31: Employee Tests list showing the imported employee records

Final Result:

All the records are successfully imported into the ServiceNow system with Import Set and Transform Map.

Phase 6: Enable Coalesce to Avoid Duplicate Records

- In real projects, the same employee data may be imported multiple times.
- To prevent duplicate employee records, we use **Coalesce**.
- Coalesce updates the matching record with new values if the key value already exists, and does not insert a duplicate.

Steps:

1. Open **Transform Maps** (under System Import Sets > Administration, or System LDAP) from the All menu.




Figure 32: Searching for Transform Maps in the Application Navigator

1. Open the created Transform Map, **Sample Spreadsheet Import**.

The screenshot shows the configuration page for a Table Transform Map named 'Sample Spreadsheet Import'. The configuration includes:

- Name:** Sample Spreadsheet Import
- Source table:** Employee Import [u_employee_import]
- Active:** ☒
- Run business rules:** ☒
- Enforce mandatory fields:** No
- Copy empty fields:** ☐
- Create new record on empty coalesce fields:** ☐
- Application:** Global
- Created:** 2026-10-05 10:08:59
- Target table:** Employee Test [u_employee_test]
- Order:** 100
- Run script:** ☐

Below the configuration fields are buttons for 'Copy', 'Update', and 'Delete'. A 'Related Links' section contains links to 'Auto Map Matching Fields', 'Mapping Assist', 'Validate Coalesce Fields', 'Transform', 'Index Coalesce Fields', and 'Run Point Scan'. At the bottom, there are tabs for 'Field Maps (5)' and 'Transform Scripts'.

Figure 33: Sample Spreadsheet Import Transform Map with the Field Maps (5) related list

1. Under the Related list, select the **Field Maps** section and set Coalesce to **true** for one field – here **u_employee_id**.
2. Save the change by clicking the green tick.

The screenshot shows the 'Field Maps' section of the configuration page. It displays a table with the following columns: Source field, Target field, and Coalesce. The 'u_employee_id' field is selected, and its 'Coalesce' value is set to 'true'. A green tick icon is visible next to the 'true' value, indicating the change has been saved.

Source field	Target field	Coalesce
u_location	u_location	false
u_employee_id	u_employee_id	true
u_name	u_employee_name	
u_email	u_email	false
u_department	u_department	false

At the bottom of the table, there is a pagination control showing '1 to 5 of 5'.

Figure 34: Setting Coalesce = true on the u_employee_id field map

PHASE 7: Inserting New Data In Excel Format

Add or change some rows in the Google Sheet. In the example below a new row (SB-0016) was added to the sheet, and the file was downloaded again as .xlsx.

Employee ID	Name	Email	Department	Location
SB-0001	Ratan Kumar	test1@gmail.com	ServiceNow	Hyderabad
SB-0002	Sandeep Gupta	test2@gmail.com	ServiceNow	Hyderabad
SB-0003	Meghana Raju	test3@gmail.com	ServiceNow	Hyderabad
SB-0004	Ajay Kumar	test4@gmail.com	ServiceNow	Hyderabad
SB-0005	Bitu Sai Prasad	test5@gmail.com	ServiceNow	Hyderabad
SB-0006	Sushma Gani	test6@gmail.com	ServiceNow	Hyderabad
SB-0007	Yaswanth Nika	test7@gmail.com	ServiceNow	Hyderabad
SB-0008	Prashanth Redd	test8@gmail.com	ServiceNow	Hyderabad
SB-0009	Praneeth S	test9@gmail.com	ServiceNow	Hyderabad
SB-0010	Ravi Teja	test10@gmail.com	ServiceNow	Hyderabad
SB-0011	Abhishek S	test11@gmail.com	Salesforce	Hyderabad
SB-0012	Rakesh Bhoorna	test12@gmail.com	Salesforce	Hyderabad
SB-0013	Mounika K	test13@gmail.com	Salesforce	Hyderabad
SB-0014	Sushanth J	test14@gmail.com	Salesforce	Hyderabad
SB-0015	Srinu Nandipalli	test15@gmail.com	ServiceNow	Hyderabad
SB-0016	prithvee raj	test16@gmail.com	ServiceNow	Hyderabad

Figure 35: Sample Spreadsheet with a newly added row (SB-0016)

Steps:

- Navigate to the All menu and search for **Load Data** under System Import Sets.




Figure 36: Opening Load Data from the All menu

- Import set table: select **Existing table** → **Employee Import**.
- Source of Import: **File** – choose the file from your computer.
- Sheet number: **1**, Header row: **1**.
- Now click **Submit**.

servicenow All Favorites History Workspaces Admin Load Data Search

< Load Data Submit

Import set table ☐ Create table ☒ Existing table

Import set table Employee Import (u__employee_import)

Source of the import ☒ File ☐ Data source

File [Browse...](#) Sample Spreadsheet(1).xlsx

Sheet number 1

Header row 1

Submit

Figure 37: Load Data using the existing table Employee Import

After submitting, the progress page shows State **Complete** and Completion code **Success**. Now click **Run Transform** under Next steps.

servicenow All Favorites History Workspaces Admin ServiceNow Search

Progress

Name ImportProcessor

State Complete

Completion code Success

Message Processed: 15, inserts 15, updates 0, errors 0, empty and ignored 0, ignored errors 0 (0:00:00.166)

Next steps...

Import sets Go to the import sets for this data load

Loaded data Go to the newly imported data inside the staging table: u__employee_import

Create transform map Create a transform map for the newly staged data

Run Transform Transform a loaded import set using an existing transform map

Import log View the import log

Figure 38: Import Processor result with the Run Transform link under Next steps

It opens "Specify Import set and Transform map" with the previously selected Transform Map. Click the **Transform** button.




Figure 39: Specify Import set and Transform map for the new import set (ISET0010002)

Now the State is Complete and the Completion code is Success.




Figure 40: Transformation of ISET0010002 completed successfully

Then open the **Employee Tests** table and check the rows that were inserted. Coalesce on Employee ID must be set to true before running the transform; otherwise, loading the same rows again creates duplicate records, as seen in this list (for example SB-0008, SB-0004 and SB-0012 appear more than once, 30 records in total).

Employee Name	Department	Email	Location
Sushanth Reddy	ServiceNow	test8@gmail.com	Hyderabad
Rakesh Bhoomani	Salesforce	test12@gmail.com	Hyderabad
Sushanth Reddy	ServiceNow	test8@gmail.com	Hyderabad
Praneeth S	ServiceNow	test4@gmail.com	Hyderabad
Praneeth S	ServiceNow	test4@gmail.com	Hyderabad
Sushanth J	Salesforce	test14@gmail.com	Hyderabad
Rakesh Bhoomani	Salesforce	test12@gmail.com	Hyderabad
Srinu Nandipalli	ServiceNow	test15@gmail.com	Hyderabad
Bitu sai Prasad	ServiceNow	test5@gmail.com	Hyderabad
Srinu Nandipalli	ServiceNow	test15@gmail.com	Hyderabad
Meghana Raju	ServiceNow	test3@gmail.com	Hyderabad
Praneeth S	ServiceNow	test9@gmail.com	Hyderabad
Ratan Kumar	ServiceNow	test1@gmail.com	Hyderabad
Mounika K	Salesforce	test13@gmail.com	Hyderabad
Yaswanth Nika	ServiceNow	test7@gmail.com	Hyderabad
Abhishek S	Salesforce	test11@gmail.com	Hyderabad

Figure 41: Employee Tests list after the second import (1 to 20 of 30 records)

To check how many rows were inserted, updated or ignored, open **Transform History** from the Next steps links after the transform completes.

PHASE 8: Create Reports on Employee Test Table

Navigation Steps:

- Open the All menu and search for **Reports**.
- Under **Platform Analytics Administration**, select **Reports**.

Table	Type	Field Name	Created by	Updated
Incident Time Worked [incident_time_worked]	Pivot table	inc_category	glide.maint	2011-11-30 14:35:43
Follow On Task [cert_follow_on_task]	Horizontal bar	aging_level	admin	2013-04-18 13:57:43
Follow On Task [cert_follow_on_task]	Horizontal bar	aging_level	admin	2013-04-18 13:30:43
label [test_2]	Single Score		admin	2020-03-06 18:38:27
Task SLA [task_sla]	Vertical bar	sla.type	glide.maint	2012-11-29 05:42:30
Change Request [change_request]	List	active	glide.maint	2005-06-21 18:17:56
Change Request [change_request]	Single Score		admin	2020-11-11 11:43:52
Active Contracts by Cost Per Unit	List	cost_per_unit	admin	2012-09-20 10:57:06
Active Contracts by Lifetime Cost	List	lifetime_cost	admin	2012-09-19 10:17:48
Active Contracts by Monthly Cost	List	monthly_cost	admin	2012-09-19 10:18:14
Active Contracts by Vendor	List	vendor	admin	2012-09-04 15:49:43

Figure 42: Searching for Reports in the Application Navigator

- Click the **New** button to create a new report.
- Create **3 Reports** as follows.

Title	Table	Type	Field Name	Created by	Updated
KPI - Average Work Effort for Resolving...	Incident Time Worked [incident_time_worked]	Pivot table	inc_category	glide.maint	2011-11-30 14:35:43
30/60/90 Day Desired State Task Aging	Follow On Task [cert_follow_on_task]	Horizontal bar	aging_level	admin	2013-04-18 13:57:43
30/60/90 Day Task Aging	Follow On Task [cert_follow_on_task]	Horizontal bar	aging_level	admin	2013-04-18 13:30:43
abc	label [test_2]	Single Score		admin	2020-03-06 18:38:27
Achieved SLAs by Type	Task SLA [task_sla]	Vertical bar	sla.type	glide.maint	2012-11-29 05:42:30
Active Change Requests	Change Request [change_request]	List	active	glide.maint	2005-06-21 18:17:56
Active Changes > 7 days	Change Request [change_request]	Single Score		admin	2020-11-11 11:43:52
Active Contracts by Cost Per Unit	Contract [ast_contract]	List	cost_per_unit	admin	2012-09-20 10:57:06
Active Contracts by Lifetime Cost	Contract [ast_contract]	List	lifetime_cost	admin	2012-09-19 10:17:48
Active Contracts by Monthly Cost	Contract [ast_contract]	List	monthly_cost	admin	2012-09-19 10:18:14
Active Contracts by Vendor	Contract [ast_contract]	List	vendor	admin	2012-09-04 15:49:43

Figure 43: Reports list – click New to create a report

Report 1: Employees by Department

- In **Data**: Report name: **Employees by Department**.
- Source Type: **Table**.
- Table: **Employee Test**, now click the **Next** button.

Create a report

Report Title : Employees by Department

* Report name
Employees by Department

* Source type
Table

* Table
Employee Test [u_employee_test]

Description
There is no description for this table. To add a description, please contact your admin.

Table: Employee Test [u_employee_test]

Create your report with Analytics Q&A
Ask for information. You can give simple filtering conditions.
You get the answer with an appropriate visualization.

What do you want to see? [Ask](#)

How can I improve my results?

[Next](#)

Figure 44: Report Data tab – Employees by Department on the Employee Test table

- Now after clicking Next, in **Type** select **Pie chart** and click **Next**.




Figure 45: Report Type tab – Pie chart selected

- In **Configure**, select Group by **Department** and set Aggregation to **Count**, then click **Next**.
- In **Style**, leave the chart color as default.
- Click the **Run** button to execute the report and click **Save** to save the report.




Figure 46: Style tab – Employees by Department pie chart (ServiceNow 22, Salesforce 8)

Report 2: Employees by Location

Configuration:

- Table: Employee Test
 - Type: **Bar Chart**
 - Aggregation: **Count**
 - Group By: **Location**
1. Create a New Report.

2. Report name: **Employees by Location.**
3. Table: **Employee Test.**
4. Select Type: **Bar Chart.**
5. In Configure, select Group by field: **Location.**
6. Aggregation is **Count.**
7. Click **Run** to execute the report and click **Save** to save the report.




Figure 47: Configure tab – Group by Location with Aggregation Count

Report 3: Employee List Report

Configuration:

- Create a New Report named **Employee List Report.**
- Table: **Employee Test.**
- Select Type: **List.**
- In Configure, select Columns: Employee ID, Employee Name, Email, Department, Location.
- Click **Next** – nothing needs to be chosen in Style.
- Click **Run** to execute the report and click **Save** to save the report.




Figure 48: Employee List Report – Style tab with Run and Save buttons

PHASE 9: Add Reports to Dashboard

Enable access to create dashboards (ACL)

- Open the All menu and search for ACL; under System Security open **Access Control (ACL)**.




Figure 49: Access Controls list

- Search **pa_dashboards** in the Name column.

The screenshot shows the ServiceNow 'Access Controls' page with a filter applied to 'pa_dashboards'. The table lists various access control rules with columns for Name, Decision Type, Operation, Type, Active status, Updated by, and Updated date.

Name	Decision Type	Operation	Type	Active	Updated by	Updated
pa_dashboards	Allow If	write	record	true	admin	2019-03-25 09:32:03
pa_dashboards	Allow If	write	record	true	admin	2016-04-19 03:29:14
pa_dashboards	Allow If	read	record	true	admin	2019-03-25 09:34:18
pa_dashboards	Allow If	create	record	true	admin	2026-02-25 07:30:56
pa_dashboards	Allow If	report_view	record	true	admin	2022-11-16 22:19:19
pa_dashboards	Allow If	delete	record	true	admin	2016-04-19 03:26:55
pa_dashboards	Allow If	query_range	record	true	glide.maint	2025-11-05 15:23:15
pa_dashboards	Allow If	read	record	true	admin	2018-03-01 07:27:17
pa_dashboards	Allow If	create	record	true	admin	2023-12-20 01:56:39
pa_dashboards	Allow If	delete	record	true	admin	2019-03-25 09:35:29
pa_dashboards.*	Allow If	query_range	record	true	glide.maint	2025-11-05 15:27:50
pa_dashboards.group	Allow If	write	record	true	admin	2016-07-28 06:29:53
pa_dashboards.owner	Allow If	write	record	true	admin	2021-11-04 08:32:01
pa_dashboards.restrict_to_roles	Allow If	write	record	true	admin	2016-09-08 02:00:29
pa_dashboards.restrict_to_roles	Allow If	write	record	true	admin	2018-03-01 08:50:55

Figure 50: Access Controls filtered on pa_dashboards

- Open the **create** operation row and make sure **Admin overrides** is enabled (true), then click **Update**.

The screenshot shows the configuration page for the 'pa_dashboards' access control rule. The 'Operation' is set to 'create'. The 'Admin overrides' checkbox is checked. The 'Application' is set to 'Global'. The 'Active' and 'Advanced' checkboxes are also checked. The 'Name' field contains 'pa_dashboards'. The 'Applies To' field shows 'No. of records matching the condition: 0 (empty)'. The 'Conditions' section is expanded, showing a message about Access Control Rules and their behavior.

Access Control - pa_dashboards

Type: record
 Operation: create
 Decision Type: Allow If
 Admin overrides: ☒
 Protection policy: -- None --
 Name: pa_dashboards
 Description:
 Applies To: No. of records matching the condition: 0 (empty)

Conditions

Access Control Rules have two decision types, and these types will behave differently depending on conditions.
 1. Allow Access: Allows access to a resource if all conditions are met. Additional ACLs may grant access to records where this ACL has not granted access.
 2. Deny Access: Denies access to a resource unless all conditions are met. Additional ACLs may not grant access to records where this ACL has denied access.
[More Info](#)

Requires role

Figure 51: pa_dashboards ACL – create operation (Admin overrides option)

For comparison, the **read** operation ACL for pa_dashboards already has Admin overrides enabled.




Figure 52: *pa_dashboards* ACL – read operation with Admin overrides enabled

Create Dashboard

Navigation:

- Open All menu → search for **Dashboards**.
- Under **Self Service**, click **Dashboards**.




Figure 53: Searching Dashboards (Self Service > Dashboards)

- On the top right corner click **Create dashboard**, enter the dashboard name **Employee Analytics Dashboards**, choose the In-line editor and click **Create dashboard**.




Figure 54: New dashboard dialog in Platform Analytics

The new dashboard opens empty with the message "Add your first element".




Figure 55: Employee Analytics Dashboards – empty dashboard

Add Reports to Dashboards

Navigation Steps:

- Open the previously created reports: in the All menu type **Reports** and select **Reports** under Platform Analytics Administration.




Figure 56: Opening Reports from the All menu

- Open **Employees by Department**.




Figure 57: Report record – Employees by Department (Pie, u_department)

- Select **Edit Report** (or **View Report**) and click the **Share** button; on the right side select **Add to Dashboard**.
- Choose the created dashboard name, **Employee Analytics Dashboards**, and click **Add**.




Figure 58: Add to Dashboard – Employees by Department

- In the same way, add the remaining 2 reports: **Employees by Location** and **Employee List Report**.




Figure 59: Add to Dashboard – Employees by Location




Figure 60: Add to Dashboard – Employee List Report

The three reports are now added to the Employee Analytics Dashboards dashboard, showing Department, Location and the Employee List.




Figure 61: Dashboard – Employee List Report and Employees by Location widgets




Figure 62: Dashboard – Employees by Location and Employees by Department widgets




Figure 63: Dashboard – Employees by Department widget (ServiceNow 73.33%, Salesforce 26.67%)

We can also restrict the access of Users, Groups and Roles from the **Share** option of the dashboard.

Conclusion:

1. This project successfully implemented an automated employee data management solution using ServiceNow Import Sets and Transform Maps, ensuring accuracy, efficiency, and data integrity throughout the employee onboarding and update process.
2. A key enhancement in this project was the use of **Coalesce** in the Transform Map. By enabling Coalesce on the Employee ID field, the system identifies existing employee records during every import. This prevents the creation of duplicate records and ensures that repeated imports update existing data instead of inserting redundant entries, keeping the employee database clean, reliable and consistent.
3. In addition to data integrity, the project was extended with Reports and Dashboards to provide meaningful insights into employee data. Custom reports were created to show: the department-wise employee distribution, the location-wise employee count, and a full list of employee records.
4. These reports were then consolidated into the **Employee Analytics Dashboards** dashboard, allowing administrators and HR teams to monitor employee data from a single centralized view. Dashboards improve decision-making by presenting information visually through charts and graphs, reducing the need for manual analysis.