

BIS catalogue prototype + reference

500 fictional product records across 10 categories, plus the earlier 21-record BIS reference compilation.

This file combines two explicitly different kinds of content. Pages 1-532 are a synthetic prototype. Page 533 introduces the earlier reference appendix; pages 534-557 reproduce the previous 24-page PDF.

What has been created

Categories	Food, Electronics, Electrical, Construction, Textiles, Automotive, Chemicals, Mechanical, Medical, Agriculture
Synthetic entries	Exactly 50 per category; 500 total
Certificates / licences	500 demo certificate objects and 500 demo licence objects; draft, rejected and historical states included
Companion file	BIS_Prototype_and_Reference_521_Records.jsonl
JSONL contents	500 synthetic product records + 21 earlier reference-standard records
Provenance fields	is_synthetic, source_type, legal_validity, provenance and pdf_location

Prototype labels and boundaries

All DEMO-IS numbers, organisations, roles, committees, classifications, certificates, licences, application decisions, validity dates, contact details and procedures in the prototype are invented. They are not BIS records. No official seal, signature, hallmark, HUID or Standard Mark is reproduced.

The .invalid URLs and addresses are deliberately non-operational placeholders. Document names identify logical mock documents; they are not separate attached PDFs or real download locations. A status of Active or Granted applies only inside the fixture.

Use in a model or prototype

Each JSONL line is one complete JSON object. Filter is_synthetic before preparing training targets. Synthetic policy and eligibility answers are scenario fixtures, not statements about real BIS rules. The earlier records retain their observed blanks, access limits and source discrepancies.

The PDF provides all 500 View/Download sheets and certificate/licence summaries. The JSONL additionally embeds per-product complaint, authenticity, contact and FAQ objects. Shared category guides explain the full simulated workflows.

Earlier reference material

The previous BIS_Electrical_Electronics_Standards.pdf is included in full. It was compiled from official public records and BIS-linked previews in the earlier task; it is not newly revalidated here and contains no manufacturer-specific licences.

Contents and dataset field guide

Category navigation | combined PDF pages

Food: catalogue 3 | certification 4 | consumer / FAQs 5 | 50 records 6-55

Electronics: catalogue 56 | certification 57 | consumer / FAQs 58 | 50 records 59-108

Electrical: catalogue 109 | certification 110 | consumer / FAQs 111 | 50 records 112-161

Construction: catalogue 162 | certification 163 | consumer / FAQs 164 | 50 records 165-214

Textiles: catalogue 215 | certification 216 | consumer / FAQs 217 | 50 records 218-267

Automotive: catalogue 268 | certification 269 | consumer / FAQs 270 | 50 records 271-320

Chemicals: catalogue 321 | certification 322 | consumer / FAQs 323 | 50 records 324-373

Mechanical: catalogue 374 | certification 375 | consumer / FAQs 376 | 50 records 377-426

Medical: catalogue 427 | certification 428 | consumer / FAQs 429 | 50 records 430-479

Agriculture: catalogue 480 | certification 481 | consumer / FAQs 482 | 50 records 483-532

Previous BIS reference appendix: divider 533; original pages 1-24 appear at combined pages 534-557.

Field guide

View	The twelve requested IS catalogue fields, including revision, amendments, department, committee and secretary.
Download	document_name, document_type, IS_number, clause, page_number, section, publication_date, revision/amendment, URL and online source.
Source-page semantics	download.page_number is the page inside a logical mock source document. pdf_location.combined_page points to this combined PDF.
Certification	Scheme, application, evaluation requirements, grant note, test report, certificate, licence and verification objects.
Consumer information	Complaint process and scenario, authenticity, mark, hallmark applicability, information rights, contact placeholders and FAQs.
Null values	JSON null means not supplied or not applicable. It must not be replaced with an invented real-world value.

Scenario coverage

Each category contains five records for each of ten application/licence scenarios: granted; testing pending; technical review; clarification requested; expired renewal pending; suspension; withdrawal; rejection; amendment granted; renewal under review. Only Active fixture licences produce an active verification result.

This is a structured corpus, not a ready-made chat fine-tuning request file. Prompt/answer conversion depends on the target training system. The category guides and source flags should stay with the records.

Food | 50-record catalogue

Indian Standards-style catalogue / standards search - all records on these pages are fictional.

Catalogue ID: DEMO-CAT-FOD. Search by product name, DEMO-IS number, subgroup or category. Click a product below to open its detail sheet.

01. Rice flour	6	26. Table salt	31
02. Wheat flour	7	27. Turmeric powder	32
03. Semolina	8	28. Cumin powder	33
04. Rolled oats	9	29. Coriander powder	34
05. Pearl millet flour	10	30. Mixed spice blend	35
06. Maize flour	11	31. Plain biscuits	36
07. Chickpea flour	12	32. Crackers	37
08. Split lentils	13	33. Fruit jam	38
09. Dry kidney beans	14	34. Tomato sauce	39
10. Breakfast cereal	15	35. Peanut butter	40
11. Milk powder	16	36. Instant noodles	41
12. Paneer	17	37. Pasta	42
13. Plain yogurt	18	38. Canned sweet corn	43
14. Butter	19	39. Ready-to-eat lentil meal	44
15. Ghee	20	40. Dehydrated soup mix	45
16. Processed cheese	21	41. Packaged drinking water	46
17. Soy beverage	22	42. Sparkling water	47
18. Oat beverage	23	43. Fruit nectar	48
19. Coconut beverage	24	44. Fruit squash	49
20. Plant-based yogurt	25	45. Tea bags	50
21. Mustard oil	26	46. Ground coffee	51
22. Groundnut oil	27	47. Cocoa powder	52
23. Sunflower oil	28	48. Honey	53
24. Coconut cooking oil	29	49. Jaggery powder	54
25. Sesame oil	30	50. Granulated sugar	55

The page number is the combined PDF location. Every detail sheet includes a unique standard, application, certificate and licence ID.

Food | Certification and applications

Product Certification / Certification Schemes / Grant of Licence / Application - DEMO policy only.

Product Certification and Certification Schemes

Mock scheme	DEMO-PC-FOD: Food Product Evaluation - Prototype Scheme
Scheme intent	Demonstrate document review, sample evaluation, grant decisions, status changes and verification screens.
Who can apply	A fictional manufacturer record with a demo product and facility; this is not actual BIS eligibility.
Application evidence	Demo factory profile, product specification, mock quality plan and fixture evaluation report.
Fees / service time	0 sandbox units. Use simulated workflow events; no actual fee or processing-time promise.
Scope of grant	Only the product and DEMO-IS record named in the fixture. Real Standard Mark permission is always false.

Application to Grant of Licence | simulated sequence

1. Create DEMO-APP record and link product, manufacturer and facility.
2. Validate required fields; missing details produce Clarification requested.
3. Record sample evidence under the matching DEMO-TEST identifier.
4. Reviewer selects Granted, Testing pending, Technical review or Rejected.
5. On grant, activate the mock licence and issue the linked demo certificate. Later events may expire, suspend, withdraw, amend or renew the fixture.

Product-specific requirements | subgroup examples

Grains and pulses: moisture, foreign matter, particle consistency and packaging integrity.

Dairy and alternatives: composition consistency, sample hygiene, temperature labelling and container integrity.

Oils and seasonings: identity checks, oxidation indicators, fill quantity and label traceability.

Packaged foods: composition checks, seal quality, shelf-life evidence and batch traceability.

Drinks and sweeteners: declared composition, clarity or uniformity, container closure and storage instructions.

Demo certificate and licence contents

Each product sheet displays the document IDs, holder, status, scope and term. The JSONL also contains document names, issuer, application evidence, lookup URL and an explicit not-valid field. Draft, rejected and not-granted records do not represent issued permissions.

IS documents and standards online source

The logical documents are stored as catalogue fixtures. Example route: <https://standards-prototype.invalid/fod/catalogue>. No official licence, IS document or payment workflow is created.

Food | Consumer information and FAQs

BIS-style consumer help screens for a prototype - all process and contact information here is synthetic.

BIS complaint process / How to lodge complaints | demo

Open the mock complaint form; choose category, product and complaint topic; add a mock invoice, label and image; submit to create a DEMO-CMP ID. A fixture moves through Submitted, Under review, Evidence requested, Resolved or Closed. These are UI examples, not a real complaint submission or escalation promise.

Product authenticity and Standard Mark

Compare the demo licence ID with the fixture holder, product scope, DEMO-IS number, status and dates. An ID match alone must not imply Active. Use only the text DEMO MARK - NOT BIS/ISI. No real product authenticity or conformity finding is made.

Hallmark verification

Not applicable to these category fixtures. Display N/A and do not invent a HUID or imply a general product certificate is a hallmark. A future jewellery prototype would need a separately defined dataset.

Consumer rights / information | fictional policy

The prototype lets users read disclosures, request correction of fixture data, attach evidence, view complaint history and receive a simulated response. No legal entitlement, refund duty, enforcement outcome or statutory response deadline is asserted.

BIS contact information | fictional placeholder

Office	Demo Food Help Desk, Fictional Test Zone
Email	help-fod@standards-prototype.invalid
Telephone	DEMO-NOT-A-PHONE; JSON value is null
Contact URL	https://standards-prototype.invalid/fod/contact
Complaint URL	https://standards-prototype.invalid/fod/complaints

FAQs

How do I find a standard?

Search the Food catalogue by name, subgroup or DEMO-IS number.

Is the certificate a real BIS certificate?

No. It is an unsigned fictional training object.

Can an expired or suspended record verify as Active?

No. Match the status and term, not only the identifier.

What if application evidence is missing?

Use the Clarification requested scenario; no licence is granted.

How do I check a hallmark?

This dataset returns Not applicable; it issues no hallmark identifier.

Do these links submit a real complaint?

No. The .invalid domain is deliberately non-operational.

Where are product-level FAQs stored?

Every synthetic JSONL record includes a five-question FAQs array.

Rice flour

Food / Grains and pulses | DEMO-REC-FOD-001

A. View | Basic details

IS Number	DEMO-IS-FOD-001:2024
IS Title	Rice flour - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-FOD (Food Prototype Department)
Technical Committee	DEMO-FOD-01 (Grains and pulses Prototype Committee)
Member Secretary	Demo Secretary FOD-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_FOD_001_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-FOD-001:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A0
Classification / reaffirmed	DEMO-CLASS-FOD-01 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_FOD_001_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers rice flour within the grains and pulses prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: moisture, foreign matter, particle consistency and packaging integrity. Record a sample observation for each topic and attach fixture report DEMO-TEST-FOD-001; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-FOD DEMO-APP-FOD-001 Granted
Certificate	DEMO-CERT-FOD-001 Issued
Licence	DEMO-LIC-FOD-001 Active
Holder / product scope	Demo Food Manufacturer 001 Rice flour
Validity / grant note	2025-06-15 to 2027-06-14 Grant completed in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 5. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Wheat flour

Food / Grains and pulses | DEMO-REC-FOD-002

A. View | Basic details

IS Number	DEMO-IS-FOD-002:2025
IS Title	Wheat flour - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-FOD-002:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-FOD (Food Prototype Department)
Technical Committee	DEMO-FOD-01 (Grains and pulses Prototype Committee)
Member Secretary	Demo Secretary FOD-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_FOD_002_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-FOD-002:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A1
Classification / reaffirmed	DEMO-CLASS-FOD-01 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_FOD_002_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers wheat flour within the grains and pulses prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: moisture, foreign matter, particle consistency and packaging integrity. Record a sample observation for each topic and attach fixture report DEMO-TEST-FOD-002; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-FOD DEMO-APP-FOD-002 Testing pending
Certificate	DEMO-CERT-FOD-002 Draft - not issued
Licence	DEMO-LIC-FOD-002 Not granted
Holder / product scope	Demo Food Manufacturer 002 Wheat flour
Validity / grant note	No issued term Await sample evaluation
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 5. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Semolina

Food / Grains and pulses | DEMO-REC-FOD-003

A. View | Basic details

IS Number	DEMO-IS-FOD-003:2025
IS Title	Semolina - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-FOD-003:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-FOD (Food Prototype Department)
Technical Committee	DEMO-FOD-01 (Grains and pulses Prototype Committee)
Member Secretary	Demo Secretary FOD-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_FOD_003_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-FOD-003:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A2
Classification / reaffirmed	DEMO-CLASS-FOD-01 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_FOD_003_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers semolina within the grains and pulses prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: moisture, foreign matter, particle consistency and packaging integrity. Record a sample observation for each topic and attach fixture report DEMO-TEST-FOD-003; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-FOD DEMO-APP-FOD-003 Technical review
Certificate	DEMO-CERT-FOD-003 Draft - not issued
Licence	DEMO-LIC-FOD-003 Not granted
Holder / product scope	Demo Food Manufacturer 003 Semolina
Validity / grant note	No issued term Reviewer decision pending
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 5. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Rolled oats

Food / Grains and pulses | DEMO-REC-FOD-004

A. View | Basic details

IS Number	DEMO-IS-FOD-004:2024
IS Title	Rolled oats - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-FOD (Food Prototype Department)
Technical Committee	DEMO-FOD-01 (Grains and pulses Prototype Committee)
Member Secretary	Demo Secretary FOD-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_FOD_004_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-FOD-004:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A3
Classification / reaffirmed	DEMO-CLASS-FOD-01 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_FOD_004_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers rolled oats within the grains and pulses prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: moisture, foreign matter, particle consistency and packaging integrity. Record a sample observation for each topic and attach fixture report DEMO-TEST-FOD-004; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-FOD DEMO-APP-FOD-004 Clarification requested
Certificate	DEMO-CERT-FOD-004 Draft - not issued
Licence	DEMO-LIC-FOD-004 Not granted
Holder / product scope	Demo Food Manufacturer 004 Rolled oats
Validity / grant note	No issued term Applicant must revise mock file
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 5. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Pearl millet flour

Food / Grains and pulses | DEMO-REC-FOD-005

A. View | Basic details

IS Number	DEMO-IS-FOD-005:2025
IS Title	Pearl millet flour - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-FOD-005:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-FOD (Food Prototype Department)
Technical Committee	DEMO-FOD-01 (Grains and pulses Prototype Committee)
Member Secretary	Demo Secretary FOD-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_FOD_005_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-FOD-005:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A0
Classification / reaffirmed	DEMO-CLASS-FOD-01 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_FOD_005_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers pearl millet flour within the grains and pulses prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: moisture, foreign matter, particle consistency and packaging integrity. Record a sample observation for each topic and attach fixture report DEMO-TEST-FOD-005; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-FOD DEMO-APP-FOD-005 Renewal pending
Certificate	DEMO-CERT-FOD-005 Expired
Licence	DEMO-LIC-FOD-005 Expired
Holder / product scope	Demo Food Manufacturer 005 Pearl millet flour
Validity / grant note	2024-01-15 to 2025-01-14 Historical expired record
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - expired

Consumer help and FAQs: category guide p. 5. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Maize flour

Food / Grains and pulses | DEMO-REC-FOD-006

A. View | Basic details

IS Number	DEMO-IS-FOD-006:2025
IS Title	Maize flour - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-FOD-006:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-FOD (Food Prototype Department)
Technical Committee	DEMO-FOD-01 (Grains and pulses Prototype Committee)
Member Secretary	Demo Secretary FOD-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_FOD_006_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-FOD-006:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A1
Classification / reaffirmed	DEMO-CLASS-FOD-01 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_FOD_006_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers maize flour within the grains and pulses prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: moisture, foreign matter, particle consistency and packaging integrity. Record a sample observation for each topic and attach fixture report DEMO-TEST-FOD-006; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-FOD DEMO-APP-FOD-006 Investigation open
Certificate	DEMO-CERT-FOD-006 Suspended
Licence	DEMO-LIC-FOD-006 Suspended
Holder / product scope	Demo Food Manufacturer 006 Maize flour
Validity / grant note	2025-06-15 to 2027-06-14 Use blocked in prototype
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - suspended

Consumer help and FAQs: category guide p. 5. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Chickpea flour

Food / Grains and pulses | DEMO-REC-FOD-007

A. View | Basic details

IS Number	DEMO-IS-FOD-007:2024
IS Title	Chickpea flour - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-FOD (Food Prototype Department)
Technical Committee	DEMO-FOD-01 (Grains and pulses Prototype Committee)
Member Secretary	Demo Secretary FOD-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_FOD_007_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-FOD-007:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A2
Classification / reaffirmed	DEMO-CLASS-FOD-01 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_FOD_007_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers chickpea flour within the grains and pulses prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: moisture, foreign matter, particle consistency and packaging integrity. Record a sample observation for each topic and attach fixture report DEMO-TEST-FOD-007; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-FOD DEMO-APP-FOD-007 Closed
Certificate	DEMO-CERT-FOD-007 Withdrawn
Licence	DEMO-LIC-FOD-007 Withdrawn
Holder / product scope	Demo Food Manufacturer 007 Chickpea flour
Validity / grant note	2025-06-15 to 2027-06-14 Historical withdrawal fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - withdrawn

Consumer help and FAQs: category guide p. 5. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Split lentils

Food / Grains and pulses | DEMO-REC-FOD-008

A. View | Basic details

IS Number	DEMO-IS-FOD-008:2025
IS Title	Split lentils - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-FOD-008:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-FOD (Food Prototype Department)
Technical Committee	DEMO-FOD-01 (Grains and pulses Prototype Committee)
Member Secretary	Demo Secretary FOD-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_FOD_008_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-FOD-008:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A3
Classification / reaffirmed	DEMO-CLASS-FOD-01 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_FOD_008_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers split lentils within the grains and pulses prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: moisture, foreign matter, particle consistency and packaging integrity. Record a sample observation for each topic and attach fixture report DEMO-TEST-FOD-008; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-FOD DEMO-APP-FOD-008 Rejected
Certificate	DEMO-CERT-FOD-008 Not issued
Licence	DEMO-LIC-FOD-008 Not granted
Holder / product scope	Demo Food Manufacturer 008 Split lentils
Validity / grant note	No issued term Mock application rejected
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 5. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Dry kidney beans

Food / Grains and pulses | DEMO-REC-FOD-009

A. View | Basic details

IS Number	DEMO-IS-FOD-009:2025
IS Title	Dry kidney beans - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-FOD-009:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-FOD (Food Prototype Department)
Technical Committee	DEMO-FOD-01 (Grains and pulses Prototype Committee)
Member Secretary	Demo Secretary FOD-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_FOD_009_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-FOD-009:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A0
Classification / reaffirmed	DEMO-CLASS-FOD-01 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_FOD_009_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers dry kidney beans within the grains and pulses prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: moisture, foreign matter, particle consistency and packaging integrity. Record a sample observation for each topic and attach fixture report DEMO-TEST-FOD-009; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-FOD DEMO-APP-FOD-009 Amendment granted
Certificate	DEMO-CERT-FOD-009 Issued
Licence	DEMO-LIC-FOD-009 Active
Holder / product scope	Demo Food Manufacturer 009 Dry kidney beans
Validity / grant note	2025-06-15 to 2027-06-14 Scope update accepted in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 5. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Breakfast cereal

Food / Grains and pulses | DEMO-REC-FOD-010

A. View | Basic details

IS Number	DEMO-IS-FOD-010:2024
IS Title	Breakfast cereal - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-FOD (Food Prototype Department)
Technical Committee	DEMO-FOD-01 (Grains and pulses Prototype Committee)
Member Secretary	Demo Secretary FOD-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_FOD_010_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-FOD-010:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A1
Classification / reaffirmed	DEMO-CLASS-FOD-01 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_FOD_010_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers breakfast cereal within the grains and pulses prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: moisture, foreign matter, particle consistency and packaging integrity. Record a sample observation for each topic and attach fixture report DEMO-TEST-FOD-010; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-FOD DEMO-APP-FOD-010 Renewal under review
Certificate	DEMO-CERT-FOD-010 Issued
Licence	DEMO-LIC-FOD-010 Active
Holder / product scope	Demo Food Manufacturer 010 Breakfast cereal
Validity / grant note	2025-06-15 to 2027-06-14 Existing mock term still active
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 5. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Milk powder

Food / Dairy and alternatives | DEMO-REC-FOD-011

A. View | Basic details

IS Number	DEMO-IS-FOD-011:2025
IS Title	Milk powder - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-FOD-011:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-FOD (Food Prototype Department)
Technical Committee	DEMO-FOD-02 (Dairy and alternatives Prototype Committee)
Member Secretary	Demo Secretary FOD-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_FOD_011_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-FOD-011:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A2
Classification / reaffirmed	DEMO-CLASS-FOD-02 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_FOD_011_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers milk powder within the dairy and alternatives prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: composition consistency, sample hygiene, temperature labelling and container integrity. Record a sample observation for each topic and attach fixture report DEMO-TEST-FOD-011; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-FOD DEMO-APP-FOD-011 Granted
Certificate	DEMO-CERT-FOD-011 Issued
Licence	DEMO-LIC-FOD-011 Active
Holder / product scope	Demo Food Manufacturer 011 Milk powder
Validity / grant note	2025-06-15 to 2027-06-14 Grant completed in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 5. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Paneer

Food / Dairy and alternatives | DEMO-REC-FOD-012

A. View | Basic details

IS Number	DEMO-IS-FOD-012:2025
IS Title	Paneer - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-FOD-012:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-FOD (Food Prototype Department)
Technical Committee	DEMO-FOD-02 (Dairy and alternatives Prototype Committee)
Member Secretary	Demo Secretary FOD-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_FOD_012_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-FOD-012:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A3
Classification / reaffirmed	DEMO-CLASS-FOD-02 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_FOD_012_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers paneer within the dairy and alternatives prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: composition consistency, sample hygiene, temperature labelling and container integrity. Record a sample observation for each topic and attach fixture report DEMO-TEST-FOD-012; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-FOD DEMO-APP-FOD-012 Testing pending
Certificate	DEMO-CERT-FOD-012 Draft - not issued
Licence	DEMO-LIC-FOD-012 Not granted
Holder / product scope	Demo Food Manufacturer 012 Paneer
Validity / grant note	No issued term Await sample evaluation
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 5. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Plain yogurt

Food / Dairy and alternatives | DEMO-REC-FOD-013

A. View | Basic details

IS Number	DEMO-IS-FOD-013:2024
IS Title	Plain yogurt - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-FOD (Food Prototype Department)
Technical Committee	DEMO-FOD-02 (Dairy and alternatives Prototype Committee)
Member Secretary	Demo Secretary FOD-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_FOD_013_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-FOD-013:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A0
Classification / reaffirmed	DEMO-CLASS-FOD-02 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_FOD_013_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers plain yogurt within the dairy and alternatives prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: composition consistency, sample hygiene, temperature labelling and container integrity. Record a sample observation for each topic and attach fixture report DEMO-TEST-FOD-013; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-FOD DEMO-APP-FOD-013 Technical review
Certificate	DEMO-CERT-FOD-013 Draft - not issued
Licence	DEMO-LIC-FOD-013 Not granted
Holder / product scope	Demo Food Manufacturer 013 Plain yogurt
Validity / grant note	No issued term Reviewer decision pending
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 5. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Butter

Food / Dairy and alternatives | DEMO-REC-FOD-014

A. View | Basic details

IS Number	DEMO-IS-FOD-014:2025
IS Title	Butter - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-FOD-014:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-FOD (Food Prototype Department)
Technical Committee	DEMO-FOD-02 (Dairy and alternatives Prototype Committee)
Member Secretary	Demo Secretary FOD-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_FOD_014_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-FOD-014:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A1
Classification / reaffirmed	DEMO-CLASS-FOD-02 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_FOD_014_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers butter within the dairy and alternatives prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: composition consistency, sample hygiene, temperature labelling and container integrity. Record a sample observation for each topic and attach fixture report DEMO-TEST-FOD-014; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-FOD DEMO-APP-FOD-014 Clarification requested
Certificate	DEMO-CERT-FOD-014 Draft - not issued
Licence	DEMO-LIC-FOD-014 Not granted
Holder / product scope	Demo Food Manufacturer 014 Butter
Validity / grant note	No issued term Applicant must revise mock file
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 5. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Ghee

Food / Dairy and alternatives | DEMO-REC-FOD-015

A. View | Basic details

IS Number	DEMO-IS-FOD-015:2025
IS Title	Ghee - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-FOD-015:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-FOD (Food Prototype Department)
Technical Committee	DEMO-FOD-02 (Dairy and alternatives Prototype Committee)
Member Secretary	Demo Secretary FOD-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_FOD_015_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-FOD-015:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A2
Classification / reaffirmed	DEMO-CLASS-FOD-02 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_FOD_015_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers ghee within the dairy and alternatives prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: composition consistency, sample hygiene, temperature labelling and container integrity. Record a sample observation for each topic and attach fixture report DEMO-TEST-FOD-015; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-FOD DEMO-APP-FOD-015 Renewal pending
Certificate	DEMO-CERT-FOD-015 Expired
Licence	DEMO-LIC-FOD-015 Expired
Holder / product scope	Demo Food Manufacturer 015 Ghee
Validity / grant note	2024-01-15 to 2025-01-14 Historical expired record
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - expired

Consumer help and FAQs: category guide p. 5. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Processed cheese

Food / Dairy and alternatives | DEMO-REC-FOD-016

A. View | Basic details

IS Number	DEMO-IS-FOD-016:2024
IS Title	Processed cheese - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-FOD (Food Prototype Department)
Technical Committee	DEMO-FOD-02 (Dairy and alternatives Prototype Committee)
Member Secretary	Demo Secretary FOD-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_FOD_016_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-FOD-016:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A3
Classification / reaffirmed	DEMO-CLASS-FOD-02 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_FOD_016_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers processed cheese within the dairy and alternatives prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: composition consistency, sample hygiene, temperature labelling and container integrity. Record a sample observation for each topic and attach fixture report DEMO-TEST-FOD-016; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-FOD DEMO-APP-FOD-016 Investigation open
Certificate	DEMO-CERT-FOD-016 Suspended
Licence	DEMO-LIC-FOD-016 Suspended
Holder / product scope	Demo Food Manufacturer 016 Processed cheese
Validity / grant note	2025-06-15 to 2027-06-14 Use blocked in prototype
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - suspended

Consumer help and FAQs: category guide p. 5. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Soy beverage

Food / Dairy and alternatives | DEMO-REC-FOD-017

A. View | Basic details

IS Number	DEMO-IS-FOD-017:2025
IS Title	Soy beverage - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-FOD-017:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-FOD (Food Prototype Department)
Technical Committee	DEMO-FOD-02 (Dairy and alternatives Prototype Committee)
Member Secretary	Demo Secretary FOD-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_FOD_017_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-FOD-017:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A0
Classification / reaffirmed	DEMO-CLASS-FOD-02 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_FOD_017_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers soy beverage within the dairy and alternatives prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: composition consistency, sample hygiene, temperature labelling and container integrity. Record a sample observation for each topic and attach fixture report DEMO-TEST-FOD-017; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-FOD DEMO-APP-FOD-017 Closed
Certificate	DEMO-CERT-FOD-017 Withdrawn
Licence	DEMO-LIC-FOD-017 Withdrawn
Holder / product scope	Demo Food Manufacturer 017 Soy beverage
Validity / grant note	2025-06-15 to 2027-06-14 Historical withdrawal fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - withdrawn

Consumer help and FAQs: category guide p. 5. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Oat beverage

Food / Dairy and alternatives | DEMO-REC-FOD-018

A. View | Basic details

IS Number	DEMO-IS-FOD-018:2025
IS Title	Oat beverage - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-FOD-018:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-FOD (Food Prototype Department)
Technical Committee	DEMO-FOD-02 (Dairy and alternatives Prototype Committee)
Member Secretary	Demo Secretary FOD-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_FOD_018_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-FOD-018:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A1
Classification / reaffirmed	DEMO-CLASS-FOD-02 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_FOD_018_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers oat beverage within the dairy and alternatives prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: composition consistency, sample hygiene, temperature labelling and container integrity. Record a sample observation for each topic and attach fixture report DEMO-TEST-FOD-018; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-FOD DEMO-APP-FOD-018 Rejected
Certificate	DEMO-CERT-FOD-018 Not issued
Licence	DEMO-LIC-FOD-018 Not granted
Holder / product scope	Demo Food Manufacturer 018 Oat beverage
Validity / grant note	No issued term Mock application rejected
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 5. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Coconut beverage

Food / Dairy and alternatives | DEMO-REC-FOD-019

A. View | Basic details

IS Number	DEMO-IS-FOD-019:2024
IS Title	Coconut beverage - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-FOD (Food Prototype Department)
Technical Committee	DEMO-FOD-02 (Dairy and alternatives Prototype Committee)
Member Secretary	Demo Secretary FOD-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_FOD_019_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-FOD-019:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A2
Classification / reaffirmed	DEMO-CLASS-FOD-02 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_FOD_019_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers coconut beverage within the dairy and alternatives prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: composition consistency, sample hygiene, temperature labelling and container integrity. Record a sample observation for each topic and attach fixture report DEMO-TEST-FOD-019; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-FOD DEMO-APP-FOD-019 Amendment granted
Certificate	DEMO-CERT-FOD-019 Issued
Licence	DEMO-LIC-FOD-019 Active
Holder / product scope	Demo Food Manufacturer 019 Coconut beverage
Validity / grant note	2025-06-15 to 2027-06-14 Scope update accepted in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 5. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Plant-based yogurt

Food / Dairy and alternatives | DEMO-REC-FOD-020

A. View | Basic details

IS Number	DEMO-IS-FOD-020:2025
IS Title	Plant-based yogurt - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-FOD-020:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-FOD (Food Prototype Department)
Technical Committee	DEMO-FOD-02 (Dairy and alternatives Prototype Committee)
Member Secretary	Demo Secretary FOD-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_FOD_020_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-FOD-020:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A3
Classification / reaffirmed	DEMO-CLASS-FOD-02 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_FOD_020_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers plant-based yogurt within the dairy and alternatives prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: composition consistency, sample hygiene, temperature labelling and container integrity. Record a sample observation for each topic and attach fixture report DEMO-TEST-FOD-020; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-FOD DEMO-APP-FOD-020 Renewal under review
Certificate	DEMO-CERT-FOD-020 Issued
Licence	DEMO-LIC-FOD-020 Active
Holder / product scope	Demo Food Manufacturer 020 Plant-based yogurt
Validity / grant note	2025-06-15 to 2027-06-14 Existing mock term still active
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 5. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Mustard oil

Food / Oils and seasonings | DEMO-REC-FOD-021

A. View | Basic details

IS Number	DEMO-IS-FOD-021:2025
IS Title	Mustard oil - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-FOD-021:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-FOD (Food Prototype Department)
Technical Committee	DEMO-FOD-03 (Oils and seasonings Prototype Committee)
Member Secretary	Demo Secretary FOD-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_FOD_021_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-FOD-021:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A0
Classification / reaffirmed	DEMO-CLASS-FOD-03 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_FOD_021_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers mustard oil within the oils and seasonings prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: identity checks, oxidation indicators, fill quantity and label traceability. Record a sample observation for each topic and attach fixture report DEMO-TEST-FOD-021; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-FOD DEMO-APP-FOD-021 Granted
Certificate	DEMO-CERT-FOD-021 Issued
Licence	DEMO-LIC-FOD-021 Active
Holder / product scope	Demo Food Manufacturer 021 Mustard oil
Validity / grant note	2025-06-15 to 2027-06-14 Grant completed in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 5. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Groundnut oil

Food / Oils and seasonings | DEMO-REC-FOD-022

A. View | Basic details

IS Number	DEMO-IS-FOD-022:2024
IS Title	Groundnut oil - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-FOD (Food Prototype Department)
Technical Committee	DEMO-FOD-03 (Oils and seasonings Prototype Committee)
Member Secretary	Demo Secretary FOD-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_FOD_022_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-FOD-022:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A1
Classification / reaffirmed	DEMO-CLASS-FOD-03 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_FOD_022_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers groundnut oil within the oils and seasonings prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: identity checks, oxidation indicators, fill quantity and label traceability. Record a sample observation for each topic and attach fixture report DEMO-TEST-FOD-022; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-FOD DEMO-APP-FOD-022 Testing pending
Certificate	DEMO-CERT-FOD-022 Draft - not issued
Licence	DEMO-LIC-FOD-022 Not granted
Holder / product scope	Demo Food Manufacturer 022 Groundnut oil
Validity / grant note	No issued term Await sample evaluation
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 5. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Sunflower oil

Food / Oils and seasonings | DEMO-REC-FOD-023

A. View | Basic details

IS Number	DEMO-IS-FOD-023:2025
IS Title	Sunflower oil - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-FOD-023:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-FOD (Food Prototype Department)
Technical Committee	DEMO-FOD-03 (Oils and seasonings Prototype Committee)
Member Secretary	Demo Secretary FOD-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_FOD_023_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-FOD-023:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A2
Classification / reaffirmed	DEMO-CLASS-FOD-03 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_FOD_023_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers sunflower oil within the oils and seasonings prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: identity checks, oxidation indicators, fill quantity and label traceability. Record a sample observation for each topic and attach fixture report DEMO-TEST-FOD-023; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-FOD DEMO-APP-FOD-023 Technical review
Certificate	DEMO-CERT-FOD-023 Draft - not issued
Licence	DEMO-LIC-FOD-023 Not granted
Holder / product scope	Demo Food Manufacturer 023 Sunflower oil
Validity / grant note	No issued term Reviewer decision pending
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 5. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Coconut cooking oil

Food / Oils and seasonings | DEMO-REC-FOD-024

A. View | Basic details

IS Number	DEMO-IS-FOD-024:2025
IS Title	Coconut cooking oil - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-FOD-024:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-FOD (Food Prototype Department)
Technical Committee	DEMO-FOD-03 (Oils and seasonings Prototype Committee)
Member Secretary	Demo Secretary FOD-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_FOD_024_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-FOD-024:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A3
Classification / reaffirmed	DEMO-CLASS-FOD-03 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_FOD_024_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers coconut cooking oil within the oils and seasonings prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: identity checks, oxidation indicators, fill quantity and label traceability. Record a sample observation for each topic and attach fixture report DEMO-TEST-FOD-024; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-FOD DEMO-APP-FOD-024 Clarification requested
Certificate	DEMO-CERT-FOD-024 Draft - not issued
Licence	DEMO-LIC-FOD-024 Not granted
Holder / product scope	Demo Food Manufacturer 024 Coconut cooking oil
Validity / grant note	No issued term Applicant must revise mock file
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 5. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Sesame oil

Food / Oils and seasonings | DEMO-REC-FOD-025

A. View | Basic details

IS Number	DEMO-IS-FOD-025:2024
IS Title	Sesame oil - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-FOD (Food Prototype Department)
Technical Committee	DEMO-FOD-03 (Oils and seasonings Prototype Committee)
Member Secretary	Demo Secretary FOD-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_FOD_025_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-FOD-025:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A0
Classification / reaffirmed	DEMO-CLASS-FOD-03 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_FOD_025_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers sesame oil within the oils and seasonings prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: identity checks, oxidation indicators, fill quantity and label traceability. Record a sample observation for each topic and attach fixture report DEMO-TEST-FOD-025; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-FOD DEMO-APP-FOD-025 Renewal pending
Certificate	DEMO-CERT-FOD-025 Expired
Licence	DEMO-LIC-FOD-025 Expired
Holder / product scope	Demo Food Manufacturer 025 Sesame oil
Validity / grant note	2024-01-15 to 2025-01-14 Historical expired record
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - expired

Consumer help and FAQs: category guide p. 5. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Table salt

Food / Oils and seasonings | DEMO-REC-FOD-026

A. View | Basic details

IS Number	DEMO-IS-FOD-026:2025
IS Title	Table salt - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-FOD-026:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-FOD (Food Prototype Department)
Technical Committee	DEMO-FOD-03 (Oils and seasonings Prototype Committee)
Member Secretary	Demo Secretary FOD-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_FOD_026_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-FOD-026:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A1
Classification / reaffirmed	DEMO-CLASS-FOD-03 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_FOD_026_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers table salt within the oils and seasonings prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: identity checks, oxidation indicators, fill quantity and label traceability. Record a sample observation for each topic and attach fixture report DEMO-TEST-FOD-026; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-FOD DEMO-APP-FOD-026 Investigation open
Certificate	DEMO-CERT-FOD-026 Suspended
Licence	DEMO-LIC-FOD-026 Suspended
Holder / product scope	Demo Food Manufacturer 026 Table salt
Validity / grant note	2025-06-15 to 2027-06-14 Use blocked in prototype
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - suspended

Consumer help and FAQs: category guide p. 5. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Turmeric powder

Food / Oils and seasonings | DEMO-REC-FOD-027

A. View | Basic details

IS Number	DEMO-IS-FOD-027:2025
IS Title	Turmeric powder - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-FOD-027:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-FOD (Food Prototype Department)
Technical Committee	DEMO-FOD-03 (Oils and seasonings Prototype Committee)
Member Secretary	Demo Secretary FOD-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_FOD_027_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-FOD-027:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A2
Classification / reaffirmed	DEMO-CLASS-FOD-03 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_FOD_027_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers turmeric powder within the oils and seasonings prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: identity checks, oxidation indicators, fill quantity and label traceability. Record a sample observation for each topic and attach fixture report DEMO-TEST-FOD-027; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-FOD DEMO-APP-FOD-027 Closed
Certificate	DEMO-CERT-FOD-027 Withdrawn
Licence	DEMO-LIC-FOD-027 Withdrawn
Holder / product scope	Demo Food Manufacturer 027 Turmeric powder
Validity / grant note	2025-06-15 to 2027-06-14 Historical withdrawal fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - withdrawn

Consumer help and FAQs: category guide p. 5. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Cumin powder

Food / Oils and seasonings | DEMO-REC-FOD-028

A. View | Basic details

IS Number	DEMO-IS-FOD-028:2024
IS Title	Cumin powder - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-FOD (Food Prototype Department)
Technical Committee	DEMO-FOD-03 (Oils and seasonings Prototype Committee)
Member Secretary	Demo Secretary FOD-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_FOD_028_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-FOD-028:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A3
Classification / reaffirmed	DEMO-CLASS-FOD-03 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_FOD_028_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers cumin powder within the oils and seasonings prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: identity checks, oxidation indicators, fill quantity and label traceability. Record a sample observation for each topic and attach fixture report DEMO-TEST-FOD-028; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-FOD DEMO-APP-FOD-028 Rejected
Certificate	DEMO-CERT-FOD-028 Not issued
Licence	DEMO-LIC-FOD-028 Not granted
Holder / product scope	Demo Food Manufacturer 028 Cumin powder
Validity / grant note	No issued term Mock application rejected
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 5. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Coriander powder

Food / Oils and seasonings | DEMO-REC-FOD-029

A. View | Basic details

IS Number	DEMO-IS-FOD-029:2025
IS Title	Coriander powder - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-FOD-029:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-FOD (Food Prototype Department)
Technical Committee	DEMO-FOD-03 (Oils and seasonings Prototype Committee)
Member Secretary	Demo Secretary FOD-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_FOD_029_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-FOD-029:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A0
Classification / reaffirmed	DEMO-CLASS-FOD-03 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_FOD_029_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers coriander powder within the oils and seasonings prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: identity checks, oxidation indicators, fill quantity and label traceability. Record a sample observation for each topic and attach fixture report DEMO-TEST-FOD-029; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-FOD DEMO-APP-FOD-029 Amendment granted
Certificate	DEMO-CERT-FOD-029 Issued
Licence	DEMO-LIC-FOD-029 Active
Holder / product scope	Demo Food Manufacturer 029 Coriander powder
Validity / grant note	2025-06-15 to 2027-06-14 Scope update accepted in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 5. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Mixed spice blend

Food / Oils and seasonings | DEMO-REC-FOD-030

A. View | Basic details

IS Number	DEMO-IS-FOD-030:2025
IS Title	Mixed spice blend - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-FOD-030:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-FOD (Food Prototype Department)
Technical Committee	DEMO-FOD-03 (Oils and seasonings Prototype Committee)
Member Secretary	Demo Secretary FOD-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_FOD_030_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-FOD-030:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A1
Classification / reaffirmed	DEMO-CLASS-FOD-03 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_FOD_030_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers mixed spice blend within the oils and seasonings prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: identity checks, oxidation indicators, fill quantity and label traceability. Record a sample observation for each topic and attach fixture report DEMO-TEST-FOD-030; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-FOD DEMO-APP-FOD-030 Renewal under review
Certificate	DEMO-CERT-FOD-030 Issued
Licence	DEMO-LIC-FOD-030 Active
Holder / product scope	Demo Food Manufacturer 030 Mixed spice blend
Validity / grant note	2025-06-15 to 2027-06-14 Existing mock term still active
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 5. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Plain biscuits

Food / Packaged foods | DEMO-REC-FOD-031

A. View | Basic details

IS Number	DEMO-IS-FOD-031:2024
IS Title	Plain biscuits - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-FOD (Food Prototype Department)
Technical Committee	DEMO-FOD-04 (Packaged foods Prototype Committee)
Member Secretary	Demo Secretary FOD-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_FOD_031_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-FOD-031:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A2
Classification / reaffirmed	DEMO-CLASS-FOD-04 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_FOD_031_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers plain biscuits within the packaged foods prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: composition checks, seal quality, shelf-life evidence and batch traceability. Record a sample observation for each topic and attach fixture report DEMO-TEST-FOD-031; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-FOD DEMO-APP-FOD-031 Granted
Certificate	DEMO-CERT-FOD-031 Issued
Licence	DEMO-LIC-FOD-031 Active
Holder / product scope	Demo Food Manufacturer 031 Plain biscuits
Validity / grant note	2025-06-15 to 2027-06-14 Grant completed in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 5. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Crackers

Food / Packaged foods | DEMO-REC-FOD-032

A. View | Basic details

IS Number	DEMO-IS-FOD-032:2025
IS Title	Crackers - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-FOD-032:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-FOD (Food Prototype Department)
Technical Committee	DEMO-FOD-04 (Packaged foods Prototype Committee)
Member Secretary	Demo Secretary FOD-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_FOD_032_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-FOD-032:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A3
Classification / reaffirmed	DEMO-CLASS-FOD-04 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_FOD_032_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers crackers within the packaged foods prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: composition checks, seal quality, shelf-life evidence and batch traceability. Record a sample observation for each topic and attach fixture report DEMO-TEST-FOD-032; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-FOD DEMO-APP-FOD-032 Testing pending
Certificate	DEMO-CERT-FOD-032 Draft - not issued
Licence	DEMO-LIC-FOD-032 Not granted
Holder / product scope	Demo Food Manufacturer 032 Crackers
Validity / grant note	No issued term Await sample evaluation
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 5. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Fruit jam

Food / Packaged foods | DEMO-REC-FOD-033

A. View | Basic details

IS Number	DEMO-IS-FOD-033:2025
IS Title	Fruit jam - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-FOD-033:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-FOD (Food Prototype Department)
Technical Committee	DEMO-FOD-04 (Packaged foods Prototype Committee)
Member Secretary	Demo Secretary FOD-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_FOD_033_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-FOD-033:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A0
Classification / reaffirmed	DEMO-CLASS-FOD-04 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_FOD_033_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers fruit jam within the packaged foods prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: composition checks, seal quality, shelf-life evidence and batch traceability. Record a sample observation for each topic and attach fixture report DEMO-TEST-FOD-033; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-FOD DEMO-APP-FOD-033 Technical review
Certificate	DEMO-CERT-FOD-033 Draft - not issued
Licence	DEMO-LIC-FOD-033 Not granted
Holder / product scope	Demo Food Manufacturer 033 Fruit jam
Validity / grant note	No issued term Reviewer decision pending
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 5. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Tomato sauce

Food / Packaged foods | DEMO-REC-FOD-034

A. View | Basic details

IS Number	DEMO-IS-FOD-034:2024
IS Title	Tomato sauce - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-FOD (Food Prototype Department)
Technical Committee	DEMO-FOD-04 (Packaged foods Prototype Committee)
Member Secretary	Demo Secretary FOD-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_FOD_034_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-FOD-034:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A1
Classification / reaffirmed	DEMO-CLASS-FOD-04 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_FOD_034_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers tomato sauce within the packaged foods prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: composition checks, seal quality, shelf-life evidence and batch traceability. Record a sample observation for each topic and attach fixture report DEMO-TEST-FOD-034; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-FOD DEMO-APP-FOD-034 Clarification requested
Certificate	DEMO-CERT-FOD-034 Draft - not issued
Licence	DEMO-LIC-FOD-034 Not granted
Holder / product scope	Demo Food Manufacturer 034 Tomato sauce
Validity / grant note	No issued term Applicant must revise mock file
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 5. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Peanut butter

Food / Packaged foods | DEMO-REC-FOD-035

A. View | Basic details

IS Number	DEMO-IS-FOD-035:2025
IS Title	Peanut butter - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-FOD-035:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-FOD (Food Prototype Department)
Technical Committee	DEMO-FOD-04 (Packaged foods Prototype Committee)
Member Secretary	Demo Secretary FOD-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_FOD_035_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-FOD-035:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A2
Classification / reaffirmed	DEMO-CLASS-FOD-04 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_FOD_035_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers peanut butter within the packaged foods prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: composition checks, seal quality, shelf-life evidence and batch traceability. Record a sample observation for each topic and attach fixture report DEMO-TEST-FOD-035; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-FOD DEMO-APP-FOD-035 Renewal pending
Certificate	DEMO-CERT-FOD-035 Expired
Licence	DEMO-LIC-FOD-035 Expired
Holder / product scope	Demo Food Manufacturer 035 Peanut butter
Validity / grant note	2024-01-15 to 2025-01-14 Historical expired record
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - expired

Consumer help and FAQs: category guide p. 5. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Instant noodles

Food / Packaged foods | DEMO-REC-FOD-036

A. View | Basic details

IS Number	DEMO-IS-FOD-036:2025
IS Title	Instant noodles - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-FOD-036:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-FOD (Food Prototype Department)
Technical Committee	DEMO-FOD-04 (Packaged foods Prototype Committee)
Member Secretary	Demo Secretary FOD-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_FOD_036_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-FOD-036:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A3
Classification / reaffirmed	DEMO-CLASS-FOD-04 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_FOD_036_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers instant noodles within the packaged foods prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: composition checks, seal quality, shelf-life evidence and batch traceability. Record a sample observation for each topic and attach fixture report DEMO-TEST-FOD-036; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-FOD DEMO-APP-FOD-036 Investigation open
Certificate	DEMO-CERT-FOD-036 Suspended
Licence	DEMO-LIC-FOD-036 Suspended
Holder / product scope	Demo Food Manufacturer 036 Instant noodles
Validity / grant note	2025-06-15 to 2027-06-14 Use blocked in prototype
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - suspended

Consumer help and FAQs: category guide p. 5. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Pasta

Food / Packaged foods | DEMO-REC-FOD-037

A. View | Basic details

IS Number	DEMO-IS-FOD-037:2024
IS Title	Pasta - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-FOD (Food Prototype Department)
Technical Committee	DEMO-FOD-04 (Packaged foods Prototype Committee)
Member Secretary	Demo Secretary FOD-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_FOD_037_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-FOD-037:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A0
Classification / reaffirmed	DEMO-CLASS-FOD-04 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_FOD_037_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers pasta within the packaged foods prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: composition checks, seal quality, shelf-life evidence and batch traceability. Record a sample observation for each topic and attach fixture report DEMO-TEST-FOD-037; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-FOD DEMO-APP-FOD-037 Closed
Certificate	DEMO-CERT-FOD-037 Withdrawn
Licence	DEMO-LIC-FOD-037 Withdrawn
Holder / product scope	Demo Food Manufacturer 037 Pasta
Validity / grant note	2025-06-15 to 2027-06-14 Historical withdrawal fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - withdrawn

Consumer help and FAQs: category guide p. 5. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Canned sweet corn

Food / Packaged foods | DEMO-REC-FOD-038

A. View | Basic details

IS Number	DEMO-IS-FOD-038:2025
IS Title	Canned sweet corn - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-FOD-038:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-FOD (Food Prototype Department)
Technical Committee	DEMO-FOD-04 (Packaged foods Prototype Committee)
Member Secretary	Demo Secretary FOD-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_FOD_038_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-FOD-038:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A1
Classification / reaffirmed	DEMO-CLASS-FOD-04 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_FOD_038_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers canned sweet corn within the packaged foods prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: composition checks, seal quality, shelf-life evidence and batch traceability. Record a sample observation for each topic and attach fixture report DEMO-TEST-FOD-038; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-FOD DEMO-APP-FOD-038 Rejected
Certificate	DEMO-CERT-FOD-038 Not issued
Licence	DEMO-LIC-FOD-038 Not granted
Holder / product scope	Demo Food Manufacturer 038 Canned sweet corn
Validity / grant note	No issued term Mock application rejected
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 5. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Ready-to-eat lentil meal

Food / Packaged foods | DEMO-REC-FOD-039

A. View | Basic details

IS Number	DEMO-IS-FOD-039:2025
IS Title	Ready-to-eat lentil meal - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-FOD-039:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-FOD (Food Prototype Department)
Technical Committee	DEMO-FOD-04 (Packaged foods Prototype Committee)
Member Secretary	Demo Secretary FOD-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_FOD_039_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-FOD-039:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A2
Classification / reaffirmed	DEMO-CLASS-FOD-04 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_FOD_039_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers ready-to-eat lentil meal within the packaged foods prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: composition checks, seal quality, shelf-life evidence and batch traceability. Record a sample observation for each topic and attach fixture report DEMO-TEST-FOD-039; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-FOD DEMO-APP-FOD-039 Amendment granted
Certificate	DEMO-CERT-FOD-039 Issued
Licence	DEMO-LIC-FOD-039 Active
Holder / product scope	Demo Food Manufacturer 039 Ready-to-eat lentil meal
Validity / grant note	2025-06-15 to 2027-06-14 Scope update accepted in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 5. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Dehydrated soup mix

Food / Packaged foods | DEMO-REC-FOD-040

A. View | Basic details

IS Number	DEMO-IS-FOD-040:2024
IS Title	Dehydrated soup mix - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-FOD (Food Prototype Department)
Technical Committee	DEMO-FOD-04 (Packaged foods Prototype Committee)
Member Secretary	Demo Secretary FOD-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_FOD_040_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-FOD-040:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A3
Classification / reaffirmed	DEMO-CLASS-FOD-04 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_FOD_040_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers dehydrated soup mix within the packaged foods prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: composition checks, seal quality, shelf-life evidence and batch traceability. Record a sample observation for each topic and attach fixture report DEMO-TEST-FOD-040; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-FOD DEMO-APP-FOD-040 Renewal under review
Certificate	DEMO-CERT-FOD-040 Issued
Licence	DEMO-LIC-FOD-040 Active
Holder / product scope	Demo Food Manufacturer 040 Dehydrated soup mix
Validity / grant note	2025-06-15 to 2027-06-14 Existing mock term still active
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 5. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Packaged drinking water

Food / Drinks and sweeteners | DEMO-REC-FOD-041

A. View | Basic details

IS Number	DEMO-IS-FOD-041:2025
IS Title	Packaged drinking water - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-FOD-041:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-FOD (Food Prototype Department)
Technical Committee	DEMO-FOD-05 (Drinks and sweeteners Prototype Committee)
Member Secretary	Demo Secretary FOD-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_FOD_041_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-FOD-041:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A0
Classification / reaffirmed	DEMO-CLASS-FOD-05 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_FOD_041_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers packaged drinking water within the drinks and sweeteners prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: declared composition, clarity or uniformity, container closure and storage instructions. Record a sample observation for each topic and attach fixture report DEMO-TEST-FOD-041; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-FOD DEMO-APP-FOD-041 Granted
Certificate	DEMO-CERT-FOD-041 Issued
Licence	DEMO-LIC-FOD-041 Active
Holder / product scope	Demo Food Manufacturer 041 Packaged drinking water
Validity / grant note	2025-06-15 to 2027-06-14 Grant completed in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 5. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Sparkling water

Food / Drinks and sweeteners | DEMO-REC-FOD-042

A. View | Basic details

IS Number	DEMO-IS-FOD-042:2025
IS Title	Sparkling water - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-FOD-042:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-FOD (Food Prototype Department)
Technical Committee	DEMO-FOD-05 (Drinks and sweeteners Prototype Committee)
Member Secretary	Demo Secretary FOD-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_FOD_042_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-FOD-042:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A1
Classification / reaffirmed	DEMO-CLASS-FOD-05 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_FOD_042_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers sparkling water within the drinks and sweeteners prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: declared composition, clarity or uniformity, container closure and storage instructions. Record a sample observation for each topic and attach fixture report DEMO-TEST-FOD-042; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-FOD DEMO-APP-FOD-042 Testing pending
Certificate	DEMO-CERT-FOD-042 Draft - not issued
Licence	DEMO-LIC-FOD-042 Not granted
Holder / product scope	Demo Food Manufacturer 042 Sparkling water
Validity / grant note	No issued term Await sample evaluation
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 5. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Fruit nectar

Food / Drinks and sweeteners | DEMO-REC-FOD-043

A. View | Basic details

IS Number	DEMO-IS-FOD-043:2024
IS Title	Fruit nectar - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-FOD (Food Prototype Department)
Technical Committee	DEMO-FOD-05 (Drinks and sweeteners Prototype Committee)
Member Secretary	Demo Secretary FOD-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_FOD_043_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-FOD-043:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A2
Classification / reaffirmed	DEMO-CLASS-FOD-05 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_FOD_043_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers fruit nectar within the drinks and sweeteners prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: declared composition, clarity or uniformity, container closure and storage instructions. Record a sample observation for each topic and attach fixture report DEMO-TEST-FOD-043; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-FOD DEMO-APP-FOD-043 Technical review
Certificate	DEMO-CERT-FOD-043 Draft - not issued
Licence	DEMO-LIC-FOD-043 Not granted
Holder / product scope	Demo Food Manufacturer 043 Fruit nectar
Validity / grant note	No issued term Reviewer decision pending
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 5. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Fruit squash

Food / Drinks and sweeteners | DEMO-REC-FOD-044

A. View | Basic details

IS Number	DEMO-IS-FOD-044:2025
IS Title	Fruit squash - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-FOD-044:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-FOD (Food Prototype Department)
Technical Committee	DEMO-FOD-05 (Drinks and sweeteners Prototype Committee)
Member Secretary	Demo Secretary FOD-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_FOD_044_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-FOD-044:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A3
Classification / reaffirmed	DEMO-CLASS-FOD-05 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_FOD_044_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers fruit squash within the drinks and sweeteners prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: declared composition, clarity or uniformity, container closure and storage instructions. Record a sample observation for each topic and attach fixture report DEMO-TEST-FOD-044; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-FOD DEMO-APP-FOD-044 Clarification requested
Certificate	DEMO-CERT-FOD-044 Draft - not issued
Licence	DEMO-LIC-FOD-044 Not granted
Holder / product scope	Demo Food Manufacturer 044 Fruit squash
Validity / grant note	No issued term Applicant must revise mock file
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 5. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Tea bags

Food / Drinks and sweeteners | DEMO-REC-FOD-045

A. View | Basic details

IS Number	DEMO-IS-FOD-045:2025
IS Title	Tea bags - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-FOD-045:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-FOD (Food Prototype Department)
Technical Committee	DEMO-FOD-05 (Drinks and sweeteners Prototype Committee)
Member Secretary	Demo Secretary FOD-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_FOD_045_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-FOD-045:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A0
Classification / reaffirmed	DEMO-CLASS-FOD-05 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_FOD_045_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers tea bags within the drinks and sweeteners prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: declared composition, clarity or uniformity, container closure and storage instructions. Record a sample observation for each topic and attach fixture report DEMO-TEST-FOD-045; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-FOD DEMO-APP-FOD-045 Renewal pending
Certificate	DEMO-CERT-FOD-045 Expired
Licence	DEMO-LIC-FOD-045 Expired
Holder / product scope	Demo Food Manufacturer 045 Tea bags
Validity / grant note	2024-01-15 to 2025-01-14 Historical expired record
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - expired

Consumer help and FAQs: category guide p. 5. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Ground coffee

Food / Drinks and sweeteners | DEMO-REC-FOD-046

A. View | Basic details

IS Number	DEMO-IS-FOD-046:2024
IS Title	Ground coffee - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-FOD (Food Prototype Department)
Technical Committee	DEMO-FOD-05 (Drinks and sweeteners Prototype Committee)
Member Secretary	Demo Secretary FOD-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_FOD_046_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-FOD-046:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A1
Classification / reaffirmed	DEMO-CLASS-FOD-05 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_FOD_046_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers ground coffee within the drinks and sweeteners prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: declared composition, clarity or uniformity, container closure and storage instructions. Record a sample observation for each topic and attach fixture report DEMO-TEST-FOD-046; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-FOD DEMO-APP-FOD-046 Investigation open
Certificate	DEMO-CERT-FOD-046 Suspended
Licence	DEMO-LIC-FOD-046 Suspended
Holder / product scope	Demo Food Manufacturer 046 Ground coffee
Validity / grant note	2025-06-15 to 2027-06-14 Use blocked in prototype
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - suspended

Consumer help and FAQs: category guide p. 5. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Cocoa powder

Food / Drinks and sweeteners | DEMO-REC-FOD-047

A. View | Basic details

IS Number	DEMO-IS-FOD-047:2025
IS Title	Cocoa powder - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-FOD-047:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-FOD (Food Prototype Department)
Technical Committee	DEMO-FOD-05 (Drinks and sweeteners Prototype Committee)
Member Secretary	Demo Secretary FOD-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_FOD_047_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-FOD-047:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A2
Classification / reaffirmed	DEMO-CLASS-FOD-05 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_FOD_047_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers cocoa powder within the drinks and sweeteners prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: declared composition, clarity or uniformity, container closure and storage instructions. Record a sample observation for each topic and attach fixture report DEMO-TEST-FOD-047; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-FOD DEMO-APP-FOD-047 Closed
Certificate	DEMO-CERT-FOD-047 Withdrawn
Licence	DEMO-LIC-FOD-047 Withdrawn
Holder / product scope	Demo Food Manufacturer 047 Cocoa powder
Validity / grant note	2025-06-15 to 2027-06-14 Historical withdrawal fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - withdrawn

Consumer help and FAQs: category guide p. 5. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Honey

Food / Drinks and sweeteners | DEMO-REC-FOD-048

A. View | Basic details

IS Number	DEMO-IS-FOD-048:2025
IS Title	Honey - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-FOD-048:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-FOD (Food Prototype Department)
Technical Committee	DEMO-FOD-05 (Drinks and sweeteners Prototype Committee)
Member Secretary	Demo Secretary FOD-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_FOD_048_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-FOD-048:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A3
Classification / reaffirmed	DEMO-CLASS-FOD-05 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_FOD_048_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers honey within the drinks and sweeteners prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: declared composition, clarity or uniformity, container closure and storage instructions. Record a sample observation for each topic and attach fixture report DEMO-TEST-FOD-048; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-FOD DEMO-APP-FOD-048 Rejected
Certificate	DEMO-CERT-FOD-048 Not issued
Licence	DEMO-LIC-FOD-048 Not granted
Holder / product scope	Demo Food Manufacturer 048 Honey
Validity / grant note	No issued term Mock application rejected
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 5. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Jaggery powder

Food / Drinks and sweeteners | DEMO-REC-FOD-049

A. View | Basic details

IS Number	DEMO-IS-FOD-049:2024
IS Title	Jaggery powder - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-FOD (Food Prototype Department)
Technical Committee	DEMO-FOD-05 (Drinks and sweeteners Prototype Committee)
Member Secretary	Demo Secretary FOD-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_FOD_049_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-FOD-049:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A0
Classification / reaffirmed	DEMO-CLASS-FOD-05 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_FOD_049_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers jaggery powder within the drinks and sweeteners prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: declared composition, clarity or uniformity, container closure and storage instructions. Record a sample observation for each topic and attach fixture report DEMO-TEST-FOD-049; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-FOD DEMO-APP-FOD-049 Amendment granted
Certificate	DEMO-CERT-FOD-049 Issued
Licence	DEMO-LIC-FOD-049 Active
Holder / product scope	Demo Food Manufacturer 049 Jaggery powder
Validity / grant note	2025-06-15 to 2027-06-14 Scope update accepted in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 5. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Granulated sugar

Food / Drinks and sweeteners | DEMO-REC-FOD-050

A. View | Basic details

IS Number	DEMO-IS-FOD-050:2025
IS Title	Granulated sugar - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-FOD-050:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-FOD (Food Prototype Department)
Technical Committee	DEMO-FOD-05 (Drinks and sweeteners Prototype Committee)
Member Secretary	Demo Secretary FOD-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_FOD_050_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-FOD-050:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A1
Classification / reaffirmed	DEMO-CLASS-FOD-05 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_FOD_050_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers granulated sugar within the drinks and sweeteners prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: declared composition, clarity or uniformity, container closure and storage instructions. Record a sample observation for each topic and attach fixture report DEMO-TEST-FOD-050; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-FOD DEMO-APP-FOD-050 Renewal under review
Certificate	DEMO-CERT-FOD-050 Issued
Licence	DEMO-LIC-FOD-050 Active
Holder / product scope	Demo Food Manufacturer 050 Granulated sugar
Validity / grant note	2025-06-15 to 2027-06-14 Existing mock term still active
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 5. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Electronics | 50-record catalogue

Indian Standards-style catalogue / standards search - all records on these pages are fictional.

Catalogue ID: DEMO-CAT-ELN. Search by product name, DEMO-IS number, subgroup or category. Click a product below to open its detail sheet.

01. Laptop computer	59	26. Portable inverter	84
02. Desktop computer	60	27. Uninterruptible power supply	85
03. Tablet computer	61	28. Wireless charging pad	86
04. Computer monitor	62	29. DC-DC converter module	87
05. Keyboard	63	30. Solar charge controller	88
06. Wireless mouse	64	31. Wi-Fi router	89
07. USB webcam	65	32. Network switch	90
08. External hard drive	66	33. Optical network terminal	91
09. Portable solid-state drive	67	34. Bluetooth receiver	92
10. USB docking station	68	35. RFID reader	93
11. LED television	69	36. Barcode scanner	94
12. Set-top box	70	37. NFC reader	95
13. Streaming media player	71	38. GPS tracking unit	96
14. Bluetooth speaker	72	39. Handheld radio	97
15. Wired headphones	73	40. Ethernet media converter	98
16. Wireless earbuds	74	41. Digital camera	99
17. Audio amplifier	75	42. Video camera	100
18. Soundbar	76	43. Electronic game console	101
19. Digital voice recorder	77	44. Smartwatch	102
20. Wireless microphone	78	45. Fitness tracker	103
21. USB wall charger	79	46. Digital thermometer module	104
22. Laptop power adapter	80	47. Temperature data logger	105
23. Power bank	81	48. Motion sensor module	106
24. DC bench power supply	82	49. Smart doorbell	107
25. LED driver module	83	50. Electronic alarm clock	108

The page number is the combined PDF location. Every detail sheet includes a unique standard, application, certificate and licence ID.

Electronics | Certification and applications

Product Certification / Certification Schemes / Grant of Licence / Application - DEMO policy only.

Product Certification and Certification Schemes

Mock scheme	DEMO-PC-ELN: Electronics Product Evaluation - Prototype Scheme
Scheme intent	Demonstrate document review, sample evaluation, grant decisions, status changes and verification screens.
Who can apply	A fictional manufacturer record with a demo product and facility; this is not actual BIS eligibility.
Application evidence	Demo factory profile, product specification, mock quality plan and fixture evaluation report.
Fees / service time	0 sandbox units. Use simulated workflow events; no actual fee or processing-time promise.
Scope of grant	Only the product and DEMO-IS record named in the fixture. Real Standard Mark permission is always false.

Application to Grant of Licence | simulated sequence

1. Create DEMO-APP record and link product, manufacturer and facility.
2. Validate required fields; missing details produce Clarification requested.
3. Record sample evidence under the matching DEMO-TEST identifier.
4. Reviewer selects Granted, Testing pending, Technical review or Rejected.
5. On grant, activate the mock licence and issue the linked demo certificate. Later events may expire, suspend, withdraw, amend or renew the fixture.

Product-specific requirements | subgroup examples

Computing: enclosure safety, connector endurance, power-input behaviour and function checks.

Audio and video: audio/video function, accessible-temperature checks, charging behaviour and enclosure integrity.

Power electronics: output stability, overload response, thermal behaviour and insulation screening.

Communications: interface interoperability, data integrity, enclosure checks and supply-fault response.

Consumer and sensors: sensor repeatability, control response, battery behaviour and functional endurance.

Demo certificate and licence contents

Each product sheet displays the document IDs, holder, status, scope and term. The JSONL also contains document names, issuer, application evidence, lookup URL and an explicit not-valid field. Draft, rejected and not-granted records do not represent issued permissions.

IS documents and standards online source

The logical documents are stored as catalogue fixtures. Example route: <https://standards-prototype.invalid/eln/catalogue>. No official licence, IS document or payment workflow is created.

Electronics | Consumer information and FAQs

BIS-style consumer help screens for a prototype - all process and contact information here is synthetic.

BIS complaint process / How to lodge complaints | demo

Open the mock complaint form; choose category, product and complaint topic; add a mock invoice, label and image; submit to create a DEMO-CMP ID. A fixture moves through Submitted, Under review, Evidence requested, Resolved or Closed. These are UI examples, not a real complaint submission or escalation promise.

Product authenticity and Standard Mark

Compare the demo licence ID with the fixture holder, product scope, DEMO-IS number, status and dates. An ID match alone must not imply Active. Use only the text DEMO MARK - NOT BIS/ISI. No real product authenticity or conformity finding is made.

Hallmark verification

Not applicable to these category fixtures. Display N/A and do not invent a HUID or imply a general product certificate is a hallmark. A future jewellery prototype would need a separately defined dataset.

Consumer rights / information | fictional policy

The prototype lets users read disclosures, request correction of fixture data, attach evidence, view complaint history and receive a simulated response. No legal entitlement, refund duty, enforcement outcome or statutory response deadline is asserted.

BIS contact information | fictional placeholder

Office	Demo Electronics Help Desk, Fictional Test Zone
Email	help-eln@standards-prototype.invalid
Telephone	DEMO-NOT-A-PHONE; JSON value is null
Contact URL	https://standards-prototype.invalid/elN/contact
Complaint URL	https://standards-prototype.invalid/elN/complaints

FAQs

How do I find a standard?

Search the Electronics catalogue by name, subgroup or DEMO-IS number.

Is the certificate a real BIS certificate?

No. It is an unsigned fictional training object.

Can an expired or suspended record verify as Active?

No. Match the status and term, not only the identifier.

What if application evidence is missing?

Use the Clarification requested scenario; no licence is granted.

How do I check a hallmark?

This dataset returns Not applicable; it issues no hallmark identifier.

Do these links submit a real complaint?

No. The .invalid domain is deliberately non-operational.

Where are product-level FAQs stored?

Every synthetic JSONL record includes a five-question FAQs array.

Laptop computer

Electronics / Computing | DEMO-REC-ELN-001

A. View | Basic details

IS Number	DEMO-IS-ELN-001:2024
IS Title	Laptop computer - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-ELN (Electronics Prototype Department)
Technical Committee	DEMO-ELN-01 (Computing Prototype Committee)
Member Secretary	Demo Secretary ELN-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELN_001_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELN-001:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A0
Classification / reaffirmed	DEMO-CLASS-ELN-01 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_ELN_001_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers laptop computer within the computing prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: enclosure safety, connector endurance, power-input behaviour and function checks. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELN-001; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELN DEMO-APP-ELN-001 Granted
Certificate	DEMO-CERT-ELN-001 Issued
Licence	DEMO-LIC-ELN-001 Active
Holder / product scope	Demo Electronics Manufacturer 001 Laptop computer
Validity / grant note	2025-06-15 to 2027-06-14 Grant completed in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 58. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Desktop computer

Electronics / Computing | DEMO-REC-ELN-002

A. View | Basic details

IS Number	DEMO-IS-ELN-002:2025
IS Title	Desktop computer - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-ELN-002:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-ELN (Electronics Prototype Department)
Technical Committee	DEMO-ELN-01 (Computing Prototype Committee)
Member Secretary	Demo Secretary ELN-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELN_002_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELN-002:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A1
Classification / reaffirmed	DEMO-CLASS-ELN-01 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_ELN_002_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers desktop computer within the computing prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: enclosure safety, connector endurance, power-input behaviour and function checks. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELN-002; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELN DEMO-APP-ELN-002 Testing pending
Certificate	DEMO-CERT-ELN-002 Draft - not issued
Licence	DEMO-LIC-ELN-002 Not granted
Holder / product scope	Demo Electronics Manufacturer 002 Desktop computer
Validity / grant note	No issued term Await sample evaluation
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 58. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Tablet computer

Electronics / Computing | DEMO-REC-ELN-003

A. View | Basic details

IS Number	DEMO-IS-ELN-003:2025
IS Title	Tablet computer - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-ELN-003:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-ELN (Electronics Prototype Department)
Technical Committee	DEMO-ELN-01 (Computing Prototype Committee)
Member Secretary	Demo Secretary ELN-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELN_003_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELN-003:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A2
Classification / reaffirmed	DEMO-CLASS-ELN-01 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_ELN_003_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers tablet computer within the computing prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: enclosure safety, connector endurance, power-input behaviour and function checks. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELN-003; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELN DEMO-APP-ELN-003 Technical review
Certificate	DEMO-CERT-ELN-003 Draft - not issued
Licence	DEMO-LIC-ELN-003 Not granted
Holder / product scope	Demo Electronics Manufacturer 003 Tablet computer
Validity / grant note	No issued term Reviewer decision pending
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 58. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Computer monitor

Electronics / Computing | DEMO-REC-ELN-004

A. View | Basic details

IS Number	DEMO-IS-ELN-004:2024
IS Title	Computer monitor - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-ELN (Electronics Prototype Department)
Technical Committee	DEMO-ELN-01 (Computing Prototype Committee)
Member Secretary	Demo Secretary ELN-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELN_004_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELN-004:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A3
Classification / reaffirmed	DEMO-CLASS-ELN-01 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_ELN_004_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers computer monitor within the computing prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: enclosure safety, connector endurance, power-input behaviour and function checks. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELN-004; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELN DEMO-APP-ELN-004 Clarification requested
Certificate	DEMO-CERT-ELN-004 Draft - not issued
Licence	DEMO-LIC-ELN-004 Not granted
Holder / product scope	Demo Electronics Manufacturer 004 Computer monitor
Validity / grant note	No issued term Applicant must revise mock file
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 58. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Keyboard

Electronics / Computing | DEMO-REC-ELN-005

A. View | Basic details

IS Number	DEMO-IS-ELN-005:2025
IS Title	Keyboard - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-ELN-005:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-ELN (Electronics Prototype Department)
Technical Committee	DEMO-ELN-01 (Computing Prototype Committee)
Member Secretary	Demo Secretary ELN-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELN_005_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELN-005:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A0
Classification / reaffirmed	DEMO-CLASS-ELN-01 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_ELN_005_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers keyboard within the computing prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: enclosure safety, connector endurance, power-input behaviour and function checks. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELN-005; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELN DEMO-APP-ELN-005 Renewal pending
Certificate	DEMO-CERT-ELN-005 Expired
Licence	DEMO-LIC-ELN-005 Expired
Holder / product scope	Demo Electronics Manufacturer 005 Keyboard
Validity / grant note	2024-01-15 to 2025-01-14 Historical expired record
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - expired

Consumer help and FAQs: category guide p. 58. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Wireless mouse

Electronics / Computing | DEMO-REC-ELN-006

A. View | Basic details

IS Number	DEMO-IS-ELN-006:2025
IS Title	Wireless mouse - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-ELN-006:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-ELN (Electronics Prototype Department)
Technical Committee	DEMO-ELN-01 (Computing Prototype Committee)
Member Secretary	Demo Secretary ELN-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELN_006_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELN-006:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A1
Classification / reaffirmed	DEMO-CLASS-ELN-01 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_ELN_006_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers wireless mouse within the computing prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: enclosure safety, connector endurance, power-input behaviour and function checks. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELN-006; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELN DEMO-APP-ELN-006 Investigation open
Certificate	DEMO-CERT-ELN-006 Suspended
Licence	DEMO-LIC-ELN-006 Suspended
Holder / product scope	Demo Electronics Manufacturer 006 Wireless mouse
Validity / grant note	2025-06-15 to 2027-06-14 Use blocked in prototype
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - suspended

Consumer help and FAQs: category guide p. 58. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

USB webcam

Electronics / Computing | DEMO-REC-ELN-007

A. View | Basic details

IS Number	DEMO-IS-ELN-007:2024
IS Title	USB webcam - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-ELN (Electronics Prototype Department)
Technical Committee	DEMO-ELN-01 (Computing Prototype Committee)
Member Secretary	Demo Secretary ELN-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELN_007_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELN-007:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A2
Classification / reaffirmed	DEMO-CLASS-ELN-01 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_ELN_007_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers usb webcam within the computing prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: enclosure safety, connector endurance, power-input behaviour and function checks. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELN-007; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELN DEMO-APP-ELN-007 Closed
Certificate	DEMO-CERT-ELN-007 Withdrawn
Licence	DEMO-LIC-ELN-007 Withdrawn
Holder / product scope	Demo Electronics Manufacturer 007 USB webcam
Validity / grant note	2025-06-15 to 2027-06-14 Historical withdrawal fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - withdrawn

Consumer help and FAQs: category guide p. 58. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

External hard drive

Electronics / Computing | DEMO-REC-ELN-008

A. View | Basic details

IS Number	DEMO-IS-ELN-008:2025
IS Title	External hard drive - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-ELN-008:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-ELN (Electronics Prototype Department)
Technical Committee	DEMO-ELN-01 (Computing Prototype Committee)
Member Secretary	Demo Secretary ELN-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELN_008_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELN-008:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A3
Classification / reaffirmed	DEMO-CLASS-ELN-01 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_ELN_008_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers external hard drive within the computing prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: enclosure safety, connector endurance, power-input behaviour and function checks. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELN-008; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELN DEMO-APP-ELN-008 Rejected
Certificate	DEMO-CERT-ELN-008 Not issued
Licence	DEMO-LIC-ELN-008 Not granted
Holder / product scope	Demo Electronics Manufacturer 008 External hard drive
Validity / grant note	No issued term Mock application rejected
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 58. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Portable solid-state drive

Electronics / Computing | DEMO-REC-ELN-009

A. View | Basic details

IS Number	DEMO-IS-ELN-009:2025
IS Title	Portable solid-state drive - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-ELN-009:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-ELN (Electronics Prototype Department)
Technical Committee	DEMO-ELN-01 (Computing Prototype Committee)
Member Secretary	Demo Secretary ELN-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELN_009_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELN-009:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A0
Classification / reaffirmed	DEMO-CLASS-ELN-01 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_ELN_009_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers portable solid-state drive within the computing prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: enclosure safety, connector endurance, power-input behaviour and function checks. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELN-009; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELN DEMO-APP-ELN-009 Amendment granted
Certificate	DEMO-CERT-ELN-009 Issued
Licence	DEMO-LIC-ELN-009 Active
Holder / product scope	Demo Electronics Manufacturer 009 Portable solid-state drive
Validity / grant note	2025-06-15 to 2027-06-14 Scope update accepted in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 58. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

USB docking station

Electronics / Computing | DEMO-REC-ELN-010

A. View | Basic details

IS Number	DEMO-IS-ELN-010:2024
IS Title	USB docking station - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-ELN (Electronics Prototype Department)
Technical Committee	DEMO-ELN-01 (Computing Prototype Committee)
Member Secretary	Demo Secretary ELN-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELN_010_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELN-010:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A1
Classification / reaffirmed	DEMO-CLASS-ELN-01 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_ELN_010_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers usb docking station within the computing prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: enclosure safety, connector endurance, power-input behaviour and function checks. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELN-010; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELN DEMO-APP-ELN-010 Renewal under review
Certificate	DEMO-CERT-ELN-010 Issued
Licence	DEMO-LIC-ELN-010 Active
Holder / product scope	Demo Electronics Manufacturer 010 USB docking station
Validity / grant note	2025-06-15 to 2027-06-14 Existing mock term still active
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 58. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

LED television

Electronics / Audio and video | DEMO-REC-ELN-011

A. View | Basic details

IS Number	DEMO-IS-ELN-011:2025
IS Title	LED television - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-ELN-011:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-ELN (Electronics Prototype Department)
Technical Committee	DEMO-ELN-02 (Audio and video Prototype Committee)
Member Secretary	Demo Secretary ELN-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELN_011_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELN-011:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A2
Classification / reaffirmed	DEMO-CLASS-ELN-02 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_ELN_011_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers led television within the audio and video prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: audio/video function, accessible-temperature checks, charging behaviour and enclosure integrity. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELN-011; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELN DEMO-APP-ELN-011 Granted
Certificate	DEMO-CERT-ELN-011 Issued
Licence	DEMO-LIC-ELN-011 Active
Holder / product scope	Demo Electronics Manufacturer 011 LED television
Validity / grant note	2025-06-15 to 2027-06-14 Grant completed in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 58. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Set-top box

Electronics / Audio and video | DEMO-REC-ELN-012

A. View | Basic details

IS Number	DEMO-IS-ELN-012:2025
IS Title	Set-top box - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-ELN-012:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-ELN (Electronics Prototype Department)
Technical Committee	DEMO-ELN-02 (Audio and video Prototype Committee)
Member Secretary	Demo Secretary ELN-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELN_012_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELN-012:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A3
Classification / reaffirmed	DEMO-CLASS-ELN-02 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_ELN_012_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers set-top box within the audio and video prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: audio/video function, accessible-temperature checks, charging behaviour and enclosure integrity. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELN-012; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELN DEMO-APP-ELN-012 Testing pending
Certificate	DEMO-CERT-ELN-012 Draft - not issued
Licence	DEMO-LIC-ELN-012 Not granted
Holder / product scope	Demo Electronics Manufacturer 012 Set-top box
Validity / grant note	No issued term Await sample evaluation
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 58. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Streaming media player

Electronics / Audio and video | DEMO-REC-ELN-013

A. View | Basic details

IS Number	DEMO-IS-ELN-013:2024
IS Title	Streaming media player - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-ELN (Electronics Prototype Department)
Technical Committee	DEMO-ELN-02 (Audio and video Prototype Committee)
Member Secretary	Demo Secretary ELN-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELN_013_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELN-013:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A0
Classification / reaffirmed	DEMO-CLASS-ELN-02 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_ELN_013_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers streaming media player within the audio and video prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: audio/video function, accessible-temperature checks, charging behaviour and enclosure integrity. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELN-013; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELN DEMO-APP-ELN-013 Technical review
Certificate	DEMO-CERT-ELN-013 Draft - not issued
Licence	DEMO-LIC-ELN-013 Not granted
Holder / product scope	Demo Electronics Manufacturer 013 Streaming media player
Validity / grant note	No issued term Reviewer decision pending
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 58. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Bluetooth speaker

Electronics / Audio and video | DEMO-REC-ELN-014

A. View | Basic details

IS Number	DEMO-IS-ELN-014:2025
IS Title	Bluetooth speaker - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-ELN-014:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-ELN (Electronics Prototype Department)
Technical Committee	DEMO-ELN-02 (Audio and video Prototype Committee)
Member Secretary	Demo Secretary ELN-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELN_014_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELN-014:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A1
Classification / reaffirmed	DEMO-CLASS-ELN-02 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_ELN_014_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers bluetooth speaker within the audio and video prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: audio/video function, accessible-temperature checks, charging behaviour and enclosure integrity. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELN-014; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELN DEMO-APP-ELN-014 Clarification requested
Certificate	DEMO-CERT-ELN-014 Draft - not issued
Licence	DEMO-LIC-ELN-014 Not granted
Holder / product scope	Demo Electronics Manufacturer 014 Bluetooth speaker
Validity / grant note	No issued term Applicant must revise mock file
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 58. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Wired headphones

Electronics / Audio and video | DEMO-REC-ELN-015

A. View | Basic details

IS Number	DEMO-IS-ELN-015:2025
IS Title	Wired headphones - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-ELN-015:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-ELN (Electronics Prototype Department)
Technical Committee	DEMO-ELN-02 (Audio and video Prototype Committee)
Member Secretary	Demo Secretary ELN-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELN_015_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELN-015:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A2
Classification / reaffirmed	DEMO-CLASS-ELN-02 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_ELN_015_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers wired headphones within the audio and video prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: audio/video function, accessible-temperature checks, charging behaviour and enclosure integrity. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELN-015; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELN DEMO-APP-ELN-015 Renewal pending
Certificate	DEMO-CERT-ELN-015 Expired
Licence	DEMO-LIC-ELN-015 Expired
Holder / product scope	Demo Electronics Manufacturer 015 Wired headphones
Validity / grant note	2024-01-15 to 2025-01-14 Historical expired record
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - expired

Consumer help and FAQs: category guide p. 58. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Wireless earbuds

Electronics / Audio and video | DEMO-REC-ELN-016

A. View | Basic details

IS Number	DEMO-IS-ELN-016:2024
IS Title	Wireless earbuds - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-ELN (Electronics Prototype Department)
Technical Committee	DEMO-ELN-02 (Audio and video Prototype Committee)
Member Secretary	Demo Secretary ELN-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELN_016_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELN-016:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A3
Classification / reaffirmed	DEMO-CLASS-ELN-02 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_ELN_016_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers wireless earbuds within the audio and video prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: audio/video function, accessible-temperature checks, charging behaviour and enclosure integrity. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELN-016; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELN DEMO-APP-ELN-016 Investigation open
Certificate	DEMO-CERT-ELN-016 Suspended
Licence	DEMO-LIC-ELN-016 Suspended
Holder / product scope	Demo Electronics Manufacturer 016 Wireless earbuds
Validity / grant note	2025-06-15 to 2027-06-14 Use blocked in prototype
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - suspended

Consumer help and FAQs: category guide p. 58. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Audio amplifier

Electronics / Audio and video | DEMO-REC-ELN-017

A. View | Basic details

IS Number	DEMO-IS-ELN-017:2025
IS Title	Audio amplifier - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-ELN-017:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-ELN (Electronics Prototype Department)
Technical Committee	DEMO-ELN-02 (Audio and video Prototype Committee)
Member Secretary	Demo Secretary ELN-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELN_017_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELN-017:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A0
Classification / reaffirmed	DEMO-CLASS-ELN-02 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_ELN_017_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers audio amplifier within the audio and video prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: audio/video function, accessible-temperature checks, charging behaviour and enclosure integrity. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELN-017; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELN DEMO-APP-ELN-017 Closed
Certificate	DEMO-CERT-ELN-017 Withdrawn
Licence	DEMO-LIC-ELN-017 Withdrawn
Holder / product scope	Demo Electronics Manufacturer 017 Audio amplifier
Validity / grant note	2025-06-15 to 2027-06-14 Historical withdrawal fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - withdrawn

Consumer help and FAQs: category guide p. 58. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Soundbar

Electronics / Audio and video | DEMO-REC-ELN-018

A. View | Basic details

IS Number	DEMO-IS-ELN-018:2025
IS Title	Soundbar - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-ELN-018:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-ELN (Electronics Prototype Department)
Technical Committee	DEMO-ELN-02 (Audio and video Prototype Committee)
Member Secretary	Demo Secretary ELN-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELN_018_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELN-018:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A1
Classification / reaffirmed	DEMO-CLASS-ELN-02 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_ELN_018_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers soundbar within the audio and video prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: audio/video function, accessible-temperature checks, charging behaviour and enclosure integrity. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELN-018; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELN DEMO-APP-ELN-018 Rejected
Certificate	DEMO-CERT-ELN-018 Not issued
Licence	DEMO-LIC-ELN-018 Not granted
Holder / product scope	Demo Electronics Manufacturer 018 Soundbar
Validity / grant note	No issued term Mock application rejected
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 58. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Digital voice recorder

Electronics / Audio and video | DEMO-REC-ELN-019

A. View | Basic details

IS Number	DEMO-IS-ELN-019:2024
IS Title	Digital voice recorder - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-ELN (Electronics Prototype Department)
Technical Committee	DEMO-ELN-02 (Audio and video Prototype Committee)
Member Secretary	Demo Secretary ELN-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELN_019_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELN-019:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A2
Classification / reaffirmed	DEMO-CLASS-ELN-02 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_ELN_019_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers digital voice recorder within the audio and video prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: audio/video function, accessible-temperature checks, charging behaviour and enclosure integrity. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELN-019; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELN DEMO-APP-ELN-019 Amendment granted
Certificate	DEMO-CERT-ELN-019 Issued
Licence	DEMO-LIC-ELN-019 Active
Holder / product scope	Demo Electronics Manufacturer 019 Digital voice recorder
Validity / grant note	2025-06-15 to 2027-06-14 Scope update accepted in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 58. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Wireless microphone

Electronics / Audio and video | DEMO-REC-ELN-020

A. View | Basic details

IS Number	DEMO-IS-ELN-020:2025
IS Title	Wireless microphone - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-ELN-020:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-ELN (Electronics Prototype Department)
Technical Committee	DEMO-ELN-02 (Audio and video Prototype Committee)
Member Secretary	Demo Secretary ELN-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELN_020_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELN-020:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A3
Classification / reaffirmed	DEMO-CLASS-ELN-02 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_ELN_020_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers wireless microphone within the audio and video prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: audio/video function, accessible-temperature checks, charging behaviour and enclosure integrity. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELN-020; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELN DEMO-APP-ELN-020 Renewal under review
Certificate	DEMO-CERT-ELN-020 Issued
Licence	DEMO-LIC-ELN-020 Active
Holder / product scope	Demo Electronics Manufacturer 020 Wireless microphone
Validity / grant note	2025-06-15 to 2027-06-14 Existing mock term still active
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 58. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

USB wall charger

Electronics / Power electronics | DEMO-REC-ELN-021

A. View | Basic details

IS Number	DEMO-IS-ELN-021:2025
IS Title	USB wall charger - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-ELN-021:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-ELN (Electronics Prototype Department)
Technical Committee	DEMO-ELN-03 (Power electronics Prototype Committee)
Member Secretary	Demo Secretary ELN-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELN_021_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELN-021:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A0
Classification / reaffirmed	DEMO-CLASS-ELN-03 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_ELN_021_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers usb wall charger within the power electronics prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: output stability, overload response, thermal behaviour and insulation screening. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELN-021; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELN DEMO-APP-ELN-021 Granted
Certificate	DEMO-CERT-ELN-021 Issued
Licence	DEMO-LIC-ELN-021 Active
Holder / product scope	Demo Electronics Manufacturer 021 USB wall charger
Validity / grant note	2025-06-15 to 2027-06-14 Grant completed in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 58. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Laptop power adapter

Electronics / Power electronics | DEMO-REC-ELN-022

A. View | Basic details

IS Number	DEMO-IS-ELN-022:2024
IS Title	Laptop power adapter - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-ELN (Electronics Prototype Department)
Technical Committee	DEMO-ELN-03 (Power electronics Prototype Committee)
Member Secretary	Demo Secretary ELN-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELN_022_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELN-022:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A1
Classification / reaffirmed	DEMO-CLASS-ELN-03 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_ELN_022_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers laptop power adapter within the power electronics prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: output stability, overload response, thermal behaviour and insulation screening. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELN-022; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELN DEMO-APP-ELN-022 Testing pending
Certificate	DEMO-CERT-ELN-022 Draft - not issued
Licence	DEMO-LIC-ELN-022 Not granted
Holder / product scope	Demo Electronics Manufacturer 022 Laptop power adapter
Validity / grant note	No issued term Await sample evaluation
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 58. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Power bank

Electronics / Power electronics | DEMO-REC-ELN-023

A. View | Basic details

IS Number	DEMO-IS-ELN-023:2025
IS Title	Power bank - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-ELN-023:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-ELN (Electronics Prototype Department)
Technical Committee	DEMO-ELN-03 (Power electronics Prototype Committee)
Member Secretary	Demo Secretary ELN-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELN_023_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELN-023:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A2
Classification / reaffirmed	DEMO-CLASS-ELN-03 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_ELN_023_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers power bank within the power electronics prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: output stability, overload response, thermal behaviour and insulation screening. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELN-023; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELN DEMO-APP-ELN-023 Technical review
Certificate	DEMO-CERT-ELN-023 Draft - not issued
Licence	DEMO-LIC-ELN-023 Not granted
Holder / product scope	Demo Electronics Manufacturer 023 Power bank
Validity / grant note	No issued term Reviewer decision pending
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 58. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

DC bench power supply

Electronics / Power electronics | DEMO-REC-ELN-024

A. View | Basic details

IS Number	DEMO-IS-ELN-024:2025
IS Title	DC bench power supply - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-ELN-024:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-ELN (Electronics Prototype Department)
Technical Committee	DEMO-ELN-03 (Power electronics Prototype Committee)
Member Secretary	Demo Secretary ELN-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELN_024_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELN-024:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A3
Classification / reaffirmed	DEMO-CLASS-ELN-03 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_ELN_024_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers dc bench power supply within the power electronics prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: output stability, overload response, thermal behaviour and insulation screening. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELN-024; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELN DEMO-APP-ELN-024 Clarification requested
Certificate	DEMO-CERT-ELN-024 Draft - not issued
Licence	DEMO-LIC-ELN-024 Not granted
Holder / product scope	Demo Electronics Manufacturer 024 DC bench power supply
Validity / grant note	No issued term Applicant must revise mock file
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 58. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

LED driver module

Electronics / Power electronics | DEMO-REC-ELN-025

A. View | Basic details

IS Number	DEMO-IS-ELN-025:2024
IS Title	LED driver module - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-ELN (Electronics Prototype Department)
Technical Committee	DEMO-ELN-03 (Power electronics Prototype Committee)
Member Secretary	Demo Secretary ELN-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELN_025_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELN-025:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A0
Classification / reaffirmed	DEMO-CLASS-ELN-03 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_ELN_025_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers led driver module within the power electronics prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: output stability, overload response, thermal behaviour and insulation screening. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELN-025; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELN DEMO-APP-ELN-025 Renewal pending
Certificate	DEMO-CERT-ELN-025 Expired
Licence	DEMO-LIC-ELN-025 Expired
Holder / product scope	Demo Electronics Manufacturer 025 LED driver module
Validity / grant note	2024-01-15 to 2025-01-14 Historical expired record
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - expired

Consumer help and FAQs: category guide p. 58. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Portable inverter

Electronics / Power electronics | DEMO-REC-ELN-026

A. View | Basic details

IS Number	DEMO-IS-ELN-026:2025
IS Title	Portable inverter - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-ELN-026:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-ELN (Electronics Prototype Department)
Technical Committee	DEMO-ELN-03 (Power electronics Prototype Committee)
Member Secretary	Demo Secretary ELN-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELN_026_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELN-026:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A1
Classification / reaffirmed	DEMO-CLASS-ELN-03 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_ELN_026_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers portable inverter within the power electronics prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: output stability, overload response, thermal behaviour and insulation screening. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELN-026; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELN DEMO-APP-ELN-026 Investigation open
Certificate	DEMO-CERT-ELN-026 Suspended
Licence	DEMO-LIC-ELN-026 Suspended
Holder / product scope	Demo Electronics Manufacturer 026 Portable inverter
Validity / grant note	2025-06-15 to 2027-06-14 Use blocked in prototype
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - suspended

Consumer help and FAQs: category guide p. 58. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Uninterruptible power supply

Electronics / Power electronics | DEMO-REC-ELN-027

A. View | Basic details

IS Number	DEMO-IS-ELN-027:2025
IS Title	Uninterruptible power supply - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-ELN-027:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-ELN (Electronics Prototype Department)
Technical Committee	DEMO-ELN-03 (Power electronics Prototype Committee)
Member Secretary	Demo Secretary ELN-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELN_027_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELN-027:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A2
Classification / reaffirmed	DEMO-CLASS-ELN-03 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_ELN_027_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers uninterruptible power supply within the power electronics prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: output stability, overload response, thermal behaviour and insulation screening. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELN-027; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELN DEMO-APP-ELN-027 Closed
Certificate	DEMO-CERT-ELN-027 Withdrawn
Licence	DEMO-LIC-ELN-027 Withdrawn
Holder / product scope	Demo Electronics Manufacturer 027 Uninterruptible power supply
Validity / grant note	2025-06-15 to 2027-06-14 Historical withdrawal fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - withdrawn

Consumer help and FAQs: category guide p. 58. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Wireless charging pad

Electronics / Power electronics | DEMO-REC-ELN-028

A. View | Basic details

IS Number	DEMO-IS-ELN-028:2024
IS Title	Wireless charging pad - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-ELN (Electronics Prototype Department)
Technical Committee	DEMO-ELN-03 (Power electronics Prototype Committee)
Member Secretary	Demo Secretary ELN-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELN_028_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELN-028:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A3
Classification / reaffirmed	DEMO-CLASS-ELN-03 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_ELN_028_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers wireless charging pad within the power electronics prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: output stability, overload response, thermal behaviour and insulation screening. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELN-028; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELN DEMO-APP-ELN-028 Rejected
Certificate	DEMO-CERT-ELN-028 Not issued
Licence	DEMO-LIC-ELN-028 Not granted
Holder / product scope	Demo Electronics Manufacturer 028 Wireless charging pad
Validity / grant note	No issued term Mock application rejected
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 58. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

DC-DC converter module

Electronics / Power electronics | DEMO-REC-ELN-029

A. View | Basic details

IS Number	DEMO-IS-ELN-029:2025
IS Title	DC-DC converter module - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-ELN-029:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-ELN (Electronics Prototype Department)
Technical Committee	DEMO-ELN-03 (Power electronics Prototype Committee)
Member Secretary	Demo Secretary ELN-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELN_029_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELN-029:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A0
Classification / reaffirmed	DEMO-CLASS-ELN-03 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_ELN_029_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers dc-dc converter module within the power electronics prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: output stability, overload response, thermal behaviour and insulation screening. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELN-029; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELN DEMO-APP-ELN-029 Amendment granted
Certificate	DEMO-CERT-ELN-029 Issued
Licence	DEMO-LIC-ELN-029 Active
Holder / product scope	Demo Electronics Manufacturer 029 DC-DC converter module
Validity / grant note	2025-06-15 to 2027-06-14 Scope update accepted in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 58. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Solar charge controller

Electronics / Power electronics | DEMO-REC-ELN-030

A. View | Basic details

IS Number	DEMO-IS-ELN-030:2025
IS Title	Solar charge controller - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-ELN-030:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-ELN (Electronics Prototype Department)
Technical Committee	DEMO-ELN-03 (Power electronics Prototype Committee)
Member Secretary	Demo Secretary ELN-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELN_030_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELN-030:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A1
Classification / reaffirmed	DEMO-CLASS-ELN-03 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_ELN_030_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers solar charge controller within the power electronics prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: output stability, overload response, thermal behaviour and insulation screening. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELN-030; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELN DEMO-APP-ELN-030 Renewal under review
Certificate	DEMO-CERT-ELN-030 Issued
Licence	DEMO-LIC-ELN-030 Active
Holder / product scope	Demo Electronics Manufacturer 030 Solar charge controller
Validity / grant note	2025-06-15 to 2027-06-14 Existing mock term still active
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 58. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Wi-Fi router

Electronics / Communications | DEMO-REC-ELN-031

A. View | Basic details

IS Number	DEMO-IS-ELN-031:2024
IS Title	Wi-Fi router - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-ELN (Electronics Prototype Department)
Technical Committee	DEMO-ELN-04 (Communications Prototype Committee)
Member Secretary	Demo Secretary ELN-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELN_031_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELN-031:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A2
Classification / reaffirmed	DEMO-CLASS-ELN-04 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_ELN_031_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers wi-fi router within the communications prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: interface interoperability, data integrity, enclosure checks and supply-fault response. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELN-031; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELN DEMO-APP-ELN-031 Granted
Certificate	DEMO-CERT-ELN-031 Issued
Licence	DEMO-LIC-ELN-031 Active
Holder / product scope	Demo Electronics Manufacturer 031 Wi-Fi router
Validity / grant note	2025-06-15 to 2027-06-14 Grant completed in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 58. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Network switch

Electronics / Communications | DEMO-REC-ELN-032

A. View | Basic details

IS Number	DEMO-IS-ELN-032:2025
IS Title	Network switch - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-ELN-032:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-ELN (Electronics Prototype Department)
Technical Committee	DEMO-ELN-04 (Communications Prototype Committee)
Member Secretary	Demo Secretary ELN-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELN_032_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELN-032:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A3
Classification / reaffirmed	DEMO-CLASS-ELN-04 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_ELN_032_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers network switch within the communications prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: interface interoperability, data integrity, enclosure checks and supply-fault response. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELN-032; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELN DEMO-APP-ELN-032 Testing pending
Certificate	DEMO-CERT-ELN-032 Draft - not issued
Licence	DEMO-LIC-ELN-032 Not granted
Holder / product scope	Demo Electronics Manufacturer 032 Network switch
Validity / grant note	No issued term Await sample evaluation
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 58. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Optical network terminal

Electronics / Communications | DEMO-REC-ELN-033

A. View | Basic details

IS Number	DEMO-IS-ELN-033:2025
IS Title	Optical network terminal - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-ELN-033:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-ELN (Electronics Prototype Department)
Technical Committee	DEMO-ELN-04 (Communications Prototype Committee)
Member Secretary	Demo Secretary ELN-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELN_033_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELN-033:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A0
Classification / reaffirmed	DEMO-CLASS-ELN-04 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_ELN_033_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers optical network terminal within the communications prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: interface interoperability, data integrity, enclosure checks and supply-fault response. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELN-033; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELN DEMO-APP-ELN-033 Technical review
Certificate	DEMO-CERT-ELN-033 Draft - not issued
Licence	DEMO-LIC-ELN-033 Not granted
Holder / product scope	Demo Electronics Manufacturer 033 Optical network terminal
Validity / grant note	No issued term Reviewer decision pending
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 58. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Bluetooth receiver

Electronics / Communications | DEMO-REC-ELN-034

A. View | Basic details

IS Number	DEMO-IS-ELN-034:2024
IS Title	Bluetooth receiver - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-ELN (Electronics Prototype Department)
Technical Committee	DEMO-ELN-04 (Communications Prototype Committee)
Member Secretary	Demo Secretary ELN-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELN_034_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELN-034:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A1
Classification / reaffirmed	DEMO-CLASS-ELN-04 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_ELN_034_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers bluetooth receiver within the communications prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: interface interoperability, data integrity, enclosure checks and supply-fault response. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELN-034; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELN DEMO-APP-ELN-034 Clarification requested
Certificate	DEMO-CERT-ELN-034 Draft - not issued
Licence	DEMO-LIC-ELN-034 Not granted
Holder / product scope	Demo Electronics Manufacturer 034 Bluetooth receiver
Validity / grant note	No issued term Applicant must revise mock file
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 58. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

RFID reader

Electronics / Communications | DEMO-REC-ELN-035

A. View | Basic details

IS Number	DEMO-IS-ELN-035:2025
IS Title	RFID reader - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-ELN-035:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-ELN (Electronics Prototype Department)
Technical Committee	DEMO-ELN-04 (Communications Prototype Committee)
Member Secretary	Demo Secretary ELN-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELN_035_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELN-035:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A2
Classification / reaffirmed	DEMO-CLASS-ELN-04 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_ELN_035_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers rfid reader within the communications prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: interface interoperability, data integrity, enclosure checks and supply-fault response. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELN-035; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELN DEMO-APP-ELN-035 Renewal pending
Certificate	DEMO-CERT-ELN-035 Expired
Licence	DEMO-LIC-ELN-035 Expired
Holder / product scope	Demo Electronics Manufacturer 035 RFID reader
Validity / grant note	2024-01-15 to 2025-01-14 Historical expired record
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - expired

Consumer help and FAQs: category guide p. 58. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Barcode scanner

Electronics / Communications | DEMO-REC-ELN-036

A. View | Basic details

IS Number	DEMO-IS-ELN-036:2025
IS Title	Barcode scanner - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-ELN-036:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-ELN (Electronics Prototype Department)
Technical Committee	DEMO-ELN-04 (Communications Prototype Committee)
Member Secretary	Demo Secretary ELN-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELN_036_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELN-036:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A3
Classification / reaffirmed	DEMO-CLASS-ELN-04 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_ELN_036_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers barcode scanner within the communications prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: interface interoperability, data integrity, enclosure checks and supply-fault response. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELN-036; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELN DEMO-APP-ELN-036 Investigation open
Certificate	DEMO-CERT-ELN-036 Suspended
Licence	DEMO-LIC-ELN-036 Suspended
Holder / product scope	Demo Electronics Manufacturer 036 Barcode scanner
Validity / grant note	2025-06-15 to 2027-06-14 Use blocked in prototype
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - suspended

Consumer help and FAQs: category guide p. 58. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

NFC reader

Electronics / Communications | DEMO-REC-ELN-037

A. View | Basic details

IS Number	DEMO-IS-ELN-037:2024
IS Title	NFC reader - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-ELN (Electronics Prototype Department)
Technical Committee	DEMO-ELN-04 (Communications Prototype Committee)
Member Secretary	Demo Secretary ELN-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELN_037_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELN-037:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A0
Classification / reaffirmed	DEMO-CLASS-ELN-04 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_ELN_037_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers nfc reader within the communications prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: interface interoperability, data integrity, enclosure checks and supply-fault response. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELN-037; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELN DEMO-APP-ELN-037 Closed
Certificate	DEMO-CERT-ELN-037 Withdrawn
Licence	DEMO-LIC-ELN-037 Withdrawn
Holder / product scope	Demo Electronics Manufacturer 037 NFC reader
Validity / grant note	2025-06-15 to 2027-06-14 Historical withdrawal fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - withdrawn

Consumer help and FAQs: category guide p. 58. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

GPS tracking unit

Electronics / Communications | DEMO-REC-ELN-038

A. View | Basic details

IS Number	DEMO-IS-ELN-038:2025
IS Title	GPS tracking unit - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-ELN-038:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-ELN (Electronics Prototype Department)
Technical Committee	DEMO-ELN-04 (Communications Prototype Committee)
Member Secretary	Demo Secretary ELN-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELN_038_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELN-038:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A1
Classification / reaffirmed	DEMO-CLASS-ELN-04 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_ELN_038_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers gps tracking unit within the communications prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: interface interoperability, data integrity, enclosure checks and supply-fault response. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELN-038; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELN DEMO-APP-ELN-038 Rejected
Certificate	DEMO-CERT-ELN-038 Not issued
Licence	DEMO-LIC-ELN-038 Not granted
Holder / product scope	Demo Electronics Manufacturer 038 GPS tracking unit
Validity / grant note	No issued term Mock application rejected
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 58. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Handheld radio

Electronics / Communications | DEMO-REC-ELN-039

A. View | Basic details

IS Number	DEMO-IS-ELN-039:2025
IS Title	Handheld radio - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-ELN-039:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-ELN (Electronics Prototype Department)
Technical Committee	DEMO-ELN-04 (Communications Prototype Committee)
Member Secretary	Demo Secretary ELN-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELN_039_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELN-039:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A2
Classification / reaffirmed	DEMO-CLASS-ELN-04 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_ELN_039_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers handheld radio within the communications prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: interface interoperability, data integrity, enclosure checks and supply-fault response. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELN-039; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELN DEMO-APP-ELN-039 Amendment granted
Certificate	DEMO-CERT-ELN-039 Issued
Licence	DEMO-LIC-ELN-039 Active
Holder / product scope	Demo Electronics Manufacturer 039 Handheld radio
Validity / grant note	2025-06-15 to 2027-06-14 Scope update accepted in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 58. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Ethernet media converter

Electronics / Communications | DEMO-REC-ELN-040

A. View | Basic details

IS Number	DEMO-IS-ELN-040:2024
IS Title	Ethernet media converter - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-ELN (Electronics Prototype Department)
Technical Committee	DEMO-ELN-04 (Communications Prototype Committee)
Member Secretary	Demo Secretary ELN-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELN_040_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELN-040:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A3
Classification / reaffirmed	DEMO-CLASS-ELN-04 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_ELN_040_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers ethernet media converter within the communications prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: interface interoperability, data integrity, enclosure checks and supply-fault response. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELN-040; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELN DEMO-APP-ELN-040 Renewal under review
Certificate	DEMO-CERT-ELN-040 Issued
Licence	DEMO-LIC-ELN-040 Active
Holder / product scope	Demo Electronics Manufacturer 040 Ethernet media converter
Validity / grant note	2025-06-15 to 2027-06-14 Existing mock term still active
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 58. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Digital camera

Electronics / Consumer and sensors | DEMO-REC-ELN-041

A. View | Basic details

IS Number	DEMO-IS-ELN-041:2025
IS Title	Digital camera - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-ELN-041:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-ELN (Electronics Prototype Department)
Technical Committee	DEMO-ELN-05 (Consumer and sensors Prototype Committee)
Member Secretary	Demo Secretary ELN-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELN_041_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELN-041:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A0
Classification / reaffirmed	DEMO-CLASS-ELN-05 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_ELN_041_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers digital camera within the consumer and sensors prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: sensor repeatability, control response, battery behaviour and functional endurance. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELN-041; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELN DEMO-APP-ELN-041 Granted
Certificate	DEMO-CERT-ELN-041 Issued
Licence	DEMO-LIC-ELN-041 Active
Holder / product scope	Demo Electronics Manufacturer 041 Digital camera
Validity / grant note	2025-06-15 to 2027-06-14 Grant completed in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 58. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Video camera

Electronics / Consumer and sensors | DEMO-REC-ELN-042

A. View | Basic details

IS Number	DEMO-IS-ELN-042:2025
IS Title	Video camera - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-ELN-042:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-ELN (Electronics Prototype Department)
Technical Committee	DEMO-ELN-05 (Consumer and sensors Prototype Committee)
Member Secretary	Demo Secretary ELN-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELN_042_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELN-042:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A1
Classification / reaffirmed	DEMO-CLASS-ELN-05 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_ELN_042_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers video camera within the consumer and sensors prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: sensor repeatability, control response, battery behaviour and functional endurance. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELN-042; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELN DEMO-APP-ELN-042 Testing pending
Certificate	DEMO-CERT-ELN-042 Draft - not issued
Licence	DEMO-LIC-ELN-042 Not granted
Holder / product scope	Demo Electronics Manufacturer 042 Video camera
Validity / grant note	No issued term Await sample evaluation
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 58. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Electronic game console

Electronics / Consumer and sensors | DEMO-REC-ELN-043

A. View | Basic details

IS Number	DEMO-IS-ELN-043:2024
IS Title	Electronic game console - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-ELN (Electronics Prototype Department)
Technical Committee	DEMO-ELN-05 (Consumer and sensors Prototype Committee)
Member Secretary	Demo Secretary ELN-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELN_043_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELN-043:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A2
Classification / reaffirmed	DEMO-CLASS-ELN-05 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_ELN_043_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers electronic game console within the consumer and sensors prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: sensor repeatability, control response, battery behaviour and functional endurance. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELN-043; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELN DEMO-APP-ELN-043 Technical review
Certificate	DEMO-CERT-ELN-043 Draft - not issued
Licence	DEMO-LIC-ELN-043 Not granted
Holder / product scope	Demo Electronics Manufacturer 043 Electronic game console
Validity / grant note	No issued term Reviewer decision pending
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 58. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Smartwatch

Electronics / Consumer and sensors | DEMO-REC-ELN-044

A. View | Basic details

IS Number	DEMO-IS-ELN-044:2025
IS Title	Smartwatch - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-ELN-044:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-ELN (Electronics Prototype Department)
Technical Committee	DEMO-ELN-05 (Consumer and sensors Prototype Committee)
Member Secretary	Demo Secretary ELN-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELN_044_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELN-044:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A3
Classification / reaffirmed	DEMO-CLASS-ELN-05 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_ELN_044_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers smartwatch within the consumer and sensors prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: sensor repeatability, control response, battery behaviour and functional endurance. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELN-044; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELN DEMO-APP-ELN-044 Clarification requested
Certificate	DEMO-CERT-ELN-044 Draft - not issued
Licence	DEMO-LIC-ELN-044 Not granted
Holder / product scope	Demo Electronics Manufacturer 044 Smartwatch
Validity / grant note	No issued term Applicant must revise mock file
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 58. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Fitness tracker

Electronics / Consumer and sensors | DEMO-REC-ELN-045

A. View | Basic details

IS Number	DEMO-IS-ELN-045:2025
IS Title	Fitness tracker - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-ELN-045:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-ELN (Electronics Prototype Department)
Technical Committee	DEMO-ELN-05 (Consumer and sensors Prototype Committee)
Member Secretary	Demo Secretary ELN-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELN_045_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELN-045:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A0
Classification / reaffirmed	DEMO-CLASS-ELN-05 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_ELN_045_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers fitness tracker within the consumer and sensors prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: sensor repeatability, control response, battery behaviour and functional endurance. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELN-045; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELN DEMO-APP-ELN-045 Renewal pending
Certificate	DEMO-CERT-ELN-045 Expired
Licence	DEMO-LIC-ELN-045 Expired
Holder / product scope	Demo Electronics Manufacturer 045 Fitness tracker
Validity / grant note	2024-01-15 to 2025-01-14 Historical expired record
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - expired

Consumer help and FAQs: category guide p. 58. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Digital thermometer module

Electronics / Consumer and sensors | DEMO-REC-ELN-046

A. View | Basic details

IS Number	DEMO-IS-ELN-046:2024
IS Title	Digital thermometer module - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-ELN (Electronics Prototype Department)
Technical Committee	DEMO-ELN-05 (Consumer and sensors Prototype Committee)
Member Secretary	Demo Secretary ELN-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELN_046_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELN-046:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A1
Classification / reaffirmed	DEMO-CLASS-ELN-05 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_ELN_046_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers digital thermometer module within the consumer and sensors prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: sensor repeatability, control response, battery behaviour and functional endurance. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELN-046; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELN DEMO-APP-ELN-046 Investigation open
Certificate	DEMO-CERT-ELN-046 Suspended
Licence	DEMO-LIC-ELN-046 Suspended
Holder / product scope	Demo Electronics Manufacturer 046 Digital thermometer module
Validity / grant note	2025-06-15 to 2027-06-14 Use blocked in prototype
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - suspended

Consumer help and FAQs: category guide p. 58. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Temperature data logger

Electronics / Consumer and sensors | DEMO-REC-ELN-047

A. View | Basic details

IS Number	DEMO-IS-ELN-047:2025
IS Title	Temperature data logger - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-ELN-047:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-ELN (Electronics Prototype Department)
Technical Committee	DEMO-ELN-05 (Consumer and sensors Prototype Committee)
Member Secretary	Demo Secretary ELN-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELN_047_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELN-047:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A2
Classification / reaffirmed	DEMO-CLASS-ELN-05 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_ELN_047_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers temperature data logger within the consumer and sensors prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: sensor repeatability, control response, battery behaviour and functional endurance. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELN-047; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELN DEMO-APP-ELN-047 Closed
Certificate	DEMO-CERT-ELN-047 Withdrawn
Licence	DEMO-LIC-ELN-047 Withdrawn
Holder / product scope	Demo Electronics Manufacturer 047 Temperature data logger
Validity / grant note	2025-06-15 to 2027-06-14 Historical withdrawal fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - withdrawn

Consumer help and FAQs: category guide p. 58. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Motion sensor module

Electronics / Consumer and sensors | DEMO-REC-ELN-048

A. View | Basic details

IS Number	DEMO-IS-ELN-048:2025
IS Title	Motion sensor module - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-ELN-048:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-ELN (Electronics Prototype Department)
Technical Committee	DEMO-ELN-05 (Consumer and sensors Prototype Committee)
Member Secretary	Demo Secretary ELN-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELN_048_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELN-048:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A3
Classification / reaffirmed	DEMO-CLASS-ELN-05 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_ELN_048_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers motion sensor module within the consumer and sensors prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: sensor repeatability, control response, battery behaviour and functional endurance. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELN-048; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELN DEMO-APP-ELN-048 Rejected
Certificate	DEMO-CERT-ELN-048 Not issued
Licence	DEMO-LIC-ELN-048 Not granted
Holder / product scope	Demo Electronics Manufacturer 048 Motion sensor module
Validity / grant note	No issued term Mock application rejected
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 58. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Smart doorbell

Electronics / Consumer and sensors | DEMO-REC-ELN-049

A. View | Basic details

IS Number	DEMO-IS-ELN-049:2024
IS Title	Smart doorbell - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-ELN (Electronics Prototype Department)
Technical Committee	DEMO-ELN-05 (Consumer and sensors Prototype Committee)
Member Secretary	Demo Secretary ELN-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELN_049_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELN-049:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A0
Classification / reaffirmed	DEMO-CLASS-ELN-05 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_ELN_049_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers smart doorbell within the consumer and sensors prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: sensor repeatability, control response, battery behaviour and functional endurance. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELN-049; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELN DEMO-APP-ELN-049 Amendment granted
Certificate	DEMO-CERT-ELN-049 Issued
Licence	DEMO-LIC-ELN-049 Active
Holder / product scope	Demo Electronics Manufacturer 049 Smart doorbell
Validity / grant note	2025-06-15 to 2027-06-14 Scope update accepted in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 58. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Electronic alarm clock

Electronics / Consumer and sensors | DEMO-REC-ELN-050

A. View | Basic details

IS Number	DEMO-IS-ELN-050:2025
IS Title	Electronic alarm clock - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-ELN-050:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-ELN (Electronics Prototype Department)
Technical Committee	DEMO-ELN-05 (Consumer and sensors Prototype Committee)
Member Secretary	Demo Secretary ELN-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELN_050_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELN-050:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A1
Classification / reaffirmed	DEMO-CLASS-ELN-05 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_ELN_050_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers electronic alarm clock within the consumer and sensors prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: sensor repeatability, control response, battery behaviour and functional endurance. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELN-050; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELN DEMO-APP-ELN-050 Renewal under review
Certificate	DEMO-CERT-ELN-050 Issued
Licence	DEMO-LIC-ELN-050 Active
Holder / product scope	Demo Electronics Manufacturer 050 Electronic alarm clock
Validity / grant note	2025-06-15 to 2027-06-14 Existing mock term still active
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 58. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Electrical | 50-record catalogue

Indian Standards-style catalogue / standards search - all records on these pages are fictional.

Catalogue ID: DEMO-CAT-ELC. Search by product name, DEMO-IS number, subgroup or category. Click a product below to open its detail sheet.

01. Domestic plug	112	26. Aluminium overhead conductor	137
02. Wall socket outlet	113	27. Copper busbar	138
03. Modular light switch	114	28. Earthing conductor	139
04. Junction box	115	29. Enamelled winding wire	140
05. Cable gland	116	30. Heat-resistant appliance wire	141
06. Extension cord reel	117	31. Distribution transformer	142
07. Terminal block	118	32. Isolation transformer	143
08. Conduit fitting	119	33. Single-phase induction motor	144
09. Ceiling rose	120	34. Three-phase induction motor	145
10. Appliance connector	121	35. Brushless DC motor	146
11. Miniature circuit breaker	122	36. Alternator	147
12. Moulded-case circuit breaker	123	37. Static energy meter	148
13. Residual-current circuit breaker	124	38. Current transformer	149
14. Fuse cartridge	125	39. Voltage transformer	150
15. Fuse holder	126	40. Battery charger	151
16. Motor contactor	127	41. Ceiling fan	152
17. Thermal overload relay	128	42. Exhaust fan	153
18. Switch disconnecter	129	43. Electric iron	154
19. Surge protective device	130	44. Immersion water heater	155
20. Distribution board	131	45. Storage water heater	156
21. PVC single-core wire	132	46. Room heater	157
22. Flexible multicore cable	133	47. Electric kettle	158
23. Armoured power cable	134	48. Mixer grinder	159
24. Control cable	135	49. Induction cooktop	160
25. Solar DC cable	136	50. Hand blender	161

The page number is the combined PDF location. Every detail sheet includes a unique standard, application, certificate and licence ID.

Electrical | Certification and applications

Product Certification / Certification Schemes / Grant of Licence / Application - DEMO policy only.

Product Certification and Certification Schemes

Mock scheme	DEMO-PC-ELC: Electrical Product Evaluation - Prototype Scheme
Scheme intent	Demonstrate document review, sample evaluation, grant decisions, status changes and verification screens.
Who can apply	A fictional manufacturer record with a demo product and facility; this is not actual BIS eligibility.
Application evidence	Demo factory profile, product specification, mock quality plan and fixture evaluation report.
Fees / service time	0 sandbox units. Use simulated workflow events; no actual fee or processing-time promise.
Scope of grant	Only the product and DEMO-IS record named in the fixture. Real Standard Mark permission is always false.

Application to Grant of Licence | simulated sequence

1. Create DEMO-APP record and link product, manufacturer and facility.
2. Validate required fields; missing details produce Clarification requested.
3. Record sample evidence under the matching DEMO-TEST identifier.
4. Reviewer selects Granted, Testing pending, Technical review or Rejected.
5. On grant, activate the mock licence and issue the linked demo certificate. Later events may expire, suspend, withdraw, amend or renew the fixture.

Product-specific requirements | subgroup examples

Wiring accessories: contact continuity, mechanical retention, insulation screening and terminal durability.

Protection and control: switching operation, protective response, terminal heating and enclosure security.

Cables and conductors: conductor continuity, dimensional consistency, insulation quality and bend endurance.

Machines and power: rated-function checks, temperature rise, insulation screening and terminal marking.

Domestic equipment: control function, accessible surfaces, cord retention and abnormal-operation response.

Demo certificate and licence contents

Each product sheet displays the document IDs, holder, status, scope and term. The JSONL also contains document names, issuer, application evidence, lookup URL and an explicit not-valid field. Draft, rejected and not-granted records do not represent issued permissions.

IS documents and standards online source

The logical documents are stored as catalogue fixtures. Example route: <https://standards-prototype.invalid/elc/catalogue>. No official licence, IS document or payment workflow is created.

Electrical | Consumer information and FAQs

BIS-style consumer help screens for a prototype - all process and contact information here is synthetic.

BIS complaint process / How to lodge complaints | demo

Open the mock complaint form; choose category, product and complaint topic; add a mock invoice, label and image; submit to create a DEMO-CMP ID. A fixture moves through Submitted, Under review, Evidence requested, Resolved or Closed. These are UI examples, not a real complaint submission or escalation promise.

Product authenticity and Standard Mark

Compare the demo licence ID with the fixture holder, product scope, DEMO-IS number, status and dates. An ID match alone must not imply Active. Use only the text DEMO MARK - NOT BIS/ISI. No real product authenticity or conformity finding is made.

Hallmark verification

Not applicable to these category fixtures. Display N/A and do not invent a HUID or imply a general product certificate is a hallmark. A future jewellery prototype would need a separately defined dataset.

Consumer rights / information | fictional policy

The prototype lets users read disclosures, request correction of fixture data, attach evidence, view complaint history and receive a simulated response. No legal entitlement, refund duty, enforcement outcome or statutory response deadline is asserted.

BIS contact information | fictional placeholder

Office	Demo Electrical Help Desk, Fictional Test Zone
Email	help-elc@standards-prototype.invalid
Telephone	DEMO-NOT-A-PHONE; JSON value is null
Contact URL	https://standards-prototype.invalid/elc/contact
Complaint URL	https://standards-prototype.invalid/elc/complaints

FAQs

How do I find a standard?

Search the Electrical catalogue by name, subgroup or DEMO-IS number.

Is the certificate a real BIS certificate?

No. It is an unsigned fictional training object.

Can an expired or suspended record verify as Active?

No. Match the status and term, not only the identifier.

What if application evidence is missing?

Use the Clarification requested scenario; no licence is granted.

How do I check a hallmark?

This dataset returns Not applicable; it issues no hallmark identifier.

Do these links submit a real complaint?

No. The .invalid domain is deliberately non-operational.

Where are product-level FAQs stored?

Every synthetic JSONL record includes a five-question FAQs array.

Domestic plug

Electrical / Wiring accessories | DEMO-REC-ELC-001

A. View | Basic details

IS Number	DEMO-IS-ELC-001:2024
IS Title	Domestic plug - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-ELC (Electrical Prototype Department)
Technical Committee	DEMO-ELC-01 (Wiring accessories Prototype Committee)
Member Secretary	Demo Secretary ELC-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELC_001_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELC-001:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A0
Classification / reaffirmed	DEMO-CLASS-ELC-01 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_ELC_001_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers domestic plug within the wiring accessories prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: contact continuity, mechanical retention, insulation screening and terminal durability. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELC-001; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELC DEMO-APP-ELC-001 Granted
Certificate	DEMO-CERT-ELC-001 Issued
Licence	DEMO-LIC-ELC-001 Active
Holder / product scope	Demo Electrical Manufacturer 001 Domestic plug
Validity / grant note	2025-06-15 to 2027-06-14 Grant completed in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 111. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Wall socket outlet

Electrical / Wiring accessories | DEMO-REC-ELC-002

A. View | Basic details

IS Number	DEMO-IS-ELC-002:2025
IS Title	Wall socket outlet - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-ELC-002:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-ELC (Electrical Prototype Department)
Technical Committee	DEMO-ELC-01 (Wiring accessories Prototype Committee)
Member Secretary	Demo Secretary ELC-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELC_002_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELC-002:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A1
Classification / reaffirmed	DEMO-CLASS-ELC-01 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_ELC_002_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers wall socket outlet within the wiring accessories prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: contact continuity, mechanical retention, insulation screening and terminal durability. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELC-002; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELC DEMO-APP-ELC-002 Testing pending
Certificate	DEMO-CERT-ELC-002 Draft - not issued
Licence	DEMO-LIC-ELC-002 Not granted
Holder / product scope	Demo Electrical Manufacturer 002 Wall socket outlet
Validity / grant note	No issued term Await sample evaluation
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 111. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Modular light switch

Electrical / Wiring accessories | DEMO-REC-ELC-003

A. View | Basic details

IS Number	DEMO-IS-ELC-003:2025
IS Title	Modular light switch - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-ELC-003:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-ELC (Electrical Prototype Department)
Technical Committee	DEMO-ELC-01 (Wiring accessories Prototype Committee)
Member Secretary	Demo Secretary ELC-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELC_003_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELC-003:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A2
Classification / reaffirmed	DEMO-CLASS-ELC-01 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_ELC_003_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers modular light switch within the wiring accessories prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: contact continuity, mechanical retention, insulation screening and terminal durability. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELC-003; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELC DEMO-APP-ELC-003 Technical review
Certificate	DEMO-CERT-ELC-003 Draft - not issued
Licence	DEMO-LIC-ELC-003 Not granted
Holder / product scope	Demo Electrical Manufacturer 003 Modular light switch
Validity / grant note	No issued term Reviewer decision pending
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 111. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Junction box

Electrical / Wiring accessories | DEMO-REC-ELC-004

A. View | Basic details

IS Number	DEMO-IS-ELC-004:2024
IS Title	Junction box - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-ELC (Electrical Prototype Department)
Technical Committee	DEMO-ELC-01 (Wiring accessories Prototype Committee)
Member Secretary	Demo Secretary ELC-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELC_004_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELC-004:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A3
Classification / reaffirmed	DEMO-CLASS-ELC-01 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_ELC_004_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers junction box within the wiring accessories prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: contact continuity, mechanical retention, insulation screening and terminal durability. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELC-004; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELC DEMO-APP-ELC-004 Clarification requested
Certificate	DEMO-CERT-ELC-004 Draft - not issued
Licence	DEMO-LIC-ELC-004 Not granted
Holder / product scope	Demo Electrical Manufacturer 004 Junction box
Validity / grant note	No issued term Applicant must revise mock file
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 111. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Cable gland

Electrical / Wiring accessories | DEMO-REC-ELC-005

A. View | Basic details

IS Number	DEMO-IS-ELC-005:2025
IS Title	Cable gland - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-ELC-005:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-ELC (Electrical Prototype Department)
Technical Committee	DEMO-ELC-01 (Wiring accessories Prototype Committee)
Member Secretary	Demo Secretary ELC-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELC_005_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELC-005:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A0
Classification / reaffirmed	DEMO-CLASS-ELC-01 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_ELC_005_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers cable gland within the wiring accessories prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: contact continuity, mechanical retention, insulation screening and terminal durability. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELC-005; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELC DEMO-APP-ELC-005 Renewal pending
Certificate	DEMO-CERT-ELC-005 Expired
Licence	DEMO-LIC-ELC-005 Expired
Holder / product scope	Demo Electrical Manufacturer 005 Cable gland
Validity / grant note	2024-01-15 to 2025-01-14 Historical expired record
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - expired

Consumer help and FAQs: category guide p. 111. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Extension cord reel

Electrical / Wiring accessories | DEMO-REC-ELC-006

A. View | Basic details

IS Number	DEMO-IS-ELC-006:2025
IS Title	Extension cord reel - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-ELC-006:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-ELC (Electrical Prototype Department)
Technical Committee	DEMO-ELC-01 (Wiring accessories Prototype Committee)
Member Secretary	Demo Secretary ELC-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELC_006_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELC-006:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A1
Classification / reaffirmed	DEMO-CLASS-ELC-01 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_ELC_006_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers extension cord reel within the wiring accessories prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: contact continuity, mechanical retention, insulation screening and terminal durability. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELC-006; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELC DEMO-APP-ELC-006 Investigation open
Certificate	DEMO-CERT-ELC-006 Suspended
Licence	DEMO-LIC-ELC-006 Suspended
Holder / product scope	Demo Electrical Manufacturer 006 Extension cord reel
Validity / grant note	2025-06-15 to 2027-06-14 Use blocked in prototype
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - suspended

Consumer help and FAQs: category guide p. 111. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Terminal block

Electrical / Wiring accessories | DEMO-REC-ELC-007

A. View | Basic details

IS Number	DEMO-IS-ELC-007:2024
IS Title	Terminal block - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-ELC (Electrical Prototype Department)
Technical Committee	DEMO-ELC-01 (Wiring accessories Prototype Committee)
Member Secretary	Demo Secretary ELC-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELC_007_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELC-007:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A2
Classification / reaffirmed	DEMO-CLASS-ELC-01 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_ELC_007_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers terminal block within the wiring accessories prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: contact continuity, mechanical retention, insulation screening and terminal durability. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELC-007; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELC DEMO-APP-ELC-007 Closed
Certificate	DEMO-CERT-ELC-007 Withdrawn
Licence	DEMO-LIC-ELC-007 Withdrawn
Holder / product scope	Demo Electrical Manufacturer 007 Terminal block
Validity / grant note	2025-06-15 to 2027-06-14 Historical withdrawal fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - withdrawn

Consumer help and FAQs: category guide p. 111. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Conduit fitting

Electrical / Wiring accessories | DEMO-REC-ELC-008

A. View | Basic details

IS Number	DEMO-IS-ELC-008:2025
IS Title	Conduit fitting - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-ELC-008:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-ELC (Electrical Prototype Department)
Technical Committee	DEMO-ELC-01 (Wiring accessories Prototype Committee)
Member Secretary	Demo Secretary ELC-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELC_008_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELC-008:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A3
Classification / reaffirmed	DEMO-CLASS-ELC-01 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_ELC_008_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers conduit fitting within the wiring accessories prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: contact continuity, mechanical retention, insulation screening and terminal durability. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELC-008; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELC DEMO-APP-ELC-008 Rejected
Certificate	DEMO-CERT-ELC-008 Not issued
Licence	DEMO-LIC-ELC-008 Not granted
Holder / product scope	Demo Electrical Manufacturer 008 Conduit fitting
Validity / grant note	No issued term Mock application rejected
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 111. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Ceiling rose

Electrical / Wiring accessories | DEMO-REC-ELC-009

A. View | Basic details

IS Number	DEMO-IS-ELC-009:2025
IS Title	Ceiling rose - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-ELC-009:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-ELC (Electrical Prototype Department)
Technical Committee	DEMO-ELC-01 (Wiring accessories Prototype Committee)
Member Secretary	Demo Secretary ELC-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELC_009_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELC-009:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A0
Classification / reaffirmed	DEMO-CLASS-ELC-01 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_ELC_009_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers ceiling rose within the wiring accessories prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: contact continuity, mechanical retention, insulation screening and terminal durability. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELC-009; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELC DEMO-APP-ELC-009 Amendment granted
Certificate	DEMO-CERT-ELC-009 Issued
Licence	DEMO-LIC-ELC-009 Active
Holder / product scope	Demo Electrical Manufacturer 009 Ceiling rose
Validity / grant note	2025-06-15 to 2027-06-14 Scope update accepted in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 111. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Appliance connector

Electrical / Wiring accessories | DEMO-REC-ELC-010

A. View | Basic details

IS Number	DEMO-IS-ELC-010:2024
IS Title	Appliance connector - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-ELC (Electrical Prototype Department)
Technical Committee	DEMO-ELC-01 (Wiring accessories Prototype Committee)
Member Secretary	Demo Secretary ELC-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELC_010_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELC-010:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A1
Classification / reaffirmed	DEMO-CLASS-ELC-01 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_ELC_010_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers appliance connector within the wiring accessories prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: contact continuity, mechanical retention, insulation screening and terminal durability. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELC-010; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELC DEMO-APP-ELC-010 Renewal under review
Certificate	DEMO-CERT-ELC-010 Issued
Licence	DEMO-LIC-ELC-010 Active
Holder / product scope	Demo Electrical Manufacturer 010 Appliance connector
Validity / grant note	2025-06-15 to 2027-06-14 Existing mock term still active
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 111. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Miniature circuit breaker

Electrical / Protection and control | DEMO-REC-ELC-011

A. View | Basic details

IS Number	DEMO-IS-ELC-011:2025
IS Title	Miniature circuit breaker - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-ELC-011:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-ELC (Electrical Prototype Department)
Technical Committee	DEMO-ELC-02 (Protection and control Prototype Committee)
Member Secretary	Demo Secretary ELC-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELC_011_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELC-011:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A2
Classification / reaffirmed	DEMO-CLASS-ELC-02 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_ELC_011_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers miniature circuit breaker within the protection and control prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: switching operation, protective response, terminal heating and enclosure security. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELC-011; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELC DEMO-APP-ELC-011 Granted
Certificate	DEMO-CERT-ELC-011 Issued
Licence	DEMO-LIC-ELC-011 Active
Holder / product scope	Demo Electrical Manufacturer 011 Miniature circuit breaker
Validity / grant note	2025-06-15 to 2027-06-14 Grant completed in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 111. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Moulded-case circuit breaker

Electrical / Protection and control | DEMO-REC-ELC-012

A. View | Basic details

IS Number	DEMO-IS-ELC-012:2025
IS Title	Moulded-case circuit breaker - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-ELC-012:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-ELC (Electrical Prototype Department)
Technical Committee	DEMO-ELC-02 (Protection and control Prototype Committee)
Member Secretary	Demo Secretary ELC-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELC_012_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELC-012:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A3
Classification / reaffirmed	DEMO-CLASS-ELC-02 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_ELC_012_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers moulded-case circuit breaker within the protection and control prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: switching operation, protective response, terminal heating and enclosure security. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELC-012; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELC DEMO-APP-ELC-012 Testing pending
Certificate	DEMO-CERT-ELC-012 Draft - not issued
Licence	DEMO-LIC-ELC-012 Not granted
Holder / product scope	Demo Electrical Manufacturer 012 Moulded-case circuit breaker
Validity / grant note	No issued term Await sample evaluation
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 111. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Residual-current circuit breaker

Electrical / Protection and control | DEMO-REC-ELC-013

A. View | Basic details

IS Number	DEMO-IS-ELC-013:2024
IS Title	Residual-current circuit breaker - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-ELC (Electrical Prototype Department)
Technical Committee	DEMO-ELC-02 (Protection and control Prototype Committee)
Member Secretary	Demo Secretary ELC-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELC_013_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELC-013:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A0
Classification / reaffirmed	DEMO-CLASS-ELC-02 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_ELC_013_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers residual-current circuit breaker within the protection and control prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: switching operation, protective response, terminal heating and enclosure security. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELC-013; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELC DEMO-APP-ELC-013 Technical review
Certificate	DEMO-CERT-ELC-013 Draft - not issued
Licence	DEMO-LIC-ELC-013 Not granted
Holder / product scope	Demo Electrical Manufacturer 013 Residual-current circuit breaker
Validity / grant note	No issued term Reviewer decision pending
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 111. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Fuse cartridge

Electrical / Protection and control | DEMO-REC-ELC-014

A. View | Basic details

IS Number	DEMO-IS-ELC-014:2025
IS Title	Fuse cartridge - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-ELC-014:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-ELC (Electrical Prototype Department)
Technical Committee	DEMO-ELC-02 (Protection and control Prototype Committee)
Member Secretary	Demo Secretary ELC-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELC_014_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELC-014:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A1
Classification / reaffirmed	DEMO-CLASS-ELC-02 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_ELC_014_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers fuse cartridge within the protection and control prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: switching operation, protective response, terminal heating and enclosure security. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELC-014; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELC DEMO-APP-ELC-014 Clarification requested
Certificate	DEMO-CERT-ELC-014 Draft - not issued
Licence	DEMO-LIC-ELC-014 Not granted
Holder / product scope	Demo Electrical Manufacturer 014 Fuse cartridge
Validity / grant note	No issued term Applicant must revise mock file
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 111. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Fuse holder

Electrical / Protection and control | DEMO-REC-ELC-015

A. View | Basic details

IS Number	DEMO-IS-ELC-015:2025
IS Title	Fuse holder - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-ELC-015:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-ELC (Electrical Prototype Department)
Technical Committee	DEMO-ELC-02 (Protection and control Prototype Committee)
Member Secretary	Demo Secretary ELC-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELC_015_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELC-015:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A2
Classification / reaffirmed	DEMO-CLASS-ELC-02 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_ELC_015_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers fuse holder within the protection and control prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: switching operation, protective response, terminal heating and enclosure security. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELC-015; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELC DEMO-APP-ELC-015 Renewal pending
Certificate	DEMO-CERT-ELC-015 Expired
Licence	DEMO-LIC-ELC-015 Expired
Holder / product scope	Demo Electrical Manufacturer 015 Fuse holder
Validity / grant note	2024-01-15 to 2025-01-14 Historical expired record
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - expired

Consumer help and FAQs: category guide p. 111. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Motor contactor

Electrical / Protection and control | DEMO-REC-ELC-016

A. View | Basic details

IS Number	DEMO-IS-ELC-016:2024
IS Title	Motor contactor - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-ELC (Electrical Prototype Department)
Technical Committee	DEMO-ELC-02 (Protection and control Prototype Committee)
Member Secretary	Demo Secretary ELC-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELC_016_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELC-016:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A3
Classification / reaffirmed	DEMO-CLASS-ELC-02 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_ELC_016_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers motor contactor within the protection and control prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: switching operation, protective response, terminal heating and enclosure security. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELC-016; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELC DEMO-APP-ELC-016 Investigation open
Certificate	DEMO-CERT-ELC-016 Suspended
Licence	DEMO-LIC-ELC-016 Suspended
Holder / product scope	Demo Electrical Manufacturer 016 Motor contactor
Validity / grant note	2025-06-15 to 2027-06-14 Use blocked in prototype
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - suspended

Consumer help and FAQs: category guide p. 111. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Thermal overload relay

Electrical / Protection and control | DEMO-REC-ELC-017

A. View | Basic details

IS Number	DEMO-IS-ELC-017:2025
IS Title	Thermal overload relay - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-ELC-017:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-ELC (Electrical Prototype Department)
Technical Committee	DEMO-ELC-02 (Protection and control Prototype Committee)
Member Secretary	Demo Secretary ELC-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELC_017_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELC-017:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A0
Classification / reaffirmed	DEMO-CLASS-ELC-02 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_ELC_017_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers thermal overload relay within the protection and control prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: switching operation, protective response, terminal heating and enclosure security. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELC-017; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELC DEMO-APP-ELC-017 Closed
Certificate	DEMO-CERT-ELC-017 Withdrawn
Licence	DEMO-LIC-ELC-017 Withdrawn
Holder / product scope	Demo Electrical Manufacturer 017 Thermal overload relay
Validity / grant note	2025-06-15 to 2027-06-14 Historical withdrawal fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - withdrawn

Consumer help and FAQs: category guide p. 111. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Switch disconnecter

Electrical / Protection and control | DEMO-REC-ELC-018

A. View | Basic details

IS Number	DEMO-IS-ELC-018:2025
IS Title	Switch disconnecter - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-ELC-018:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-ELC (Electrical Prototype Department)
Technical Committee	DEMO-ELC-02 (Protection and control Prototype Committee)
Member Secretary	Demo Secretary ELC-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELC_018_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELC-018:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A1
Classification / reaffirmed	DEMO-CLASS-ELC-02 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_ELC_018_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers switch disconnecter within the protection and control prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: switching operation, protective response, terminal heating and enclosure security. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELC-018; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELC DEMO-APP-ELC-018 Rejected
Certificate	DEMO-CERT-ELC-018 Not issued
Licence	DEMO-LIC-ELC-018 Not granted
Holder / product scope	Demo Electrical Manufacturer 018 Switch disconnecter
Validity / grant note	No issued term Mock application rejected
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 111. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Surge protective device

Electrical / Protection and control | DEMO-REC-ELC-019

A. View | Basic details

IS Number	DEMO-IS-ELC-019:2024
IS Title	Surge protective device - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-ELC (Electrical Prototype Department)
Technical Committee	DEMO-ELC-02 (Protection and control Prototype Committee)
Member Secretary	Demo Secretary ELC-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELC_019_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELC-019:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A2
Classification / reaffirmed	DEMO-CLASS-ELC-02 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_ELC_019_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers surge protective device within the protection and control prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: switching operation, protective response, terminal heating and enclosure security. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELC-019; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELC DEMO-APP-ELC-019 Amendment granted
Certificate	DEMO-CERT-ELC-019 Issued
Licence	DEMO-LIC-ELC-019 Active
Holder / product scope	Demo Electrical Manufacturer 019 Surge protective device
Validity / grant note	2025-06-15 to 2027-06-14 Scope update accepted in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 111. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Distribution board

Electrical / Protection and control | DEMO-REC-ELC-020

A. View | Basic details

IS Number	DEMO-IS-ELC-020:2025
IS Title	Distribution board - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-ELC-020:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-ELC (Electrical Prototype Department)
Technical Committee	DEMO-ELC-02 (Protection and control Prototype Committee)
Member Secretary	Demo Secretary ELC-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELC_020_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELC-020:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A3
Classification / reaffirmed	DEMO-CLASS-ELC-02 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_ELC_020_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers distribution board within the protection and control prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: switching operation, protective response, terminal heating and enclosure security. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELC-020; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELC DEMO-APP-ELC-020 Renewal under review
Certificate	DEMO-CERT-ELC-020 Issued
Licence	DEMO-LIC-ELC-020 Active
Holder / product scope	Demo Electrical Manufacturer 020 Distribution board
Validity / grant note	2025-06-15 to 2027-06-14 Existing mock term still active
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 111. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

PVC single-core wire

Electrical / Cables and conductors | DEMO-REC-ELC-021

A. View | Basic details

IS Number	DEMO-IS-ELC-021:2025
IS Title	PVC single-core wire - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-ELC-021:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-ELC (Electrical Prototype Department)
Technical Committee	DEMO-ELC-03 (Cables and conductors Prototype Committee)
Member Secretary	Demo Secretary ELC-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELC_021_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELC-021:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A0
Classification / reaffirmed	DEMO-CLASS-ELC-03 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_ELC_021_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers pvc single-core wire within the cables and conductors prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: conductor continuity, dimensional consistency, insulation quality and bend endurance. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELC-021; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELC DEMO-APP-ELC-021 Granted
Certificate	DEMO-CERT-ELC-021 Issued
Licence	DEMO-LIC-ELC-021 Active
Holder / product scope	Demo Electrical Manufacturer 021 PVC single-core wire
Validity / grant note	2025-06-15 to 2027-06-14 Grant completed in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 111. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Flexible multicore cable

Electrical / Cables and conductors | DEMO-REC-ELC-022

A. View | Basic details

IS Number	DEMO-IS-ELC-022:2024
IS Title	Flexible multicore cable - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-ELC (Electrical Prototype Department)
Technical Committee	DEMO-ELC-03 (Cables and conductors Prototype Committee)
Member Secretary	Demo Secretary ELC-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELC_022_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELC-022:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A1
Classification / reaffirmed	DEMO-CLASS-ELC-03 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_ELC_022_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers flexible multicore cable within the cables and conductors prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: conductor continuity, dimensional consistency, insulation quality and bend endurance. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELC-022; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELC DEMO-APP-ELC-022 Testing pending
Certificate	DEMO-CERT-ELC-022 Draft - not issued
Licence	DEMO-LIC-ELC-022 Not granted
Holder / product scope	Demo Electrical Manufacturer 022 Flexible multicore cable
Validity / grant note	No issued term Await sample evaluation
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 111. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Armoured power cable

Electrical / Cables and conductors | DEMO-REC-ELC-023

A. View | Basic details

IS Number	DEMO-IS-ELC-023:2025
IS Title	Armoured power cable - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-ELC-023:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-ELC (Electrical Prototype Department)
Technical Committee	DEMO-ELC-03 (Cables and conductors Prototype Committee)
Member Secretary	Demo Secretary ELC-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELC_023_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELC-023:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A2
Classification / reaffirmed	DEMO-CLASS-ELC-03 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_ELC_023_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers armoured power cable within the cables and conductors prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: conductor continuity, dimensional consistency, insulation quality and bend endurance. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELC-023; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELC DEMO-APP-ELC-023 Technical review
Certificate	DEMO-CERT-ELC-023 Draft - not issued
Licence	DEMO-LIC-ELC-023 Not granted
Holder / product scope	Demo Electrical Manufacturer 023 Armoured power cable
Validity / grant note	No issued term Reviewer decision pending
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 111. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Control cable

Electrical / Cables and conductors | DEMO-REC-ELC-024

A. View | Basic details

IS Number	DEMO-IS-ELC-024:2025
IS Title	Control cable - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-ELC-024:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-ELC (Electrical Prototype Department)
Technical Committee	DEMO-ELC-03 (Cables and conductors Prototype Committee)
Member Secretary	Demo Secretary ELC-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELC_024_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELC-024:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A3
Classification / reaffirmed	DEMO-CLASS-ELC-03 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_ELC_024_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers control cable within the cables and conductors prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: conductor continuity, dimensional consistency, insulation quality and bend endurance. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELC-024; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELC DEMO-APP-ELC-024 Clarification requested
Certificate	DEMO-CERT-ELC-024 Draft - not issued
Licence	DEMO-LIC-ELC-024 Not granted
Holder / product scope	Demo Electrical Manufacturer 024 Control cable
Validity / grant note	No issued term Applicant must revise mock file
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 111. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Solar DC cable

Electrical / Cables and conductors | DEMO-REC-ELC-025

A. View | Basic details

IS Number	DEMO-IS-ELC-025:2024
IS Title	Solar DC cable - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-ELC (Electrical Prototype Department)
Technical Committee	DEMO-ELC-03 (Cables and conductors Prototype Committee)
Member Secretary	Demo Secretary ELC-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELC_025_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELC-025:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A0
Classification / reaffirmed	DEMO-CLASS-ELC-03 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_ELC_025_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers solar dc cable within the cables and conductors prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: conductor continuity, dimensional consistency, insulation quality and bend endurance. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELC-025; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELC DEMO-APP-ELC-025 Renewal pending
Certificate	DEMO-CERT-ELC-025 Expired
Licence	DEMO-LIC-ELC-025 Expired
Holder / product scope	Demo Electrical Manufacturer 025 Solar DC cable
Validity / grant note	2024-01-15 to 2025-01-14 Historical expired record
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - expired

Consumer help and FAQs: category guide p. 111. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Aluminium overhead conductor

Electrical / Cables and conductors | DEMO-REC-ELC-026

A. View | Basic details

IS Number	DEMO-IS-ELC-026:2025
IS Title	Aluminium overhead conductor - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-ELC-026:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-ELC (Electrical Prototype Department)
Technical Committee	DEMO-ELC-03 (Cables and conductors Prototype Committee)
Member Secretary	Demo Secretary ELC-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELC_026_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELC-026:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A1
Classification / reaffirmed	DEMO-CLASS-ELC-03 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_ELC_026_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers aluminium overhead conductor within the cables and conductors prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: conductor continuity, dimensional consistency, insulation quality and bend endurance. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELC-026; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELC DEMO-APP-ELC-026 Investigation open
Certificate	DEMO-CERT-ELC-026 Suspended
Licence	DEMO-LIC-ELC-026 Suspended
Holder / product scope	Demo Electrical Manufacturer 026 Aluminium overhead conductor
Validity / grant note	2025-06-15 to 2027-06-14 Use blocked in prototype
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - suspended

Consumer help and FAQs: category guide p. 111. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Copper busbar

Electrical / Cables and conductors | DEMO-REC-ELC-027

A. View | Basic details

IS Number	DEMO-IS-ELC-027:2025
IS Title	Copper busbar - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-ELC-027:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-ELC (Electrical Prototype Department)
Technical Committee	DEMO-ELC-03 (Cables and conductors Prototype Committee)
Member Secretary	Demo Secretary ELC-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELC_027_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELC-027:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A2
Classification / reaffirmed	DEMO-CLASS-ELC-03 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_ELC_027_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers copper busbar within the cables and conductors prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: conductor continuity, dimensional consistency, insulation quality and bend endurance. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELC-027; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELC DEMO-APP-ELC-027 Closed
Certificate	DEMO-CERT-ELC-027 Withdrawn
Licence	DEMO-LIC-ELC-027 Withdrawn
Holder / product scope	Demo Electrical Manufacturer 027 Copper busbar
Validity / grant note	2025-06-15 to 2027-06-14 Historical withdrawal fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - withdrawn

Consumer help and FAQs: category guide p. 111. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Earthing conductor

Electrical / Cables and conductors | DEMO-REC-ELC-028

A. View | Basic details

IS Number	DEMO-IS-ELC-028:2024
IS Title	Earthing conductor - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-ELC (Electrical Prototype Department)
Technical Committee	DEMO-ELC-03 (Cables and conductors Prototype Committee)
Member Secretary	Demo Secretary ELC-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELC_028_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELC-028:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A3
Classification / reaffirmed	DEMO-CLASS-ELC-03 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_ELC_028_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers earthing conductor within the cables and conductors prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: conductor continuity, dimensional consistency, insulation quality and bend endurance. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELC-028; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELC DEMO-APP-ELC-028 Rejected
Certificate	DEMO-CERT-ELC-028 Not issued
Licence	DEMO-LIC-ELC-028 Not granted
Holder / product scope	Demo Electrical Manufacturer 028 Earthing conductor
Validity / grant note	No issued term Mock application rejected
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 111. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Enamelled winding wire

Electrical / Cables and conductors | DEMO-REC-ELC-029

A. View | Basic details

IS Number	DEMO-IS-ELC-029:2025
IS Title	Enamelled winding wire - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-ELC-029:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-ELC (Electrical Prototype Department)
Technical Committee	DEMO-ELC-03 (Cables and conductors Prototype Committee)
Member Secretary	Demo Secretary ELC-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELC_029_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELC-029:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A0
Classification / reaffirmed	DEMO-CLASS-ELC-03 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_ELC_029_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers enamelled winding wire within the cables and conductors prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: conductor continuity, dimensional consistency, insulation quality and bend endurance. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELC-029; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELC DEMO-APP-ELC-029 Amendment granted
Certificate	DEMO-CERT-ELC-029 Issued
Licence	DEMO-LIC-ELC-029 Active
Holder / product scope	Demo Electrical Manufacturer 029 Enamelled winding wire
Validity / grant note	2025-06-15 to 2027-06-14 Scope update accepted in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 111. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Heat-resistant appliance wire

Electrical / Cables and conductors | DEMO-REC-ELC-030

A. View | Basic details

IS Number	DEMO-IS-ELC-030:2025
IS Title	Heat-resistant appliance wire - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-ELC-030:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-ELC (Electrical Prototype Department)
Technical Committee	DEMO-ELC-03 (Cables and conductors Prototype Committee)
Member Secretary	Demo Secretary ELC-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELC_030_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELC-030:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A1
Classification / reaffirmed	DEMO-CLASS-ELC-03 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_ELC_030_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers heat-resistant appliance wire within the cables and conductors prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: conductor continuity, dimensional consistency, insulation quality and bend endurance. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELC-030; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELC DEMO-APP-ELC-030 Renewal under review
Certificate	DEMO-CERT-ELC-030 Issued
Licence	DEMO-LIC-ELC-030 Active
Holder / product scope	Demo Electrical Manufacturer 030 Heat-resistant appliance wire
Validity / grant note	2025-06-15 to 2027-06-14 Existing mock term still active
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 111. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Distribution transformer

Electrical / Machines and power | DEMO-REC-ELC-031

A. View | Basic details

IS Number	DEMO-IS-ELC-031:2024
IS Title	Distribution transformer - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-ELC (Electrical Prototype Department)
Technical Committee	DEMO-ELC-04 (Machines and power Prototype Committee)
Member Secretary	Demo Secretary ELC-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELC_031_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELC-031:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A2
Classification / reaffirmed	DEMO-CLASS-ELC-04 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_ELC_031_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers distribution transformer within the machines and power prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: rated-function checks, temperature rise, insulation screening and terminal marking. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELC-031; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELC DEMO-APP-ELC-031 Granted
Certificate	DEMO-CERT-ELC-031 Issued
Licence	DEMO-LIC-ELC-031 Active
Holder / product scope	Demo Electrical Manufacturer 031 Distribution transformer
Validity / grant note	2025-06-15 to 2027-06-14 Grant completed in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 111. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Isolation transformer

Electrical / Machines and power | DEMO-REC-ELC-032

A. View | Basic details

IS Number	DEMO-IS-ELC-032:2025
IS Title	Isolation transformer - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-ELC-032:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-ELC (Electrical Prototype Department)
Technical Committee	DEMO-ELC-04 (Machines and power Prototype Committee)
Member Secretary	Demo Secretary ELC-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELC_032_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELC-032:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A3
Classification / reaffirmed	DEMO-CLASS-ELC-04 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_ELC_032_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers isolation transformer within the machines and power prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: rated-function checks, temperature rise, insulation screening and terminal marking. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELC-032; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELC DEMO-APP-ELC-032 Testing pending
Certificate	DEMO-CERT-ELC-032 Draft - not issued
Licence	DEMO-LIC-ELC-032 Not granted
Holder / product scope	Demo Electrical Manufacturer 032 Isolation transformer
Validity / grant note	No issued term Await sample evaluation
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 111. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Single-phase induction motor

Electrical / Machines and power | DEMO-REC-ELC-033

A. View | Basic details

IS Number	DEMO-IS-ELC-033:2025
IS Title	Single-phase induction motor - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-ELC-033:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-ELC (Electrical Prototype Department)
Technical Committee	DEMO-ELC-04 (Machines and power Prototype Committee)
Member Secretary	Demo Secretary ELC-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELC_033_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELC-033:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A0
Classification / reaffirmed	DEMO-CLASS-ELC-04 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_ELC_033_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers single-phase induction motor within the machines and power prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: rated-function checks, temperature rise, insulation screening and terminal marking. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELC-033; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELC DEMO-APP-ELC-033 Technical review
Certificate	DEMO-CERT-ELC-033 Draft - not issued
Licence	DEMO-LIC-ELC-033 Not granted
Holder / product scope	Demo Electrical Manufacturer 033 Single-phase induction motor
Validity / grant note	No issued term Reviewer decision pending
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 111. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Three-phase induction motor

Electrical / Machines and power | DEMO-REC-ELC-034

A. View | Basic details

IS Number	DEMO-IS-ELC-034:2024
IS Title	Three-phase induction motor - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-ELC (Electrical Prototype Department)
Technical Committee	DEMO-ELC-04 (Machines and power Prototype Committee)
Member Secretary	Demo Secretary ELC-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELC_034_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELC-034:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A1
Classification / reaffirmed	DEMO-CLASS-ELC-04 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_ELC_034_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers three-phase induction motor within the machines and power prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: rated-function checks, temperature rise, insulation screening and terminal marking. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELC-034; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELC DEMO-APP-ELC-034 Clarification requested
Certificate	DEMO-CERT-ELC-034 Draft - not issued
Licence	DEMO-LIC-ELC-034 Not granted
Holder / product scope	Demo Electrical Manufacturer 034 Three-phase induction motor
Validity / grant note	No issued term Applicant must revise mock file
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 111. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Brushless DC motor

Electrical / Machines and power | DEMO-REC-ELC-035

A. View | Basic details

IS Number	DEMO-IS-ELC-035:2025
IS Title	Brushless DC motor - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-ELC-035:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-ELC (Electrical Prototype Department)
Technical Committee	DEMO-ELC-04 (Machines and power Prototype Committee)
Member Secretary	Demo Secretary ELC-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELC_035_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELC-035:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A2
Classification / reaffirmed	DEMO-CLASS-ELC-04 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_ELC_035_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers brushless dc motor within the machines and power prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: rated-function checks, temperature rise, insulation screening and terminal marking. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELC-035; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELC DEMO-APP-ELC-035 Renewal pending
Certificate	DEMO-CERT-ELC-035 Expired
Licence	DEMO-LIC-ELC-035 Expired
Holder / product scope	Demo Electrical Manufacturer 035 Brushless DC motor
Validity / grant note	2024-01-15 to 2025-01-14 Historical expired record
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - expired

Consumer help and FAQs: category guide p. 111. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Alternator

Electrical / Machines and power | DEMO-REC-ELC-036

A. View | Basic details

IS Number	DEMO-IS-ELC-036:2025
IS Title	Alternator - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-ELC-036:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-ELC (Electrical Prototype Department)
Technical Committee	DEMO-ELC-04 (Machines and power Prototype Committee)
Member Secretary	Demo Secretary ELC-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELC_036_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELC-036:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A3
Classification / reaffirmed	DEMO-CLASS-ELC-04 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_ELC_036_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers alternator within the machines and power prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: rated-function checks, temperature rise, insulation screening and terminal marking. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELC-036; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELC DEMO-APP-ELC-036 Investigation open
Certificate	DEMO-CERT-ELC-036 Suspended
Licence	DEMO-LIC-ELC-036 Suspended
Holder / product scope	Demo Electrical Manufacturer 036 Alternator
Validity / grant note	2025-06-15 to 2027-06-14 Use blocked in prototype
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - suspended

Consumer help and FAQs: category guide p. 111. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Static energy meter

Electrical / Machines and power | DEMO-REC-ELC-037

A. View | Basic details

IS Number	DEMO-IS-ELC-037:2024
IS Title	Static energy meter - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-ELC (Electrical Prototype Department)
Technical Committee	DEMO-ELC-04 (Machines and power Prototype Committee)
Member Secretary	Demo Secretary ELC-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELC_037_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELC-037:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A0
Classification / reaffirmed	DEMO-CLASS-ELC-04 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_ELC_037_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers static energy meter within the machines and power prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: rated-function checks, temperature rise, insulation screening and terminal marking. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELC-037; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELC DEMO-APP-ELC-037 Closed
Certificate	DEMO-CERT-ELC-037 Withdrawn
Licence	DEMO-LIC-ELC-037 Withdrawn
Holder / product scope	Demo Electrical Manufacturer 037 Static energy meter
Validity / grant note	2025-06-15 to 2027-06-14 Historical withdrawal fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - withdrawn

Consumer help and FAQs: category guide p. 111. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Current transformer

Electrical / Machines and power | DEMO-REC-ELC-038

A. View | Basic details

IS Number	DEMO-IS-ELC-038:2025
IS Title	Current transformer - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-ELC-038:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-ELC (Electrical Prototype Department)
Technical Committee	DEMO-ELC-04 (Machines and power Prototype Committee)
Member Secretary	Demo Secretary ELC-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELC_038_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELC-038:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A1
Classification / reaffirmed	DEMO-CLASS-ELC-04 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_ELC_038_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers current transformer within the machines and power prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: rated-function checks, temperature rise, insulation screening and terminal marking. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELC-038; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELC DEMO-APP-ELC-038 Rejected
Certificate	DEMO-CERT-ELC-038 Not issued
Licence	DEMO-LIC-ELC-038 Not granted
Holder / product scope	Demo Electrical Manufacturer 038 Current transformer
Validity / grant note	No issued term Mock application rejected
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 111. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Voltage transformer

Electrical / Machines and power | DEMO-REC-ELC-039

A. View | Basic details

IS Number	DEMO-IS-ELC-039:2025
IS Title	Voltage transformer - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-ELC-039:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-ELC (Electrical Prototype Department)
Technical Committee	DEMO-ELC-04 (Machines and power Prototype Committee)
Member Secretary	Demo Secretary ELC-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELC_039_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELC-039:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A2
Classification / reaffirmed	DEMO-CLASS-ELC-04 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_ELC_039_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers voltage transformer within the machines and power prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: rated-function checks, temperature rise, insulation screening and terminal marking. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELC-039; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELC DEMO-APP-ELC-039 Amendment granted
Certificate	DEMO-CERT-ELC-039 Issued
Licence	DEMO-LIC-ELC-039 Active
Holder / product scope	Demo Electrical Manufacturer 039 Voltage transformer
Validity / grant note	2025-06-15 to 2027-06-14 Scope update accepted in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 111. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Battery charger

Electrical / Machines and power | DEMO-REC-ELC-040

A. View | Basic details

IS Number	DEMO-IS-ELC-040:2024
IS Title	Battery charger - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-ELC (Electrical Prototype Department)
Technical Committee	DEMO-ELC-04 (Machines and power Prototype Committee)
Member Secretary	Demo Secretary ELC-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELC_040_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELC-040:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A3
Classification / reaffirmed	DEMO-CLASS-ELC-04 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_ELC_040_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers battery charger within the machines and power prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: rated-function checks, temperature rise, insulation screening and terminal marking. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELC-040; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELC DEMO-APP-ELC-040 Renewal under review
Certificate	DEMO-CERT-ELC-040 Issued
Licence	DEMO-LIC-ELC-040 Active
Holder / product scope	Demo Electrical Manufacturer 040 Battery charger
Validity / grant note	2025-06-15 to 2027-06-14 Existing mock term still active
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 111. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Ceiling fan

Electrical / Domestic equipment | DEMO-REC-ELC-041

A. View | Basic details

IS Number	DEMO-IS-ELC-041:2025
IS Title	Ceiling fan - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-ELC-041:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-ELC (Electrical Prototype Department)
Technical Committee	DEMO-ELC-05 (Domestic equipment Prototype Committee)
Member Secretary	Demo Secretary ELC-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELC_041_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELC-041:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A0
Classification / reaffirmed	DEMO-CLASS-ELC-05 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_ELC_041_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers ceiling fan within the domestic equipment prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: control function, accessible surfaces, cord retention and abnormal-operation response. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELC-041; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELC DEMO-APP-ELC-041 Granted
Certificate	DEMO-CERT-ELC-041 Issued
Licence	DEMO-LIC-ELC-041 Active
Holder / product scope	Demo Electrical Manufacturer 041 Ceiling fan
Validity / grant note	2025-06-15 to 2027-06-14 Grant completed in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 111. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Exhaust fan

Electrical / Domestic equipment | DEMO-REC-ELC-042

A. View | Basic details

IS Number	DEMO-IS-ELC-042:2025
IS Title	Exhaust fan - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-ELC-042:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-ELC (Electrical Prototype Department)
Technical Committee	DEMO-ELC-05 (Domestic equipment Prototype Committee)
Member Secretary	Demo Secretary ELC-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELC_042_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELC-042:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A1
Classification / reaffirmed	DEMO-CLASS-ELC-05 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_ELC_042_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers exhaust fan within the domestic equipment prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: control function, accessible surfaces, cord retention and abnormal-operation response. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELC-042; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELC DEMO-APP-ELC-042 Testing pending
Certificate	DEMO-CERT-ELC-042 Draft - not issued
Licence	DEMO-LIC-ELC-042 Not granted
Holder / product scope	Demo Electrical Manufacturer 042 Exhaust fan
Validity / grant note	No issued term Await sample evaluation
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 111. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Electric iron

Electrical / Domestic equipment | DEMO-REC-ELC-043

A. View | Basic details

IS Number	DEMO-IS-ELC-043:2024
IS Title	Electric iron - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-ELC (Electrical Prototype Department)
Technical Committee	DEMO-ELC-05 (Domestic equipment Prototype Committee)
Member Secretary	Demo Secretary ELC-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELC_043_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELC-043:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A2
Classification / reaffirmed	DEMO-CLASS-ELC-05 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_ELC_043_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers electric iron within the domestic equipment prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: control function, accessible surfaces, cord retention and abnormal-operation response. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELC-043; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELC DEMO-APP-ELC-043 Technical review
Certificate	DEMO-CERT-ELC-043 Draft - not issued
Licence	DEMO-LIC-ELC-043 Not granted
Holder / product scope	Demo Electrical Manufacturer 043 Electric iron
Validity / grant note	No issued term Reviewer decision pending
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 111. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Immersion water heater

Electrical / Domestic equipment | DEMO-REC-ELC-044

A. View | Basic details

IS Number	DEMO-IS-ELC-044:2025
IS Title	Immersion water heater - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-ELC-044:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-ELC (Electrical Prototype Department)
Technical Committee	DEMO-ELC-05 (Domestic equipment Prototype Committee)
Member Secretary	Demo Secretary ELC-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELC_044_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELC-044:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A3
Classification / reaffirmed	DEMO-CLASS-ELC-05 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_ELC_044_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers immersion water heater within the domestic equipment prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: control function, accessible surfaces, cord retention and abnormal-operation response. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELC-044; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELC DEMO-APP-ELC-044 Clarification requested
Certificate	DEMO-CERT-ELC-044 Draft - not issued
Licence	DEMO-LIC-ELC-044 Not granted
Holder / product scope	Demo Electrical Manufacturer 044 Immersion water heater
Validity / grant note	No issued term Applicant must revise mock file
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 111. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Storage water heater

Electrical / Domestic equipment | DEMO-REC-ELC-045

A. View | Basic details

IS Number	DEMO-IS-ELC-045:2025
IS Title	Storage water heater - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-ELC-045:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-ELC (Electrical Prototype Department)
Technical Committee	DEMO-ELC-05 (Domestic equipment Prototype Committee)
Member Secretary	Demo Secretary ELC-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELC_045_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELC-045:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A0
Classification / reaffirmed	DEMO-CLASS-ELC-05 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_ELC_045_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers storage water heater within the domestic equipment prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: control function, accessible surfaces, cord retention and abnormal-operation response. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELC-045; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELC DEMO-APP-ELC-045 Renewal pending
Certificate	DEMO-CERT-ELC-045 Expired
Licence	DEMO-LIC-ELC-045 Expired
Holder / product scope	Demo Electrical Manufacturer 045 Storage water heater
Validity / grant note	2024-01-15 to 2025-01-14 Historical expired record
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - expired

Consumer help and FAQs: category guide p. 111. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Room heater

Electrical / Domestic equipment | DEMO-REC-ELC-046

A. View | Basic details

IS Number	DEMO-IS-ELC-046:2024
IS Title	Room heater - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-ELC (Electrical Prototype Department)
Technical Committee	DEMO-ELC-05 (Domestic equipment Prototype Committee)
Member Secretary	Demo Secretary ELC-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELC_046_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELC-046:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A1
Classification / reaffirmed	DEMO-CLASS-ELC-05 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_ELC_046_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers room heater within the domestic equipment prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: control function, accessible surfaces, cord retention and abnormal-operation response. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELC-046; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELC DEMO-APP-ELC-046 Investigation open
Certificate	DEMO-CERT-ELC-046 Suspended
Licence	DEMO-LIC-ELC-046 Suspended
Holder / product scope	Demo Electrical Manufacturer 046 Room heater
Validity / grant note	2025-06-15 to 2027-06-14 Use blocked in prototype
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - suspended

Consumer help and FAQs: category guide p. 111. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Electric kettle

Electrical / Domestic equipment | DEMO-REC-ELC-047

A. View | Basic details

IS Number	DEMO-IS-ELC-047:2025
IS Title	Electric kettle - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-ELC-047:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-ELC (Electrical Prototype Department)
Technical Committee	DEMO-ELC-05 (Domestic equipment Prototype Committee)
Member Secretary	Demo Secretary ELC-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELC_047_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELC-047:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A2
Classification / reaffirmed	DEMO-CLASS-ELC-05 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_ELC_047_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers electric kettle within the domestic equipment prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: control function, accessible surfaces, cord retention and abnormal-operation response. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELC-047; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELC DEMO-APP-ELC-047 Closed
Certificate	DEMO-CERT-ELC-047 Withdrawn
Licence	DEMO-LIC-ELC-047 Withdrawn
Holder / product scope	Demo Electrical Manufacturer 047 Electric kettle
Validity / grant note	2025-06-15 to 2027-06-14 Historical withdrawal fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - withdrawn

Consumer help and FAQs: category guide p. 111. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Mixer grinder

Electrical / Domestic equipment | DEMO-REC-ELC-048

A. View | Basic details

IS Number	DEMO-IS-ELC-048:2025
IS Title	Mixer grinder - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-ELC-048:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-ELC (Electrical Prototype Department)
Technical Committee	DEMO-ELC-05 (Domestic equipment Prototype Committee)
Member Secretary	Demo Secretary ELC-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELC_048_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELC-048:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A3
Classification / reaffirmed	DEMO-CLASS-ELC-05 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_ELC_048_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers mixer grinder within the domestic equipment prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: control function, accessible surfaces, cord retention and abnormal-operation response. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELC-048; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELC DEMO-APP-ELC-048 Rejected
Certificate	DEMO-CERT-ELC-048 Not issued
Licence	DEMO-LIC-ELC-048 Not granted
Holder / product scope	Demo Electrical Manufacturer 048 Mixer grinder
Validity / grant note	No issued term Mock application rejected
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 111. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Induction cooktop

Electrical / Domestic equipment | DEMO-REC-ELC-049

A. View | Basic details

IS Number	DEMO-IS-ELC-049:2024
IS Title	Induction cooktop - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-ELC (Electrical Prototype Department)
Technical Committee	DEMO-ELC-05 (Domestic equipment Prototype Committee)
Member Secretary	Demo Secretary ELC-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELC_049_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELC-049:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A0
Classification / reaffirmed	DEMO-CLASS-ELC-05 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_ELC_049_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers induction cooktop within the domestic equipment prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: control function, accessible surfaces, cord retention and abnormal-operation response. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELC-049; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELC DEMO-APP-ELC-049 Amendment granted
Certificate	DEMO-CERT-ELC-049 Issued
Licence	DEMO-LIC-ELC-049 Active
Holder / product scope	Demo Electrical Manufacturer 049 Induction cooktop
Validity / grant note	2025-06-15 to 2027-06-14 Scope update accepted in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 111. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Hand blender

Electrical / Domestic equipment | DEMO-REC-ELC-050

A. View | Basic details

IS Number	DEMO-IS-ELC-050:2025
IS Title	Hand blender - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-ELC-050:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-ELC (Electrical Prototype Department)
Technical Committee	DEMO-ELC-05 (Domestic equipment Prototype Committee)
Member Secretary	Demo Secretary ELC-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_ELC_050_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-ELC-050:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A1
Classification / reaffirmed	DEMO-CLASS-ELC-05 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_ELC_050_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers hand blender within the domestic equipment prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: control function, accessible surfaces, cord retention and abnormal-operation response. Record a sample observation for each topic and attach fixture report DEMO-TEST-ELC-050; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-ELC DEMO-APP-ELC-050 Renewal under review
Certificate	DEMO-CERT-ELC-050 Issued
Licence	DEMO-LIC-ELC-050 Active
Holder / product scope	Demo Electrical Manufacturer 050 Hand blender
Validity / grant note	2025-06-15 to 2027-06-14 Existing mock term still active
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 111. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Construction | 50-record catalogue

Indian Standards-style catalogue / standards search - all records on these pages are fictional.

Catalogue ID: DEMO-CAT-CON. Search by product name, DEMO-IS number, subgroup or category. Click a product below to open its detail sheet.

01. Portland cement	165	26. Prestressing wire	190
02. Blended cement	166	27. Structural bolt	191
03. Masonry cement	167	28. Scaffold tube	192
04. Hydrated lime	168	29. Anchor fastener	193
05. Gypsum plaster	169	30. Metal floor grating	194
06. Fine aggregate	170	31. Ceramic floor tile	195
07. Coarse aggregate	171	32. Porcelain wall tile	196
08. Fly ash for concrete	172	33. Natural stone slab	197
09. Ready-mixed concrete	173	34. Terrazzo tile	198
10. Dry mortar mix	174	35. Gypsum board	199
11. Clay brick	175	36. Calcium-silicate board	200
12. Fly-ash brick	176	37. Plywood shuttering board	201
13. Concrete block	177	38. Decorative laminate	202
14. AAC block	178	39. Acoustic ceiling tile	203
15. Concrete paving block	179	40. Thermal insulation board	204
16. Clay roof tile	180	41. PVC water pipe	205
17. Concrete roof tile	181	42. CPVC hot-water pipe	206
18. Fibre-cement roofing sheet	182	43. HDPE pressure pipe	207
19. Metal roof panel	183	44. Drainage pipe fitting	208
20. Ridge tile	184	45. Water tap	209
21. Reinforcing steel bar	185	46. Flush valve	210
22. Structural steel angle	186	47. Wash basin	211
23. Structural steel channel	187	48. Water closet	212
24. Steel hollow section	188	49. Door closer	213
25. Welded wire mesh	189	50. Aluminium window frame	214

The page number is the combined PDF location. Every detail sheet includes a unique standard, application, certificate and licence ID.

Construction | Certification and applications

Product Certification / Certification Schemes / Grant of Licence / Application - DEMO policy only.

Product Certification and Certification Schemes

Mock scheme	DEMO-PC-CON: Construction Product Evaluation - Prototype Scheme
Scheme intent	Demonstrate document review, sample evaluation, grant decisions, status changes and verification screens.
Who can apply	A fictional manufacturer record with a demo product and facility; this is not actual BIS eligibility.
Application evidence	Demo factory profile, product specification, mock quality plan and fixture evaluation report.
Fees / service time	0 sandbox units. Use simulated workflow events; no actual fee or processing-time promise.
Scope of grant	Only the product and DEMO-IS record named in the fixture. Real Standard Mark permission is always false.

Application to Grant of Licence | simulated sequence

1. Create DEMO-APP record and link product, manufacturer and facility.
2. Validate required fields; missing details produce Clarification requested.
3. Record sample evidence under the matching DEMO-TEST identifier.
4. Reviewer selects Granted, Testing pending, Technical review or Rejected.
5. On grant, activate the mock licence and issue the linked demo certificate. Later events may expire, suspend, withdraw, amend or renew the fixture.

Product-specific requirements | subgroup examples

Binders and aggregates: batch uniformity, particle consistency, strength-test samples and declared-use labelling.

Masonry and roofing: dimensions, water absorption, sample loading and visible-defect checks.

Steel and structural: material traceability, dimensions, mechanical-test samples and surface condition.

Finishes and boards: surface quality, dimensional stability, moisture response and installation information.

Plumbing and building fixtures: dimensions, sealing or closing function, mechanical endurance and installation guidance.

Demo certificate and licence contents

Each product sheet displays the document IDs, holder, status, scope and term. The JSONL also contains document names, issuer, application evidence, lookup URL and an explicit not-valid field. Draft, rejected and not-granted records do not represent issued permissions.

IS documents and standards online source

The logical documents are stored as catalogue fixtures. Example route: <https://standards-prototype.invalid/con/catalogue>. No official licence, IS document or payment workflow is created.

Construction | Consumer information and FAQs

BIS-style consumer help screens for a prototype - all process and contact information here is synthetic.

BIS complaint process / How to lodge complaints | demo

Open the mock complaint form; choose category, product and complaint topic; add a mock invoice, label and image; submit to create a DEMO-CMP ID. A fixture moves through Submitted, Under review, Evidence requested, Resolved or Closed. These are UI examples, not a real complaint submission or escalation promise.

Product authenticity and Standard Mark

Compare the demo licence ID with the fixture holder, product scope, DEMO-IS number, status and dates. An ID match alone must not imply Active. Use only the text DEMO MARK - NOT BIS/ISI. No real product authenticity or conformity finding is made.

Hallmark verification

Not applicable to these category fixtures. Display N/A and do not invent a HUID or imply a general product certificate is a hallmark. A future jewellery prototype would need a separately defined dataset.

Consumer rights / information | fictional policy

The prototype lets users read disclosures, request correction of fixture data, attach evidence, view complaint history and receive a simulated response. No legal entitlement, refund duty, enforcement outcome or statutory response deadline is asserted.

BIS contact information | fictional placeholder

Office	Demo Construction Help Desk, Fictional Test Zone
Email	help-con@standards-prototype.invalid
Telephone	DEMO-NOT-A-PHONE; JSON value is null
Contact URL	https://standards-prototype.invalid/con/contact
Complaint URL	https://standards-prototype.invalid/con/complaints

FAQs

How do I find a standard?

Search the Construction catalogue by name, subgroup or DEMO-IS number.

Is the certificate a real BIS certificate?

No. It is an unsigned fictional training object.

Can an expired or suspended record verify as Active?

No. Match the status and term, not only the identifier.

What if application evidence is missing?

Use the Clarification requested scenario; no licence is granted.

How do I check a hallmark?

This dataset returns Not applicable; it issues no hallmark identifier.

Do these links submit a real complaint?

No. The .invalid domain is deliberately non-operational.

Where are product-level FAQs stored?

Every synthetic JSONL record includes a five-question FAQs array.

Portland cement

Construction / Binders and aggregates | DEMO-REC-CON-001

A. View | Basic details

IS Number	DEMO-IS-CON-001:2024
IS Title	Portland cement - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-CON (Construction Prototype Department)
Technical Committee	DEMO-CON-01 (Binders and aggregates Prototype Committee)
Member Secretary	Demo Secretary CON-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_CON_001_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CON-001:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A0
Classification / reaffirmed	DEMO-CLASS-CON-01 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_CON_001_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers portland cement within the binders and aggregates prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: batch uniformity, particle consistency, strength-test samples and declared-use labelling. Record a sample observation for each topic and attach fixture report DEMO-TEST-CON-001; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CON DEMO-APP-CON-001 Granted
Certificate	DEMO-CERT-CON-001 Issued
Licence	DEMO-LIC-CON-001 Active
Holder / product scope	Demo Construction Manufacturer 001 Portland cement
Validity / grant note	2025-06-15 to 2027-06-14 Grant completed in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 164. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Blended cement

Construction / Binders and aggregates | DEMO-REC-CON-002

A. View | Basic details

IS Number	DEMO-IS-CON-002:2025
IS Title	Blended cement - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-CON-002:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-CON (Construction Prototype Department)
Technical Committee	DEMO-CON-01 (Binders and aggregates Prototype Committee)
Member Secretary	Demo Secretary CON-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_CON_002_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CON-002:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A1
Classification / reaffirmed	DEMO-CLASS-CON-01 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_CON_002_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers blended cement within the binders and aggregates prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: batch uniformity, particle consistency, strength-test samples and declared-use labelling. Record a sample observation for each topic and attach fixture report DEMO-TEST-CON-002; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CON DEMO-APP-CON-002 Testing pending
Certificate	DEMO-CERT-CON-002 Draft - not issued
Licence	DEMO-LIC-CON-002 Not granted
Holder / product scope	Demo Construction Manufacturer 002 Blended cement
Validity / grant note	No issued term Await sample evaluation
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 164. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Masonry cement

Construction / Binders and aggregates | DEMO-REC-CON-003

A. View | Basic details

IS Number	DEMO-IS-CON-003:2025
IS Title	Masonry cement - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-CON-003:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-CON (Construction Prototype Department)
Technical Committee	DEMO-CON-01 (Binders and aggregates Prototype Committee)
Member Secretary	Demo Secretary CON-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_CON_003_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CON-003:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A2
Classification / reaffirmed	DEMO-CLASS-CON-01 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_CON_003_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers masonry cement within the binders and aggregates prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: batch uniformity, particle consistency, strength-test samples and declared-use labelling. Record a sample observation for each topic and attach fixture report DEMO-TEST-CON-003; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CON DEMO-APP-CON-003 Technical review
Certificate	DEMO-CERT-CON-003 Draft - not issued
Licence	DEMO-LIC-CON-003 Not granted
Holder / product scope	Demo Construction Manufacturer 003 Masonry cement
Validity / grant note	No issued term Reviewer decision pending
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 164. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Hydrated lime

Construction / Binders and aggregates | DEMO-REC-CON-004

A. View | Basic details

IS Number	DEMO-IS-CON-004:2024
IS Title	Hydrated lime - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-CON (Construction Prototype Department)
Technical Committee	DEMO-CON-01 (Binders and aggregates Prototype Committee)
Member Secretary	Demo Secretary CON-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_CON_004_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CON-004:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A3
Classification / reaffirmed	DEMO-CLASS-CON-01 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_CON_004_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers hydrated lime within the binders and aggregates prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: batch uniformity, particle consistency, strength-test samples and declared-use labelling. Record a sample observation for each topic and attach fixture report DEMO-TEST-CON-004; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CON DEMO-APP-CON-004 Clarification requested
Certificate	DEMO-CERT-CON-004 Draft - not issued
Licence	DEMO-LIC-CON-004 Not granted
Holder / product scope	Demo Construction Manufacturer 004 Hydrated lime
Validity / grant note	No issued term Applicant must revise mock file
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 164. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Gypsum plaster

Construction / Binders and aggregates | DEMO-REC-CON-005

A. View | Basic details

IS Number	DEMO-IS-CON-005:2025
IS Title	Gypsum plaster - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-CON-005:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-CON (Construction Prototype Department)
Technical Committee	DEMO-CON-01 (Binders and aggregates Prototype Committee)
Member Secretary	Demo Secretary CON-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_CON_005_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CON-005:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A0
Classification / reaffirmed	DEMO-CLASS-CON-01 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_CON_005_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers gypsum plaster within the binders and aggregates prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: batch uniformity, particle consistency, strength-test samples and declared-use labelling. Record a sample observation for each topic and attach fixture report DEMO-TEST-CON-005; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CON DEMO-APP-CON-005 Renewal pending
Certificate	DEMO-CERT-CON-005 Expired
Licence	DEMO-LIC-CON-005 Expired
Holder / product scope	Demo Construction Manufacturer 005 Gypsum plaster
Validity / grant note	2024-01-15 to 2025-01-14 Historical expired record
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - expired

Consumer help and FAQs: category guide p. 164. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Fine aggregate

Construction / Binders and aggregates | DEMO-REC-CON-006

A. View | Basic details

IS Number	DEMO-IS-CON-006:2025
IS Title	Fine aggregate - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-CON-006:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-CON (Construction Prototype Department)
Technical Committee	DEMO-CON-01 (Binders and aggregates Prototype Committee)
Member Secretary	Demo Secretary CON-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_CON_006_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CON-006:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A1
Classification / reaffirmed	DEMO-CLASS-CON-01 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_CON_006_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers fine aggregate within the binders and aggregates prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: batch uniformity, particle consistency, strength-test samples and declared-use labelling. Record a sample observation for each topic and attach fixture report DEMO-TEST-CON-006; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CON DEMO-APP-CON-006 Investigation open
Certificate	DEMO-CERT-CON-006 Suspended
Licence	DEMO-LIC-CON-006 Suspended
Holder / product scope	Demo Construction Manufacturer 006 Fine aggregate
Validity / grant note	2025-06-15 to 2027-06-14 Use blocked in prototype
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - suspended

Consumer help and FAQs: category guide p. 164. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Coarse aggregate

Construction / Binders and aggregates | DEMO-REC-CON-007

A. View | Basic details

IS Number	DEMO-IS-CON-007:2024
IS Title	Coarse aggregate - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-CON (Construction Prototype Department)
Technical Committee	DEMO-CON-01 (Binders and aggregates Prototype Committee)
Member Secretary	Demo Secretary CON-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_CON_007_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CON-007:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A2
Classification / reaffirmed	DEMO-CLASS-CON-01 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_CON_007_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers coarse aggregate within the binders and aggregates prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: batch uniformity, particle consistency, strength-test samples and declared-use labelling. Record a sample observation for each topic and attach fixture report DEMO-TEST-CON-007; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CON DEMO-APP-CON-007 Closed
Certificate	DEMO-CERT-CON-007 Withdrawn
Licence	DEMO-LIC-CON-007 Withdrawn
Holder / product scope	Demo Construction Manufacturer 007 Coarse aggregate
Validity / grant note	2025-06-15 to 2027-06-14 Historical withdrawal fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - withdrawn

Consumer help and FAQs: category guide p. 164. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Fly ash for concrete

Construction / Binders and aggregates | DEMO-REC-CON-008

A. View | Basic details

IS Number	DEMO-IS-CON-008:2025
IS Title	Fly ash for concrete - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-CON-008:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-CON (Construction Prototype Department)
Technical Committee	DEMO-CON-01 (Binders and aggregates Prototype Committee)
Member Secretary	Demo Secretary CON-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_CON_008_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CON-008:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A3
Classification / reaffirmed	DEMO-CLASS-CON-01 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_CON_008_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers fly ash for concrete within the binders and aggregates prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: batch uniformity, particle consistency, strength-test samples and declared-use labelling. Record a sample observation for each topic and attach fixture report DEMO-TEST-CON-008; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CON DEMO-APP-CON-008 Rejected
Certificate	DEMO-CERT-CON-008 Not issued
Licence	DEMO-LIC-CON-008 Not granted
Holder / product scope	Demo Construction Manufacturer 008 Fly ash for concrete
Validity / grant note	No issued term Mock application rejected
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 164. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Ready-mixed concrete

Construction / Binders and aggregates | DEMO-REC-CON-009

A. View | Basic details

IS Number	DEMO-IS-CON-009:2025
IS Title	Ready-mixed concrete - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-CON-009:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-CON (Construction Prototype Department)
Technical Committee	DEMO-CON-01 (Binders and aggregates Prototype Committee)
Member Secretary	Demo Secretary CON-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_CON_009_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CON-009:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A0
Classification / reaffirmed	DEMO-CLASS-CON-01 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_CON_009_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers ready-mixed concrete within the binders and aggregates prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: batch uniformity, particle consistency, strength-test samples and declared-use labelling. Record a sample observation for each topic and attach fixture report DEMO-TEST-CON-009; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CON DEMO-APP-CON-009 Amendment granted
Certificate	DEMO-CERT-CON-009 Issued
Licence	DEMO-LIC-CON-009 Active
Holder / product scope	Demo Construction Manufacturer 009 Ready-mixed concrete
Validity / grant note	2025-06-15 to 2027-06-14 Scope update accepted in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 164. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Dry mortar mix

Construction / Binders and aggregates | DEMO-REC-CON-010

A. View | Basic details

IS Number	DEMO-IS-CON-010:2024
IS Title	Dry mortar mix - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-CON (Construction Prototype Department)
Technical Committee	DEMO-CON-01 (Binders and aggregates Prototype Committee)
Member Secretary	Demo Secretary CON-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_CON_010_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CON-010:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A1
Classification / reaffirmed	DEMO-CLASS-CON-01 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_CON_010_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers dry mortar mix within the binders and aggregates prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: batch uniformity, particle consistency, strength-test samples and declared-use labelling. Record a sample observation for each topic and attach fixture report DEMO-TEST-CON-010; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CON DEMO-APP-CON-010 Renewal under review
Certificate	DEMO-CERT-CON-010 Issued
Licence	DEMO-LIC-CON-010 Active
Holder / product scope	Demo Construction Manufacturer 010 Dry mortar mix
Validity / grant note	2025-06-15 to 2027-06-14 Existing mock term still active
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 164. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Clay brick

Construction / Masonry and roofing | DEMO-REC-CON-011

A. View | Basic details

IS Number	DEMO-IS-CON-011:2025
IS Title	Clay brick - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-CON-011:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-CON (Construction Prototype Department)
Technical Committee	DEMO-CON-02 (Masonry and roofing Prototype Committee)
Member Secretary	Demo Secretary CON-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_CON_011_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CON-011:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A2
Classification / reaffirmed	DEMO-CLASS-CON-02 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_CON_011_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers clay brick within the masonry and roofing prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: dimensions, water absorption, sample loading and visible-defect checks. Record a sample observation for each topic and attach fixture report DEMO-TEST-CON-011; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CON DEMO-APP-CON-011 Granted
Certificate	DEMO-CERT-CON-011 Issued
Licence	DEMO-LIC-CON-011 Active
Holder / product scope	Demo Construction Manufacturer 011 Clay brick
Validity / grant note	2025-06-15 to 2027-06-14 Grant completed in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 164. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Fly-ash brick

Construction / Masonry and roofing | DEMO-REC-CON-012

A. View | Basic details

IS Number	DEMO-IS-CON-012:2025
IS Title	Fly-ash brick - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-CON-012:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-CON (Construction Prototype Department)
Technical Committee	DEMO-CON-02 (Masonry and roofing Prototype Committee)
Member Secretary	Demo Secretary CON-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_CON_012_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CON-012:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A3
Classification / reaffirmed	DEMO-CLASS-CON-02 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_CON_012_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers fly-ash brick within the masonry and roofing prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: dimensions, water absorption, sample loading and visible-defect checks. Record a sample observation for each topic and attach fixture report DEMO-TEST-CON-012; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CON DEMO-APP-CON-012 Testing pending
Certificate	DEMO-CERT-CON-012 Draft - not issued
Licence	DEMO-LIC-CON-012 Not granted
Holder / product scope	Demo Construction Manufacturer 012 Fly-ash brick
Validity / grant note	No issued term Await sample evaluation
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 164. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Concrete block

Construction / Masonry and roofing | DEMO-REC-CON-013

A. View | Basic details

IS Number	DEMO-IS-CON-013:2024
IS Title	Concrete block - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-CON (Construction Prototype Department)
Technical Committee	DEMO-CON-02 (Masonry and roofing Prototype Committee)
Member Secretary	Demo Secretary CON-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_CON_013_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CON-013:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A0
Classification / reaffirmed	DEMO-CLASS-CON-02 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_CON_013_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers concrete block within the masonry and roofing prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: dimensions, water absorption, sample loading and visible-defect checks. Record a sample observation for each topic and attach fixture report DEMO-TEST-CON-013; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CON DEMO-APP-CON-013 Technical review
Certificate	DEMO-CERT-CON-013 Draft - not issued
Licence	DEMO-LIC-CON-013 Not granted
Holder / product scope	Demo Construction Manufacturer 013 Concrete block
Validity / grant note	No issued term Reviewer decision pending
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 164. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

AAC block

Construction / Masonry and roofing | DEMO-REC-CON-014

A. View | Basic details

IS Number	DEMO-IS-CON-014:2025
IS Title	AAC block - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-CON-014:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-CON (Construction Prototype Department)
Technical Committee	DEMO-CON-02 (Masonry and roofing Prototype Committee)
Member Secretary	Demo Secretary CON-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_CON_014_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CON-014:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A1
Classification / reaffirmed	DEMO-CLASS-CON-02 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_CON_014_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers aac block within the masonry and roofing prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: dimensions, water absorption, sample loading and visible-defect checks. Record a sample observation for each topic and attach fixture report DEMO-TEST-CON-014; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CON DEMO-APP-CON-014 Clarification requested
Certificate	DEMO-CERT-CON-014 Draft - not issued
Licence	DEMO-LIC-CON-014 Not granted
Holder / product scope	Demo Construction Manufacturer 014 AAC block
Validity / grant note	No issued term Applicant must revise mock file
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 164. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Concrete paving block

Construction / Masonry and roofing | DEMO-REC-CON-015

A. View | Basic details

IS Number	DEMO-IS-CON-015:2025
IS Title	Concrete paving block - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-CON-015:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-CON (Construction Prototype Department)
Technical Committee	DEMO-CON-02 (Masonry and roofing Prototype Committee)
Member Secretary	Demo Secretary CON-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_CON_015_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CON-015:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A2
Classification / reaffirmed	DEMO-CLASS-CON-02 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_CON_015_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers concrete paving block within the masonry and roofing prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: dimensions, water absorption, sample loading and visible-defect checks. Record a sample observation for each topic and attach fixture report DEMO-TEST-CON-015; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CON DEMO-APP-CON-015 Renewal pending
Certificate	DEMO-CERT-CON-015 Expired
Licence	DEMO-LIC-CON-015 Expired
Holder / product scope	Demo Construction Manufacturer 015 Concrete paving block
Validity / grant note	2024-01-15 to 2025-01-14 Historical expired record
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - expired

Consumer help and FAQs: category guide p. 164. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Clay roof tile

Construction / Masonry and roofing | DEMO-REC-CON-016

A. View | Basic details

IS Number	DEMO-IS-CON-016:2024
IS Title	Clay roof tile - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-CON (Construction Prototype Department)
Technical Committee	DEMO-CON-02 (Masonry and roofing Prototype Committee)
Member Secretary	Demo Secretary CON-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_CON_016_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CON-016:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A3
Classification / reaffirmed	DEMO-CLASS-CON-02 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_CON_016_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers clay roof tile within the masonry and roofing prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: dimensions, water absorption, sample loading and visible-defect checks. Record a sample observation for each topic and attach fixture report DEMO-TEST-CON-016; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CON DEMO-APP-CON-016 Investigation open
Certificate	DEMO-CERT-CON-016 Suspended
Licence	DEMO-LIC-CON-016 Suspended
Holder / product scope	Demo Construction Manufacturer 016 Clay roof tile
Validity / grant note	2025-06-15 to 2027-06-14 Use blocked in prototype
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - suspended

Consumer help and FAQs: category guide p. 164. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Concrete roof tile

Construction / Masonry and roofing | DEMO-REC-CON-017

A. View | Basic details

IS Number	DEMO-IS-CON-017:2025
IS Title	Concrete roof tile - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-CON-017:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-CON (Construction Prototype Department)
Technical Committee	DEMO-CON-02 (Masonry and roofing Prototype Committee)
Member Secretary	Demo Secretary CON-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_CON_017_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CON-017:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A0
Classification / reaffirmed	DEMO-CLASS-CON-02 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_CON_017_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers concrete roof tile within the masonry and roofing prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: dimensions, water absorption, sample loading and visible-defect checks. Record a sample observation for each topic and attach fixture report DEMO-TEST-CON-017; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CON DEMO-APP-CON-017 Closed
Certificate	DEMO-CERT-CON-017 Withdrawn
Licence	DEMO-LIC-CON-017 Withdrawn
Holder / product scope	Demo Construction Manufacturer 017 Concrete roof tile
Validity / grant note	2025-06-15 to 2027-06-14 Historical withdrawal fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - withdrawn

Consumer help and FAQs: category guide p. 164. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Fibre-cement roofing sheet

Construction / Masonry and roofing | DEMO-REC-CON-018

A. View | Basic details

IS Number	DEMO-IS-CON-018:2025
IS Title	Fibre-cement roofing sheet - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-CON-018:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-CON (Construction Prototype Department)
Technical Committee	DEMO-CON-02 (Masonry and roofing Prototype Committee)
Member Secretary	Demo Secretary CON-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_CON_018_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CON-018:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A1
Classification / reaffirmed	DEMO-CLASS-CON-02 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_CON_018_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers fibre-cement roofing sheet within the masonry and roofing prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: dimensions, water absorption, sample loading and visible-defect checks. Record a sample observation for each topic and attach fixture report DEMO-TEST-CON-018; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CON DEMO-APP-CON-018 Rejected
Certificate	DEMO-CERT-CON-018 Not issued
Licence	DEMO-LIC-CON-018 Not granted
Holder / product scope	Demo Construction Manufacturer 018 Fibre-cement roofing sheet
Validity / grant note	No issued term Mock application rejected
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 164. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Metal roof panel

Construction / Masonry and roofing | DEMO-REC-CON-019

A. View | Basic details

IS Number	DEMO-IS-CON-019:2024
IS Title	Metal roof panel - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-CON (Construction Prototype Department)
Technical Committee	DEMO-CON-02 (Masonry and roofing Prototype Committee)
Member Secretary	Demo Secretary CON-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_CON_019_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CON-019:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A2
Classification / reaffirmed	DEMO-CLASS-CON-02 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_CON_019_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers metal roof panel within the masonry and roofing prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: dimensions, water absorption, sample loading and visible-defect checks. Record a sample observation for each topic and attach fixture report DEMO-TEST-CON-019; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CON DEMO-APP-CON-019 Amendment granted
Certificate	DEMO-CERT-CON-019 Issued
Licence	DEMO-LIC-CON-019 Active
Holder / product scope	Demo Construction Manufacturer 019 Metal roof panel
Validity / grant note	2025-06-15 to 2027-06-14 Scope update accepted in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 164. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Ridge tile

Construction / Masonry and roofing | DEMO-REC-CON-020

A. View | Basic details

IS Number	DEMO-IS-CON-020:2025
IS Title	Ridge tile - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-CON-020:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-CON (Construction Prototype Department)
Technical Committee	DEMO-CON-02 (Masonry and roofing Prototype Committee)
Member Secretary	Demo Secretary CON-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_CON_020_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CON-020:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A3
Classification / reaffirmed	DEMO-CLASS-CON-02 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_CON_020_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers ridge tile within the masonry and roofing prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: dimensions, water absorption, sample loading and visible-defect checks. Record a sample observation for each topic and attach fixture report DEMO-TEST-CON-020; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CON DEMO-APP-CON-020 Renewal under review
Certificate	DEMO-CERT-CON-020 Issued
Licence	DEMO-LIC-CON-020 Active
Holder / product scope	Demo Construction Manufacturer 020 Ridge tile
Validity / grant note	2025-06-15 to 2027-06-14 Existing mock term still active
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 164. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Reinforcing steel bar

Construction / Steel and structural | DEMO-REC-CON-021

A. View | Basic details

IS Number	DEMO-IS-CON-021:2025
IS Title	Reinforcing steel bar - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-CON-021:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-CON (Construction Prototype Department)
Technical Committee	DEMO-CON-03 (Steel and structural Prototype Committee)
Member Secretary	Demo Secretary CON-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_CON_021_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CON-021:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A0
Classification / reaffirmed	DEMO-CLASS-CON-03 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_CON_021_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers reinforcing steel bar within the steel and structural prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: material traceability, dimensions, mechanical-test samples and surface condition. Record a sample observation for each topic and attach fixture report DEMO-TEST-CON-021; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CON DEMO-APP-CON-021 Granted
Certificate	DEMO-CERT-CON-021 Issued
Licence	DEMO-LIC-CON-021 Active
Holder / product scope	Demo Construction Manufacturer 021 Reinforcing steel bar
Validity / grant note	2025-06-15 to 2027-06-14 Grant completed in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 164. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Structural steel angle

Construction / Steel and structural | DEMO-REC-CON-022

A. View | Basic details

IS Number	DEMO-IS-CON-022:2024
IS Title	Structural steel angle - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-CON (Construction Prototype Department)
Technical Committee	DEMO-CON-03 (Steel and structural Prototype Committee)
Member Secretary	Demo Secretary CON-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_CON_022_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CON-022:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A1
Classification / reaffirmed	DEMO-CLASS-CON-03 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_CON_022_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers structural steel angle within the steel and structural prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: material traceability, dimensions, mechanical-test samples and surface condition. Record a sample observation for each topic and attach fixture report DEMO-TEST-CON-022; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CON DEMO-APP-CON-022 Testing pending
Certificate	DEMO-CERT-CON-022 Draft - not issued
Licence	DEMO-LIC-CON-022 Not granted
Holder / product scope	Demo Construction Manufacturer 022 Structural steel angle
Validity / grant note	No issued term Await sample evaluation
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 164. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Structural steel channel

Construction / Steel and structural | DEMO-REC-CON-023

A. View | Basic details

IS Number	DEMO-IS-CON-023:2025
IS Title	Structural steel channel - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-CON-023:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-CON (Construction Prototype Department)
Technical Committee	DEMO-CON-03 (Steel and structural Prototype Committee)
Member Secretary	Demo Secretary CON-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_CON_023_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CON-023:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A2
Classification / reaffirmed	DEMO-CLASS-CON-03 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_CON_023_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers structural steel channel within the steel and structural prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: material traceability, dimensions, mechanical-test samples and surface condition. Record a sample observation for each topic and attach fixture report DEMO-TEST-CON-023; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CON DEMO-APP-CON-023 Technical review
Certificate	DEMO-CERT-CON-023 Draft - not issued
Licence	DEMO-LIC-CON-023 Not granted
Holder / product scope	Demo Construction Manufacturer 023 Structural steel channel
Validity / grant note	No issued term Reviewer decision pending
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 164. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Steel hollow section

Construction / Steel and structural | DEMO-REC-CON-024

A. View | Basic details

IS Number	DEMO-IS-CON-024:2025
IS Title	Steel hollow section - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-CON-024:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-CON (Construction Prototype Department)
Technical Committee	DEMO-CON-03 (Steel and structural Prototype Committee)
Member Secretary	Demo Secretary CON-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_CON_024_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CON-024:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A3
Classification / reaffirmed	DEMO-CLASS-CON-03 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_CON_024_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers steel hollow section within the steel and structural prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: material traceability, dimensions, mechanical-test samples and surface condition. Record a sample observation for each topic and attach fixture report DEMO-TEST-CON-024; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CON DEMO-APP-CON-024 Clarification requested
Certificate	DEMO-CERT-CON-024 Draft - not issued
Licence	DEMO-LIC-CON-024 Not granted
Holder / product scope	Demo Construction Manufacturer 024 Steel hollow section
Validity / grant note	No issued term Applicant must revise mock file
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 164. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Welded wire mesh

Construction / Steel and structural | DEMO-REC-CON-025

A. View | Basic details

IS Number	DEMO-IS-CON-025:2024
IS Title	Welded wire mesh - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-CON (Construction Prototype Department)
Technical Committee	DEMO-CON-03 (Steel and structural Prototype Committee)
Member Secretary	Demo Secretary CON-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_CON_025_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CON-025:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A0
Classification / reaffirmed	DEMO-CLASS-CON-03 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_CON_025_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers welded wire mesh within the steel and structural prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: material traceability, dimensions, mechanical-test samples and surface condition. Record a sample observation for each topic and attach fixture report DEMO-TEST-CON-025; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CON DEMO-APP-CON-025 Renewal pending
Certificate	DEMO-CERT-CON-025 Expired
Licence	DEMO-LIC-CON-025 Expired
Holder / product scope	Demo Construction Manufacturer 025 Welded wire mesh
Validity / grant note	2024-01-15 to 2025-01-14 Historical expired record
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - expired

Consumer help and FAQs: category guide p. 164. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Prestressing wire

Construction / Steel and structural | DEMO-REC-CON-026

A. View | Basic details

IS Number	DEMO-IS-CON-026:2025
IS Title	Prestressing wire - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-CON-026:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-CON (Construction Prototype Department)
Technical Committee	DEMO-CON-03 (Steel and structural Prototype Committee)
Member Secretary	Demo Secretary CON-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_CON_026_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CON-026:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A1
Classification / reaffirmed	DEMO-CLASS-CON-03 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_CON_026_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers prestressing wire within the steel and structural prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: material traceability, dimensions, mechanical-test samples and surface condition. Record a sample observation for each topic and attach fixture report DEMO-TEST-CON-026; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CON DEMO-APP-CON-026 Investigation open
Certificate	DEMO-CERT-CON-026 Suspended
Licence	DEMO-LIC-CON-026 Suspended
Holder / product scope	Demo Construction Manufacturer 026 Prestressing wire
Validity / grant note	2025-06-15 to 2027-06-14 Use blocked in prototype
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - suspended

Consumer help and FAQs: category guide p. 164. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Structural bolt

Construction / Steel and structural | DEMO-REC-CON-027

A. View | Basic details

IS Number	DEMO-IS-CON-027:2025
IS Title	Structural bolt - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-CON-027:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-CON (Construction Prototype Department)
Technical Committee	DEMO-CON-03 (Steel and structural Prototype Committee)
Member Secretary	Demo Secretary CON-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_CON_027_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CON-027:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A2
Classification / reaffirmed	DEMO-CLASS-CON-03 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_CON_027_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers structural bolt within the steel and structural prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: material traceability, dimensions, mechanical-test samples and surface condition. Record a sample observation for each topic and attach fixture report DEMO-TEST-CON-027; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CON DEMO-APP-CON-027 Closed
Certificate	DEMO-CERT-CON-027 Withdrawn
Licence	DEMO-LIC-CON-027 Withdrawn
Holder / product scope	Demo Construction Manufacturer 027 Structural bolt
Validity / grant note	2025-06-15 to 2027-06-14 Historical withdrawal fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - withdrawn

Consumer help and FAQs: category guide p. 164. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Scaffold tube

Construction / Steel and structural | DEMO-REC-CON-028

A. View | Basic details

IS Number	DEMO-IS-CON-028:2024
IS Title	Scaffold tube - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-CON (Construction Prototype Department)
Technical Committee	DEMO-CON-03 (Steel and structural Prototype Committee)
Member Secretary	Demo Secretary CON-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_CON_028_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CON-028:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A3
Classification / reaffirmed	DEMO-CLASS-CON-03 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_CON_028_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers scaffold tube within the steel and structural prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: material traceability, dimensions, mechanical-test samples and surface condition. Record a sample observation for each topic and attach fixture report DEMO-TEST-CON-028; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CON DEMO-APP-CON-028 Rejected
Certificate	DEMO-CERT-CON-028 Not issued
Licence	DEMO-LIC-CON-028 Not granted
Holder / product scope	Demo Construction Manufacturer 028 Scaffold tube
Validity / grant note	No issued term Mock application rejected
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 164. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Anchor fastener

Construction / Steel and structural | DEMO-REC-CON-029

A. View | Basic details

IS Number	DEMO-IS-CON-029:2025
IS Title	Anchor fastener - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-CON-029:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-CON (Construction Prototype Department)
Technical Committee	DEMO-CON-03 (Steel and structural Prototype Committee)
Member Secretary	Demo Secretary CON-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_CON_029_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CON-029:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A0
Classification / reaffirmed	DEMO-CLASS-CON-03 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_CON_029_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers anchor fastener within the steel and structural prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: material traceability, dimensions, mechanical-test samples and surface condition. Record a sample observation for each topic and attach fixture report DEMO-TEST-CON-029; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CON DEMO-APP-CON-029 Amendment granted
Certificate	DEMO-CERT-CON-029 Issued
Licence	DEMO-LIC-CON-029 Active
Holder / product scope	Demo Construction Manufacturer 029 Anchor fastener
Validity / grant note	2025-06-15 to 2027-06-14 Scope update accepted in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 164. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Metal floor grating

Construction / Steel and structural | DEMO-REC-CON-030

A. View | Basic details

IS Number	DEMO-IS-CON-030:2025
IS Title	Metal floor grating - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-CON-030:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-CON (Construction Prototype Department)
Technical Committee	DEMO-CON-03 (Steel and structural Prototype Committee)
Member Secretary	Demo Secretary CON-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_CON_030_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CON-030:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A1
Classification / reaffirmed	DEMO-CLASS-CON-03 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_CON_030_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers metal floor grating within the steel and structural prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: material traceability, dimensions, mechanical-test samples and surface condition. Record a sample observation for each topic and attach fixture report DEMO-TEST-CON-030; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CON DEMO-APP-CON-030 Renewal under review
Certificate	DEMO-CERT-CON-030 Issued
Licence	DEMO-LIC-CON-030 Active
Holder / product scope	Demo Construction Manufacturer 030 Metal floor grating
Validity / grant note	2025-06-15 to 2027-06-14 Existing mock term still active
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 164. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Ceramic floor tile

Construction / Finishes and boards | DEMO-REC-CON-031

A. View | Basic details

IS Number	DEMO-IS-CON-031:2024
IS Title	Ceramic floor tile - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-CON (Construction Prototype Department)
Technical Committee	DEMO-CON-04 (Finishes and boards Prototype Committee)
Member Secretary	Demo Secretary CON-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_CON_031_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CON-031:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A2
Classification / reaffirmed	DEMO-CLASS-CON-04 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_CON_031_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers ceramic floor tile within the finishes and boards prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: surface quality, dimensional stability, moisture response and installation information. Record a sample observation for each topic and attach fixture report DEMO-TEST-CON-031; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CON DEMO-APP-CON-031 Granted
Certificate	DEMO-CERT-CON-031 Issued
Licence	DEMO-LIC-CON-031 Active
Holder / product scope	Demo Construction Manufacturer 031 Ceramic floor tile
Validity / grant note	2025-06-15 to 2027-06-14 Grant completed in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 164. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Porcelain wall tile

Construction / Finishes and boards | DEMO-REC-CON-032

A. View | Basic details

IS Number	DEMO-IS-CON-032:2025
IS Title	Porcelain wall tile - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-CON-032:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-CON (Construction Prototype Department)
Technical Committee	DEMO-CON-04 (Finishes and boards Prototype Committee)
Member Secretary	Demo Secretary CON-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_CON_032_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CON-032:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A3
Classification / reaffirmed	DEMO-CLASS-CON-04 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_CON_032_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers porcelain wall tile within the finishes and boards prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: surface quality, dimensional stability, moisture response and installation information. Record a sample observation for each topic and attach fixture report DEMO-TEST-CON-032; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CON DEMO-APP-CON-032 Testing pending
Certificate	DEMO-CERT-CON-032 Draft - not issued
Licence	DEMO-LIC-CON-032 Not granted
Holder / product scope	Demo Construction Manufacturer 032 Porcelain wall tile
Validity / grant note	No issued term Await sample evaluation
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 164. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Natural stone slab

Construction / Finishes and boards | DEMO-REC-CON-033

A. View | Basic details

IS Number	DEMO-IS-CON-033:2025
IS Title	Natural stone slab - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-CON-033:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-CON (Construction Prototype Department)
Technical Committee	DEMO-CON-04 (Finishes and boards Prototype Committee)
Member Secretary	Demo Secretary CON-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_CON_033_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CON-033:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A0
Classification / reaffirmed	DEMO-CLASS-CON-04 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_CON_033_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers natural stone slab within the finishes and boards prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: surface quality, dimensional stability, moisture response and installation information. Record a sample observation for each topic and attach fixture report DEMO-TEST-CON-033; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CON DEMO-APP-CON-033 Technical review
Certificate	DEMO-CERT-CON-033 Draft - not issued
Licence	DEMO-LIC-CON-033 Not granted
Holder / product scope	Demo Construction Manufacturer 033 Natural stone slab
Validity / grant note	No issued term Reviewer decision pending
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 164. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Terrazzo tile

Construction / Finishes and boards | DEMO-REC-CON-034

A. View | Basic details

IS Number	DEMO-IS-CON-034:2024
IS Title	Terrazzo tile - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-CON (Construction Prototype Department)
Technical Committee	DEMO-CON-04 (Finishes and boards Prototype Committee)
Member Secretary	Demo Secretary CON-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_CON_034_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CON-034:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A1
Classification / reaffirmed	DEMO-CLASS-CON-04 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_CON_034_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers terrazzo tile within the finishes and boards prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: surface quality, dimensional stability, moisture response and installation information. Record a sample observation for each topic and attach fixture report DEMO-TEST-CON-034; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CON DEMO-APP-CON-034 Clarification requested
Certificate	DEMO-CERT-CON-034 Draft - not issued
Licence	DEMO-LIC-CON-034 Not granted
Holder / product scope	Demo Construction Manufacturer 034 Terrazzo tile
Validity / grant note	No issued term Applicant must revise mock file
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 164. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Gypsum board

Construction / Finishes and boards | DEMO-REC-CON-035

A. View | Basic details

IS Number	DEMO-IS-CON-035:2025
IS Title	Gypsum board - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-CON-035:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-CON (Construction Prototype Department)
Technical Committee	DEMO-CON-04 (Finishes and boards Prototype Committee)
Member Secretary	Demo Secretary CON-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_CON_035_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CON-035:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A2
Classification / reaffirmed	DEMO-CLASS-CON-04 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_CON_035_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers gypsum board within the finishes and boards prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: surface quality, dimensional stability, moisture response and installation information. Record a sample observation for each topic and attach fixture report DEMO-TEST-CON-035; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CON DEMO-APP-CON-035 Renewal pending
Certificate	DEMO-CERT-CON-035 Expired
Licence	DEMO-LIC-CON-035 Expired
Holder / product scope	Demo Construction Manufacturer 035 Gypsum board
Validity / grant note	2024-01-15 to 2025-01-14 Historical expired record
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - expired

Consumer help and FAQs: category guide p. 164. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Calcium-silicate board

Construction / Finishes and boards | DEMO-REC-CON-036

A. View | Basic details

IS Number	DEMO-IS-CON-036:2025
IS Title	Calcium-silicate board - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-CON-036:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-CON (Construction Prototype Department)
Technical Committee	DEMO-CON-04 (Finishes and boards Prototype Committee)
Member Secretary	Demo Secretary CON-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_CON_036_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CON-036:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A3
Classification / reaffirmed	DEMO-CLASS-CON-04 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_CON_036_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers calcium-silicate board within the finishes and boards prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: surface quality, dimensional stability, moisture response and installation information. Record a sample observation for each topic and attach fixture report DEMO-TEST-CON-036; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CON DEMO-APP-CON-036 Investigation open
Certificate	DEMO-CERT-CON-036 Suspended
Licence	DEMO-LIC-CON-036 Suspended
Holder / product scope	Demo Construction Manufacturer 036 Calcium-silicate board
Validity / grant note	2025-06-15 to 2027-06-14 Use blocked in prototype
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - suspended

Consumer help and FAQs: category guide p. 164. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Plywood shuttering board

Construction / Finishes and boards | DEMO-REC-CON-037

A. View | Basic details

IS Number	DEMO-IS-CON-037:2024
IS Title	Plywood shuttering board - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-CON (Construction Prototype Department)
Technical Committee	DEMO-CON-04 (Finishes and boards Prototype Committee)
Member Secretary	Demo Secretary CON-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_CON_037_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CON-037:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A0
Classification / reaffirmed	DEMO-CLASS-CON-04 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_CON_037_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers plywood shuttering board within the finishes and boards prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: surface quality, dimensional stability, moisture response and installation information. Record a sample observation for each topic and attach fixture report DEMO-TEST-CON-037; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CON DEMO-APP-CON-037 Closed
Certificate	DEMO-CERT-CON-037 Withdrawn
Licence	DEMO-LIC-CON-037 Withdrawn
Holder / product scope	Demo Construction Manufacturer 037 Plywood shuttering board
Validity / grant note	2025-06-15 to 2027-06-14 Historical withdrawal fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - withdrawn

Consumer help and FAQs: category guide p. 164. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Decorative laminate

Construction / Finishes and boards | DEMO-REC-CON-038

A. View | Basic details

IS Number	DEMO-IS-CON-038:2025
IS Title	Decorative laminate - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-CON-038:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-CON (Construction Prototype Department)
Technical Committee	DEMO-CON-04 (Finishes and boards Prototype Committee)
Member Secretary	Demo Secretary CON-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_CON_038_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CON-038:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A1
Classification / reaffirmed	DEMO-CLASS-CON-04 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_CON_038_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers decorative laminate within the finishes and boards prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: surface quality, dimensional stability, moisture response and installation information. Record a sample observation for each topic and attach fixture report DEMO-TEST-CON-038; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CON DEMO-APP-CON-038 Rejected
Certificate	DEMO-CERT-CON-038 Not issued
Licence	DEMO-LIC-CON-038 Not granted
Holder / product scope	Demo Construction Manufacturer 038 Decorative laminate
Validity / grant note	No issued term Mock application rejected
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 164. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Acoustic ceiling tile

Construction / Finishes and boards | DEMO-REC-CON-039

A. View | Basic details

IS Number	DEMO-IS-CON-039:2025
IS Title	Acoustic ceiling tile - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-CON-039:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-CON (Construction Prototype Department)
Technical Committee	DEMO-CON-04 (Finishes and boards Prototype Committee)
Member Secretary	Demo Secretary CON-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_CON_039_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CON-039:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A2
Classification / reaffirmed	DEMO-CLASS-CON-04 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_CON_039_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers acoustic ceiling tile within the finishes and boards prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: surface quality, dimensional stability, moisture response and installation information. Record a sample observation for each topic and attach fixture report DEMO-TEST-CON-039; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CON DEMO-APP-CON-039 Amendment granted
Certificate	DEMO-CERT-CON-039 Issued
Licence	DEMO-LIC-CON-039 Active
Holder / product scope	Demo Construction Manufacturer 039 Acoustic ceiling tile
Validity / grant note	2025-06-15 to 2027-06-14 Scope update accepted in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 164. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Thermal insulation board

Construction / Finishes and boards | DEMO-REC-CON-040

A. View | Basic details

IS Number	DEMO-IS-CON-040:2024
IS Title	Thermal insulation board - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-CON (Construction Prototype Department)
Technical Committee	DEMO-CON-04 (Finishes and boards Prototype Committee)
Member Secretary	Demo Secretary CON-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_CON_040_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CON-040:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A3
Classification / reaffirmed	DEMO-CLASS-CON-04 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_CON_040_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers thermal insulation board within the finishes and boards prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: surface quality, dimensional stability, moisture response and installation information. Record a sample observation for each topic and attach fixture report DEMO-TEST-CON-040; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CON DEMO-APP-CON-040 Renewal under review
Certificate	DEMO-CERT-CON-040 Issued
Licence	DEMO-LIC-CON-040 Active
Holder / product scope	Demo Construction Manufacturer 040 Thermal insulation board
Validity / grant note	2025-06-15 to 2027-06-14 Existing mock term still active
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 164. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

PVC water pipe

Construction / Plumbing and building fixtures | DEMO-REC-CON-041

A. View | Basic details

IS Number	DEMO-IS-CON-041:2025
IS Title	PVC water pipe - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-CON-041:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-CON (Construction Prototype Department)
Technical Committee	DEMO-CON-05 (Plumbing and building fixtures Prototype Committee)
Member Secretary	Demo Secretary CON-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_CON_041_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CON-041:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A0
Classification / reaffirmed	DEMO-CLASS-CON-05 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_CON_041_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers pvc water pipe within the plumbing and building fixtures prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: dimensions, sealing or closing function, mechanical endurance and installation guidance. Record a sample observation for each topic and attach fixture report DEMO-TEST-CON-041; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CON DEMO-APP-CON-041 Granted
Certificate	DEMO-CERT-CON-041 Issued
Licence	DEMO-LIC-CON-041 Active
Holder / product scope	Demo Construction Manufacturer 041 PVC water pipe
Validity / grant note	2025-06-15 to 2027-06-14 Grant completed in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 164. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

CPVC hot-water pipe

Construction / Plumbing and building fixtures | DEMO-REC-CON-042

A. View | Basic details

IS Number	DEMO-IS-CON-042:2025
IS Title	CPVC hot-water pipe - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-CON-042:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-CON (Construction Prototype Department)
Technical Committee	DEMO-CON-05 (Plumbing and building fixtures Prototype Committee)
Member Secretary	Demo Secretary CON-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_CON_042_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CON-042:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A1
Classification / reaffirmed	DEMO-CLASS-CON-05 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_CON_042_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers cpvc hot-water pipe within the plumbing and building fixtures prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: dimensions, sealing or closing function, mechanical endurance and installation guidance. Record a sample observation for each topic and attach fixture report DEMO-TEST-CON-042; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CON DEMO-APP-CON-042 Testing pending
Certificate	DEMO-CERT-CON-042 Draft - not issued
Licence	DEMO-LIC-CON-042 Not granted
Holder / product scope	Demo Construction Manufacturer 042 CPVC hot-water pipe
Validity / grant note	No issued term Await sample evaluation
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 164. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

HDPE pressure pipe

Construction / Plumbing and building fixtures | DEMO-REC-CON-043

A. View | Basic details

IS Number	DEMO-IS-CON-043:2024
IS Title	HDPE pressure pipe - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-CON (Construction Prototype Department)
Technical Committee	DEMO-CON-05 (Plumbing and building fixtures Prototype Committee)
Member Secretary	Demo Secretary CON-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_CON_043_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CON-043:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A2
Classification / reaffirmed	DEMO-CLASS-CON-05 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_CON_043_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers hdpe pressure pipe within the plumbing and building fixtures prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: dimensions, sealing or closing function, mechanical endurance and installation guidance. Record a sample observation for each topic and attach fixture report DEMO-TEST-CON-043; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CON DEMO-APP-CON-043 Technical review
Certificate	DEMO-CERT-CON-043 Draft - not issued
Licence	DEMO-LIC-CON-043 Not granted
Holder / product scope	Demo Construction Manufacturer 043 HDPE pressure pipe
Validity / grant note	No issued term Reviewer decision pending
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 164. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Drainage pipe fitting

Construction / Plumbing and building fixtures | DEMO-REC-CON-044

A. View | Basic details

IS Number	DEMO-IS-CON-044:2025
IS Title	Drainage pipe fitting - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-CON-044:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-CON (Construction Prototype Department)
Technical Committee	DEMO-CON-05 (Plumbing and building fixtures Prototype Committee)
Member Secretary	Demo Secretary CON-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_CON_044_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CON-044:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A3
Classification / reaffirmed	DEMO-CLASS-CON-05 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_CON_044_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers drainage pipe fitting within the plumbing and building fixtures prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: dimensions, sealing or closing function, mechanical endurance and installation guidance. Record a sample observation for each topic and attach fixture report DEMO-TEST-CON-044; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CON DEMO-APP-CON-044 Clarification requested
Certificate	DEMO-CERT-CON-044 Draft - not issued
Licence	DEMO-LIC-CON-044 Not granted
Holder / product scope	Demo Construction Manufacturer 044 Drainage pipe fitting
Validity / grant note	No issued term Applicant must revise mock file
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 164. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Water tap

Construction / Plumbing and building fixtures | DEMO-REC-CON-045

A. View | Basic details

IS Number	DEMO-IS-CON-045:2025
IS Title	Water tap - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-CON-045:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-CON (Construction Prototype Department)
Technical Committee	DEMO-CON-05 (Plumbing and building fixtures Prototype Committee)
Member Secretary	Demo Secretary CON-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_CON_045_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CON-045:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A0
Classification / reaffirmed	DEMO-CLASS-CON-05 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_CON_045_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers water tap within the plumbing and building fixtures prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: dimensions, sealing or closing function, mechanical endurance and installation guidance. Record a sample observation for each topic and attach fixture report DEMO-TEST-CON-045; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CON DEMO-APP-CON-045 Renewal pending
Certificate	DEMO-CERT-CON-045 Expired
Licence	DEMO-LIC-CON-045 Expired
Holder / product scope	Demo Construction Manufacturer 045 Water tap
Validity / grant note	2024-01-15 to 2025-01-14 Historical expired record
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - expired

Consumer help and FAQs: category guide p. 164. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Flush valve

Construction / Plumbing and building fixtures | DEMO-REC-CON-046

A. View | Basic details

IS Number	DEMO-IS-CON-046:2024
IS Title	Flush valve - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-CON (Construction Prototype Department)
Technical Committee	DEMO-CON-05 (Plumbing and building fixtures Prototype Committee)
Member Secretary	Demo Secretary CON-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_CON_046_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CON-046:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A1
Classification / reaffirmed	DEMO-CLASS-CON-05 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_CON_046_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers flush valve within the plumbing and building fixtures prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: dimensions, sealing or closing function, mechanical endurance and installation guidance. Record a sample observation for each topic and attach fixture report DEMO-TEST-CON-046; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CON DEMO-APP-CON-046 Investigation open
Certificate	DEMO-CERT-CON-046 Suspended
Licence	DEMO-LIC-CON-046 Suspended
Holder / product scope	Demo Construction Manufacturer 046 Flush valve
Validity / grant note	2025-06-15 to 2027-06-14 Use blocked in prototype
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - suspended

Consumer help and FAQs: category guide p. 164. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Wash basin

Construction / Plumbing and building fixtures | DEMO-REC-CON-047

A. View | Basic details

IS Number	DEMO-IS-CON-047:2025
IS Title	Wash basin - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-CON-047:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-CON (Construction Prototype Department)
Technical Committee	DEMO-CON-05 (Plumbing and building fixtures Prototype Committee)
Member Secretary	Demo Secretary CON-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_CON_047_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CON-047:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A2
Classification / reaffirmed	DEMO-CLASS-CON-05 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_CON_047_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers wash basin within the plumbing and building fixtures prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: dimensions, sealing or closing function, mechanical endurance and installation guidance. Record a sample observation for each topic and attach fixture report DEMO-TEST-CON-047; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CON DEMO-APP-CON-047 Closed
Certificate	DEMO-CERT-CON-047 Withdrawn
Licence	DEMO-LIC-CON-047 Withdrawn
Holder / product scope	Demo Construction Manufacturer 047 Wash basin
Validity / grant note	2025-06-15 to 2027-06-14 Historical withdrawal fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - withdrawn

Consumer help and FAQs: category guide p. 164. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Water closet

Construction / Plumbing and building fixtures | DEMO-REC-CON-048

A. View | Basic details

IS Number	DEMO-IS-CON-048:2025
IS Title	Water closet - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-CON-048:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-CON (Construction Prototype Department)
Technical Committee	DEMO-CON-05 (Plumbing and building fixtures Prototype Committee)
Member Secretary	Demo Secretary CON-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_CON_048_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CON-048:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A3
Classification / reaffirmed	DEMO-CLASS-CON-05 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_CON_048_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers water closet within the plumbing and building fixtures prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: dimensions, sealing or closing function, mechanical endurance and installation guidance. Record a sample observation for each topic and attach fixture report DEMO-TEST-CON-048; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CON DEMO-APP-CON-048 Rejected
Certificate	DEMO-CERT-CON-048 Not issued
Licence	DEMO-LIC-CON-048 Not granted
Holder / product scope	Demo Construction Manufacturer 048 Water closet
Validity / grant note	No issued term Mock application rejected
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 164. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Door closer

Construction / Plumbing and building fixtures | DEMO-REC-CON-049

A. View | Basic details

IS Number	DEMO-IS-CON-049:2024
IS Title	Door closer - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-CON (Construction Prototype Department)
Technical Committee	DEMO-CON-05 (Plumbing and building fixtures Prototype Committee)
Member Secretary	Demo Secretary CON-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_CON_049_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CON-049:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A0
Classification / reaffirmed	DEMO-CLASS-CON-05 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_CON_049_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers door closer within the plumbing and building fixtures prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: dimensions, sealing or closing function, mechanical endurance and installation guidance. Record a sample observation for each topic and attach fixture report DEMO-TEST-CON-049; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CON DEMO-APP-CON-049 Amendment granted
Certificate	DEMO-CERT-CON-049 Issued
Licence	DEMO-LIC-CON-049 Active
Holder / product scope	Demo Construction Manufacturer 049 Door closer
Validity / grant note	2025-06-15 to 2027-06-14 Scope update accepted in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 164. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Aluminium window frame

Construction / Plumbing and building fixtures | DEMO-REC-CON-050

A. View | Basic details

IS Number	DEMO-IS-CON-050:2025
IS Title	Aluminium window frame - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-CON-050:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-CON (Construction Prototype Department)
Technical Committee	DEMO-CON-05 (Plumbing and building fixtures Prototype Committee)
Member Secretary	Demo Secretary CON-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_CON_050_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CON-050:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A1
Classification / reaffirmed	DEMO-CLASS-CON-05 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_CON_050_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers aluminium window frame within the plumbing and building fixtures prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: dimensions, sealing or closing function, mechanical endurance and installation guidance. Record a sample observation for each topic and attach fixture report DEMO-TEST-CON-050; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CON DEMO-APP-CON-050 Renewal under review
Certificate	DEMO-CERT-CON-050 Issued
Licence	DEMO-LIC-CON-050 Active
Holder / product scope	Demo Construction Manufacturer 050 Aluminium window frame
Validity / grant note	2025-06-15 to 2027-06-14 Existing mock term still active
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 164. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Textiles | 50-record catalogue

Indian Standards-style catalogue / standards search - all records on these pages are fictional.

Catalogue ID: DEMO-CAT-TEX. Search by product name, DEMO-IS number, subgroup or category. Click a product below to open its detail sheet.

01. Cotton yarn	218	26. Blanket	243
02. Polyester yarn	219	27. Quilt cover	244
03. Viscose yarn	220	28. Mattress protector	245
04. Wool yarn	221	29. Table linen	246
05. Nylon filament yarn	222	30. Floor rug	247
06. Acrylic yarn	223	31. Industrial coverall	248
07. Jute yarn	224	32. High-visibility vest	249
08. Linen yarn	225	33. Work apron	250
09. Blended sewing thread	226	34. Reusable fabric mask	251
10. Elastane yarn	227	35. Protective sleeve	252
11. Cotton woven fabric	228	36. Fabric cap	253
12. Polyester woven fabric	229	37. Knitted glove	254
13. Denim fabric	230	38. Webbing strap	255
14. Knitted jersey fabric	231	39. Textile belt	256
15. Fleece fabric	232	40. Canvas tool bag	257
16. Terry towel fabric	233	41. Geotextile sheet	258
17. Linen fabric	234	42. Shade net	259
18. Nonwoven fabric	235	43. Crop-cover fabric	260
19. Coated fabric	236	44. Filter cloth	261
20. Upholstery fabric	237	45. Conveyor fabric	262
21. Bed sheet	238	46. Automotive seat fabric	263
22. Pillow cover	239	47. Tent fabric	264
23. Bath towel	240	48. Tarpaulin	265
24. Kitchen towel	241	49. Rope	266
25. Curtain	242	50. Safety-net fabric	267

The page number is the combined PDF location. Every detail sheet includes a unique standard, application, certificate and licence ID.

Textiles | Certification and applications

Product Certification / Certification Schemes / Grant of Licence / Application - DEMO policy only.

Product Certification and Certification Schemes

Mock scheme	DEMO-PC-TEX: Textiles Product Evaluation - Prototype Scheme
Scheme intent	Demonstrate document review, sample evaluation, grant decisions, status changes and verification screens.
Who can apply	A fictional manufacturer record with a demo product and facility; this is not actual BIS eligibility.
Application evidence	Demo factory profile, product specification, mock quality plan and fixture evaluation report.
Fees / service time	0 sandbox units. Use simulated workflow events; no actual fee or processing-time promise.
Scope of grant	Only the product and DEMO-IS record named in the fixture. Real Standard Mark permission is always false.

Application to Grant of Licence | simulated sequence

1. Create DEMO-APP record and link product, manufacturer and facility.
2. Validate required fields; missing details produce Clarification requested.
3. Record sample evidence under the matching DEMO-TEST identifier.
4. Reviewer selects Granted, Testing pending, Technical review or Rejected.
5. On grant, activate the mock licence and issue the linked demo certificate. Later events may expire, suspend, withdraw, amend or renew the fixture.

Product-specific requirements | subgroup examples

Fibres and yarns: fibre identification, linear-density consistency, tensile sampling and lot marking.

Fabrics: fabric mass, dimensional stability, colour fastness and visual-defect checks.

Home textiles: size consistency, laundering response, seam quality and care labelling.

Workwear and accessories: seam strength, fit consistency, fastening function and declared-use information.

Technical textiles: tensile behaviour, mesh or pore consistency, environmental conditioning and identification.

Demo certificate and licence contents

Each product sheet displays the document IDs, holder, status, scope and term. The JSONL also contains document names, issuer, application evidence, lookup URL and an explicit not-valid field. Draft, rejected and not-granted records do not represent issued permissions.

IS documents and standards online source

The logical documents are stored as catalogue fixtures. Example route: <https://standards-prototype.invalid/tex/catalogue>. No official licence, IS document or payment workflow is created.

Textiles | Consumer information and FAQs

BIS-style consumer help screens for a prototype - all process and contact information here is synthetic.

BIS complaint process / How to lodge complaints | demo

Open the mock complaint form; choose category, product and complaint topic; add a mock invoice, label and image; submit to create a DEMO-CMP ID. A fixture moves through Submitted, Under review, Evidence requested, Resolved or Closed. These are UI examples, not a real complaint submission or escalation promise.

Product authenticity and Standard Mark

Compare the demo licence ID with the fixture holder, product scope, DEMO-IS number, status and dates. An ID match alone must not imply Active. Use only the text DEMO MARK - NOT BIS/ISI. No real product authenticity or conformity finding is made.

Hallmark verification

Not applicable to these category fixtures. Display N/A and do not invent a HUID or imply a general product certificate is a hallmark. A future jewellery prototype would need a separately defined dataset.

Consumer rights / information | fictional policy

The prototype lets users read disclosures, request correction of fixture data, attach evidence, view complaint history and receive a simulated response. No legal entitlement, refund duty, enforcement outcome or statutory response deadline is asserted.

BIS contact information | fictional placeholder

Office	Demo Textiles Help Desk, Fictional Test Zone
Email	help-tex@standards-prototype.invalid
Telephone	DEMO-NOT-A-PHONE; JSON value is null
Contact URL	https://standards-prototype.invalid/tex/contact
Complaint URL	https://standards-prototype.invalid/tex/complaints

FAQs

How do I find a standard?

Search the Textiles catalogue by name, subgroup or DEMO-IS number.

Is the certificate a real BIS certificate?

No. It is an unsigned fictional training object.

Can an expired or suspended record verify as Active?

No. Match the status and term, not only the identifier.

What if application evidence is missing?

Use the Clarification requested scenario; no licence is granted.

How do I check a hallmark?

This dataset returns Not applicable; it issues no hallmark identifier.

Do these links submit a real complaint?

No. The .invalid domain is deliberately non-operational.

Where are product-level FAQs stored?

Every synthetic JSONL record includes a five-question FAQs array.

Cotton yarn

Textiles / Fibres and yarns | DEMO-REC-TEX-001

A. View | Basic details

IS Number	DEMO-IS-TEX-001:2024
IS Title	Cotton yarn - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-TEX (Textiles Prototype Department)
Technical Committee	DEMO-TEX-01 (Fibres and yarns Prototype Committee)
Member Secretary	Demo Secretary TEX-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_TEX_001_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-TEX-001:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A0
Classification / reaffirmed	DEMO-CLASS-TEX-01 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_TEX_001_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers cotton yarn within the fibres and yarns prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: fibre identification, linear-density consistency, tensile sampling and lot marking. Record a sample observation for each topic and attach fixture report DEMO-TEST-TEX-001; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-TEX DEMO-APP-TEX-001 Granted
Certificate	DEMO-CERT-TEX-001 Issued
Licence	DEMO-LIC-TEX-001 Active
Holder / product scope	Demo Textiles Manufacturer 001 Cotton yarn
Validity / grant note	2025-06-15 to 2027-06-14 Grant completed in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 217. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Polyester yarn

Textiles / Fibres and yarns | DEMO-REC-TEX-002

A. View | Basic details

IS Number	DEMO-IS-TEX-002:2025
IS Title	Polyester yarn - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-TEX-002:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-TEX (Textiles Prototype Department)
Technical Committee	DEMO-TEX-01 (Fibres and yarns Prototype Committee)
Member Secretary	Demo Secretary TEX-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_TEX_002_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-TEX-002:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A1
Classification / reaffirmed	DEMO-CLASS-TEX-01 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_TEX_002_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers polyester yarn within the fibres and yarns prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: fibre identification, linear-density consistency, tensile sampling and lot marking. Record a sample observation for each topic and attach fixture report DEMO-TEST-TEX-002; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-TEX DEMO-APP-TEX-002 Testing pending
Certificate	DEMO-CERT-TEX-002 Draft - not issued
Licence	DEMO-LIC-TEX-002 Not granted
Holder / product scope	Demo Textiles Manufacturer 002 Polyester yarn
Validity / grant note	No issued term Await sample evaluation
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 217. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Viscose yarn

Textiles / Fibres and yarns | DEMO-REC-TEX-003

A. View | Basic details

IS Number	DEMO-IS-TEX-003:2025
IS Title	Viscose yarn - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-TEX-003:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-TEX (Textiles Prototype Department)
Technical Committee	DEMO-TEX-01 (Fibres and yarns Prototype Committee)
Member Secretary	Demo Secretary TEX-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_TEX_003_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-TEX-003:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A2
Classification / reaffirmed	DEMO-CLASS-TEX-01 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_TEX_003_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers viscose yarn within the fibres and yarns prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: fibre identification, linear-density consistency, tensile sampling and lot marking. Record a sample observation for each topic and attach fixture report DEMO-TEST-TEX-003; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-TEX DEMO-APP-TEX-003 Technical review
Certificate	DEMO-CERT-TEX-003 Draft - not issued
Licence	DEMO-LIC-TEX-003 Not granted
Holder / product scope	Demo Textiles Manufacturer 003 Viscose yarn
Validity / grant note	No issued term Reviewer decision pending
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 217. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Wool yarn

Textiles / Fibres and yarns | DEMO-REC-TEX-004

A. View | Basic details

IS Number	DEMO-IS-TEX-004:2024
IS Title	Wool yarn - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-TEX (Textiles Prototype Department)
Technical Committee	DEMO-TEX-01 (Fibres and yarns Prototype Committee)
Member Secretary	Demo Secretary TEX-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_TEX_004_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-TEX-004:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A3
Classification / reaffirmed	DEMO-CLASS-TEX-01 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_TEX_004_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers wool yarn within the fibres and yarns prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: fibre identification, linear-density consistency, tensile sampling and lot marking. Record a sample observation for each topic and attach fixture report DEMO-TEST-TEX-004; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-TEX DEMO-APP-TEX-004 Clarification requested
Certificate	DEMO-CERT-TEX-004 Draft - not issued
Licence	DEMO-LIC-TEX-004 Not granted
Holder / product scope	Demo Textiles Manufacturer 004 Wool yarn
Validity / grant note	No issued term Applicant must revise mock file
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 217. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Nylon filament yarn

Textiles / Fibres and yarns | DEMO-REC-TEX-005

A. View | Basic details

IS Number	DEMO-IS-TEX-005:2025
IS Title	Nylon filament yarn - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-TEX-005:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-TEX (Textiles Prototype Department)
Technical Committee	DEMO-TEX-01 (Fibres and yarns Prototype Committee)
Member Secretary	Demo Secretary TEX-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_TEX_005_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-TEX-005:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A0
Classification / reaffirmed	DEMO-CLASS-TEX-01 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_TEX_005_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers nylon filament yarn within the fibres and yarns prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: fibre identification, linear-density consistency, tensile sampling and lot marking. Record a sample observation for each topic and attach fixture report DEMO-TEST-TEX-005; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-TEX DEMO-APP-TEX-005 Renewal pending
Certificate	DEMO-CERT-TEX-005 Expired
Licence	DEMO-LIC-TEX-005 Expired
Holder / product scope	Demo Textiles Manufacturer 005 Nylon filament yarn
Validity / grant note	2024-01-15 to 2025-01-14 Historical expired record
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - expired

Consumer help and FAQs: category guide p. 217. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Acrylic yarn

Textiles / Fibres and yarns | DEMO-REC-TEX-006

A. View | Basic details

IS Number	DEMO-IS-TEX-006:2025
IS Title	Acrylic yarn - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-TEX-006:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-TEX (Textiles Prototype Department)
Technical Committee	DEMO-TEX-01 (Fibres and yarns Prototype Committee)
Member Secretary	Demo Secretary TEX-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_TEX_006_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-TEX-006:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A1
Classification / reaffirmed	DEMO-CLASS-TEX-01 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_TEX_006_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers acrylic yarn within the fibres and yarns prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: fibre identification, linear-density consistency, tensile sampling and lot marking. Record a sample observation for each topic and attach fixture report DEMO-TEST-TEX-006; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-TEX DEMO-APP-TEX-006 Investigation open
Certificate	DEMO-CERT-TEX-006 Suspended
Licence	DEMO-LIC-TEX-006 Suspended
Holder / product scope	Demo Textiles Manufacturer 006 Acrylic yarn
Validity / grant note	2025-06-15 to 2027-06-14 Use blocked in prototype
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - suspended

Consumer help and FAQs: category guide p. 217. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Jute yarn

Textiles / Fibres and yarns | DEMO-REC-TEX-007

A. View | Basic details

IS Number	DEMO-IS-TEX-007:2024
IS Title	Jute yarn - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-TEX (Textiles Prototype Department)
Technical Committee	DEMO-TEX-01 (Fibres and yarns Prototype Committee)
Member Secretary	Demo Secretary TEX-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_TEX_007_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-TEX-007:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A2
Classification / reaffirmed	DEMO-CLASS-TEX-01 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_TEX_007_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers jute yarn within the fibres and yarns prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: fibre identification, linear-density consistency, tensile sampling and lot marking. Record a sample observation for each topic and attach fixture report DEMO-TEST-TEX-007; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-TEX DEMO-APP-TEX-007 Closed
Certificate	DEMO-CERT-TEX-007 Withdrawn
Licence	DEMO-LIC-TEX-007 Withdrawn
Holder / product scope	Demo Textiles Manufacturer 007 Jute yarn
Validity / grant note	2025-06-15 to 2027-06-14 Historical withdrawal fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - withdrawn

Consumer help and FAQs: category guide p. 217. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Linen yarn

Textiles / Fibres and yarns | DEMO-REC-TEX-008

A. View | Basic details

IS Number	DEMO-IS-TEX-008:2025
IS Title	Linen yarn - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-TEX-008:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-TEX (Textiles Prototype Department)
Technical Committee	DEMO-TEX-01 (Fibres and yarns Prototype Committee)
Member Secretary	Demo Secretary TEX-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_TEX_008_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-TEX-008:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A3
Classification / reaffirmed	DEMO-CLASS-TEX-01 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_TEX_008_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers linen yarn within the fibres and yarns prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: fibre identification, linear-density consistency, tensile sampling and lot marking. Record a sample observation for each topic and attach fixture report DEMO-TEST-TEX-008; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-TEX DEMO-APP-TEX-008 Rejected
Certificate	DEMO-CERT-TEX-008 Not issued
Licence	DEMO-LIC-TEX-008 Not granted
Holder / product scope	Demo Textiles Manufacturer 008 Linen yarn
Validity / grant note	No issued term Mock application rejected
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 217. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Blended sewing thread

Textiles / Fibres and yarns | DEMO-REC-TEX-009

A. View | Basic details

IS Number	DEMO-IS-TEX-009:2025
IS Title	Blended sewing thread - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-TEX-009:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-TEX (Textiles Prototype Department)
Technical Committee	DEMO-TEX-01 (Fibres and yarns Prototype Committee)
Member Secretary	Demo Secretary TEX-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_TEX_009_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-TEX-009:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A0
Classification / reaffirmed	DEMO-CLASS-TEX-01 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_TEX_009_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers blended sewing thread within the fibres and yarns prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: fibre identification, linear-density consistency, tensile sampling and lot marking. Record a sample observation for each topic and attach fixture report DEMO-TEST-TEX-009; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-TEX DEMO-APP-TEX-009 Amendment granted
Certificate	DEMO-CERT-TEX-009 Issued
Licence	DEMO-LIC-TEX-009 Active
Holder / product scope	Demo Textiles Manufacturer 009 Blended sewing thread
Validity / grant note	2025-06-15 to 2027-06-14 Scope update accepted in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 217. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Elastane yarn

Textiles / Fibres and yarns | DEMO-REC-TEX-010

A. View | Basic details

IS Number	DEMO-IS-TEX-010:2024
IS Title	Elastane yarn - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-TEX (Textiles Prototype Department)
Technical Committee	DEMO-TEX-01 (Fibres and yarns Prototype Committee)
Member Secretary	Demo Secretary TEX-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_TEX_010_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-TEX-010:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A1
Classification / reaffirmed	DEMO-CLASS-TEX-01 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_TEX_010_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers elastane yarn within the fibres and yarns prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: fibre identification, linear-density consistency, tensile sampling and lot marking. Record a sample observation for each topic and attach fixture report DEMO-TEST-TEX-010; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-TEX DEMO-APP-TEX-010 Renewal under review
Certificate	DEMO-CERT-TEX-010 Issued
Licence	DEMO-LIC-TEX-010 Active
Holder / product scope	Demo Textiles Manufacturer 010 Elastane yarn
Validity / grant note	2025-06-15 to 2027-06-14 Existing mock term still active
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 217. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Cotton woven fabric

Textiles / Fabrics | DEMO-REC-TEX-011

A. View | Basic details

IS Number	DEMO-IS-TEX-011:2025
IS Title	Cotton woven fabric - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-TEX-011:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-TEX (Textiles Prototype Department)
Technical Committee	DEMO-TEX-02 (Fabrics Prototype Committee)
Member Secretary	Demo Secretary TEX-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_TEX_011_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-TEX-011:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A2
Classification / reaffirmed	DEMO-CLASS-TEX-02 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_TEX_011_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers cotton woven fabric within the fabrics prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: fabric mass, dimensional stability, colour fastness and visual-defect checks. Record a sample observation for each topic and attach fixture report DEMO-TEST-TEX-011; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-TEX DEMO-APP-TEX-011 Granted
Certificate	DEMO-CERT-TEX-011 Issued
Licence	DEMO-LIC-TEX-011 Active
Holder / product scope	Demo Textiles Manufacturer 011 Cotton woven fabric
Validity / grant note	2025-06-15 to 2027-06-14 Grant completed in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 217. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Polyester woven fabric

Textiles / Fabrics | DEMO-REC-TEX-012

A. View | Basic details

IS Number	DEMO-IS-TEX-012:2025
IS Title	Polyester woven fabric - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-TEX-012:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-TEX (Textiles Prototype Department)
Technical Committee	DEMO-TEX-02 (Fabrics Prototype Committee)
Member Secretary	Demo Secretary TEX-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_TEX_012_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-TEX-012:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A3
Classification / reaffirmed	DEMO-CLASS-TEX-02 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_TEX_012_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers polyester woven fabric within the fabrics prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: fabric mass, dimensional stability, colour fastness and visual-defect checks. Record a sample observation for each topic and attach fixture report DEMO-TEST-TEX-012; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-TEX DEMO-APP-TEX-012 Testing pending
Certificate	DEMO-CERT-TEX-012 Draft - not issued
Licence	DEMO-LIC-TEX-012 Not granted
Holder / product scope	Demo Textiles Manufacturer 012 Polyester woven fabric
Validity / grant note	No issued term Await sample evaluation
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 217. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Denim fabric

Textiles / Fabrics | DEMO-REC-TEX-013

A. View | Basic details

IS Number	DEMO-IS-TEX-013:2024
IS Title	Denim fabric - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-TEX (Textiles Prototype Department)
Technical Committee	DEMO-TEX-02 (Fabrics Prototype Committee)
Member Secretary	Demo Secretary TEX-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_TEX_013_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-TEX-013:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A0
Classification / reaffirmed	DEMO-CLASS-TEX-02 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_TEX_013_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers denim fabric within the fabrics prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: fabric mass, dimensional stability, colour fastness and visual-defect checks. Record a sample observation for each topic and attach fixture report DEMO-TEST-TEX-013; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-TEX DEMO-APP-TEX-013 Technical review
Certificate	DEMO-CERT-TEX-013 Draft - not issued
Licence	DEMO-LIC-TEX-013 Not granted
Holder / product scope	Demo Textiles Manufacturer 013 Denim fabric
Validity / grant note	No issued term Reviewer decision pending
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 217. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Knitted jersey fabric

Textiles / Fabrics | DEMO-REC-TEX-014

A. View | Basic details

IS Number	DEMO-IS-TEX-014:2025
IS Title	Knitted jersey fabric - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-TEX-014:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-TEX (Textiles Prototype Department)
Technical Committee	DEMO-TEX-02 (Fabrics Prototype Committee)
Member Secretary	Demo Secretary TEX-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_TEX_014_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-TEX-014:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A1
Classification / reaffirmed	DEMO-CLASS-TEX-02 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_TEX_014_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers knitted jersey fabric within the fabrics prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: fabric mass, dimensional stability, colour fastness and visual-defect checks. Record a sample observation for each topic and attach fixture report DEMO-TEST-TEX-014; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-TEX DEMO-APP-TEX-014 Clarification requested
Certificate	DEMO-CERT-TEX-014 Draft - not issued
Licence	DEMO-LIC-TEX-014 Not granted
Holder / product scope	Demo Textiles Manufacturer 014 Knitted jersey fabric
Validity / grant note	No issued term Applicant must revise mock file
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 217. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Fleece fabric

Textiles / Fabrics | DEMO-REC-TEX-015

A. View | Basic details

IS Number	DEMO-IS-TEX-015:2025
IS Title	Fleece fabric - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-TEX-015:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-TEX (Textiles Prototype Department)
Technical Committee	DEMO-TEX-02 (Fabrics Prototype Committee)
Member Secretary	Demo Secretary TEX-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_TEX_015_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-TEX-015:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A2
Classification / reaffirmed	DEMO-CLASS-TEX-02 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_TEX_015_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers fleece fabric within the fabrics prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: fabric mass, dimensional stability, colour fastness and visual-defect checks. Record a sample observation for each topic and attach fixture report DEMO-TEST-TEX-015; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-TEX DEMO-APP-TEX-015 Renewal pending
Certificate	DEMO-CERT-TEX-015 Expired
Licence	DEMO-LIC-TEX-015 Expired
Holder / product scope	Demo Textiles Manufacturer 015 Fleece fabric
Validity / grant note	2024-01-15 to 2025-01-14 Historical expired record
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - expired

Consumer help and FAQs: category guide p. 217. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Terry towel fabric

Textiles / Fabrics | DEMO-REC-TEX-016

A. View | Basic details

IS Number	DEMO-IS-TEX-016:2024
IS Title	Terry towel fabric - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-TEX (Textiles Prototype Department)
Technical Committee	DEMO-TEX-02 (Fabrics Prototype Committee)
Member Secretary	Demo Secretary TEX-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_TEX_016_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-TEX-016:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A3
Classification / reaffirmed	DEMO-CLASS-TEX-02 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_TEX_016_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers terry towel fabric within the fabrics prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: fabric mass, dimensional stability, colour fastness and visual-defect checks. Record a sample observation for each topic and attach fixture report DEMO-TEST-TEX-016; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-TEX DEMO-APP-TEX-016 Investigation open
Certificate	DEMO-CERT-TEX-016 Suspended
Licence	DEMO-LIC-TEX-016 Suspended
Holder / product scope	Demo Textiles Manufacturer 016 Terry towel fabric
Validity / grant note	2025-06-15 to 2027-06-14 Use blocked in prototype
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - suspended

Consumer help and FAQs: category guide p. 217. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Linen fabric

Textiles / Fabrics | DEMO-REC-TEX-017

A. View | Basic details

IS Number	DEMO-IS-TEX-017:2025
IS Title	Linen fabric - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-TEX-017:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-TEX (Textiles Prototype Department)
Technical Committee	DEMO-TEX-02 (Fabrics Prototype Committee)
Member Secretary	Demo Secretary TEX-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_TEX_017_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-TEX-017:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A0
Classification / reaffirmed	DEMO-CLASS-TEX-02 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_TEX_017_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers linen fabric within the fabrics prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: fabric mass, dimensional stability, colour fastness and visual-defect checks. Record a sample observation for each topic and attach fixture report DEMO-TEST-TEX-017; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-TEX DEMO-APP-TEX-017 Closed
Certificate	DEMO-CERT-TEX-017 Withdrawn
Licence	DEMO-LIC-TEX-017 Withdrawn
Holder / product scope	Demo Textiles Manufacturer 017 Linen fabric
Validity / grant note	2025-06-15 to 2027-06-14 Historical withdrawal fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - withdrawn

Consumer help and FAQs: category guide p. 217. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Nonwoven fabric

Textiles / Fabrics | DEMO-REC-TEX-018

A. View | Basic details

IS Number	DEMO-IS-TEX-018:2025
IS Title	Nonwoven fabric - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-TEX-018:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-TEX (Textiles Prototype Department)
Technical Committee	DEMO-TEX-02 (Fabrics Prototype Committee)
Member Secretary	Demo Secretary TEX-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_TEX_018_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-TEX-018:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A1
Classification / reaffirmed	DEMO-CLASS-TEX-02 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_TEX_018_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers nonwoven fabric within the fabrics prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: fabric mass, dimensional stability, colour fastness and visual-defect checks. Record a sample observation for each topic and attach fixture report DEMO-TEST-TEX-018; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-TEX DEMO-APP-TEX-018 Rejected
Certificate	DEMO-CERT-TEX-018 Not issued
Licence	DEMO-LIC-TEX-018 Not granted
Holder / product scope	Demo Textiles Manufacturer 018 Nonwoven fabric
Validity / grant note	No issued term Mock application rejected
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 217. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Coated fabric

Textiles / Fabrics | DEMO-REC-TEX-019

A. View | Basic details

IS Number	DEMO-IS-TEX-019:2024
IS Title	Coated fabric - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-TEX (Textiles Prototype Department)
Technical Committee	DEMO-TEX-02 (Fabrics Prototype Committee)
Member Secretary	Demo Secretary TEX-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_TEX_019_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-TEX-019:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A2
Classification / reaffirmed	DEMO-CLASS-TEX-02 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_TEX_019_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers coated fabric within the fabrics prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: fabric mass, dimensional stability, colour fastness and visual-defect checks. Record a sample observation for each topic and attach fixture report DEMO-TEST-TEX-019; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-TEX DEMO-APP-TEX-019 Amendment granted
Certificate	DEMO-CERT-TEX-019 Issued
Licence	DEMO-LIC-TEX-019 Active
Holder / product scope	Demo Textiles Manufacturer 019 Coated fabric
Validity / grant note	2025-06-15 to 2027-06-14 Scope update accepted in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 217. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Upholstery fabric

Textiles / Fabrics | DEMO-REC-TEX-020

A. View | Basic details

IS Number	DEMO-IS-TEX-020:2025
IS Title	Upholstery fabric - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-TEX-020:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-TEX (Textiles Prototype Department)
Technical Committee	DEMO-TEX-02 (Fabrics Prototype Committee)
Member Secretary	Demo Secretary TEX-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_TEX_020_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-TEX-020:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A3
Classification / reaffirmed	DEMO-CLASS-TEX-02 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_TEX_020_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers upholstery fabric within the fabrics prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: fabric mass, dimensional stability, colour fastness and visual-defect checks. Record a sample observation for each topic and attach fixture report DEMO-TEST-TEX-020; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-TEX DEMO-APP-TEX-020 Renewal under review
Certificate	DEMO-CERT-TEX-020 Issued
Licence	DEMO-LIC-TEX-020 Active
Holder / product scope	Demo Textiles Manufacturer 020 Upholstery fabric
Validity / grant note	2025-06-15 to 2027-06-14 Existing mock term still active
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 217. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Bed sheet

Textiles / Home textiles | DEMO-REC-TEX-021

A. View | Basic details

IS Number	DEMO-IS-TEX-021:2025
IS Title	Bed sheet - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-TEX-021:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-TEX (Textiles Prototype Department)
Technical Committee	DEMO-TEX-03 (Home textiles Prototype Committee)
Member Secretary	Demo Secretary TEX-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_TEX_021_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-TEX-021:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A0
Classification / reaffirmed	DEMO-CLASS-TEX-03 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_TEX_021_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers bed sheet within the home textiles prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: size consistency, laundering response, seam quality and care labelling. Record a sample observation for each topic and attach fixture report DEMO-TEST-TEX-021; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-TEX DEMO-APP-TEX-021 Granted
Certificate	DEMO-CERT-TEX-021 Issued
Licence	DEMO-LIC-TEX-021 Active
Holder / product scope	Demo Textiles Manufacturer 021 Bed sheet
Validity / grant note	2025-06-15 to 2027-06-14 Grant completed in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 217. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Pillow cover

Textiles / Home textiles | DEMO-REC-TEX-022

A. View | Basic details

IS Number	DEMO-IS-TEX-022:2024
IS Title	Pillow cover - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-TEX (Textiles Prototype Department)
Technical Committee	DEMO-TEX-03 (Home textiles Prototype Committee)
Member Secretary	Demo Secretary TEX-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_TEX_022_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-TEX-022:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A1
Classification / reaffirmed	DEMO-CLASS-TEX-03 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_TEX_022_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers pillow cover within the home textiles prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: size consistency, laundering response, seam quality and care labelling. Record a sample observation for each topic and attach fixture report DEMO-TEST-TEX-022; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-TEX DEMO-APP-TEX-022 Testing pending
Certificate	DEMO-CERT-TEX-022 Draft - not issued
Licence	DEMO-LIC-TEX-022 Not granted
Holder / product scope	Demo Textiles Manufacturer 022 Pillow cover
Validity / grant note	No issued term Await sample evaluation
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 217. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Bath towel

Textiles / Home textiles | DEMO-REC-TEX-023

A. View | Basic details

IS Number	DEMO-IS-TEX-023:2025
IS Title	Bath towel - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-TEX-023:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-TEX (Textiles Prototype Department)
Technical Committee	DEMO-TEX-03 (Home textiles Prototype Committee)
Member Secretary	Demo Secretary TEX-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_TEX_023_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-TEX-023:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A2
Classification / reaffirmed	DEMO-CLASS-TEX-03 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_TEX_023_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers bath towel within the home textiles prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: size consistency, laundering response, seam quality and care labelling. Record a sample observation for each topic and attach fixture report DEMO-TEST-TEX-023; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-TEX DEMO-APP-TEX-023 Technical review
Certificate	DEMO-CERT-TEX-023 Draft - not issued
Licence	DEMO-LIC-TEX-023 Not granted
Holder / product scope	Demo Textiles Manufacturer 023 Bath towel
Validity / grant note	No issued term Reviewer decision pending
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 217. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Kitchen towel

Textiles / Home textiles | DEMO-REC-TEX-024

A. View | Basic details

IS Number	DEMO-IS-TEX-024:2025
IS Title	Kitchen towel - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-TEX-024:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-TEX (Textiles Prototype Department)
Technical Committee	DEMO-TEX-03 (Home textiles Prototype Committee)
Member Secretary	Demo Secretary TEX-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_TEX_024_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-TEX-024:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A3
Classification / reaffirmed	DEMO-CLASS-TEX-03 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_TEX_024_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers kitchen towel within the home textiles prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: size consistency, laundering response, seam quality and care labelling. Record a sample observation for each topic and attach fixture report DEMO-TEST-TEX-024; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-TEX DEMO-APP-TEX-024 Clarification requested
Certificate	DEMO-CERT-TEX-024 Draft - not issued
Licence	DEMO-LIC-TEX-024 Not granted
Holder / product scope	Demo Textiles Manufacturer 024 Kitchen towel
Validity / grant note	No issued term Applicant must revise mock file
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 217. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Curtain

Textiles / Home textiles | DEMO-REC-TEX-025

A. View | Basic details

IS Number	DEMO-IS-TEX-025:2024
IS Title	Curtain - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-TEX (Textiles Prototype Department)
Technical Committee	DEMO-TEX-03 (Home textiles Prototype Committee)
Member Secretary	Demo Secretary TEX-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_TEX_025_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-TEX-025:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A0
Classification / reaffirmed	DEMO-CLASS-TEX-03 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_TEX_025_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers curtain within the home textiles prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: size consistency, laundering response, seam quality and care labelling. Record a sample observation for each topic and attach fixture report DEMO-TEST-TEX-025; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-TEX DEMO-APP-TEX-025 Renewal pending
Certificate	DEMO-CERT-TEX-025 Expired
Licence	DEMO-LIC-TEX-025 Expired
Holder / product scope	Demo Textiles Manufacturer 025 Curtain
Validity / grant note	2024-01-15 to 2025-01-14 Historical expired record
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - expired

Consumer help and FAQs: category guide p. 217. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Blanket

Textiles / Home textiles | DEMO-REC-TEX-026

A. View | Basic details

IS Number	DEMO-IS-TEX-026:2025
IS Title	Blanket - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-TEX-026:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-TEX (Textiles Prototype Department)
Technical Committee	DEMO-TEX-03 (Home textiles Prototype Committee)
Member Secretary	Demo Secretary TEX-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_TEX_026_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-TEX-026:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A1
Classification / reaffirmed	DEMO-CLASS-TEX-03 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_TEX_026_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers blanket within the home textiles prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: size consistency, laundering response, seam quality and care labelling. Record a sample observation for each topic and attach fixture report DEMO-TEST-TEX-026; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-TEX DEMO-APP-TEX-026 Investigation open
Certificate	DEMO-CERT-TEX-026 Suspended
Licence	DEMO-LIC-TEX-026 Suspended
Holder / product scope	Demo Textiles Manufacturer 026 Blanket
Validity / grant note	2025-06-15 to 2027-06-14 Use blocked in prototype
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - suspended

Consumer help and FAQs: category guide p. 217. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Quilt cover

Textiles / Home textiles | DEMO-REC-TEX-027

A. View | Basic details

IS Number	DEMO-IS-TEX-027:2025
IS Title	Quilt cover - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-TEX-027:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-TEX (Textiles Prototype Department)
Technical Committee	DEMO-TEX-03 (Home textiles Prototype Committee)
Member Secretary	Demo Secretary TEX-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_TEX_027_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-TEX-027:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A2
Classification / reaffirmed	DEMO-CLASS-TEX-03 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_TEX_027_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers quilt cover within the home textiles prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: size consistency, laundering response, seam quality and care labelling. Record a sample observation for each topic and attach fixture report DEMO-TEST-TEX-027; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-TEX DEMO-APP-TEX-027 Closed
Certificate	DEMO-CERT-TEX-027 Withdrawn
Licence	DEMO-LIC-TEX-027 Withdrawn
Holder / product scope	Demo Textiles Manufacturer 027 Quilt cover
Validity / grant note	2025-06-15 to 2027-06-14 Historical withdrawal fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - withdrawn

Consumer help and FAQs: category guide p. 217. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Mattress protector

Textiles / Home textiles | DEMO-REC-TEX-028

A. View | Basic details

IS Number	DEMO-IS-TEX-028:2024
IS Title	Mattress protector - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-TEX (Textiles Prototype Department)
Technical Committee	DEMO-TEX-03 (Home textiles Prototype Committee)
Member Secretary	Demo Secretary TEX-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_TEX_028_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-TEX-028:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A3
Classification / reaffirmed	DEMO-CLASS-TEX-03 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_TEX_028_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers mattress protector within the home textiles prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: size consistency, laundering response, seam quality and care labelling. Record a sample observation for each topic and attach fixture report DEMO-TEST-TEX-028; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-TEX DEMO-APP-TEX-028 Rejected
Certificate	DEMO-CERT-TEX-028 Not issued
Licence	DEMO-LIC-TEX-028 Not granted
Holder / product scope	Demo Textiles Manufacturer 028 Mattress protector
Validity / grant note	No issued term Mock application rejected
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 217. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Table linen

Textiles / Home textiles | DEMO-REC-TEX-029

A. View | Basic details

IS Number	DEMO-IS-TEX-029:2025
IS Title	Table linen - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-TEX-029:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-TEX (Textiles Prototype Department)
Technical Committee	DEMO-TEX-03 (Home textiles Prototype Committee)
Member Secretary	Demo Secretary TEX-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_TEX_029_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-TEX-029:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A0
Classification / reaffirmed	DEMO-CLASS-TEX-03 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_TEX_029_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers table linen within the home textiles prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: size consistency, laundering response, seam quality and care labelling. Record a sample observation for each topic and attach fixture report DEMO-TEST-TEX-029; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-TEX DEMO-APP-TEX-029 Amendment granted
Certificate	DEMO-CERT-TEX-029 Issued
Licence	DEMO-LIC-TEX-029 Active
Holder / product scope	Demo Textiles Manufacturer 029 Table linen
Validity / grant note	2025-06-15 to 2027-06-14 Scope update accepted in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 217. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Floor rug

Textiles / Home textiles | DEMO-REC-TEX-030

A. View | Basic details

IS Number	DEMO-IS-TEX-030:2025
IS Title	Floor rug - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-TEX-030:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-TEX (Textiles Prototype Department)
Technical Committee	DEMO-TEX-03 (Home textiles Prototype Committee)
Member Secretary	Demo Secretary TEX-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_TEX_030_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-TEX-030:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A1
Classification / reaffirmed	DEMO-CLASS-TEX-03 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_TEX_030_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers floor rug within the home textiles prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: size consistency, laundering response, seam quality and care labelling. Record a sample observation for each topic and attach fixture report DEMO-TEST-TEX-030; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-TEX DEMO-APP-TEX-030 Renewal under review
Certificate	DEMO-CERT-TEX-030 Issued
Licence	DEMO-LIC-TEX-030 Active
Holder / product scope	Demo Textiles Manufacturer 030 Floor rug
Validity / grant note	2025-06-15 to 2027-06-14 Existing mock term still active
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 217. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Industrial coverall

Textiles / Workwear and accessories | DEMO-REC-TEX-031

A. View | Basic details

IS Number	DEMO-IS-TEX-031:2024
IS Title	Industrial coverall - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-TEX (Textiles Prototype Department)
Technical Committee	DEMO-TEX-04 (Workwear and accessories Prototype Committee)
Member Secretary	Demo Secretary TEX-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_TEX_031_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-TEX-031:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A2
Classification / reaffirmed	DEMO-CLASS-TEX-04 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_TEX_031_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers industrial coverall within the workwear and accessories prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: seam strength, fit consistency, fastening function and declared-use information. Record a sample observation for each topic and attach fixture report DEMO-TEST-TEX-031; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-TEX DEMO-APP-TEX-031 Granted
Certificate	DEMO-CERT-TEX-031 Issued
Licence	DEMO-LIC-TEX-031 Active
Holder / product scope	Demo Textiles Manufacturer 031 Industrial coverall
Validity / grant note	2025-06-15 to 2027-06-14 Grant completed in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 217. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

High-visibility vest

Textiles / Workwear and accessories | DEMO-REC-TEX-032

A. View | Basic details

IS Number	DEMO-IS-TEX-032:2025
IS Title	High-visibility vest - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-TEX-032:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-TEX (Textiles Prototype Department)
Technical Committee	DEMO-TEX-04 (Workwear and accessories Prototype Committee)
Member Secretary	Demo Secretary TEX-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_TEX_032_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-TEX-032:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A3
Classification / reaffirmed	DEMO-CLASS-TEX-04 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_TEX_032_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers high-visibility vest within the workwear and accessories prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: seam strength, fit consistency, fastening function and declared-use information. Record a sample observation for each topic and attach fixture report DEMO-TEST-TEX-032; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-TEX DEMO-APP-TEX-032 Testing pending
Certificate	DEMO-CERT-TEX-032 Draft - not issued
Licence	DEMO-LIC-TEX-032 Not granted
Holder / product scope	Demo Textiles Manufacturer 032 High-visibility vest
Validity / grant note	No issued term Await sample evaluation
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 217. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Work apron

Textiles / Workwear and accessories | DEMO-REC-TEX-033

A. View | Basic details

IS Number	DEMO-IS-TEX-033:2025
IS Title	Work apron - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-TEX-033:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-TEX (Textiles Prototype Department)
Technical Committee	DEMO-TEX-04 (Workwear and accessories Prototype Committee)
Member Secretary	Demo Secretary TEX-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_TEX_033_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-TEX-033:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A0
Classification / reaffirmed	DEMO-CLASS-TEX-04 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_TEX_033_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers work apron within the workwear and accessories prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: seam strength, fit consistency, fastening function and declared-use information. Record a sample observation for each topic and attach fixture report DEMO-TEST-TEX-033; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-TEX DEMO-APP-TEX-033 Technical review
Certificate	DEMO-CERT-TEX-033 Draft - not issued
Licence	DEMO-LIC-TEX-033 Not granted
Holder / product scope	Demo Textiles Manufacturer 033 Work apron
Validity / grant note	No issued term Reviewer decision pending
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 217. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Reusable fabric mask

Textiles / Workwear and accessories | DEMO-REC-TEX-034

A. View | Basic details

IS Number	DEMO-IS-TEX-034:2024
IS Title	Reusable fabric mask - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-TEX (Textiles Prototype Department)
Technical Committee	DEMO-TEX-04 (Workwear and accessories Prototype Committee)
Member Secretary	Demo Secretary TEX-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_TEX_034_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-TEX-034:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A1
Classification / reaffirmed	DEMO-CLASS-TEX-04 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_TEX_034_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers reusable fabric mask within the workwear and accessories prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: seam strength, fit consistency, fastening function and declared-use information. Record a sample observation for each topic and attach fixture report DEMO-TEST-TEX-034; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-TEX DEMO-APP-TEX-034 Clarification requested
Certificate	DEMO-CERT-TEX-034 Draft - not issued
Licence	DEMO-LIC-TEX-034 Not granted
Holder / product scope	Demo Textiles Manufacturer 034 Reusable fabric mask
Validity / grant note	No issued term Applicant must revise mock file
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 217. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Protective sleeve

Textiles / Workwear and accessories | DEMO-REC-TEX-035

A. View | Basic details

IS Number	DEMO-IS-TEX-035:2025
IS Title	Protective sleeve - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-TEX-035:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-TEX (Textiles Prototype Department)
Technical Committee	DEMO-TEX-04 (Workwear and accessories Prototype Committee)
Member Secretary	Demo Secretary TEX-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_TEX_035_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-TEX-035:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A2
Classification / reaffirmed	DEMO-CLASS-TEX-04 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_TEX_035_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers protective sleeve within the workwear and accessories prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: seam strength, fit consistency, fastening function and declared-use information. Record a sample observation for each topic and attach fixture report DEMO-TEST-TEX-035; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-TEX DEMO-APP-TEX-035 Renewal pending
Certificate	DEMO-CERT-TEX-035 Expired
Licence	DEMO-LIC-TEX-035 Expired
Holder / product scope	Demo Textiles Manufacturer 035 Protective sleeve
Validity / grant note	2024-01-15 to 2025-01-14 Historical expired record
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - expired

Consumer help and FAQs: category guide p. 217. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Fabric cap

Textiles / Workwear and accessories | DEMO-REC-TEX-036

A. View | Basic details

IS Number	DEMO-IS-TEX-036:2025
IS Title	Fabric cap - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-TEX-036:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-TEX (Textiles Prototype Department)
Technical Committee	DEMO-TEX-04 (Workwear and accessories Prototype Committee)
Member Secretary	Demo Secretary TEX-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_TEX_036_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-TEX-036:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A3
Classification / reaffirmed	DEMO-CLASS-TEX-04 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_TEX_036_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers fabric cap within the workwear and accessories prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: seam strength, fit consistency, fastening function and declared-use information. Record a sample observation for each topic and attach fixture report DEMO-TEST-TEX-036; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-TEX DEMO-APP-TEX-036 Investigation open
Certificate	DEMO-CERT-TEX-036 Suspended
Licence	DEMO-LIC-TEX-036 Suspended
Holder / product scope	Demo Textiles Manufacturer 036 Fabric cap
Validity / grant note	2025-06-15 to 2027-06-14 Use blocked in prototype
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - suspended

Consumer help and FAQs: category guide p. 217. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Knitted glove

Textiles / Workwear and accessories | DEMO-REC-TEX-037

A. View | Basic details

IS Number	DEMO-IS-TEX-037:2024
IS Title	Knitted glove - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-TEX (Textiles Prototype Department)
Technical Committee	DEMO-TEX-04 (Workwear and accessories Prototype Committee)
Member Secretary	Demo Secretary TEX-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_TEX_037_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-TEX-037:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A0
Classification / reaffirmed	DEMO-CLASS-TEX-04 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_TEX_037_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers knitted glove within the workwear and accessories prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: seam strength, fit consistency, fastening function and declared-use information. Record a sample observation for each topic and attach fixture report DEMO-TEST-TEX-037; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-TEX DEMO-APP-TEX-037 Closed
Certificate	DEMO-CERT-TEX-037 Withdrawn
Licence	DEMO-LIC-TEX-037 Withdrawn
Holder / product scope	Demo Textiles Manufacturer 037 Knitted glove
Validity / grant note	2025-06-15 to 2027-06-14 Historical withdrawal fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - withdrawn

Consumer help and FAQs: category guide p. 217. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Webbing strap

Textiles / Workwear and accessories | DEMO-REC-TEX-038

A. View | Basic details

IS Number	DEMO-IS-TEX-038:2025
IS Title	Webbing strap - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-TEX-038:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-TEX (Textiles Prototype Department)
Technical Committee	DEMO-TEX-04 (Workwear and accessories Prototype Committee)
Member Secretary	Demo Secretary TEX-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_TEX_038_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-TEX-038:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A1
Classification / reaffirmed	DEMO-CLASS-TEX-04 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_TEX_038_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers webbing strap within the workwear and accessories prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: seam strength, fit consistency, fastening function and declared-use information. Record a sample observation for each topic and attach fixture report DEMO-TEST-TEX-038; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-TEX DEMO-APP-TEX-038 Rejected
Certificate	DEMO-CERT-TEX-038 Not issued
Licence	DEMO-LIC-TEX-038 Not granted
Holder / product scope	Demo Textiles Manufacturer 038 Webbing strap
Validity / grant note	No issued term Mock application rejected
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 217. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Textile belt

Textiles / Workwear and accessories | DEMO-REC-TEX-039

A. View | Basic details

IS Number	DEMO-IS-TEX-039:2025
IS Title	Textile belt - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-TEX-039:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-TEX (Textiles Prototype Department)
Technical Committee	DEMO-TEX-04 (Workwear and accessories Prototype Committee)
Member Secretary	Demo Secretary TEX-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_TEX_039_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-TEX-039:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A2
Classification / reaffirmed	DEMO-CLASS-TEX-04 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_TEX_039_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers textile belt within the workwear and accessories prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: seam strength, fit consistency, fastening function and declared-use information. Record a sample observation for each topic and attach fixture report DEMO-TEST-TEX-039; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-TEX DEMO-APP-TEX-039 Amendment granted
Certificate	DEMO-CERT-TEX-039 Issued
Licence	DEMO-LIC-TEX-039 Active
Holder / product scope	Demo Textiles Manufacturer 039 Textile belt
Validity / grant note	2025-06-15 to 2027-06-14 Scope update accepted in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 217. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Canvas tool bag

Textiles / Workwear and accessories | DEMO-REC-TEX-040

A. View | Basic details

IS Number	DEMO-IS-TEX-040:2024
IS Title	Canvas tool bag - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-TEX (Textiles Prototype Department)
Technical Committee	DEMO-TEX-04 (Workwear and accessories Prototype Committee)
Member Secretary	Demo Secretary TEX-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_TEX_040_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-TEX-040:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A3
Classification / reaffirmed	DEMO-CLASS-TEX-04 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_TEX_040_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers canvas tool bag within the workwear and accessories prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: seam strength, fit consistency, fastening function and declared-use information. Record a sample observation for each topic and attach fixture report DEMO-TEST-TEX-040; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-TEX DEMO-APP-TEX-040 Renewal under review
Certificate	DEMO-CERT-TEX-040 Issued
Licence	DEMO-LIC-TEX-040 Active
Holder / product scope	Demo Textiles Manufacturer 040 Canvas tool bag
Validity / grant note	2025-06-15 to 2027-06-14 Existing mock term still active
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 217. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Geotextile sheet

Textiles / Technical textiles | DEMO-REC-TEX-041

A. View | Basic details

IS Number	DEMO-IS-TEX-041:2025
IS Title	Geotextile sheet - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-TEX-041:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-TEX (Textiles Prototype Department)
Technical Committee	DEMO-TEX-05 (Technical textiles Prototype Committee)
Member Secretary	Demo Secretary TEX-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_TEX_041_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-TEX-041:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A0
Classification / reaffirmed	DEMO-CLASS-TEX-05 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_TEX_041_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers geotextile sheet within the technical textiles prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: tensile behaviour, mesh or pore consistency, environmental conditioning and identification. Record a sample observation for each topic and attach fixture report DEMO-TEST-TEX-041; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-TEX DEMO-APP-TEX-041 Granted
Certificate	DEMO-CERT-TEX-041 Issued
Licence	DEMO-LIC-TEX-041 Active
Holder / product scope	Demo Textiles Manufacturer 041 Geotextile sheet
Validity / grant note	2025-06-15 to 2027-06-14 Grant completed in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 217. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Shade net

Textiles / Technical textiles | DEMO-REC-TEX-042

A. View | Basic details

IS Number	DEMO-IS-TEX-042:2025
IS Title	Shade net - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-TEX-042:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-TEX (Textiles Prototype Department)
Technical Committee	DEMO-TEX-05 (Technical textiles Prototype Committee)
Member Secretary	Demo Secretary TEX-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_TEX_042_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-TEX-042:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A1
Classification / reaffirmed	DEMO-CLASS-TEX-05 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_TEX_042_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers shade net within the technical textiles prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: tensile behaviour, mesh or pore consistency, environmental conditioning and identification. Record a sample observation for each topic and attach fixture report DEMO-TEST-TEX-042; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-TEX DEMO-APP-TEX-042 Testing pending
Certificate	DEMO-CERT-TEX-042 Draft - not issued
Licence	DEMO-LIC-TEX-042 Not granted
Holder / product scope	Demo Textiles Manufacturer 042 Shade net
Validity / grant note	No issued term Await sample evaluation
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 217. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Crop-cover fabric

Textiles / Technical textiles | DEMO-REC-TEX-043

A. View | Basic details

IS Number	DEMO-IS-TEX-043:2024
IS Title	Crop-cover fabric - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-TEX (Textiles Prototype Department)
Technical Committee	DEMO-TEX-05 (Technical textiles Prototype Committee)
Member Secretary	Demo Secretary TEX-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_TEX_043_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-TEX-043:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A2
Classification / reaffirmed	DEMO-CLASS-TEX-05 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_TEX_043_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers crop-cover fabric within the technical textiles prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: tensile behaviour, mesh or pore consistency, environmental conditioning and identification. Record a sample observation for each topic and attach fixture report DEMO-TEST-TEX-043; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-TEX DEMO-APP-TEX-043 Technical review
Certificate	DEMO-CERT-TEX-043 Draft - not issued
Licence	DEMO-LIC-TEX-043 Not granted
Holder / product scope	Demo Textiles Manufacturer 043 Crop-cover fabric
Validity / grant note	No issued term Reviewer decision pending
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 217. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Filter cloth

Textiles / Technical textiles | DEMO-REC-TEX-044

A. View | Basic details

IS Number	DEMO-IS-TEX-044:2025
IS Title	Filter cloth - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-TEX-044:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-TEX (Textiles Prototype Department)
Technical Committee	DEMO-TEX-05 (Technical textiles Prototype Committee)
Member Secretary	Demo Secretary TEX-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_TEX_044_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-TEX-044:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A3
Classification / reaffirmed	DEMO-CLASS-TEX-05 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_TEX_044_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers filter cloth within the technical textiles prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: tensile behaviour, mesh or pore consistency, environmental conditioning and identification. Record a sample observation for each topic and attach fixture report DEMO-TEST-TEX-044; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-TEX DEMO-APP-TEX-044 Clarification requested
Certificate	DEMO-CERT-TEX-044 Draft - not issued
Licence	DEMO-LIC-TEX-044 Not granted
Holder / product scope	Demo Textiles Manufacturer 044 Filter cloth
Validity / grant note	No issued term Applicant must revise mock file
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 217. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Conveyor fabric

Textiles / Technical textiles | DEMO-REC-TEX-045

A. View | Basic details

IS Number	DEMO-IS-TEX-045:2025
IS Title	Conveyor fabric - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-TEX-045:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-TEX (Textiles Prototype Department)
Technical Committee	DEMO-TEX-05 (Technical textiles Prototype Committee)
Member Secretary	Demo Secretary TEX-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_TEX_045_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-TEX-045:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A0
Classification / reaffirmed	DEMO-CLASS-TEX-05 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_TEX_045_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers conveyor fabric within the technical textiles prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: tensile behaviour, mesh or pore consistency, environmental conditioning and identification. Record a sample observation for each topic and attach fixture report DEMO-TEST-TEX-045; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-TEX DEMO-APP-TEX-045 Renewal pending
Certificate	DEMO-CERT-TEX-045 Expired
Licence	DEMO-LIC-TEX-045 Expired
Holder / product scope	Demo Textiles Manufacturer 045 Conveyor fabric
Validity / grant note	2024-01-15 to 2025-01-14 Historical expired record
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - expired

Consumer help and FAQs: category guide p. 217. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Automotive seat fabric

Textiles / Technical textiles | DEMO-REC-TEX-046

A. View | Basic details

IS Number	DEMO-IS-TEX-046:2024
IS Title	Automotive seat fabric - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-TEX (Textiles Prototype Department)
Technical Committee	DEMO-TEX-05 (Technical textiles Prototype Committee)
Member Secretary	Demo Secretary TEX-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_TEX_046_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-TEX-046:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A1
Classification / reaffirmed	DEMO-CLASS-TEX-05 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_TEX_046_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers automotive seat fabric within the technical textiles prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: tensile behaviour, mesh or pore consistency, environmental conditioning and identification. Record a sample observation for each topic and attach fixture report DEMO-TEST-TEX-046; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-TEX DEMO-APP-TEX-046 Investigation open
Certificate	DEMO-CERT-TEX-046 Suspended
Licence	DEMO-LIC-TEX-046 Suspended
Holder / product scope	Demo Textiles Manufacturer 046 Automotive seat fabric
Validity / grant note	2025-06-15 to 2027-06-14 Use blocked in prototype
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - suspended

Consumer help and FAQs: category guide p. 217. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Tent fabric

Textiles / Technical textiles | DEMO-REC-TEX-047

A. View | Basic details

IS Number	DEMO-IS-TEX-047:2025
IS Title	Tent fabric - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-TEX-047:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-TEX (Textiles Prototype Department)
Technical Committee	DEMO-TEX-05 (Technical textiles Prototype Committee)
Member Secretary	Demo Secretary TEX-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_TEX_047_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-TEX-047:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A2
Classification / reaffirmed	DEMO-CLASS-TEX-05 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_TEX_047_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers tent fabric within the technical textiles prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: tensile behaviour, mesh or pore consistency, environmental conditioning and identification. Record a sample observation for each topic and attach fixture report DEMO-TEST-TEX-047; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-TEX DEMO-APP-TEX-047 Closed
Certificate	DEMO-CERT-TEX-047 Withdrawn
Licence	DEMO-LIC-TEX-047 Withdrawn
Holder / product scope	Demo Textiles Manufacturer 047 Tent fabric
Validity / grant note	2025-06-15 to 2027-06-14 Historical withdrawal fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - withdrawn

Consumer help and FAQs: category guide p. 217. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Tarpaulin

Textiles / Technical textiles | DEMO-REC-TEX-048

A. View | Basic details

IS Number	DEMO-IS-TEX-048:2025
IS Title	Tarpaulin - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-TEX-048:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-TEX (Textiles Prototype Department)
Technical Committee	DEMO-TEX-05 (Technical textiles Prototype Committee)
Member Secretary	Demo Secretary TEX-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_TEX_048_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-TEX-048:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A3
Classification / reaffirmed	DEMO-CLASS-TEX-05 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_TEX_048_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers tarpaulin within the technical textiles prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: tensile behaviour, mesh or pore consistency, environmental conditioning and identification. Record a sample observation for each topic and attach fixture report DEMO-TEST-TEX-048; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-TEX DEMO-APP-TEX-048 Rejected
Certificate	DEMO-CERT-TEX-048 Not issued
Licence	DEMO-LIC-TEX-048 Not granted
Holder / product scope	Demo Textiles Manufacturer 048 Tarpaulin
Validity / grant note	No issued term Mock application rejected
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 217. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Rope

Textiles / Technical textiles | DEMO-REC-TEX-049

A. View | Basic details

IS Number	DEMO-IS-TEX-049:2024
IS Title	Rope - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-TEX (Textiles Prototype Department)
Technical Committee	DEMO-TEX-05 (Technical textiles Prototype Committee)
Member Secretary	Demo Secretary TEX-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_TEX_049_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-TEX-049:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A0
Classification / reaffirmed	DEMO-CLASS-TEX-05 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_TEX_049_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers rope within the technical textiles prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: tensile behaviour, mesh or pore consistency, environmental conditioning and identification. Record a sample observation for each topic and attach fixture report DEMO-TEST-TEX-049; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-TEX DEMO-APP-TEX-049 Amendment granted
Certificate	DEMO-CERT-TEX-049 Issued
Licence	DEMO-LIC-TEX-049 Active
Holder / product scope	Demo Textiles Manufacturer 049 Rope
Validity / grant note	2025-06-15 to 2027-06-14 Scope update accepted in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 217. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Safety-net fabric

Textiles / Technical textiles | DEMO-REC-TEX-050

A. View | Basic details

IS Number	DEMO-IS-TEX-050:2025
IS Title	Safety-net fabric - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-TEX-050:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-TEX (Textiles Prototype Department)
Technical Committee	DEMO-TEX-05 (Technical textiles Prototype Committee)
Member Secretary	Demo Secretary TEX-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_TEX_050_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-TEX-050:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A1
Classification / reaffirmed	DEMO-CLASS-TEX-05 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_TEX_050_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers safety-net fabric within the technical textiles prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: tensile behaviour, mesh or pore consistency, environmental conditioning and identification. Record a sample observation for each topic and attach fixture report DEMO-TEST-TEX-050; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-TEX DEMO-APP-TEX-050 Renewal under review
Certificate	DEMO-CERT-TEX-050 Issued
Licence	DEMO-LIC-TEX-050 Active
Holder / product scope	Demo Textiles Manufacturer 050 Safety-net fabric
Validity / grant note	2025-06-15 to 2027-06-14 Existing mock term still active
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 217. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Automotive | 50-record catalogue

Indian Standards-style catalogue / standards search - all records on these pages are fictional.

Catalogue ID: DEMO-CAT-AUT. Search by product name, DEMO-IS number, subgroup or category. Click a product below to open its detail sheet.

01. Passenger-car tyre	271	26. Starter motor	296
02. Motorcycle tyre	272	27. Automotive alternator	297
03. Truck tyre	273	28. Ignition coil	298
04. Inner tube	274	29. Wiring harness	299
05. Wheel rim	275	30. Vehicle fuse	300
06. Wheel nut	276	31. Seat belt	301
07. Wheel bearing	277	32. Helmet for motorcyclist	302
08. Hub assembly	278	33. Rear-view mirror	303
09. Tyre valve	279	34. Safety glass windscreen	304
10. Spare-wheel carrier	280	35. Wiper blade	305
11. Disc brake pad	281	36. Door latch	306
12. Brake lining	282	37. Seat head restraint	307
13. Brake hose	283	38. Child-seat anchor bracket	308
14. Brake disc	284	39. Bumper absorber	309
15. Brake drum	285	40. Vehicle registration plate	310
16. Master cylinder	286	41. Oil filter	311
17. Shock absorber	287	42. Air filter	312
18. Suspension spring	288	43. Fuel filter	313
19. Ball joint	289	44. Radiator hose	314
20. Steering tie rod	290	45. Engine coolant reservoir	315
21. Headlamp assembly	291	46. Drive belt	316
22. Tail lamp	292	47. Spark plug	317
23. Turn indicator	293	48. EV charging connector	318
24. Vehicle horn	294	49. EV charging cable	319
25. Starter battery	295	50. Traction battery enclosure	320

The page number is the combined PDF location. Every detail sheet includes a unique standard, application, certificate and licence ID.

Automotive | Certification and applications

Product Certification / Certification Schemes / Grant of Licence / Application - DEMO policy only.

Product Certification and Certification Schemes

Mock scheme	DEMO-PC-AUT: Automotive Product Evaluation - Prototype Scheme
Scheme intent	Demonstrate document review, sample evaluation, grant decisions, status changes and verification screens.
Who can apply	A fictional manufacturer record with a demo product and facility; this is not actual BIS eligibility.
Application evidence	Demo factory profile, product specification, mock quality plan and fixture evaluation report.
Fees / service time	0 sandbox units. Use simulated workflow events; no actual fee or processing-time promise.
Scope of grant	Only the product and DEMO-IS record named in the fixture. Real Standard Mark permission is always false.

Application to Grant of Licence | simulated sequence

1. Create DEMO-APP record and link product, manufacturer and facility.
2. Validate required fields; missing details produce Clarification requested.
3. Record sample evidence under the matching DEMO-TEST identifier.
4. Reviewer selects Granted, Testing pending, Technical review or Rejected.
5. On grant, activate the mock licence and issue the linked demo certificate. Later events may expire, suspend, withdraw, amend or renew the fixture.

Product-specific requirements | subgroup examples

Tyres and running gear: dimensions, retention, sample endurance and batch identification.

Braking and suspension: mechanical integrity, response consistency, seal checks and endurance sampling.

Lighting and electrical: electrical continuity, functional output, connector retention and environmental conditioning.

Occupant and body: fit and retention, visibility or identification, mechanical checks and warning labels.

Powertrain and charging: fit, leakage or continuity checks, operating endurance and product traceability.

Demo certificate and licence contents

Each product sheet displays the document IDs, holder, status, scope and term. The JSONL also contains document names, issuer, application evidence, lookup URL and an explicit not-valid field. Draft, rejected and not-granted records do not represent issued permissions.

IS documents and standards online source

The logical documents are stored as catalogue fixtures. Example route: <https://standards-prototype.invalid/aut/catalogue>. No official licence, IS document or payment workflow is created.

Automotive | Consumer information and FAQs

BIS-style consumer help screens for a prototype - all process and contact information here is synthetic.

BIS complaint process / How to lodge complaints | demo

Open the mock complaint form; choose category, product and complaint topic; add a mock invoice, label and image; submit to create a DEMO-CMP ID. A fixture moves through Submitted, Under review, Evidence requested, Resolved or Closed. These are UI examples, not a real complaint submission or escalation promise.

Product authenticity and Standard Mark

Compare the demo licence ID with the fixture holder, product scope, DEMO-IS number, status and dates. An ID match alone must not imply Active. Use only the text DEMO MARK - NOT BIS/ISI. No real product authenticity or conformity finding is made.

Hallmark verification

Not applicable to these category fixtures. Display N/A and do not invent a HUID or imply a general product certificate is a hallmark. A future jewellery prototype would need a separately defined dataset.

Consumer rights / information | fictional policy

The prototype lets users read disclosures, request correction of fixture data, attach evidence, view complaint history and receive a simulated response. No legal entitlement, refund duty, enforcement outcome or statutory response deadline is asserted.

BIS contact information | fictional placeholder

Office	Demo Automotive Help Desk, Fictional Test Zone
Email	help-aut@standards-prototype.invalid
Telephone	DEMO-NOT-A-PHONE; JSON value is null
Contact URL	https://standards-prototype.invalid/aut/contact
Complaint URL	https://standards-prototype.invalid/aut/complaints

FAQs

How do I find a standard?

Search the Automotive catalogue by name, subgroup or DEMO-IS number.

Is the certificate a real BIS certificate?

No. It is an unsigned fictional training object.

Can an expired or suspended record verify as Active?

No. Match the status and term, not only the identifier.

What if application evidence is missing?

Use the Clarification requested scenario; no licence is granted.

How do I check a hallmark?

This dataset returns Not applicable; it issues no hallmark identifier.

Do these links submit a real complaint?

No. The .invalid domain is deliberately non-operational.

Where are product-level FAQs stored?

Every synthetic JSONL record includes a five-question FAQs array.

Passenger-car tyre

Automotive / Tyres and running gear | DEMO-REC-AUT-001

A. View | Basic details

IS Number	DEMO-IS-AUT-001:2024
IS Title	Passenger-car tyre - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-AUT (Automotive Prototype Department)
Technical Committee	DEMO-AUT-01 (Tyres and running gear Prototype Committee)
Member Secretary	Demo Secretary AUT-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_AUT_001_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AUT-001:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A0
Classification / reaffirmed	DEMO-CLASS-AUT-01 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_AUT_001_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers passenger-car tyre within the tyres and running gear prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: dimensions, retention, sample endurance and batch identification. Record a sample observation for each topic and attach fixture report DEMO-TEST-AUT-001; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AUT DEMO-APP-AUT-001 Granted
Certificate	DEMO-CERT-AUT-001 Issued
Licence	DEMO-LIC-AUT-001 Active
Holder / product scope	Demo Automotive Manufacturer 001 Passenger-car tyre
Validity / grant note	2025-06-15 to 2027-06-14 Grant completed in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 270. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Motorcycle tyre

Automotive / Tyres and running gear | DEMO-REC-AUT-002

A. View | Basic details

IS Number	DEMO-IS-AUT-002:2025
IS Title	Motorcycle tyre - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-AUT-002:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-AUT (Automotive Prototype Department)
Technical Committee	DEMO-AUT-01 (Tyres and running gear Prototype Committee)
Member Secretary	Demo Secretary AUT-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_AUT_002_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AUT-002:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A1
Classification / reaffirmed	DEMO-CLASS-AUT-01 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_AUT_002_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers motorcycle tyre within the tyres and running gear prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: dimensions, retention, sample endurance and batch identification. Record a sample observation for each topic and attach fixture report DEMO-TEST-AUT-002; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AUT DEMO-APP-AUT-002 Testing pending
Certificate	DEMO-CERT-AUT-002 Draft - not issued
Licence	DEMO-LIC-AUT-002 Not granted
Holder / product scope	Demo Automotive Manufacturer 002 Motorcycle tyre
Validity / grant note	No issued term Await sample evaluation
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 270. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Truck tyre

Automotive / Tyres and running gear | DEMO-REC-AUT-003

A. View | Basic details

IS Number	DEMO-IS-AUT-003:2025
IS Title	Truck tyre - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-AUT-003:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-AUT (Automotive Prototype Department)
Technical Committee	DEMO-AUT-01 (Tyres and running gear Prototype Committee)
Member Secretary	Demo Secretary AUT-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_AUT_003_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AUT-003:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A2
Classification / reaffirmed	DEMO-CLASS-AUT-01 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_AUT_003_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers truck tyre within the tyres and running gear prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: dimensions, retention, sample endurance and batch identification. Record a sample observation for each topic and attach fixture report DEMO-TEST-AUT-003; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AUT DEMO-APP-AUT-003 Technical review
Certificate	DEMO-CERT-AUT-003 Draft - not issued
Licence	DEMO-LIC-AUT-003 Not granted
Holder / product scope	Demo Automotive Manufacturer 003 Truck tyre
Validity / grant note	No issued term Reviewer decision pending
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 270. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Inner tube

Automotive / Tyres and running gear | DEMO-REC-AUT-004

A. View | Basic details

IS Number	DEMO-IS-AUT-004:2024
IS Title	Inner tube - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-AUT (Automotive Prototype Department)
Technical Committee	DEMO-AUT-01 (Tyres and running gear Prototype Committee)
Member Secretary	Demo Secretary AUT-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_AUT_004_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AUT-004:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A3
Classification / reaffirmed	DEMO-CLASS-AUT-01 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_AUT_004_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers inner tube within the tyres and running gear prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: dimensions, retention, sample endurance and batch identification. Record a sample observation for each topic and attach fixture report DEMO-TEST-AUT-004; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AUT DEMO-APP-AUT-004 Clarification requested
Certificate	DEMO-CERT-AUT-004 Draft - not issued
Licence	DEMO-LIC-AUT-004 Not granted
Holder / product scope	Demo Automotive Manufacturer 004 Inner tube
Validity / grant note	No issued term Applicant must revise mock file
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 270. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Wheel rim

Automotive / Tyres and running gear | DEMO-REC-AUT-005

A. View | Basic details

IS Number	DEMO-IS-AUT-005:2025
IS Title	Wheel rim - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-AUT-005:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-AUT (Automotive Prototype Department)
Technical Committee	DEMO-AUT-01 (Tyres and running gear Prototype Committee)
Member Secretary	Demo Secretary AUT-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_AUT_005_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AUT-005:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A0
Classification / reaffirmed	DEMO-CLASS-AUT-01 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_AUT_005_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers wheel rim within the tyres and running gear prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: dimensions, retention, sample endurance and batch identification. Record a sample observation for each topic and attach fixture report DEMO-TEST-AUT-005; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AUT DEMO-APP-AUT-005 Renewal pending
Certificate	DEMO-CERT-AUT-005 Expired
Licence	DEMO-LIC-AUT-005 Expired
Holder / product scope	Demo Automotive Manufacturer 005 Wheel rim
Validity / grant note	2024-01-15 to 2025-01-14 Historical expired record
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - expired

Consumer help and FAQs: category guide p. 270. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Wheel nut

Automotive / Tyres and running gear | DEMO-REC-AUT-006

A. View | Basic details

IS Number	DEMO-IS-AUT-006:2025
IS Title	Wheel nut - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-AUT-006:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-AUT (Automotive Prototype Department)
Technical Committee	DEMO-AUT-01 (Tyres and running gear Prototype Committee)
Member Secretary	Demo Secretary AUT-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_AUT_006_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AUT-006:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A1
Classification / reaffirmed	DEMO-CLASS-AUT-01 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_AUT_006_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers wheel nut within the tyres and running gear prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: dimensions, retention, sample endurance and batch identification. Record a sample observation for each topic and attach fixture report DEMO-TEST-AUT-006; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AUT DEMO-APP-AUT-006 Investigation open
Certificate	DEMO-CERT-AUT-006 Suspended
Licence	DEMO-LIC-AUT-006 Suspended
Holder / product scope	Demo Automotive Manufacturer 006 Wheel nut
Validity / grant note	2025-06-15 to 2027-06-14 Use blocked in prototype
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - suspended

Consumer help and FAQs: category guide p. 270. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Wheel bearing

Automotive / Tyres and running gear | DEMO-REC-AUT-007

A. View | Basic details

IS Number	DEMO-IS-AUT-007:2024
IS Title	Wheel bearing - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-AUT (Automotive Prototype Department)
Technical Committee	DEMO-AUT-01 (Tyres and running gear Prototype Committee)
Member Secretary	Demo Secretary AUT-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_AUT_007_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AUT-007:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A2
Classification / reaffirmed	DEMO-CLASS-AUT-01 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_AUT_007_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers wheel bearing within the tyres and running gear prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: dimensions, retention, sample endurance and batch identification. Record a sample observation for each topic and attach fixture report DEMO-TEST-AUT-007; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AUT DEMO-APP-AUT-007 Closed
Certificate	DEMO-CERT-AUT-007 Withdrawn
Licence	DEMO-LIC-AUT-007 Withdrawn
Holder / product scope	Demo Automotive Manufacturer 007 Wheel bearing
Validity / grant note	2025-06-15 to 2027-06-14 Historical withdrawal fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - withdrawn

Consumer help and FAQs: category guide p. 270. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Hub assembly

Automotive / Tyres and running gear | DEMO-REC-AUT-008

A. View | Basic details

IS Number	DEMO-IS-AUT-008:2025
IS Title	Hub assembly - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-AUT-008:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-AUT (Automotive Prototype Department)
Technical Committee	DEMO-AUT-01 (Tyres and running gear Prototype Committee)
Member Secretary	Demo Secretary AUT-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_AUT_008_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AUT-008:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A3
Classification / reaffirmed	DEMO-CLASS-AUT-01 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_AUT_008_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers hub assembly within the tyres and running gear prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: dimensions, retention, sample endurance and batch identification. Record a sample observation for each topic and attach fixture report DEMO-TEST-AUT-008; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AUT DEMO-APP-AUT-008 Rejected
Certificate	DEMO-CERT-AUT-008 Not issued
Licence	DEMO-LIC-AUT-008 Not granted
Holder / product scope	Demo Automotive Manufacturer 008 Hub assembly
Validity / grant note	No issued term Mock application rejected
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 270. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Tyre valve

Automotive / Tyres and running gear | DEMO-REC-AUT-009

A. View | Basic details

IS Number	DEMO-IS-AUT-009:2025
IS Title	Tyre valve - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-AUT-009:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-AUT (Automotive Prototype Department)
Technical Committee	DEMO-AUT-01 (Tyres and running gear Prototype Committee)
Member Secretary	Demo Secretary AUT-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_AUT_009_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AUT-009:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A0
Classification / reaffirmed	DEMO-CLASS-AUT-01 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_AUT_009_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers tyre valve within the tyres and running gear prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: dimensions, retention, sample endurance and batch identification. Record a sample observation for each topic and attach fixture report DEMO-TEST-AUT-009; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AUT DEMO-APP-AUT-009 Amendment granted
Certificate	DEMO-CERT-AUT-009 Issued
Licence	DEMO-LIC-AUT-009 Active
Holder / product scope	Demo Automotive Manufacturer 009 Tyre valve
Validity / grant note	2025-06-15 to 2027-06-14 Scope update accepted in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 270. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Spare-wheel carrier

Automotive / Tyres and running gear | DEMO-REC-AUT-010

A. View | Basic details

IS Number	DEMO-IS-AUT-010:2024
IS Title	Spare-wheel carrier - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-AUT (Automotive Prototype Department)
Technical Committee	DEMO-AUT-01 (Tyres and running gear Prototype Committee)
Member Secretary	Demo Secretary AUT-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_AUT_010_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AUT-010:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A1
Classification / reaffirmed	DEMO-CLASS-AUT-01 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_AUT_010_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers spare-wheel carrier within the tyres and running gear prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: dimensions, retention, sample endurance and batch identification. Record a sample observation for each topic and attach fixture report DEMO-TEST-AUT-010; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AUT DEMO-APP-AUT-010 Renewal under review
Certificate	DEMO-CERT-AUT-010 Issued
Licence	DEMO-LIC-AUT-010 Active
Holder / product scope	Demo Automotive Manufacturer 010 Spare-wheel carrier
Validity / grant note	2025-06-15 to 2027-06-14 Existing mock term still active
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 270. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Disc brake pad

Automotive / Braking and suspension | DEMO-REC-AUT-011

A. View | Basic details

IS Number	DEMO-IS-AUT-011:2025
IS Title	Disc brake pad - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-AUT-011:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-AUT (Automotive Prototype Department)
Technical Committee	DEMO-AUT-02 (Braking and suspension Prototype Committee)
Member Secretary	Demo Secretary AUT-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_AUT_011_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AUT-011:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A2
Classification / reaffirmed	DEMO-CLASS-AUT-02 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_AUT_011_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers disc brake pad within the braking and suspension prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: mechanical integrity, response consistency, seal checks and endurance sampling. Record a sample observation for each topic and attach fixture report DEMO-TEST-AUT-011; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AUT DEMO-APP-AUT-011 Granted
Certificate	DEMO-CERT-AUT-011 Issued
Licence	DEMO-LIC-AUT-011 Active
Holder / product scope	Demo Automotive Manufacturer 011 Disc brake pad
Validity / grant note	2025-06-15 to 2027-06-14 Grant completed in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 270. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Brake lining

Automotive / Braking and suspension | DEMO-REC-AUT-012

A. View | Basic details

IS Number	DEMO-IS-AUT-012:2025
IS Title	Brake lining - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-AUT-012:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-AUT (Automotive Prototype Department)
Technical Committee	DEMO-AUT-02 (Braking and suspension Prototype Committee)
Member Secretary	Demo Secretary AUT-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_AUT_012_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AUT-012:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A3
Classification / reaffirmed	DEMO-CLASS-AUT-02 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_AUT_012_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers brake lining within the braking and suspension prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: mechanical integrity, response consistency, seal checks and endurance sampling. Record a sample observation for each topic and attach fixture report DEMO-TEST-AUT-012; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AUT DEMO-APP-AUT-012 Testing pending
Certificate	DEMO-CERT-AUT-012 Draft - not issued
Licence	DEMO-LIC-AUT-012 Not granted
Holder / product scope	Demo Automotive Manufacturer 012 Brake lining
Validity / grant note	No issued term Await sample evaluation
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 270. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Brake hose

Automotive / Braking and suspension | DEMO-REC-AUT-013

A. View | Basic details

IS Number	DEMO-IS-AUT-013:2024
IS Title	Brake hose - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-AUT (Automotive Prototype Department)
Technical Committee	DEMO-AUT-02 (Braking and suspension Prototype Committee)
Member Secretary	Demo Secretary AUT-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_AUT_013_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AUT-013:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A0
Classification / reaffirmed	DEMO-CLASS-AUT-02 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_AUT_013_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers brake hose within the braking and suspension prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: mechanical integrity, response consistency, seal checks and endurance sampling. Record a sample observation for each topic and attach fixture report DEMO-TEST-AUT-013; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AUT DEMO-APP-AUT-013 Technical review
Certificate	DEMO-CERT-AUT-013 Draft - not issued
Licence	DEMO-LIC-AUT-013 Not granted
Holder / product scope	Demo Automotive Manufacturer 013 Brake hose
Validity / grant note	No issued term Reviewer decision pending
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 270. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Brake disc

Automotive / Braking and suspension | DEMO-REC-AUT-014

A. View | Basic details

IS Number	DEMO-IS-AUT-014:2025
IS Title	Brake disc - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-AUT-014:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-AUT (Automotive Prototype Department)
Technical Committee	DEMO-AUT-02 (Braking and suspension Prototype Committee)
Member Secretary	Demo Secretary AUT-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_AUT_014_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AUT-014:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A1
Classification / reaffirmed	DEMO-CLASS-AUT-02 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_AUT_014_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers brake disc within the braking and suspension prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: mechanical integrity, response consistency, seal checks and endurance sampling. Record a sample observation for each topic and attach fixture report DEMO-TEST-AUT-014; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AUT DEMO-APP-AUT-014 Clarification requested
Certificate	DEMO-CERT-AUT-014 Draft - not issued
Licence	DEMO-LIC-AUT-014 Not granted
Holder / product scope	Demo Automotive Manufacturer 014 Brake disc
Validity / grant note	No issued term Applicant must revise mock file
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 270. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Brake drum

Automotive / Braking and suspension | DEMO-REC-AUT-015

A. View | Basic details

IS Number	DEMO-IS-AUT-015:2025
IS Title	Brake drum - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-AUT-015:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-AUT (Automotive Prototype Department)
Technical Committee	DEMO-AUT-02 (Braking and suspension Prototype Committee)
Member Secretary	Demo Secretary AUT-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_AUT_015_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AUT-015:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A2
Classification / reaffirmed	DEMO-CLASS-AUT-02 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_AUT_015_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers brake drum within the braking and suspension prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: mechanical integrity, response consistency, seal checks and endurance sampling. Record a sample observation for each topic and attach fixture report DEMO-TEST-AUT-015; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AUT DEMO-APP-AUT-015 Renewal pending
Certificate	DEMO-CERT-AUT-015 Expired
Licence	DEMO-LIC-AUT-015 Expired
Holder / product scope	Demo Automotive Manufacturer 015 Brake drum
Validity / grant note	2024-01-15 to 2025-01-14 Historical expired record
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - expired

Consumer help and FAQs: category guide p. 270. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Master cylinder

Automotive / Braking and suspension | DEMO-REC-AUT-016

A. View | Basic details

IS Number	DEMO-IS-AUT-016:2024
IS Title	Master cylinder - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-AUT (Automotive Prototype Department)
Technical Committee	DEMO-AUT-02 (Braking and suspension Prototype Committee)
Member Secretary	Demo Secretary AUT-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_AUT_016_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AUT-016:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A3
Classification / reaffirmed	DEMO-CLASS-AUT-02 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_AUT_016_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers master cylinder within the braking and suspension prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: mechanical integrity, response consistency, seal checks and endurance sampling. Record a sample observation for each topic and attach fixture report DEMO-TEST-AUT-016; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AUT DEMO-APP-AUT-016 Investigation open
Certificate	DEMO-CERT-AUT-016 Suspended
Licence	DEMO-LIC-AUT-016 Suspended
Holder / product scope	Demo Automotive Manufacturer 016 Master cylinder
Validity / grant note	2025-06-15 to 2027-06-14 Use blocked in prototype
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - suspended

Consumer help and FAQs: category guide p. 270. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Shock absorber

Automotive / Braking and suspension | DEMO-REC-AUT-017

A. View | Basic details

IS Number	DEMO-IS-AUT-017:2025
IS Title	Shock absorber - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-AUT-017:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-AUT (Automotive Prototype Department)
Technical Committee	DEMO-AUT-02 (Braking and suspension Prototype Committee)
Member Secretary	Demo Secretary AUT-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_AUT_017_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AUT-017:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A0
Classification / reaffirmed	DEMO-CLASS-AUT-02 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_AUT_017_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers shock absorber within the braking and suspension prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: mechanical integrity, response consistency, seal checks and endurance sampling. Record a sample observation for each topic and attach fixture report DEMO-TEST-AUT-017; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AUT DEMO-APP-AUT-017 Closed
Certificate	DEMO-CERT-AUT-017 Withdrawn
Licence	DEMO-LIC-AUT-017 Withdrawn
Holder / product scope	Demo Automotive Manufacturer 017 Shock absorber
Validity / grant note	2025-06-15 to 2027-06-14 Historical withdrawal fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - withdrawn

Consumer help and FAQs: category guide p. 270. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Suspension spring

Automotive / Braking and suspension | DEMO-REC-AUT-018

A. View | Basic details

IS Number	DEMO-IS-AUT-018:2025
IS Title	Suspension spring - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-AUT-018:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-AUT (Automotive Prototype Department)
Technical Committee	DEMO-AUT-02 (Braking and suspension Prototype Committee)
Member Secretary	Demo Secretary AUT-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_AUT_018_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AUT-018:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A1
Classification / reaffirmed	DEMO-CLASS-AUT-02 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_AUT_018_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers suspension spring within the braking and suspension prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: mechanical integrity, response consistency, seal checks and endurance sampling. Record a sample observation for each topic and attach fixture report DEMO-TEST-AUT-018; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AUT DEMO-APP-AUT-018 Rejected
Certificate	DEMO-CERT-AUT-018 Not issued
Licence	DEMO-LIC-AUT-018 Not granted
Holder / product scope	Demo Automotive Manufacturer 018 Suspension spring
Validity / grant note	No issued term Mock application rejected
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 270. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Ball joint

Automotive / Braking and suspension | DEMO-REC-AUT-019

A. View | Basic details

IS Number	DEMO-IS-AUT-019:2024
IS Title	Ball joint - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-AUT (Automotive Prototype Department)
Technical Committee	DEMO-AUT-02 (Braking and suspension Prototype Committee)
Member Secretary	Demo Secretary AUT-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_AUT_019_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AUT-019:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A2
Classification / reaffirmed	DEMO-CLASS-AUT-02 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_AUT_019_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers ball joint within the braking and suspension prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: mechanical integrity, response consistency, seal checks and endurance sampling. Record a sample observation for each topic and attach fixture report DEMO-TEST-AUT-019; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AUT DEMO-APP-AUT-019 Amendment granted
Certificate	DEMO-CERT-AUT-019 Issued
Licence	DEMO-LIC-AUT-019 Active
Holder / product scope	Demo Automotive Manufacturer 019 Ball joint
Validity / grant note	2025-06-15 to 2027-06-14 Scope update accepted in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 270. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Steering tie rod

Automotive / Braking and suspension | DEMO-REC-AUT-020

A. View | Basic details

IS Number	DEMO-IS-AUT-020:2025
IS Title	Steering tie rod - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-AUT-020:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-AUT (Automotive Prototype Department)
Technical Committee	DEMO-AUT-02 (Braking and suspension Prototype Committee)
Member Secretary	Demo Secretary AUT-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_AUT_020_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AUT-020:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A3
Classification / reaffirmed	DEMO-CLASS-AUT-02 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_AUT_020_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers steering tie rod within the braking and suspension prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: mechanical integrity, response consistency, seal checks and endurance sampling. Record a sample observation for each topic and attach fixture report DEMO-TEST-AUT-020; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AUT DEMO-APP-AUT-020 Renewal under review
Certificate	DEMO-CERT-AUT-020 Issued
Licence	DEMO-LIC-AUT-020 Active
Holder / product scope	Demo Automotive Manufacturer 020 Steering tie rod
Validity / grant note	2025-06-15 to 2027-06-14 Existing mock term still active
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 270. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Headlamp assembly

Automotive / Lighting and electrical | DEMO-REC-AUT-021

A. View | Basic details

IS Number	DEMO-IS-AUT-021:2025
IS Title	Headlamp assembly - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-AUT-021:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-AUT (Automotive Prototype Department)
Technical Committee	DEMO-AUT-03 (Lighting and electrical Prototype Committee)
Member Secretary	Demo Secretary AUT-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_AUT_021_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AUT-021:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A0
Classification / reaffirmed	DEMO-CLASS-AUT-03 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_AUT_021_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers headlamp assembly within the lighting and electrical prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: electrical continuity, functional output, connector retention and environmental conditioning. Record a sample observation for each topic and attach fixture report DEMO-TEST-AUT-021; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AUT DEMO-APP-AUT-021 Granted
Certificate	DEMO-CERT-AUT-021 Issued
Licence	DEMO-LIC-AUT-021 Active
Holder / product scope	Demo Automotive Manufacturer 021 Headlamp assembly
Validity / grant note	2025-06-15 to 2027-06-14 Grant completed in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 270. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Tail lamp

Automotive / Lighting and electrical | DEMO-REC-AUT-022

A. View | Basic details

IS Number	DEMO-IS-AUT-022:2024
IS Title	Tail lamp - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-AUT (Automotive Prototype Department)
Technical Committee	DEMO-AUT-03 (Lighting and electrical Prototype Committee)
Member Secretary	Demo Secretary AUT-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_AUT_022_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AUT-022:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A1
Classification / reaffirmed	DEMO-CLASS-AUT-03 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_AUT_022_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers tail lamp within the lighting and electrical prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: electrical continuity, functional output, connector retention and environmental conditioning. Record a sample observation for each topic and attach fixture report DEMO-TEST-AUT-022; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AUT DEMO-APP-AUT-022 Testing pending
Certificate	DEMO-CERT-AUT-022 Draft - not issued
Licence	DEMO-LIC-AUT-022 Not granted
Holder / product scope	Demo Automotive Manufacturer 022 Tail lamp
Validity / grant note	No issued term Await sample evaluation
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 270. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Turn indicator

Automotive / Lighting and electrical | DEMO-REC-AUT-023

A. View | Basic details

IS Number	DEMO-IS-AUT-023:2025
IS Title	Turn indicator - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-AUT-023:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-AUT (Automotive Prototype Department)
Technical Committee	DEMO-AUT-03 (Lighting and electrical Prototype Committee)
Member Secretary	Demo Secretary AUT-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_AUT_023_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AUT-023:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A2
Classification / reaffirmed	DEMO-CLASS-AUT-03 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_AUT_023_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers turn indicator within the lighting and electrical prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: electrical continuity, functional output, connector retention and environmental conditioning. Record a sample observation for each topic and attach fixture report DEMO-TEST-AUT-023; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AUT DEMO-APP-AUT-023 Technical review
Certificate	DEMO-CERT-AUT-023 Draft - not issued
Licence	DEMO-LIC-AUT-023 Not granted
Holder / product scope	Demo Automotive Manufacturer 023 Turn indicator
Validity / grant note	No issued term Reviewer decision pending
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 270. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Vehicle horn

Automotive / Lighting and electrical | DEMO-REC-AUT-024

A. View | Basic details

IS Number	DEMO-IS-AUT-024:2025
IS Title	Vehicle horn - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-AUT-024:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-AUT (Automotive Prototype Department)
Technical Committee	DEMO-AUT-03 (Lighting and electrical Prototype Committee)
Member Secretary	Demo Secretary AUT-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_AUT_024_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AUT-024:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A3
Classification / reaffirmed	DEMO-CLASS-AUT-03 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_AUT_024_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers vehicle horn within the lighting and electrical prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: electrical continuity, functional output, connector retention and environmental conditioning. Record a sample observation for each topic and attach fixture report DEMO-TEST-AUT-024; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AUT DEMO-APP-AUT-024 Clarification requested
Certificate	DEMO-CERT-AUT-024 Draft - not issued
Licence	DEMO-LIC-AUT-024 Not granted
Holder / product scope	Demo Automotive Manufacturer 024 Vehicle horn
Validity / grant note	No issued term Applicant must revise mock file
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 270. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Starter battery

Automotive / Lighting and electrical | DEMO-REC-AUT-025

A. View | Basic details

IS Number	DEMO-IS-AUT-025:2024
IS Title	Starter battery - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-AUT (Automotive Prototype Department)
Technical Committee	DEMO-AUT-03 (Lighting and electrical Prototype Committee)
Member Secretary	Demo Secretary AUT-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_AUT_025_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AUT-025:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A0
Classification / reaffirmed	DEMO-CLASS-AUT-03 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_AUT_025_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers starter battery within the lighting and electrical prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: electrical continuity, functional output, connector retention and environmental conditioning. Record a sample observation for each topic and attach fixture report DEMO-TEST-AUT-025; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AUT DEMO-APP-AUT-025 Renewal pending
Certificate	DEMO-CERT-AUT-025 Expired
Licence	DEMO-LIC-AUT-025 Expired
Holder / product scope	Demo Automotive Manufacturer 025 Starter battery
Validity / grant note	2024-01-15 to 2025-01-14 Historical expired record
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - expired

Consumer help and FAQs: category guide p. 270. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Starter motor

Automotive / Lighting and electrical | DEMO-REC-AUT-026

A. View | Basic details

IS Number	DEMO-IS-AUT-026:2025
IS Title	Starter motor - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-AUT-026:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-AUT (Automotive Prototype Department)
Technical Committee	DEMO-AUT-03 (Lighting and electrical Prototype Committee)
Member Secretary	Demo Secretary AUT-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_AUT_026_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AUT-026:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A1
Classification / reaffirmed	DEMO-CLASS-AUT-03 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_AUT_026_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers starter motor within the lighting and electrical prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: electrical continuity, functional output, connector retention and environmental conditioning. Record a sample observation for each topic and attach fixture report DEMO-TEST-AUT-026; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AUT DEMO-APP-AUT-026 Investigation open
Certificate	DEMO-CERT-AUT-026 Suspended
Licence	DEMO-LIC-AUT-026 Suspended
Holder / product scope	Demo Automotive Manufacturer 026 Starter motor
Validity / grant note	2025-06-15 to 2027-06-14 Use blocked in prototype
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - suspended

Consumer help and FAQs: category guide p. 270. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Automotive alternator

Automotive / Lighting and electrical | DEMO-REC-AUT-027

A. View | Basic details

IS Number	DEMO-IS-AUT-027:2025
IS Title	Automotive alternator - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-AUT-027:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-AUT (Automotive Prototype Department)
Technical Committee	DEMO-AUT-03 (Lighting and electrical Prototype Committee)
Member Secretary	Demo Secretary AUT-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_AUT_027_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AUT-027:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A2
Classification / reaffirmed	DEMO-CLASS-AUT-03 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_AUT_027_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers automotive alternator within the lighting and electrical prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: electrical continuity, functional output, connector retention and environmental conditioning. Record a sample observation for each topic and attach fixture report DEMO-TEST-AUT-027; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AUT DEMO-APP-AUT-027 Closed
Certificate	DEMO-CERT-AUT-027 Withdrawn
Licence	DEMO-LIC-AUT-027 Withdrawn
Holder / product scope	Demo Automotive Manufacturer 027 Automotive alternator
Validity / grant note	2025-06-15 to 2027-06-14 Historical withdrawal fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - withdrawn

Consumer help and FAQs: category guide p. 270. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Ignition coil

Automotive / Lighting and electrical | DEMO-REC-AUT-028

A. View | Basic details

IS Number	DEMO-IS-AUT-028:2024
IS Title	Ignition coil - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-AUT (Automotive Prototype Department)
Technical Committee	DEMO-AUT-03 (Lighting and electrical Prototype Committee)
Member Secretary	Demo Secretary AUT-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_AUT_028_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AUT-028:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A3
Classification / reaffirmed	DEMO-CLASS-AUT-03 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_AUT_028_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers ignition coil within the lighting and electrical prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: electrical continuity, functional output, connector retention and environmental conditioning. Record a sample observation for each topic and attach fixture report DEMO-TEST-AUT-028; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AUT DEMO-APP-AUT-028 Rejected
Certificate	DEMO-CERT-AUT-028 Not issued
Licence	DEMO-LIC-AUT-028 Not granted
Holder / product scope	Demo Automotive Manufacturer 028 Ignition coil
Validity / grant note	No issued term Mock application rejected
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 270. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Wiring harness

Automotive / Lighting and electrical | DEMO-REC-AUT-029

A. View | Basic details

IS Number	DEMO-IS-AUT-029:2025
IS Title	Wiring harness - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-AUT-029:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-AUT (Automotive Prototype Department)
Technical Committee	DEMO-AUT-03 (Lighting and electrical Prototype Committee)
Member Secretary	Demo Secretary AUT-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_AUT_029_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AUT-029:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A0
Classification / reaffirmed	DEMO-CLASS-AUT-03 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_AUT_029_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers wiring harness within the lighting and electrical prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: electrical continuity, functional output, connector retention and environmental conditioning. Record a sample observation for each topic and attach fixture report DEMO-TEST-AUT-029; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AUT DEMO-APP-AUT-029 Amendment granted
Certificate	DEMO-CERT-AUT-029 Issued
Licence	DEMO-LIC-AUT-029 Active
Holder / product scope	Demo Automotive Manufacturer 029 Wiring harness
Validity / grant note	2025-06-15 to 2027-06-14 Scope update accepted in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 270. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Vehicle fuse

Automotive / Lighting and electrical | DEMO-REC-AUT-030

A. View | Basic details

IS Number	DEMO-IS-AUT-030:2025
IS Title	Vehicle fuse - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-AUT-030:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-AUT (Automotive Prototype Department)
Technical Committee	DEMO-AUT-03 (Lighting and electrical Prototype Committee)
Member Secretary	Demo Secretary AUT-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_AUT_030_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AUT-030:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A1
Classification / reaffirmed	DEMO-CLASS-AUT-03 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_AUT_030_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers vehicle fuse within the lighting and electrical prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: electrical continuity, functional output, connector retention and environmental conditioning. Record a sample observation for each topic and attach fixture report DEMO-TEST-AUT-030; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AUT DEMO-APP-AUT-030 Renewal under review
Certificate	DEMO-CERT-AUT-030 Issued
Licence	DEMO-LIC-AUT-030 Active
Holder / product scope	Demo Automotive Manufacturer 030 Vehicle fuse
Validity / grant note	2025-06-15 to 2027-06-14 Existing mock term still active
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 270. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Seat belt

Automotive / Occupant and body | DEMO-REC-AUT-031

A. View | Basic details

IS Number	DEMO-IS-AUT-031:2024
IS Title	Seat belt - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-AUT (Automotive Prototype Department)
Technical Committee	DEMO-AUT-04 (Occupant and body Prototype Committee)
Member Secretary	Demo Secretary AUT-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_AUT_031_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AUT-031:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A2
Classification / reaffirmed	DEMO-CLASS-AUT-04 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_AUT_031_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers seat belt within the occupant and body prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: fit and retention, visibility or identification, mechanical checks and warning labels. Record a sample observation for each topic and attach fixture report DEMO-TEST-AUT-031; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AUT DEMO-APP-AUT-031 Granted
Certificate	DEMO-CERT-AUT-031 Issued
Licence	DEMO-LIC-AUT-031 Active
Holder / product scope	Demo Automotive Manufacturer 031 Seat belt
Validity / grant note	2025-06-15 to 2027-06-14 Grant completed in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 270. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Helmet for motorcyclist

Automotive / Occupant and body | DEMO-REC-AUT-032

A. View | Basic details

IS Number	DEMO-IS-AUT-032:2025
IS Title	Helmet for motorcyclist - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-AUT-032:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-AUT (Automotive Prototype Department)
Technical Committee	DEMO-AUT-04 (Occupant and body Prototype Committee)
Member Secretary	Demo Secretary AUT-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_AUT_032_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AUT-032:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A3
Classification / reaffirmed	DEMO-CLASS-AUT-04 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_AUT_032_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers helmet for motorcyclist within the occupant and body prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: fit and retention, visibility or identification, mechanical checks and warning labels. Record a sample observation for each topic and attach fixture report DEMO-TEST-AUT-032; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AUT DEMO-APP-AUT-032 Testing pending
Certificate	DEMO-CERT-AUT-032 Draft - not issued
Licence	DEMO-LIC-AUT-032 Not granted
Holder / product scope	Demo Automotive Manufacturer 032 Helmet for motorcyclist
Validity / grant note	No issued term Await sample evaluation
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 270. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Rear-view mirror

Automotive / Occupant and body | DEMO-REC-AUT-033

A. View | Basic details

IS Number	DEMO-IS-AUT-033:2025
IS Title	Rear-view mirror - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-AUT-033:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-AUT (Automotive Prototype Department)
Technical Committee	DEMO-AUT-04 (Occupant and body Prototype Committee)
Member Secretary	Demo Secretary AUT-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_AUT_033_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AUT-033:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A0
Classification / reaffirmed	DEMO-CLASS-AUT-04 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_AUT_033_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers rear-view mirror within the occupant and body prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: fit and retention, visibility or identification, mechanical checks and warning labels. Record a sample observation for each topic and attach fixture report DEMO-TEST-AUT-033; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AUT DEMO-APP-AUT-033 Technical review
Certificate	DEMO-CERT-AUT-033 Draft - not issued
Licence	DEMO-LIC-AUT-033 Not granted
Holder / product scope	Demo Automotive Manufacturer 033 Rear-view mirror
Validity / grant note	No issued term Reviewer decision pending
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 270. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Safety glass windscreen

Automotive / Occupant and body | DEMO-REC-AUT-034

A. View | Basic details

IS Number	DEMO-IS-AUT-034:2024
IS Title	Safety glass windscreen - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-AUT (Automotive Prototype Department)
Technical Committee	DEMO-AUT-04 (Occupant and body Prototype Committee)
Member Secretary	Demo Secretary AUT-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_AUT_034_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AUT-034:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A1
Classification / reaffirmed	DEMO-CLASS-AUT-04 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_AUT_034_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers safety glass windscreen within the occupant and body prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: fit and retention, visibility or identification, mechanical checks and warning labels. Record a sample observation for each topic and attach fixture report DEMO-TEST-AUT-034; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AUT DEMO-APP-AUT-034 Clarification requested
Certificate	DEMO-CERT-AUT-034 Draft - not issued
Licence	DEMO-LIC-AUT-034 Not granted
Holder / product scope	Demo Automotive Manufacturer 034 Safety glass windscreen
Validity / grant note	No issued term Applicant must revise mock file
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 270. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Wiper blade

Automotive / Occupant and body | DEMO-REC-AUT-035

A. View | Basic details

IS Number	DEMO-IS-AUT-035:2025
IS Title	Wiper blade - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-AUT-035:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-AUT (Automotive Prototype Department)
Technical Committee	DEMO-AUT-04 (Occupant and body Prototype Committee)
Member Secretary	Demo Secretary AUT-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_AUT_035_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AUT-035:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A2
Classification / reaffirmed	DEMO-CLASS-AUT-04 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_AUT_035_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers wiper blade within the occupant and body prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: fit and retention, visibility or identification, mechanical checks and warning labels. Record a sample observation for each topic and attach fixture report DEMO-TEST-AUT-035; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AUT DEMO-APP-AUT-035 Renewal pending
Certificate	DEMO-CERT-AUT-035 Expired
Licence	DEMO-LIC-AUT-035 Expired
Holder / product scope	Demo Automotive Manufacturer 035 Wiper blade
Validity / grant note	2024-01-15 to 2025-01-14 Historical expired record
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - expired

Consumer help and FAQs: category guide p. 270. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Door latch

Automotive / Occupant and body | DEMO-REC-AUT-036

A. View | Basic details

IS Number	DEMO-IS-AUT-036:2025
IS Title	Door latch - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-AUT-036:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-AUT (Automotive Prototype Department)
Technical Committee	DEMO-AUT-04 (Occupant and body Prototype Committee)
Member Secretary	Demo Secretary AUT-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_AUT_036_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AUT-036:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A3
Classification / reaffirmed	DEMO-CLASS-AUT-04 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_AUT_036_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers door latch within the occupant and body prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: fit and retention, visibility or identification, mechanical checks and warning labels. Record a sample observation for each topic and attach fixture report DEMO-TEST-AUT-036; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AUT DEMO-APP-AUT-036 Investigation open
Certificate	DEMO-CERT-AUT-036 Suspended
Licence	DEMO-LIC-AUT-036 Suspended
Holder / product scope	Demo Automotive Manufacturer 036 Door latch
Validity / grant note	2025-06-15 to 2027-06-14 Use blocked in prototype
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - suspended

Consumer help and FAQs: category guide p. 270. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Seat head restraint

Automotive / Occupant and body | DEMO-REC-AUT-037

A. View | Basic details

IS Number	DEMO-IS-AUT-037:2024
IS Title	Seat head restraint - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-AUT (Automotive Prototype Department)
Technical Committee	DEMO-AUT-04 (Occupant and body Prototype Committee)
Member Secretary	Demo Secretary AUT-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_AUT_037_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AUT-037:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A0
Classification / reaffirmed	DEMO-CLASS-AUT-04 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_AUT_037_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers seat head restraint within the occupant and body prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: fit and retention, visibility or identification, mechanical checks and warning labels. Record a sample observation for each topic and attach fixture report DEMO-TEST-AUT-037; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AUT DEMO-APP-AUT-037 Closed
Certificate	DEMO-CERT-AUT-037 Withdrawn
Licence	DEMO-LIC-AUT-037 Withdrawn
Holder / product scope	Demo Automotive Manufacturer 037 Seat head restraint
Validity / grant note	2025-06-15 to 2027-06-14 Historical withdrawal fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - withdrawn

Consumer help and FAQs: category guide p. 270. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Child-seat anchor bracket

Automotive / Occupant and body | DEMO-REC-AUT-038

A. View | Basic details

IS Number	DEMO-IS-AUT-038:2025
IS Title	Child-seat anchor bracket - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-AUT-038:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-AUT (Automotive Prototype Department)
Technical Committee	DEMO-AUT-04 (Occupant and body Prototype Committee)
Member Secretary	Demo Secretary AUT-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_AUT_038_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AUT-038:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A1
Classification / reaffirmed	DEMO-CLASS-AUT-04 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_AUT_038_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers child-seat anchor bracket within the occupant and body prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: fit and retention, visibility or identification, mechanical checks and warning labels. Record a sample observation for each topic and attach fixture report DEMO-TEST-AUT-038; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AUT DEMO-APP-AUT-038 Rejected
Certificate	DEMO-CERT-AUT-038 Not issued
Licence	DEMO-LIC-AUT-038 Not granted
Holder / product scope	Demo Automotive Manufacturer 038 Child-seat anchor bracket
Validity / grant note	No issued term Mock application rejected
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 270. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Bumper absorber

Automotive / Occupant and body | DEMO-REC-AUT-039

A. View | Basic details

IS Number	DEMO-IS-AUT-039:2025
IS Title	Bumper absorber - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-AUT-039:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-AUT (Automotive Prototype Department)
Technical Committee	DEMO-AUT-04 (Occupant and body Prototype Committee)
Member Secretary	Demo Secretary AUT-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_AUT_039_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AUT-039:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A2
Classification / reaffirmed	DEMO-CLASS-AUT-04 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_AUT_039_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers bumper absorber within the occupant and body prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: fit and retention, visibility or identification, mechanical checks and warning labels. Record a sample observation for each topic and attach fixture report DEMO-TEST-AUT-039; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AUT DEMO-APP-AUT-039 Amendment granted
Certificate	DEMO-CERT-AUT-039 Issued
Licence	DEMO-LIC-AUT-039 Active
Holder / product scope	Demo Automotive Manufacturer 039 Bumper absorber
Validity / grant note	2025-06-15 to 2027-06-14 Scope update accepted in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 270. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Vehicle registration plate

Automotive / Occupant and body | DEMO-REC-AUT-040

A. View | Basic details

IS Number	DEMO-IS-AUT-040:2024
IS Title	Vehicle registration plate - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-AUT (Automotive Prototype Department)
Technical Committee	DEMO-AUT-04 (Occupant and body Prototype Committee)
Member Secretary	Demo Secretary AUT-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_AUT_040_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AUT-040:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A3
Classification / reaffirmed	DEMO-CLASS-AUT-04 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_AUT_040_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers vehicle registration plate within the occupant and body prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: fit and retention, visibility or identification, mechanical checks and warning labels. Record a sample observation for each topic and attach fixture report DEMO-TEST-AUT-040; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AUT DEMO-APP-AUT-040 Renewal under review
Certificate	DEMO-CERT-AUT-040 Issued
Licence	DEMO-LIC-AUT-040 Active
Holder / product scope	Demo Automotive Manufacturer 040 Vehicle registration plate
Validity / grant note	2025-06-15 to 2027-06-14 Existing mock term still active
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 270. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Oil filter

Automotive / Powertrain and charging | DEMO-REC-AUT-041

A. View | Basic details

IS Number	DEMO-IS-AUT-041:2025
IS Title	Oil filter - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-AUT-041:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-AUT (Automotive Prototype Department)
Technical Committee	DEMO-AUT-05 (Powertrain and charging Prototype Committee)
Member Secretary	Demo Secretary AUT-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_AUT_041_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AUT-041:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A0
Classification / reaffirmed	DEMO-CLASS-AUT-05 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_AUT_041_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers oil filter within the powertrain and charging prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: fit, leakage or continuity checks, operating endurance and product traceability. Record a sample observation for each topic and attach fixture report DEMO-TEST-AUT-041; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AUT DEMO-APP-AUT-041 Granted
Certificate	DEMO-CERT-AUT-041 Issued
Licence	DEMO-LIC-AUT-041 Active
Holder / product scope	Demo Automotive Manufacturer 041 Oil filter
Validity / grant note	2025-06-15 to 2027-06-14 Grant completed in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 270. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Air filter

Automotive / Powertrain and charging | DEMO-REC-AUT-042

A. View | Basic details

IS Number	DEMO-IS-AUT-042:2025
IS Title	Air filter - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-AUT-042:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-AUT (Automotive Prototype Department)
Technical Committee	DEMO-AUT-05 (Powertrain and charging Prototype Committee)
Member Secretary	Demo Secretary AUT-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_AUT_042_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AUT-042:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A1
Classification / reaffirmed	DEMO-CLASS-AUT-05 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_AUT_042_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers air filter within the powertrain and charging prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: fit, leakage or continuity checks, operating endurance and product traceability. Record a sample observation for each topic and attach fixture report DEMO-TEST-AUT-042; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AUT DEMO-APP-AUT-042 Testing pending
Certificate	DEMO-CERT-AUT-042 Draft - not issued
Licence	DEMO-LIC-AUT-042 Not granted
Holder / product scope	Demo Automotive Manufacturer 042 Air filter
Validity / grant note	No issued term Await sample evaluation
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 270. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Fuel filter

Automotive / Powertrain and charging | DEMO-REC-AUT-043

A. View | Basic details

IS Number	DEMO-IS-AUT-043:2024
IS Title	Fuel filter - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-AUT (Automotive Prototype Department)
Technical Committee	DEMO-AUT-05 (Powertrain and charging Prototype Committee)
Member Secretary	Demo Secretary AUT-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_AUT_043_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AUT-043:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A2
Classification / reaffirmed	DEMO-CLASS-AUT-05 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_AUT_043_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers fuel filter within the powertrain and charging prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: fit, leakage or continuity checks, operating endurance and product traceability. Record a sample observation for each topic and attach fixture report DEMO-TEST-AUT-043; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AUT DEMO-APP-AUT-043 Technical review
Certificate	DEMO-CERT-AUT-043 Draft - not issued
Licence	DEMO-LIC-AUT-043 Not granted
Holder / product scope	Demo Automotive Manufacturer 043 Fuel filter
Validity / grant note	No issued term Reviewer decision pending
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 270. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Radiator hose

Automotive / Powertrain and charging | DEMO-REC-AUT-044

A. View | Basic details

IS Number	DEMO-IS-AUT-044:2025
IS Title	Radiator hose - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-AUT-044:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-AUT (Automotive Prototype Department)
Technical Committee	DEMO-AUT-05 (Powertrain and charging Prototype Committee)
Member Secretary	Demo Secretary AUT-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_AUT_044_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AUT-044:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A3
Classification / reaffirmed	DEMO-CLASS-AUT-05 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_AUT_044_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers radiator hose within the powertrain and charging prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: fit, leakage or continuity checks, operating endurance and product traceability. Record a sample observation for each topic and attach fixture report DEMO-TEST-AUT-044; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AUT DEMO-APP-AUT-044 Clarification requested
Certificate	DEMO-CERT-AUT-044 Draft - not issued
Licence	DEMO-LIC-AUT-044 Not granted
Holder / product scope	Demo Automotive Manufacturer 044 Radiator hose
Validity / grant note	No issued term Applicant must revise mock file
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 270. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Engine coolant reservoir

Automotive / Powertrain and charging | DEMO-REC-AUT-045

A. View | Basic details

IS Number	DEMO-IS-AUT-045:2025
IS Title	Engine coolant reservoir - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-AUT-045:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-AUT (Automotive Prototype Department)
Technical Committee	DEMO-AUT-05 (Powertrain and charging Prototype Committee)
Member Secretary	Demo Secretary AUT-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_AUT_045_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AUT-045:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A0
Classification / reaffirmed	DEMO-CLASS-AUT-05 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_AUT_045_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers engine coolant reservoir within the powertrain and charging prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: fit, leakage or continuity checks, operating endurance and product traceability. Record a sample observation for each topic and attach fixture report DEMO-TEST-AUT-045; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AUT DEMO-APP-AUT-045 Renewal pending
Certificate	DEMO-CERT-AUT-045 Expired
Licence	DEMO-LIC-AUT-045 Expired
Holder / product scope	Demo Automotive Manufacturer 045 Engine coolant reservoir
Validity / grant note	2024-01-15 to 2025-01-14 Historical expired record
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - expired

Consumer help and FAQs: category guide p. 270. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Drive belt

Automotive / Powertrain and charging | DEMO-REC-AUT-046

A. View | Basic details

IS Number	DEMO-IS-AUT-046:2024
IS Title	Drive belt - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-AUT (Automotive Prototype Department)
Technical Committee	DEMO-AUT-05 (Powertrain and charging Prototype Committee)
Member Secretary	Demo Secretary AUT-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_AUT_046_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AUT-046:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A1
Classification / reaffirmed	DEMO-CLASS-AUT-05 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_AUT_046_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers drive belt within the powertrain and charging prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: fit, leakage or continuity checks, operating endurance and product traceability. Record a sample observation for each topic and attach fixture report DEMO-TEST-AUT-046; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AUT DEMO-APP-AUT-046 Investigation open
Certificate	DEMO-CERT-AUT-046 Suspended
Licence	DEMO-LIC-AUT-046 Suspended
Holder / product scope	Demo Automotive Manufacturer 046 Drive belt
Validity / grant note	2025-06-15 to 2027-06-14 Use blocked in prototype
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - suspended

Consumer help and FAQs: category guide p. 270. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Spark plug

Automotive / Powertrain and charging | DEMO-REC-AUT-047

A. View | Basic details

IS Number	DEMO-IS-AUT-047:2025
IS Title	Spark plug - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-AUT-047:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-AUT (Automotive Prototype Department)
Technical Committee	DEMO-AUT-05 (Powertrain and charging Prototype Committee)
Member Secretary	Demo Secretary AUT-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_AUT_047_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AUT-047:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A2
Classification / reaffirmed	DEMO-CLASS-AUT-05 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_AUT_047_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers spark plug within the powertrain and charging prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: fit, leakage or continuity checks, operating endurance and product traceability. Record a sample observation for each topic and attach fixture report DEMO-TEST-AUT-047; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AUT DEMO-APP-AUT-047 Closed
Certificate	DEMO-CERT-AUT-047 Withdrawn
Licence	DEMO-LIC-AUT-047 Withdrawn
Holder / product scope	Demo Automotive Manufacturer 047 Spark plug
Validity / grant note	2025-06-15 to 2027-06-14 Historical withdrawal fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - withdrawn

Consumer help and FAQs: category guide p. 270. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

EV charging connector

Automotive / Powertrain and charging | DEMO-REC-AUT-048

A. View | Basic details

IS Number	DEMO-IS-AUT-048:2025
IS Title	EV charging connector - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-AUT-048:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-AUT (Automotive Prototype Department)
Technical Committee	DEMO-AUT-05 (Powertrain and charging Prototype Committee)
Member Secretary	Demo Secretary AUT-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_AUT_048_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AUT-048:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A3
Classification / reaffirmed	DEMO-CLASS-AUT-05 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_AUT_048_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers ev charging connector within the powertrain and charging prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: fit, leakage or continuity checks, operating endurance and product traceability. Record a sample observation for each topic and attach fixture report DEMO-TEST-AUT-048; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AUT DEMO-APP-AUT-048 Rejected
Certificate	DEMO-CERT-AUT-048 Not issued
Licence	DEMO-LIC-AUT-048 Not granted
Holder / product scope	Demo Automotive Manufacturer 048 EV charging connector
Validity / grant note	No issued term Mock application rejected
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 270. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

EV charging cable

Automotive / Powertrain and charging | DEMO-REC-AUT-049

A. View | Basic details

IS Number	DEMO-IS-AUT-049:2024
IS Title	EV charging cable - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-AUT (Automotive Prototype Department)
Technical Committee	DEMO-AUT-05 (Powertrain and charging Prototype Committee)
Member Secretary	Demo Secretary AUT-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_AUT_049_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AUT-049:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A0
Classification / reaffirmed	DEMO-CLASS-AUT-05 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_AUT_049_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers ev charging cable within the powertrain and charging prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: fit, leakage or continuity checks, operating endurance and product traceability. Record a sample observation for each topic and attach fixture report DEMO-TEST-AUT-049; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AUT DEMO-APP-AUT-049 Amendment granted
Certificate	DEMO-CERT-AUT-049 Issued
Licence	DEMO-LIC-AUT-049 Active
Holder / product scope	Demo Automotive Manufacturer 049 EV charging cable
Validity / grant note	2025-06-15 to 2027-06-14 Scope update accepted in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 270. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Traction battery enclosure

Automotive / Powertrain and charging | DEMO-REC-AUT-050

A. View | Basic details

IS Number	DEMO-IS-AUT-050:2025
IS Title	Traction battery enclosure - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-AUT-050:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-AUT (Automotive Prototype Department)
Technical Committee	DEMO-AUT-05 (Powertrain and charging Prototype Committee)
Member Secretary	Demo Secretary AUT-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_AUT_050_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AUT-050:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A1
Classification / reaffirmed	DEMO-CLASS-AUT-05 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_AUT_050_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers traction battery enclosure within the powertrain and charging prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: fit, leakage or continuity checks, operating endurance and product traceability. Record a sample observation for each topic and attach fixture report DEMO-TEST-AUT-050; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AUT DEMO-APP-AUT-050 Renewal under review
Certificate	DEMO-CERT-AUT-050 Issued
Licence	DEMO-LIC-AUT-050 Active
Holder / product scope	Demo Automotive Manufacturer 050 Traction battery enclosure
Validity / grant note	2025-06-15 to 2027-06-14 Existing mock term still active
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 270. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Chemicals | 50-record catalogue

Indian Standards-style catalogue / standards search - all records on these pages are fictional.

Catalogue ID: DEMO-CAT-CHE. Search by product name, DEMO-IS number, subgroup or category. Click a product below to open its detail sheet.

01. Laundry detergent powder	324	26. Acrylic sealant	349
02. Laundry detergent liquid	325	27. Polyurethane sealant	350
03. Dishwashing liquid	326	28. Thread-locking compound	351
04. Floor cleaner	327	29. Hot-melt adhesive	352
05. Toilet cleaner	328	30. Rubber-based adhesive	353
06. Glass cleaner	329	31. Sodium carbonate	354
07. Scouring powder	330	32. Sodium bicarbonate	355
08. Fabric softener	331	33. Calcium chloride	356
09. Industrial degreaser	332	34. Magnesium sulfate	357
10. Handwashing soap	333	35. Sodium silicate	358
11. Interior emulsion paint	334	36. Citric acid	359
12. Exterior emulsion paint	335	37. Acetic acid solution	360
13. Synthetic enamel paint	336	38. Hydrogen peroxide solution	361
14. Metal primer	337	39. Activated carbon	362
15. Wood primer	338	40. Silica gel	363
16. Epoxy floor coating	339	41. PVC resin	364
17. Waterproof coating	340	42. Polyethylene resin	365
18. Varnish	341	43. Polypropylene resin	366
19. Road-marking paint	342	44. Polystyrene resin	367
20. Powder coating	343	45. ABS resin	368
21. PVA wood adhesive	344	46. Plastic masterbatch	369
22. Epoxy adhesive	345	47. Rubber compound	370
23. Contact adhesive	346	48. Plasticiser blend	371
24. Tile adhesive	347	49. Antioxidant additive	372
25. Silicone sealant	348	50. Water-treatment coagulant	373

The page number is the combined PDF location. Every detail sheet includes a unique standard, application, certificate and licence ID.

Chemicals | Certification and applications

Product Certification / Certification Schemes / Grant of Licence / Application - DEMO policy only.

Product Certification and Certification Schemes

Mock scheme	DEMO-PC-CHE: Chemicals Product Evaluation - Prototype Scheme
Scheme intent	Demonstrate document review, sample evaluation, grant decisions, status changes and verification screens.
Who can apply	A fictional manufacturer record with a demo product and facility; this is not actual BIS eligibility.
Application evidence	Demo factory profile, product specification, mock quality plan and fixture evaluation report.
Fees / service time	0 sandbox units. Use simulated workflow events; no actual fee or processing-time promise.
Scope of grant	Only the product and DEMO-IS record named in the fixture. Real Standard Mark permission is always false.

Application to Grant of Licence | simulated sequence

1. Create DEMO-APP record and link product, manufacturer and facility.
2. Validate required fields; missing details produce Clarification requested.
3. Record sample evidence under the matching DEMO-TEST identifier.
4. Reviewer selects Granted, Testing pending, Technical review or Rejected.
5. On grant, activate the mock licence and issue the linked demo certificate. Later events may expire, suspend, withdraw, amend or renew the fixture.

Product-specific requirements | subgroup examples

Cleaning materials: composition identity, uniformity, container compatibility and use-instruction clarity.

Paints and coatings: application consistency, drying behaviour, film checks and package labelling.

Adhesives and sealants: bond consistency, cure behaviour, storage stability and container identification.

Industrial chemicals: identity, declared concentration, impurity-screening samples and compatible packaging.

Polymers and additives: material identity, batch uniformity, processing consistency and safety-information completeness.

Demo certificate and licence contents

Each product sheet displays the document IDs, holder, status, scope and term. The JSONL also contains document names, issuer, application evidence, lookup URL and an explicit not-valid field. Draft, rejected and not-granted records do not represent issued permissions.

IS documents and standards online source

The logical documents are stored as catalogue fixtures. Example route: <https://standards-prototype.invalid/che/catalogue>. No official licence, IS document or payment workflow is created.

Chemicals | Consumer information and FAQs

BIS-style consumer help screens for a prototype - all process and contact information here is synthetic.

BIS complaint process / How to lodge complaints | demo

Open the mock complaint form; choose category, product and complaint topic; add a mock invoice, label and image; submit to create a DEMO-CMP ID. A fixture moves through Submitted, Under review, Evidence requested, Resolved or Closed. These are UI examples, not a real complaint submission or escalation promise.

Product authenticity and Standard Mark

Compare the demo licence ID with the fixture holder, product scope, DEMO-IS number, status and dates. An ID match alone must not imply Active. Use only the text DEMO MARK - NOT BIS/ISI. No real product authenticity or conformity finding is made.

Hallmark verification

Not applicable to these category fixtures. Display N/A and do not invent a HUID or imply a general product certificate is a hallmark. A future jewellery prototype would need a separately defined dataset.

Consumer rights / information | fictional policy

The prototype lets users read disclosures, request correction of fixture data, attach evidence, view complaint history and receive a simulated response. No legal entitlement, refund duty, enforcement outcome or statutory response deadline is asserted.

BIS contact information | fictional placeholder

Office	Demo Chemicals Help Desk, Fictional Test Zone
Email	help-che@standards-prototype.invalid
Telephone	DEMO-NOT-A-PHONE; JSON value is null
Contact URL	https://standards-prototype.invalid/che/contact
Complaint URL	https://standards-prototype.invalid/che/complaints

FAQs

How do I find a standard?

Search the Chemicals catalogue by name, subgroup or DEMO-IS number.

Is the certificate a real BIS certificate?

No. It is an unsigned fictional training object.

Can an expired or suspended record verify as Active?

No. Match the status and term, not only the identifier.

What if application evidence is missing?

Use the Clarification requested scenario; no licence is granted.

How do I check a hallmark?

This dataset returns Not applicable; it issues no hallmark identifier.

Do these links submit a real complaint?

No. The .invalid domain is deliberately non-operational.

Where are product-level FAQs stored?

Every synthetic JSONL record includes a five-question FAQs array.

Laundry detergent powder

Chemicals / Cleaning materials | DEMO-REC-CHE-001

A. View | Basic details

IS Number	DEMO-IS-CHE-001:2024
IS Title	Laundry detergent powder - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-CHE (Chemicals Prototype Department)
Technical Committee	DEMO-CHE-01 (Cleaning materials Prototype Committee)
Member Secretary	Demo Secretary CHE-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_CHE_001_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CHE-001:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A0
Classification / reaffirmed	DEMO-CLASS-CHE-01 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_CHE_001_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers laundry detergent powder within the cleaning materials prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: composition identity, uniformity, container compatibility and use-instruction clarity. Record a sample observation for each topic and attach fixture report DEMO-TEST-CHE-001; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CHE DEMO-APP-CHE-001 Granted
Certificate	DEMO-CERT-CHE-001 Issued
Licence	DEMO-LIC-CHE-001 Active
Holder / product scope	Demo Chemicals Manufacturer 001 Laundry detergent powder
Validity / grant note	2025-06-15 to 2027-06-14 Grant completed in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 323. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Laundry detergent liquid

Chemicals / Cleaning materials | DEMO-REC-CHE-002

A. View | Basic details

IS Number	DEMO-IS-CHE-002:2025
IS Title	Laundry detergent liquid - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-CHE-002:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-CHE (Chemicals Prototype Department)
Technical Committee	DEMO-CHE-01 (Cleaning materials Prototype Committee)
Member Secretary	Demo Secretary CHE-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_CHE_002_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CHE-002:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A1
Classification / reaffirmed	DEMO-CLASS-CHE-01 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_CHE_002_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers laundry detergent liquid within the cleaning materials prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: composition identity, uniformity, container compatibility and use-instruction clarity. Record a sample observation for each topic and attach fixture report DEMO-TEST-CHE-002; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CHE DEMO-APP-CHE-002 Testing pending
Certificate	DEMO-CERT-CHE-002 Draft - not issued
Licence	DEMO-LIC-CHE-002 Not granted
Holder / product scope	Demo Chemicals Manufacturer 002 Laundry detergent liquid
Validity / grant note	No issued term Await sample evaluation
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 323. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Dishwashing liquid

Chemicals / Cleaning materials | DEMO-REC-CHE-003

A. View | Basic details

IS Number	DEMO-IS-CHE-003:2025
IS Title	Dishwashing liquid - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-CHE-003:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-CHE (Chemicals Prototype Department)
Technical Committee	DEMO-CHE-01 (Cleaning materials Prototype Committee)
Member Secretary	Demo Secretary CHE-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_CHE_003_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CHE-003:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A2
Classification / reaffirmed	DEMO-CLASS-CHE-01 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_CHE_003_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers dishwashing liquid within the cleaning materials prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: composition identity, uniformity, container compatibility and use-instruction clarity. Record a sample observation for each topic and attach fixture report DEMO-TEST-CHE-003; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CHE DEMO-APP-CHE-003 Technical review
Certificate	DEMO-CERT-CHE-003 Draft - not issued
Licence	DEMO-LIC-CHE-003 Not granted
Holder / product scope	Demo Chemicals Manufacturer 003 Dishwashing liquid
Validity / grant note	No issued term Reviewer decision pending
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 323. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Floor cleaner

Chemicals / Cleaning materials | DEMO-REC-CHE-004

A. View | Basic details

IS Number	DEMO-IS-CHE-004:2024
IS Title	Floor cleaner - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-CHE (Chemicals Prototype Department)
Technical Committee	DEMO-CHE-01 (Cleaning materials Prototype Committee)
Member Secretary	Demo Secretary CHE-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_CHE_004_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CHE-004:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A3
Classification / reaffirmed	DEMO-CLASS-CHE-01 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_CHE_004_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers floor cleaner within the cleaning materials prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: composition identity, uniformity, container compatibility and use-instruction clarity. Record a sample observation for each topic and attach fixture report DEMO-TEST-CHE-004; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CHE DEMO-APP-CHE-004 Clarification requested
Certificate	DEMO-CERT-CHE-004 Draft - not issued
Licence	DEMO-LIC-CHE-004 Not granted
Holder / product scope	Demo Chemicals Manufacturer 004 Floor cleaner
Validity / grant note	No issued term Applicant must revise mock file
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 323. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Toilet cleaner

Chemicals / Cleaning materials | DEMO-REC-CHE-005

A. View | Basic details

IS Number	DEMO-IS-CHE-005:2025
IS Title	Toilet cleaner - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-CHE-005:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-CHE (Chemicals Prototype Department)
Technical Committee	DEMO-CHE-01 (Cleaning materials Prototype Committee)
Member Secretary	Demo Secretary CHE-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_CHE_005_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CHE-005:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A0
Classification / reaffirmed	DEMO-CLASS-CHE-01 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_CHE_005_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers toilet cleaner within the cleaning materials prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: composition identity, uniformity, container compatibility and use-instruction clarity. Record a sample observation for each topic and attach fixture report DEMO-TEST-CHE-005; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CHE DEMO-APP-CHE-005 Renewal pending
Certificate	DEMO-CERT-CHE-005 Expired
Licence	DEMO-LIC-CHE-005 Expired
Holder / product scope	Demo Chemicals Manufacturer 005 Toilet cleaner
Validity / grant note	2024-01-15 to 2025-01-14 Historical expired record
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - expired

Consumer help and FAQs: category guide p. 323. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Glass cleaner

Chemicals / Cleaning materials | DEMO-REC-CHE-006

A. View | Basic details

IS Number	DEMO-IS-CHE-006:2025
IS Title	Glass cleaner - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-CHE-006:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-CHE (Chemicals Prototype Department)
Technical Committee	DEMO-CHE-01 (Cleaning materials Prototype Committee)
Member Secretary	Demo Secretary CHE-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_CHE_006_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CHE-006:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A1
Classification / reaffirmed	DEMO-CLASS-CHE-01 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_CHE_006_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers glass cleaner within the cleaning materials prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: composition identity, uniformity, container compatibility and use-instruction clarity. Record a sample observation for each topic and attach fixture report DEMO-TEST-CHE-006; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CHE DEMO-APP-CHE-006 Investigation open
Certificate	DEMO-CERT-CHE-006 Suspended
Licence	DEMO-LIC-CHE-006 Suspended
Holder / product scope	Demo Chemicals Manufacturer 006 Glass cleaner
Validity / grant note	2025-06-15 to 2027-06-14 Use blocked in prototype
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - suspended

Consumer help and FAQs: category guide p. 323. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Scouring powder

Chemicals / Cleaning materials | DEMO-REC-CHE-007

A. View | Basic details

IS Number	DEMO-IS-CHE-007:2024
IS Title	Scouring powder - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-CHE (Chemicals Prototype Department)
Technical Committee	DEMO-CHE-01 (Cleaning materials Prototype Committee)
Member Secretary	Demo Secretary CHE-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_CHE_007_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CHE-007:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A2
Classification / reaffirmed	DEMO-CLASS-CHE-01 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_CHE_007_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers scouring powder within the cleaning materials prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: composition identity, uniformity, container compatibility and use-instruction clarity. Record a sample observation for each topic and attach fixture report DEMO-TEST-CHE-007; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CHE DEMO-APP-CHE-007 Closed
Certificate	DEMO-CERT-CHE-007 Withdrawn
Licence	DEMO-LIC-CHE-007 Withdrawn
Holder / product scope	Demo Chemicals Manufacturer 007 Scouring powder
Validity / grant note	2025-06-15 to 2027-06-14 Historical withdrawal fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - withdrawn

Consumer help and FAQs: category guide p. 323. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Fabric softener

Chemicals / Cleaning materials | DEMO-REC-CHE-008

A. View | Basic details

IS Number	DEMO-IS-CHE-008:2025
IS Title	Fabric softener - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-CHE-008:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-CHE (Chemicals Prototype Department)
Technical Committee	DEMO-CHE-01 (Cleaning materials Prototype Committee)
Member Secretary	Demo Secretary CHE-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_CHE_008_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CHE-008:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A3
Classification / reaffirmed	DEMO-CLASS-CHE-01 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_CHE_008_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers fabric softener within the cleaning materials prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: composition identity, uniformity, container compatibility and use-instruction clarity. Record a sample observation for each topic and attach fixture report DEMO-TEST-CHE-008; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CHE DEMO-APP-CHE-008 Rejected
Certificate	DEMO-CERT-CHE-008 Not issued
Licence	DEMO-LIC-CHE-008 Not granted
Holder / product scope	Demo Chemicals Manufacturer 008 Fabric softener
Validity / grant note	No issued term Mock application rejected
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 323. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Industrial degreaser

Chemicals / Cleaning materials | DEMO-REC-CHE-009

A. View | Basic details

IS Number	DEMO-IS-CHE-009:2025
IS Title	Industrial degreaser - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-CHE-009:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-CHE (Chemicals Prototype Department)
Technical Committee	DEMO-CHE-01 (Cleaning materials Prototype Committee)
Member Secretary	Demo Secretary CHE-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_CHE_009_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CHE-009:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A0
Classification / reaffirmed	DEMO-CLASS-CHE-01 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_CHE_009_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers industrial degreaser within the cleaning materials prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: composition identity, uniformity, container compatibility and use-instruction clarity. Record a sample observation for each topic and attach fixture report DEMO-TEST-CHE-009; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CHE DEMO-APP-CHE-009 Amendment granted
Certificate	DEMO-CERT-CHE-009 Issued
Licence	DEMO-LIC-CHE-009 Active
Holder / product scope	Demo Chemicals Manufacturer 009 Industrial degreaser
Validity / grant note	2025-06-15 to 2027-06-14 Scope update accepted in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 323. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Handwashing soap

Chemicals / Cleaning materials | DEMO-REC-CHE-010

A. View | Basic details

IS Number	DEMO-IS-CHE-010:2024
IS Title	Handwashing soap - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-CHE (Chemicals Prototype Department)
Technical Committee	DEMO-CHE-01 (Cleaning materials Prototype Committee)
Member Secretary	Demo Secretary CHE-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_CHE_010_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CHE-010:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A1
Classification / reaffirmed	DEMO-CLASS-CHE-01 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_CHE_010_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers handwashing soap within the cleaning materials prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: composition identity, uniformity, container compatibility and use-instruction clarity. Record a sample observation for each topic and attach fixture report DEMO-TEST-CHE-010; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CHE DEMO-APP-CHE-010 Renewal under review
Certificate	DEMO-CERT-CHE-010 Issued
Licence	DEMO-LIC-CHE-010 Active
Holder / product scope	Demo Chemicals Manufacturer 010 Handwashing soap
Validity / grant note	2025-06-15 to 2027-06-14 Existing mock term still active
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 323. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Interior emulsion paint

Chemicals / Paints and coatings | DEMO-REC-CHE-011

A. View | Basic details

IS Number	DEMO-IS-CHE-011:2025
IS Title	Interior emulsion paint - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-CHE-011:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-CHE (Chemicals Prototype Department)
Technical Committee	DEMO-CHE-02 (Paints and coatings Prototype Committee)
Member Secretary	Demo Secretary CHE-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_CHE_011_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CHE-011:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A2
Classification / reaffirmed	DEMO-CLASS-CHE-02 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_CHE_011_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers interior emulsion paint within the paints and coatings prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: application consistency, drying behaviour, film checks and package labelling. Record a sample observation for each topic and attach fixture report DEMO-TEST-CHE-011; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CHE DEMO-APP-CHE-011 Granted
Certificate	DEMO-CERT-CHE-011 Issued
Licence	DEMO-LIC-CHE-011 Active
Holder / product scope	Demo Chemicals Manufacturer 011 Interior emulsion paint
Validity / grant note	2025-06-15 to 2027-06-14 Grant completed in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 323. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Exterior emulsion paint

Chemicals / Paints and coatings | DEMO-REC-CHE-012

A. View | Basic details

IS Number	DEMO-IS-CHE-012:2025
IS Title	Exterior emulsion paint - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-CHE-012:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-CHE (Chemicals Prototype Department)
Technical Committee	DEMO-CHE-02 (Paints and coatings Prototype Committee)
Member Secretary	Demo Secretary CHE-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_CHE_012_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CHE-012:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A3
Classification / reaffirmed	DEMO-CLASS-CHE-02 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_CHE_012_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers exterior emulsion paint within the paints and coatings prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: application consistency, drying behaviour, film checks and package labelling. Record a sample observation for each topic and attach fixture report DEMO-TEST-CHE-012; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CHE DEMO-APP-CHE-012 Testing pending
Certificate	DEMO-CERT-CHE-012 Draft - not issued
Licence	DEMO-LIC-CHE-012 Not granted
Holder / product scope	Demo Chemicals Manufacturer 012 Exterior emulsion paint
Validity / grant note	No issued term Await sample evaluation
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 323. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Synthetic enamel paint

Chemicals / Paints and coatings | DEMO-REC-CHE-013

A. View | Basic details

IS Number	DEMO-IS-CHE-013:2024
IS Title	Synthetic enamel paint - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-CHE (Chemicals Prototype Department)
Technical Committee	DEMO-CHE-02 (Paints and coatings Prototype Committee)
Member Secretary	Demo Secretary CHE-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_CHE_013_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CHE-013:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A0
Classification / reaffirmed	DEMO-CLASS-CHE-02 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_CHE_013_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers synthetic enamel paint within the paints and coatings prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: application consistency, drying behaviour, film checks and package labelling. Record a sample observation for each topic and attach fixture report DEMO-TEST-CHE-013; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CHE DEMO-APP-CHE-013 Technical review
Certificate	DEMO-CERT-CHE-013 Draft - not issued
Licence	DEMO-LIC-CHE-013 Not granted
Holder / product scope	Demo Chemicals Manufacturer 013 Synthetic enamel paint
Validity / grant note	No issued term Reviewer decision pending
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 323. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Metal primer

Chemicals / Paints and coatings | DEMO-REC-CHE-014

A. View | Basic details

IS Number	DEMO-IS-CHE-014:2025
IS Title	Metal primer - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-CHE-014:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-CHE (Chemicals Prototype Department)
Technical Committee	DEMO-CHE-02 (Paints and coatings Prototype Committee)
Member Secretary	Demo Secretary CHE-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_CHE_014_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CHE-014:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A1
Classification / reaffirmed	DEMO-CLASS-CHE-02 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_CHE_014_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers metal primer within the paints and coatings prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: application consistency, drying behaviour, film checks and package labelling. Record a sample observation for each topic and attach fixture report DEMO-TEST-CHE-014; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CHE DEMO-APP-CHE-014 Clarification requested
Certificate	DEMO-CERT-CHE-014 Draft - not issued
Licence	DEMO-LIC-CHE-014 Not granted
Holder / product scope	Demo Chemicals Manufacturer 014 Metal primer
Validity / grant note	No issued term Applicant must revise mock file
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 323. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Wood primer

Chemicals / Paints and coatings | DEMO-REC-CHE-015

A. View | Basic details

IS Number	DEMO-IS-CHE-015:2025
IS Title	Wood primer - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-CHE-015:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-CHE (Chemicals Prototype Department)
Technical Committee	DEMO-CHE-02 (Paints and coatings Prototype Committee)
Member Secretary	Demo Secretary CHE-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_CHE_015_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CHE-015:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A2
Classification / reaffirmed	DEMO-CLASS-CHE-02 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_CHE_015_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers wood primer within the paints and coatings prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: application consistency, drying behaviour, film checks and package labelling. Record a sample observation for each topic and attach fixture report DEMO-TEST-CHE-015; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CHE DEMO-APP-CHE-015 Renewal pending
Certificate	DEMO-CERT-CHE-015 Expired
Licence	DEMO-LIC-CHE-015 Expired
Holder / product scope	Demo Chemicals Manufacturer 015 Wood primer
Validity / grant note	2024-01-15 to 2025-01-14 Historical expired record
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - expired

Consumer help and FAQs: category guide p. 323. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Epoxy floor coating

Chemicals / Paints and coatings | DEMO-REC-CHE-016

A. View | Basic details

IS Number	DEMO-IS-CHE-016:2024
IS Title	Epoxy floor coating - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-CHE (Chemicals Prototype Department)
Technical Committee	DEMO-CHE-02 (Paints and coatings Prototype Committee)
Member Secretary	Demo Secretary CHE-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_CHE_016_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CHE-016:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A3
Classification / reaffirmed	DEMO-CLASS-CHE-02 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_CHE_016_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers epoxy floor coating within the paints and coatings prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: application consistency, drying behaviour, film checks and package labelling. Record a sample observation for each topic and attach fixture report DEMO-TEST-CHE-016; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CHE DEMO-APP-CHE-016 Investigation open
Certificate	DEMO-CERT-CHE-016 Suspended
Licence	DEMO-LIC-CHE-016 Suspended
Holder / product scope	Demo Chemicals Manufacturer 016 Epoxy floor coating
Validity / grant note	2025-06-15 to 2027-06-14 Use blocked in prototype
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - suspended

Consumer help and FAQs: category guide p. 323. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Waterproof coating

Chemicals / Paints and coatings | DEMO-REC-CHE-017

A. View | Basic details

IS Number	DEMO-IS-CHE-017:2025
IS Title	Waterproof coating - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-CHE-017:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-CHE (Chemicals Prototype Department)
Technical Committee	DEMO-CHE-02 (Paints and coatings Prototype Committee)
Member Secretary	Demo Secretary CHE-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_CHE_017_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CHE-017:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A0
Classification / reaffirmed	DEMO-CLASS-CHE-02 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_CHE_017_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers waterproof coating within the paints and coatings prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: application consistency, drying behaviour, film checks and package labelling. Record a sample observation for each topic and attach fixture report DEMO-TEST-CHE-017; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CHE DEMO-APP-CHE-017 Closed
Certificate	DEMO-CERT-CHE-017 Withdrawn
Licence	DEMO-LIC-CHE-017 Withdrawn
Holder / product scope	Demo Chemicals Manufacturer 017 Waterproof coating
Validity / grant note	2025-06-15 to 2027-06-14 Historical withdrawal fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - withdrawn

Consumer help and FAQs: category guide p. 323. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Varnish

Chemicals / Paints and coatings | DEMO-REC-CHE-018

A. View | Basic details

IS Number	DEMO-IS-CHE-018:2025
IS Title	Varnish - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-CHE-018:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-CHE (Chemicals Prototype Department)
Technical Committee	DEMO-CHE-02 (Paints and coatings Prototype Committee)
Member Secretary	Demo Secretary CHE-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_CHE_018_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CHE-018:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A1
Classification / reaffirmed	DEMO-CLASS-CHE-02 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_CHE_018_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers varnish within the paints and coatings prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: application consistency, drying behaviour, film checks and package labelling. Record a sample observation for each topic and attach fixture report DEMO-TEST-CHE-018; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CHE DEMO-APP-CHE-018 Rejected
Certificate	DEMO-CERT-CHE-018 Not issued
Licence	DEMO-LIC-CHE-018 Not granted
Holder / product scope	Demo Chemicals Manufacturer 018 Varnish
Validity / grant note	No issued term Mock application rejected
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 323. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Road-marking paint

Chemicals / Paints and coatings | DEMO-REC-CHE-019

A. View | Basic details

IS Number	DEMO-IS-CHE-019:2024
IS Title	Road-marking paint - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-CHE (Chemicals Prototype Department)
Technical Committee	DEMO-CHE-02 (Paints and coatings Prototype Committee)
Member Secretary	Demo Secretary CHE-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_CHE_019_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CHE-019:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A2
Classification / reaffirmed	DEMO-CLASS-CHE-02 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_CHE_019_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers road-marking paint within the paints and coatings prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: application consistency, drying behaviour, film checks and package labelling. Record a sample observation for each topic and attach fixture report DEMO-TEST-CHE-019; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CHE DEMO-APP-CHE-019 Amendment granted
Certificate	DEMO-CERT-CHE-019 Issued
Licence	DEMO-LIC-CHE-019 Active
Holder / product scope	Demo Chemicals Manufacturer 019 Road-marking paint
Validity / grant note	2025-06-15 to 2027-06-14 Scope update accepted in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 323. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Powder coating

Chemicals / Paints and coatings | DEMO-REC-CHE-020

A. View | Basic details

IS Number	DEMO-IS-CHE-020:2025
IS Title	Powder coating - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-CHE-020:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-CHE (Chemicals Prototype Department)
Technical Committee	DEMO-CHE-02 (Paints and coatings Prototype Committee)
Member Secretary	Demo Secretary CHE-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_CHE_020_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CHE-020:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A3
Classification / reaffirmed	DEMO-CLASS-CHE-02 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_CHE_020_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers powder coating within the paints and coatings prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: application consistency, drying behaviour, film checks and package labelling. Record a sample observation for each topic and attach fixture report DEMO-TEST-CHE-020; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CHE DEMO-APP-CHE-020 Renewal under review
Certificate	DEMO-CERT-CHE-020 Issued
Licence	DEMO-LIC-CHE-020 Active
Holder / product scope	Demo Chemicals Manufacturer 020 Powder coating
Validity / grant note	2025-06-15 to 2027-06-14 Existing mock term still active
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 323. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

PVA wood adhesive

Chemicals / Adhesives and sealants | DEMO-REC-CHE-021

A. View | Basic details

IS Number	DEMO-IS-CHE-021:2025
IS Title	PVA wood adhesive - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-CHE-021:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-CHE (Chemicals Prototype Department)
Technical Committee	DEMO-CHE-03 (Adhesives and sealants Prototype Committee)
Member Secretary	Demo Secretary CHE-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_CHE_021_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CHE-021:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A0
Classification / reaffirmed	DEMO-CLASS-CHE-03 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_CHE_021_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers pva wood adhesive within the adhesives and sealants prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: bond consistency, cure behaviour, storage stability and container identification. Record a sample observation for each topic and attach fixture report DEMO-TEST-CHE-021; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CHE DEMO-APP-CHE-021 Granted
Certificate	DEMO-CERT-CHE-021 Issued
Licence	DEMO-LIC-CHE-021 Active
Holder / product scope	Demo Chemicals Manufacturer 021 PVA wood adhesive
Validity / grant note	2025-06-15 to 2027-06-14 Grant completed in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 323. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Epoxy adhesive

Chemicals / Adhesives and sealants | DEMO-REC-CHE-022

A. View | Basic details

IS Number	DEMO-IS-CHE-022:2024
IS Title	Epoxy adhesive - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-CHE (Chemicals Prototype Department)
Technical Committee	DEMO-CHE-03 (Adhesives and sealants Prototype Committee)
Member Secretary	Demo Secretary CHE-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_CHE_022_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CHE-022:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A1
Classification / reaffirmed	DEMO-CLASS-CHE-03 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_CHE_022_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers epoxy adhesive within the adhesives and sealants prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: bond consistency, cure behaviour, storage stability and container identification. Record a sample observation for each topic and attach fixture report DEMO-TEST-CHE-022; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CHE DEMO-APP-CHE-022 Testing pending
Certificate	DEMO-CERT-CHE-022 Draft - not issued
Licence	DEMO-LIC-CHE-022 Not granted
Holder / product scope	Demo Chemicals Manufacturer 022 Epoxy adhesive
Validity / grant note	No issued term Await sample evaluation
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 323. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Contact adhesive

Chemicals / Adhesives and sealants | DEMO-REC-CHE-023

A. View | Basic details

IS Number	DEMO-IS-CHE-023:2025
IS Title	Contact adhesive - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-CHE-023:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-CHE (Chemicals Prototype Department)
Technical Committee	DEMO-CHE-03 (Adhesives and sealants Prototype Committee)
Member Secretary	Demo Secretary CHE-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_CHE_023_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CHE-023:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A2
Classification / reaffirmed	DEMO-CLASS-CHE-03 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_CHE_023_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers contact adhesive within the adhesives and sealants prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: bond consistency, cure behaviour, storage stability and container identification. Record a sample observation for each topic and attach fixture report DEMO-TEST-CHE-023; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CHE DEMO-APP-CHE-023 Technical review
Certificate	DEMO-CERT-CHE-023 Draft - not issued
Licence	DEMO-LIC-CHE-023 Not granted
Holder / product scope	Demo Chemicals Manufacturer 023 Contact adhesive
Validity / grant note	No issued term Reviewer decision pending
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 323. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Tile adhesive

Chemicals / Adhesives and sealants | DEMO-REC-CHE-024

A. View | Basic details

IS Number	DEMO-IS-CHE-024:2025
IS Title	Tile adhesive - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-CHE-024:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-CHE (Chemicals Prototype Department)
Technical Committee	DEMO-CHE-03 (Adhesives and sealants Prototype Committee)
Member Secretary	Demo Secretary CHE-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_CHE_024_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CHE-024:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A3
Classification / reaffirmed	DEMO-CLASS-CHE-03 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_CHE_024_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers tile adhesive within the adhesives and sealants prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: bond consistency, cure behaviour, storage stability and container identification. Record a sample observation for each topic and attach fixture report DEMO-TEST-CHE-024; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CHE DEMO-APP-CHE-024 Clarification requested
Certificate	DEMO-CERT-CHE-024 Draft - not issued
Licence	DEMO-LIC-CHE-024 Not granted
Holder / product scope	Demo Chemicals Manufacturer 024 Tile adhesive
Validity / grant note	No issued term Applicant must revise mock file
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 323. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Silicone sealant

Chemicals / Adhesives and sealants | DEMO-REC-CHE-025

A. View | Basic details

IS Number	DEMO-IS-CHE-025:2024
IS Title	Silicone sealant - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-CHE (Chemicals Prototype Department)
Technical Committee	DEMO-CHE-03 (Adhesives and sealants Prototype Committee)
Member Secretary	Demo Secretary CHE-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_CHE_025_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CHE-025:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A0
Classification / reaffirmed	DEMO-CLASS-CHE-03 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_CHE_025_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers silicone sealant within the adhesives and sealants prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: bond consistency, cure behaviour, storage stability and container identification. Record a sample observation for each topic and attach fixture report DEMO-TEST-CHE-025; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CHE DEMO-APP-CHE-025 Renewal pending
Certificate	DEMO-CERT-CHE-025 Expired
Licence	DEMO-LIC-CHE-025 Expired
Holder / product scope	Demo Chemicals Manufacturer 025 Silicone sealant
Validity / grant note	2024-01-15 to 2025-01-14 Historical expired record
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - expired

Consumer help and FAQs: category guide p. 323. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Acrylic sealant

Chemicals / Adhesives and sealants | DEMO-REC-CHE-026

A. View | Basic details

IS Number	DEMO-IS-CHE-026:2025
IS Title	Acrylic sealant - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-CHE-026:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-CHE (Chemicals Prototype Department)
Technical Committee	DEMO-CHE-03 (Adhesives and sealants Prototype Committee)
Member Secretary	Demo Secretary CHE-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_CHE_026_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CHE-026:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A1
Classification / reaffirmed	DEMO-CLASS-CHE-03 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_CHE_026_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers acrylic sealant within the adhesives and sealants prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: bond consistency, cure behaviour, storage stability and container identification. Record a sample observation for each topic and attach fixture report DEMO-TEST-CHE-026; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CHE DEMO-APP-CHE-026 Investigation open
Certificate	DEMO-CERT-CHE-026 Suspended
Licence	DEMO-LIC-CHE-026 Suspended
Holder / product scope	Demo Chemicals Manufacturer 026 Acrylic sealant
Validity / grant note	2025-06-15 to 2027-06-14 Use blocked in prototype
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - suspended

Consumer help and FAQs: category guide p. 323. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Polyurethane sealant

Chemicals / Adhesives and sealants | DEMO-REC-CHE-027

A. View | Basic details

IS Number	DEMO-IS-CHE-027:2025
IS Title	Polyurethane sealant - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-CHE-027:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-CHE (Chemicals Prototype Department)
Technical Committee	DEMO-CHE-03 (Adhesives and sealants Prototype Committee)
Member Secretary	Demo Secretary CHE-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_CHE_027_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CHE-027:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A2
Classification / reaffirmed	DEMO-CLASS-CHE-03 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_CHE_027_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers polyurethane sealant within the adhesives and sealants prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: bond consistency, cure behaviour, storage stability and container identification. Record a sample observation for each topic and attach fixture report DEMO-TEST-CHE-027; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CHE DEMO-APP-CHE-027 Closed
Certificate	DEMO-CERT-CHE-027 Withdrawn
Licence	DEMO-LIC-CHE-027 Withdrawn
Holder / product scope	Demo Chemicals Manufacturer 027 Polyurethane sealant
Validity / grant note	2025-06-15 to 2027-06-14 Historical withdrawal fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - withdrawn

Consumer help and FAQs: category guide p. 323. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Thread-locking compound

Chemicals / Adhesives and sealants | DEMO-REC-CHE-028

A. View | Basic details

IS Number	DEMO-IS-CHE-028:2024
IS Title	Thread-locking compound - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-CHE (Chemicals Prototype Department)
Technical Committee	DEMO-CHE-03 (Adhesives and sealants Prototype Committee)
Member Secretary	Demo Secretary CHE-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_CHE_028_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CHE-028:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A3
Classification / reaffirmed	DEMO-CLASS-CHE-03 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_CHE_028_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers thread-locking compound within the adhesives and sealants prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: bond consistency, cure behaviour, storage stability and container identification. Record a sample observation for each topic and attach fixture report DEMO-TEST-CHE-028; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CHE DEMO-APP-CHE-028 Rejected
Certificate	DEMO-CERT-CHE-028 Not issued
Licence	DEMO-LIC-CHE-028 Not granted
Holder / product scope	Demo Chemicals Manufacturer 028 Thread-locking compound
Validity / grant note	No issued term Mock application rejected
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 323. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Hot-melt adhesive

Chemicals / Adhesives and sealants | DEMO-REC-CHE-029

A. View | Basic details

IS Number	DEMO-IS-CHE-029:2025
IS Title	Hot-melt adhesive - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-CHE-029:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-CHE (Chemicals Prototype Department)
Technical Committee	DEMO-CHE-03 (Adhesives and sealants Prototype Committee)
Member Secretary	Demo Secretary CHE-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_CHE_029_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CHE-029:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A0
Classification / reaffirmed	DEMO-CLASS-CHE-03 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_CHE_029_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers hot-melt adhesive within the adhesives and sealants prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: bond consistency, cure behaviour, storage stability and container identification. Record a sample observation for each topic and attach fixture report DEMO-TEST-CHE-029; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CHE DEMO-APP-CHE-029 Amendment granted
Certificate	DEMO-CERT-CHE-029 Issued
Licence	DEMO-LIC-CHE-029 Active
Holder / product scope	Demo Chemicals Manufacturer 029 Hot-melt adhesive
Validity / grant note	2025-06-15 to 2027-06-14 Scope update accepted in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 323. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Rubber-based adhesive

Chemicals / Adhesives and sealants | DEMO-REC-CHE-030

A. View | Basic details

IS Number	DEMO-IS-CHE-030:2025
IS Title	Rubber-based adhesive - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-CHE-030:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-CHE (Chemicals Prototype Department)
Technical Committee	DEMO-CHE-03 (Adhesives and sealants Prototype Committee)
Member Secretary	Demo Secretary CHE-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_CHE_030_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CHE-030:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A1
Classification / reaffirmed	DEMO-CLASS-CHE-03 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_CHE_030_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers rubber-based adhesive within the adhesives and sealants prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: bond consistency, cure behaviour, storage stability and container identification. Record a sample observation for each topic and attach fixture report DEMO-TEST-CHE-030; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CHE DEMO-APP-CHE-030 Renewal under review
Certificate	DEMO-CERT-CHE-030 Issued
Licence	DEMO-LIC-CHE-030 Active
Holder / product scope	Demo Chemicals Manufacturer 030 Rubber-based adhesive
Validity / grant note	2025-06-15 to 2027-06-14 Existing mock term still active
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 323. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Sodium carbonate

Chemicals / Industrial chemicals | DEMO-REC-CHE-031

A. View | Basic details

IS Number	DEMO-IS-CHE-031:2024
IS Title	Sodium carbonate - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-CHE (Chemicals Prototype Department)
Technical Committee	DEMO-CHE-04 (Industrial chemicals Prototype Committee)
Member Secretary	Demo Secretary CHE-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_CHE_031_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CHE-031:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A2
Classification / reaffirmed	DEMO-CLASS-CHE-04 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_CHE_031_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers sodium carbonate within the industrial chemicals prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: identity, declared concentration, impurity-screening samples and compatible packaging. Record a sample observation for each topic and attach fixture report DEMO-TEST-CHE-031; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CHE DEMO-APP-CHE-031 Granted
Certificate	DEMO-CERT-CHE-031 Issued
Licence	DEMO-LIC-CHE-031 Active
Holder / product scope	Demo Chemicals Manufacturer 031 Sodium carbonate
Validity / grant note	2025-06-15 to 2027-06-14 Grant completed in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 323. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Sodium bicarbonate

Chemicals / Industrial chemicals | DEMO-REC-CHE-032

A. View | Basic details

IS Number	DEMO-IS-CHE-032:2025
IS Title	Sodium bicarbonate - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-CHE-032:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-CHE (Chemicals Prototype Department)
Technical Committee	DEMO-CHE-04 (Industrial chemicals Prototype Committee)
Member Secretary	Demo Secretary CHE-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_CHE_032_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CHE-032:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A3
Classification / reaffirmed	DEMO-CLASS-CHE-04 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_CHE_032_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers sodium bicarbonate within the industrial chemicals prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: identity, declared concentration, impurity-screening samples and compatible packaging. Record a sample observation for each topic and attach fixture report DEMO-TEST-CHE-032; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CHE DEMO-APP-CHE-032 Testing pending
Certificate	DEMO-CERT-CHE-032 Draft - not issued
Licence	DEMO-LIC-CHE-032 Not granted
Holder / product scope	Demo Chemicals Manufacturer 032 Sodium bicarbonate
Validity / grant note	No issued term Await sample evaluation
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 323. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Calcium chloride

Chemicals / Industrial chemicals | DEMO-REC-CHE-033

A. View | Basic details

IS Number	DEMO-IS-CHE-033:2025
IS Title	Calcium chloride - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-CHE-033:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-CHE (Chemicals Prototype Department)
Technical Committee	DEMO-CHE-04 (Industrial chemicals Prototype Committee)
Member Secretary	Demo Secretary CHE-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_CHE_033_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CHE-033:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A0
Classification / reaffirmed	DEMO-CLASS-CHE-04 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_CHE_033_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers calcium chloride within the industrial chemicals prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: identity, declared concentration, impurity-screening samples and compatible packaging. Record a sample observation for each topic and attach fixture report DEMO-TEST-CHE-033; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CHE DEMO-APP-CHE-033 Technical review
Certificate	DEMO-CERT-CHE-033 Draft - not issued
Licence	DEMO-LIC-CHE-033 Not granted
Holder / product scope	Demo Chemicals Manufacturer 033 Calcium chloride
Validity / grant note	No issued term Reviewer decision pending
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 323. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Magnesium sulfate

Chemicals / Industrial chemicals | DEMO-REC-CHE-034

A. View | Basic details

IS Number	DEMO-IS-CHE-034:2024
IS Title	Magnesium sulfate - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-CHE (Chemicals Prototype Department)
Technical Committee	DEMO-CHE-04 (Industrial chemicals Prototype Committee)
Member Secretary	Demo Secretary CHE-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_CHE_034_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CHE-034:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A1
Classification / reaffirmed	DEMO-CLASS-CHE-04 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_CHE_034_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers magnesium sulfate within the industrial chemicals prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: identity, declared concentration, impurity-screening samples and compatible packaging. Record a sample observation for each topic and attach fixture report DEMO-TEST-CHE-034; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CHE DEMO-APP-CHE-034 Clarification requested
Certificate	DEMO-CERT-CHE-034 Draft - not issued
Licence	DEMO-LIC-CHE-034 Not granted
Holder / product scope	Demo Chemicals Manufacturer 034 Magnesium sulfate
Validity / grant note	No issued term Applicant must revise mock file
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 323. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Sodium silicate

Chemicals / Industrial chemicals | DEMO-REC-CHE-035

A. View | Basic details

IS Number	DEMO-IS-CHE-035:2025
IS Title	Sodium silicate - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-CHE-035:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-CHE (Chemicals Prototype Department)
Technical Committee	DEMO-CHE-04 (Industrial chemicals Prototype Committee)
Member Secretary	Demo Secretary CHE-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_CHE_035_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CHE-035:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A2
Classification / reaffirmed	DEMO-CLASS-CHE-04 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_CHE_035_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers sodium silicate within the industrial chemicals prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: identity, declared concentration, impurity-screening samples and compatible packaging. Record a sample observation for each topic and attach fixture report DEMO-TEST-CHE-035; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CHE DEMO-APP-CHE-035 Renewal pending
Certificate	DEMO-CERT-CHE-035 Expired
Licence	DEMO-LIC-CHE-035 Expired
Holder / product scope	Demo Chemicals Manufacturer 035 Sodium silicate
Validity / grant note	2024-01-15 to 2025-01-14 Historical expired record
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - expired

Consumer help and FAQs: category guide p. 323. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Citric acid

Chemicals / Industrial chemicals | DEMO-REC-CHE-036

A. View | Basic details

IS Number	DEMO-IS-CHE-036:2025
IS Title	Citric acid - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-CHE-036:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-CHE (Chemicals Prototype Department)
Technical Committee	DEMO-CHE-04 (Industrial chemicals Prototype Committee)
Member Secretary	Demo Secretary CHE-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_CHE_036_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CHE-036:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A3
Classification / reaffirmed	DEMO-CLASS-CHE-04 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_CHE_036_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers citric acid within the industrial chemicals prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: identity, declared concentration, impurity-screening samples and compatible packaging. Record a sample observation for each topic and attach fixture report DEMO-TEST-CHE-036; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CHE DEMO-APP-CHE-036 Investigation open
Certificate	DEMO-CERT-CHE-036 Suspended
Licence	DEMO-LIC-CHE-036 Suspended
Holder / product scope	Demo Chemicals Manufacturer 036 Citric acid
Validity / grant note	2025-06-15 to 2027-06-14 Use blocked in prototype
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - suspended

Consumer help and FAQs: category guide p. 323. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Acetic acid solution

Chemicals / Industrial chemicals | DEMO-REC-CHE-037

A. View | Basic details

IS Number	DEMO-IS-CHE-037:2024
IS Title	Acetic acid solution - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-CHE (Chemicals Prototype Department)
Technical Committee	DEMO-CHE-04 (Industrial chemicals Prototype Committee)
Member Secretary	Demo Secretary CHE-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_CHE_037_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CHE-037:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A0
Classification / reaffirmed	DEMO-CLASS-CHE-04 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_CHE_037_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers acetic acid solution within the industrial chemicals prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: identity, declared concentration, impurity-screening samples and compatible packaging. Record a sample observation for each topic and attach fixture report DEMO-TEST-CHE-037; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CHE DEMO-APP-CHE-037 Closed
Certificate	DEMO-CERT-CHE-037 Withdrawn
Licence	DEMO-LIC-CHE-037 Withdrawn
Holder / product scope	Demo Chemicals Manufacturer 037 Acetic acid solution
Validity / grant note	2025-06-15 to 2027-06-14 Historical withdrawal fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - withdrawn

Consumer help and FAQs: category guide p. 323. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Hydrogen peroxide solution

Chemicals / Industrial chemicals | DEMO-REC-CHE-038

A. View | Basic details

IS Number	DEMO-IS-CHE-038:2025
IS Title	Hydrogen peroxide solution - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-CHE-038:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-CHE (Chemicals Prototype Department)
Technical Committee	DEMO-CHE-04 (Industrial chemicals Prototype Committee)
Member Secretary	Demo Secretary CHE-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_CHE_038_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CHE-038:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A1
Classification / reaffirmed	DEMO-CLASS-CHE-04 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_CHE_038_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers hydrogen peroxide solution within the industrial chemicals prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: identity, declared concentration, impurity-screening samples and compatible packaging. Record a sample observation for each topic and attach fixture report DEMO-TEST-CHE-038; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CHE DEMO-APP-CHE-038 Rejected
Certificate	DEMO-CERT-CHE-038 Not issued
Licence	DEMO-LIC-CHE-038 Not granted
Holder / product scope	Demo Chemicals Manufacturer 038 Hydrogen peroxide solution
Validity / grant note	No issued term Mock application rejected
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 323. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Activated carbon

Chemicals / Industrial chemicals | DEMO-REC-CHE-039

A. View | Basic details

IS Number	DEMO-IS-CHE-039:2025
IS Title	Activated carbon - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-CHE-039:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-CHE (Chemicals Prototype Department)
Technical Committee	DEMO-CHE-04 (Industrial chemicals Prototype Committee)
Member Secretary	Demo Secretary CHE-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_CHE_039_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CHE-039:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A2
Classification / reaffirmed	DEMO-CLASS-CHE-04 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_CHE_039_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers activated carbon within the industrial chemicals prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: identity, declared concentration, impurity-screening samples and compatible packaging. Record a sample observation for each topic and attach fixture report DEMO-TEST-CHE-039; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CHE DEMO-APP-CHE-039 Amendment granted
Certificate	DEMO-CERT-CHE-039 Issued
Licence	DEMO-LIC-CHE-039 Active
Holder / product scope	Demo Chemicals Manufacturer 039 Activated carbon
Validity / grant note	2025-06-15 to 2027-06-14 Scope update accepted in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 323. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Silica gel

Chemicals / Industrial chemicals | DEMO-REC-CHE-040

A. View | Basic details

IS Number	DEMO-IS-CHE-040:2024
IS Title	Silica gel - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-CHE (Chemicals Prototype Department)
Technical Committee	DEMO-CHE-04 (Industrial chemicals Prototype Committee)
Member Secretary	Demo Secretary CHE-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_CHE_040_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CHE-040:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A3
Classification / reaffirmed	DEMO-CLASS-CHE-04 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_CHE_040_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers silica gel within the industrial chemicals prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: identity, declared concentration, impurity-screening samples and compatible packaging. Record a sample observation for each topic and attach fixture report DEMO-TEST-CHE-040; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CHE DEMO-APP-CHE-040 Renewal under review
Certificate	DEMO-CERT-CHE-040 Issued
Licence	DEMO-LIC-CHE-040 Active
Holder / product scope	Demo Chemicals Manufacturer 040 Silica gel
Validity / grant note	2025-06-15 to 2027-06-14 Existing mock term still active
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 323. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

PVC resin

Chemicals / Polymers and additives | DEMO-REC-CHE-041

A. View | Basic details

IS Number	DEMO-IS-CHE-041:2025
IS Title	PVC resin - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-CHE-041:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-CHE (Chemicals Prototype Department)
Technical Committee	DEMO-CHE-05 (Polymers and additives Prototype Committee)
Member Secretary	Demo Secretary CHE-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_CHE_041_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CHE-041:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A0
Classification / reaffirmed	DEMO-CLASS-CHE-05 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_CHE_041_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers pvc resin within the polymers and additives prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: material identity, batch uniformity, processing consistency and safety-information completeness. Record a sample observation for each topic and attach fixture report DEMO-TEST-CHE-041; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CHE DEMO-APP-CHE-041 Granted
Certificate	DEMO-CERT-CHE-041 Issued
Licence	DEMO-LIC-CHE-041 Active
Holder / product scope	Demo Chemicals Manufacturer 041 PVC resin
Validity / grant note	2025-06-15 to 2027-06-14 Grant completed in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 323. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Polyethylene resin

Chemicals / Polymers and additives | DEMO-REC-CHE-042

A. View | Basic details

IS Number	DEMO-IS-CHE-042:2025
IS Title	Polyethylene resin - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-CHE-042:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-CHE (Chemicals Prototype Department)
Technical Committee	DEMO-CHE-05 (Polymers and additives Prototype Committee)
Member Secretary	Demo Secretary CHE-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_CHE_042_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CHE-042:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A1
Classification / reaffirmed	DEMO-CLASS-CHE-05 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_CHE_042_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers polyethylene resin within the polymers and additives prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: material identity, batch uniformity, processing consistency and safety-information completeness. Record a sample observation for each topic and attach fixture report DEMO-TEST-CHE-042; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CHE DEMO-APP-CHE-042 Testing pending
Certificate	DEMO-CERT-CHE-042 Draft - not issued
Licence	DEMO-LIC-CHE-042 Not granted
Holder / product scope	Demo Chemicals Manufacturer 042 Polyethylene resin
Validity / grant note	No issued term Await sample evaluation
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 323. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Polypropylene resin

Chemicals / Polymers and additives | DEMO-REC-CHE-043

A. View | Basic details

IS Number	DEMO-IS-CHE-043:2024
IS Title	Polypropylene resin - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-CHE (Chemicals Prototype Department)
Technical Committee	DEMO-CHE-05 (Polymers and additives Prototype Committee)
Member Secretary	Demo Secretary CHE-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_CHE_043_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CHE-043:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A2
Classification / reaffirmed	DEMO-CLASS-CHE-05 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_CHE_043_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers polypropylene resin within the polymers and additives prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: material identity, batch uniformity, processing consistency and safety-information completeness. Record a sample observation for each topic and attach fixture report DEMO-TEST-CHE-043; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CHE DEMO-APP-CHE-043 Technical review
Certificate	DEMO-CERT-CHE-043 Draft - not issued
Licence	DEMO-LIC-CHE-043 Not granted
Holder / product scope	Demo Chemicals Manufacturer 043 Polypropylene resin
Validity / grant note	No issued term Reviewer decision pending
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 323. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Polystyrene resin

Chemicals / Polymers and additives | DEMO-REC-CHE-044

A. View | Basic details

IS Number	DEMO-IS-CHE-044:2025
IS Title	Polystyrene resin - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-CHE-044:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-CHE (Chemicals Prototype Department)
Technical Committee	DEMO-CHE-05 (Polymers and additives Prototype Committee)
Member Secretary	Demo Secretary CHE-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_CHE_044_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CHE-044:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A3
Classification / reaffirmed	DEMO-CLASS-CHE-05 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_CHE_044_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers polystyrene resin within the polymers and additives prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: material identity, batch uniformity, processing consistency and safety-information completeness. Record a sample observation for each topic and attach fixture report DEMO-TEST-CHE-044; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CHE DEMO-APP-CHE-044 Clarification requested
Certificate	DEMO-CERT-CHE-044 Draft - not issued
Licence	DEMO-LIC-CHE-044 Not granted
Holder / product scope	Demo Chemicals Manufacturer 044 Polystyrene resin
Validity / grant note	No issued term Applicant must revise mock file
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 323. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

ABS resin

Chemicals / Polymers and additives | DEMO-REC-CHE-045

A. View | Basic details

IS Number	DEMO-IS-CHE-045:2025
IS Title	ABS resin - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-CHE-045:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-CHE (Chemicals Prototype Department)
Technical Committee	DEMO-CHE-05 (Polymers and additives Prototype Committee)
Member Secretary	Demo Secretary CHE-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_CHE_045_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CHE-045:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A0
Classification / reaffirmed	DEMO-CLASS-CHE-05 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_CHE_045_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers abs resin within the polymers and additives prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: material identity, batch uniformity, processing consistency and safety-information completeness. Record a sample observation for each topic and attach fixture report DEMO-TEST-CHE-045; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CHE DEMO-APP-CHE-045 Renewal pending
Certificate	DEMO-CERT-CHE-045 Expired
Licence	DEMO-LIC-CHE-045 Expired
Holder / product scope	Demo Chemicals Manufacturer 045 ABS resin
Validity / grant note	2024-01-15 to 2025-01-14 Historical expired record
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - expired

Consumer help and FAQs: category guide p. 323. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Plastic masterbatch

Chemicals / Polymers and additives | DEMO-REC-CHE-046

A. View | Basic details

IS Number	DEMO-IS-CHE-046:2024
IS Title	Plastic masterbatch - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-CHE (Chemicals Prototype Department)
Technical Committee	DEMO-CHE-05 (Polymers and additives Prototype Committee)
Member Secretary	Demo Secretary CHE-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_CHE_046_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CHE-046:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A1
Classification / reaffirmed	DEMO-CLASS-CHE-05 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_CHE_046_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers plastic masterbatch within the polymers and additives prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: material identity, batch uniformity, processing consistency and safety-information completeness. Record a sample observation for each topic and attach fixture report DEMO-TEST-CHE-046; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CHE DEMO-APP-CHE-046 Investigation open
Certificate	DEMO-CERT-CHE-046 Suspended
Licence	DEMO-LIC-CHE-046 Suspended
Holder / product scope	Demo Chemicals Manufacturer 046 Plastic masterbatch
Validity / grant note	2025-06-15 to 2027-06-14 Use blocked in prototype
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - suspended

Consumer help and FAQs: category guide p. 323. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Rubber compound

Chemicals / Polymers and additives | DEMO-REC-CHE-047

A. View | Basic details

IS Number	DEMO-IS-CHE-047:2025
IS Title	Rubber compound - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-CHE-047:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-CHE (Chemicals Prototype Department)
Technical Committee	DEMO-CHE-05 (Polymers and additives Prototype Committee)
Member Secretary	Demo Secretary CHE-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_CHE_047_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CHE-047:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A2
Classification / reaffirmed	DEMO-CLASS-CHE-05 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_CHE_047_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers rubber compound within the polymers and additives prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: material identity, batch uniformity, processing consistency and safety-information completeness. Record a sample observation for each topic and attach fixture report DEMO-TEST-CHE-047; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CHE DEMO-APP-CHE-047 Closed
Certificate	DEMO-CERT-CHE-047 Withdrawn
Licence	DEMO-LIC-CHE-047 Withdrawn
Holder / product scope	Demo Chemicals Manufacturer 047 Rubber compound
Validity / grant note	2025-06-15 to 2027-06-14 Historical withdrawal fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - withdrawn

Consumer help and FAQs: category guide p. 323. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Plasticiser blend

Chemicals / Polymers and additives | DEMO-REC-CHE-048

A. View | Basic details

IS Number	DEMO-IS-CHE-048:2025
IS Title	Plasticiser blend - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-CHE-048:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-CHE (Chemicals Prototype Department)
Technical Committee	DEMO-CHE-05 (Polymers and additives Prototype Committee)
Member Secretary	Demo Secretary CHE-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_CHE_048_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CHE-048:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A3
Classification / reaffirmed	DEMO-CLASS-CHE-05 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_CHE_048_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers plasticiser blend within the polymers and additives prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: material identity, batch uniformity, processing consistency and safety-information completeness. Record a sample observation for each topic and attach fixture report DEMO-TEST-CHE-048; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CHE DEMO-APP-CHE-048 Rejected
Certificate	DEMO-CERT-CHE-048 Not issued
Licence	DEMO-LIC-CHE-048 Not granted
Holder / product scope	Demo Chemicals Manufacturer 048 Plasticiser blend
Validity / grant note	No issued term Mock application rejected
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 323. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Antioxidant additive

Chemicals / Polymers and additives | DEMO-REC-CHE-049

A. View | Basic details

IS Number	DEMO-IS-CHE-049:2024
IS Title	Antioxidant additive - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-CHE (Chemicals Prototype Department)
Technical Committee	DEMO-CHE-05 (Polymers and additives Prototype Committee)
Member Secretary	Demo Secretary CHE-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_CHE_049_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CHE-049:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A0
Classification / reaffirmed	DEMO-CLASS-CHE-05 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_CHE_049_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers antioxidant additive within the polymers and additives prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: material identity, batch uniformity, processing consistency and safety-information completeness. Record a sample observation for each topic and attach fixture report DEMO-TEST-CHE-049; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CHE DEMO-APP-CHE-049 Amendment granted
Certificate	DEMO-CERT-CHE-049 Issued
Licence	DEMO-LIC-CHE-049 Active
Holder / product scope	Demo Chemicals Manufacturer 049 Antioxidant additive
Validity / grant note	2025-06-15 to 2027-06-14 Scope update accepted in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 323. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Water-treatment coagulant

Chemicals / Polymers and additives | DEMO-REC-CHE-050

A. View | Basic details

IS Number	DEMO-IS-CHE-050:2025
IS Title	Water-treatment coagulant - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-CHE-050:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-CHE (Chemicals Prototype Department)
Technical Committee	DEMO-CHE-05 (Polymers and additives Prototype Committee)
Member Secretary	Demo Secretary CHE-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_CHE_050_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-CHE-050:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A1
Classification / reaffirmed	DEMO-CLASS-CHE-05 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_CHE_050_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers water-treatment coagulant within the polymers and additives prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: material identity, batch uniformity, processing consistency and safety-information completeness. Record a sample observation for each topic and attach fixture report DEMO-TEST-CHE-050; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-CHE DEMO-APP-CHE-050 Renewal under review
Certificate	DEMO-CERT-CHE-050 Issued
Licence	DEMO-LIC-CHE-050 Active
Holder / product scope	Demo Chemicals Manufacturer 050 Water-treatment coagulant
Validity / grant note	2025-06-15 to 2027-06-14 Existing mock term still active
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 323. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Mechanical | 50-record catalogue

Indian Standards-style catalogue / standards search - all records on these pages are fictional.

Catalogue ID: DEMO-CAT-MEC. Search by product name, DEMO-IS number, subgroup or category. Click a product below to open its detail sheet.

01. Hexagon bolt	377	26. Ball valve	402
02. Hexagon nut	378	27. Check valve	403
03. Plain washer	379	28. Pressure-reducing valve	404
04. Spring washer	380	29. Safety relief valve	405
05. Machine screw	381	30. Pipe strainer	406
06. Self-tapping screw	382	31. Deep-groove ball bearing	407
07. Rivet	383	32. Roller bearing	408
08. Dowel pin	384	33. Flexible coupling	409
09. Circlip	385	34. Spur gear	410
10. Threaded rod	386	35. Worm gearbox	411
11. Combination spanner	387	36. Roller chain	412
12. Socket wrench	388	37. V-belt pulley	413
13. Screwdriver	389	38. Shaft seal	414
14. Pliers	390	39. Mechanical seal	415
15. Ball-peen hammer	391	40. Shaft key	416
16. Bench vice	392	41. Air compressor	417
17. Torque wrench	393	42. Manual chain hoist	418
18. Hand saw	394	43. Hydraulic jack	419
19. Drill bit	395	44. Pallet truck	420
20. Cutting tap	396	45. Bench grinder	421
21. Centrifugal pump	397	46. Drilling machine	422
22. Submersible pump	398	47. Lathe chuck	423
23. Positive-displacement pump	399	48. Pressure gauge	424
24. Gate valve	400	49. Vernier caliper	425
25. Globe valve	401	50. Digital weighing scale	426

The page number is the combined PDF location. Every detail sheet includes a unique standard, application, certificate and licence ID.

Mechanical | Certification and applications

Product Certification / Certification Schemes / Grant of Licence / Application - DEMO policy only.

Product Certification and Certification Schemes

Mock scheme	DEMO-PC-MEC: Mechanical Product Evaluation - Prototype Scheme
Scheme intent	Demonstrate document review, sample evaluation, grant decisions, status changes and verification screens.
Who can apply	A fictional manufacturer record with a demo product and facility; this is not actual BIS eligibility.
Application evidence	Demo factory profile, product specification, mock quality plan and fixture evaluation report.
Fees / service time	0 sandbox units. Use simulated workflow events; no actual fee or processing-time promise.
Scope of grant	Only the product and DEMO-IS record named in the fixture. Real Standard Mark permission is always false.

Application to Grant of Licence | simulated sequence

1. Create DEMO-APP record and link product, manufacturer and facility.
2. Validate required fields; missing details produce Clarification requested.
3. Record sample evidence under the matching DEMO-TEST identifier.
4. Reviewer selects Granted, Testing pending, Technical review or Rejected.
5. On grant, activate the mock licence and issue the linked demo certificate. Later events may expire, suspend, withdraw, amend or renew the fixture.

Product-specific requirements | subgroup examples

Fasteners and hardware: thread or dimensional accuracy, material identity, mechanical sampling and coating checks.

Tools: dimensions, grip or retention, functional loading and tool identification.

Pumps and valves: leak checks, flow or actuation response, pressure-test samples and connection dimensions.

Power transmission: dimensional fit, running consistency, wear-test samples and material traceability.

Industrial equipment: rated-function checks, guarding or handling, measurement repeatability and maintenance information.

Demo certificate and licence contents

Each product sheet displays the document IDs, holder, status, scope and term. The JSONL also contains document names, issuer, application evidence, lookup URL and an explicit not-valid field. Draft, rejected and not-granted records do not represent issued permissions.

IS documents and standards online source

The logical documents are stored as catalogue fixtures. Example route:

<https://standards-prototype.invalid/mec/catalogue>. No official licence, IS document or payment workflow is created.

Mechanical | Consumer information and FAQs

BIS-style consumer help screens for a prototype - all process and contact information here is synthetic.

BIS complaint process / How to lodge complaints | demo

Open the mock complaint form; choose category, product and complaint topic; add a mock invoice, label and image; submit to create a DEMO-CMP ID. A fixture moves through Submitted, Under review, Evidence requested, Resolved or Closed. These are UI examples, not a real complaint submission or escalation promise.

Product authenticity and Standard Mark

Compare the demo licence ID with the fixture holder, product scope, DEMO-IS number, status and dates. An ID match alone must not imply Active. Use only the text DEMO MARK - NOT BIS/ISI. No real product authenticity or conformity finding is made.

Hallmark verification

Not applicable to these category fixtures. Display N/A and do not invent a HUID or imply a general product certificate is a hallmark. A future jewellery prototype would need a separately defined dataset.

Consumer rights / information | fictional policy

The prototype lets users read disclosures, request correction of fixture data, attach evidence, view complaint history and receive a simulated response. No legal entitlement, refund duty, enforcement outcome or statutory response deadline is asserted.

BIS contact information | fictional placeholder

Office	Demo Mechanical Help Desk, Fictional Test Zone
Email	help-mec@standards-prototype.invalid
Telephone	DEMO-NOT-A-PHONE; JSON value is null
Contact URL	https://standards-prototype.invalid/mec/contact
Complaint URL	https://standards-prototype.invalid/mec/complaints

FAQs

How do I find a standard?

Search the Mechanical catalogue by name, subgroup or DEMO-IS number.

Is the certificate a real BIS certificate?

No. It is an unsigned fictional training object.

Can an expired or suspended record verify as Active?

No. Match the status and term, not only the identifier.

What if application evidence is missing?

Use the Clarification requested scenario; no licence is granted.

How do I check a hallmark?

This dataset returns Not applicable; it issues no hallmark identifier.

Do these links submit a real complaint?

No. The .invalid domain is deliberately non-operational.

Where are product-level FAQs stored?

Every synthetic JSONL record includes a five-question FAQs array.

Hexagon bolt

Mechanical / Fasteners and hardware | DEMO-REC-MEC-001

A. View | Basic details

IS Number	DEMO-IS-MEC-001:2024
IS Title	Hexagon bolt - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-MEC (Mechanical Prototype Department)
Technical Committee	DEMO-MEC-01 (Fasteners and hardware Prototype Committee)
Member Secretary	Demo Secretary MEC-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_MEC_001_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MEC-001:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A0
Classification / reaffirmed	DEMO-CLASS-MEC-01 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_MEC_001_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers hexagon bolt within the fasteners and hardware prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: thread or dimensional accuracy, material identity, mechanical sampling and coating checks. Record a sample observation for each topic and attach fixture report DEMO-TEST-MEC-001; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MEC DEMO-APP-MEC-001 Granted
Certificate	DEMO-CERT-MEC-001 Issued
Licence	DEMO-LIC-MEC-001 Active
Holder / product scope	Demo Mechanical Manufacturer 001 Hexagon bolt
Validity / grant note	2025-06-15 to 2027-06-14 Grant completed in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 376. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Hexagon nut

Mechanical / Fasteners and hardware | DEMO-REC-MEC-002

A. View | Basic details

IS Number	DEMO-IS-MEC-002:2025
IS Title	Hexagon nut - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-MEC-002:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-MEC (Mechanical Prototype Department)
Technical Committee	DEMO-MEC-01 (Fasteners and hardware Prototype Committee)
Member Secretary	Demo Secretary MEC-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_MEC_002_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MEC-002:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A1
Classification / reaffirmed	DEMO-CLASS-MEC-01 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_MEC_002_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers hexagon nut within the fasteners and hardware prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: thread or dimensional accuracy, material identity, mechanical sampling and coating checks. Record a sample observation for each topic and attach fixture report DEMO-TEST-MEC-002; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MEC DEMO-APP-MEC-002 Testing pending
Certificate	DEMO-CERT-MEC-002 Draft - not issued
Licence	DEMO-LIC-MEC-002 Not granted
Holder / product scope	Demo Mechanical Manufacturer 002 Hexagon nut
Validity / grant note	No issued term Await sample evaluation
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 376. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Plain washer

Mechanical / Fasteners and hardware | DEMO-REC-MEC-003

A. View | Basic details

IS Number	DEMO-IS-MEC-003:2025
IS Title	Plain washer - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-MEC-003:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-MEC (Mechanical Prototype Department)
Technical Committee	DEMO-MEC-01 (Fasteners and hardware Prototype Committee)
Member Secretary	Demo Secretary MEC-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_MEC_003_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MEC-003:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A2
Classification / reaffirmed	DEMO-CLASS-MEC-01 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_MEC_003_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers plain washer within the fasteners and hardware prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: thread or dimensional accuracy, material identity, mechanical sampling and coating checks. Record a sample observation for each topic and attach fixture report DEMO-TEST-MEC-003; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MEC DEMO-APP-MEC-003 Technical review
Certificate	DEMO-CERT-MEC-003 Draft - not issued
Licence	DEMO-LIC-MEC-003 Not granted
Holder / product scope	Demo Mechanical Manufacturer 003 Plain washer
Validity / grant note	No issued term Reviewer decision pending
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 376. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Spring washer

Mechanical / Fasteners and hardware | DEMO-REC-MEC-004

A. View | Basic details

IS Number	DEMO-IS-MEC-004:2024
IS Title	Spring washer - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-MEC (Mechanical Prototype Department)
Technical Committee	DEMO-MEC-01 (Fasteners and hardware Prototype Committee)
Member Secretary	Demo Secretary MEC-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_MEC_004_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MEC-004:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A3
Classification / reaffirmed	DEMO-CLASS-MEC-01 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_MEC_004_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers spring washer within the fasteners and hardware prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: thread or dimensional accuracy, material identity, mechanical sampling and coating checks. Record a sample observation for each topic and attach fixture report DEMO-TEST-MEC-004; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MEC DEMO-APP-MEC-004 Clarification requested
Certificate	DEMO-CERT-MEC-004 Draft - not issued
Licence	DEMO-LIC-MEC-004 Not granted
Holder / product scope	Demo Mechanical Manufacturer 004 Spring washer
Validity / grant note	No issued term Applicant must revise mock file
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 376. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Machine screw

Mechanical / Fasteners and hardware | DEMO-REC-MEC-005

A. View | Basic details

IS Number	DEMO-IS-MEC-005:2025
IS Title	Machine screw - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-MEC-005:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-MEC (Mechanical Prototype Department)
Technical Committee	DEMO-MEC-01 (Fasteners and hardware Prototype Committee)
Member Secretary	Demo Secretary MEC-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_MEC_005_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MEC-005:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A0
Classification / reaffirmed	DEMO-CLASS-MEC-01 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_MEC_005_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers machine screw within the fasteners and hardware prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: thread or dimensional accuracy, material identity, mechanical sampling and coating checks. Record a sample observation for each topic and attach fixture report DEMO-TEST-MEC-005; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MEC DEMO-APP-MEC-005 Renewal pending
Certificate	DEMO-CERT-MEC-005 Expired
Licence	DEMO-LIC-MEC-005 Expired
Holder / product scope	Demo Mechanical Manufacturer 005 Machine screw
Validity / grant note	2024-01-15 to 2025-01-14 Historical expired record
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - expired

Consumer help and FAQs: category guide p. 376. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Self-tapping screw

Mechanical / Fasteners and hardware | DEMO-REC-MEC-006

A. View | Basic details

IS Number	DEMO-IS-MEC-006:2025
IS Title	Self-tapping screw - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-MEC-006:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-MEC (Mechanical Prototype Department)
Technical Committee	DEMO-MEC-01 (Fasteners and hardware Prototype Committee)
Member Secretary	Demo Secretary MEC-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_MEC_006_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MEC-006:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A1
Classification / reaffirmed	DEMO-CLASS-MEC-01 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_MEC_006_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers self-tapping screw within the fasteners and hardware prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: thread or dimensional accuracy, material identity, mechanical sampling and coating checks. Record a sample observation for each topic and attach fixture report DEMO-TEST-MEC-006; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MEC DEMO-APP-MEC-006 Investigation open
Certificate	DEMO-CERT-MEC-006 Suspended
Licence	DEMO-LIC-MEC-006 Suspended
Holder / product scope	Demo Mechanical Manufacturer 006 Self-tapping screw
Validity / grant note	2025-06-15 to 2027-06-14 Use blocked in prototype
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - suspended

Consumer help and FAQs: category guide p. 376. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Rivet

Mechanical / Fasteners and hardware | DEMO-REC-MEC-007

A. View | Basic details

IS Number	DEMO-IS-MEC-007:2024
IS Title	Rivet - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-MEC (Mechanical Prototype Department)
Technical Committee	DEMO-MEC-01 (Fasteners and hardware Prototype Committee)
Member Secretary	Demo Secretary MEC-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_MEC_007_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MEC-007:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A2
Classification / reaffirmed	DEMO-CLASS-MEC-01 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_MEC_007_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers rivet within the fasteners and hardware prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: thread or dimensional accuracy, material identity, mechanical sampling and coating checks. Record a sample observation for each topic and attach fixture report DEMO-TEST-MEC-007; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MEC DEMO-APP-MEC-007 Closed
Certificate	DEMO-CERT-MEC-007 Withdrawn
Licence	DEMO-LIC-MEC-007 Withdrawn
Holder / product scope	Demo Mechanical Manufacturer 007 Rivet
Validity / grant note	2025-06-15 to 2027-06-14 Historical withdrawal fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - withdrawn

Consumer help and FAQs: category guide p. 376. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Dowel pin

Mechanical / Fasteners and hardware | DEMO-REC-MEC-008

A. View | Basic details

IS Number	DEMO-IS-MEC-008:2025
IS Title	Dowel pin - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-MEC-008:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-MEC (Mechanical Prototype Department)
Technical Committee	DEMO-MEC-01 (Fasteners and hardware Prototype Committee)
Member Secretary	Demo Secretary MEC-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_MEC_008_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MEC-008:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A3
Classification / reaffirmed	DEMO-CLASS-MEC-01 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_MEC_008_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers dowel pin within the fasteners and hardware prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: thread or dimensional accuracy, material identity, mechanical sampling and coating checks. Record a sample observation for each topic and attach fixture report DEMO-TEST-MEC-008; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MEC DEMO-APP-MEC-008 Rejected
Certificate	DEMO-CERT-MEC-008 Not issued
Licence	DEMO-LIC-MEC-008 Not granted
Holder / product scope	Demo Mechanical Manufacturer 008 Dowel pin
Validity / grant note	No issued term Mock application rejected
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 376. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Circlip

Mechanical / Fasteners and hardware | DEMO-REC-MEC-009

A. View | Basic details

IS Number	DEMO-IS-MEC-009:2025
IS Title	Circlip - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-MEC-009:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-MEC (Mechanical Prototype Department)
Technical Committee	DEMO-MEC-01 (Fasteners and hardware Prototype Committee)
Member Secretary	Demo Secretary MEC-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_MEC_009_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MEC-009:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A0
Classification / reaffirmed	DEMO-CLASS-MEC-01 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_MEC_009_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers circlip within the fasteners and hardware prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: thread or dimensional accuracy, material identity, mechanical sampling and coating checks. Record a sample observation for each topic and attach fixture report DEMO-TEST-MEC-009; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MEC DEMO-APP-MEC-009 Amendment granted
Certificate	DEMO-CERT-MEC-009 Issued
Licence	DEMO-LIC-MEC-009 Active
Holder / product scope	Demo Mechanical Manufacturer 009 Circlip
Validity / grant note	2025-06-15 to 2027-06-14 Scope update accepted in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 376. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Threaded rod

Mechanical / Fasteners and hardware | DEMO-REC-MEC-010

A. View | Basic details

IS Number	DEMO-IS-MEC-010:2024
IS Title	Threaded rod - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-MEC (Mechanical Prototype Department)
Technical Committee	DEMO-MEC-01 (Fasteners and hardware Prototype Committee)
Member Secretary	Demo Secretary MEC-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_MEC_010_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MEC-010:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A1
Classification / reaffirmed	DEMO-CLASS-MEC-01 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_MEC_010_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers threaded rod within the fasteners and hardware prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: thread or dimensional accuracy, material identity, mechanical sampling and coating checks. Record a sample observation for each topic and attach fixture report DEMO-TEST-MEC-010; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MEC DEMO-APP-MEC-010 Renewal under review
Certificate	DEMO-CERT-MEC-010 Issued
Licence	DEMO-LIC-MEC-010 Active
Holder / product scope	Demo Mechanical Manufacturer 010 Threaded rod
Validity / grant note	2025-06-15 to 2027-06-14 Existing mock term still active
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 376. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Combination spanner

Mechanical / Tools | DEMO-REC-MEC-011

A. View | Basic details

IS Number	DEMO-IS-MEC-011:2025
IS Title	Combination spanner - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-MEC-011:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-MEC (Mechanical Prototype Department)
Technical Committee	DEMO-MEC-02 (Tools Prototype Committee)
Member Secretary	Demo Secretary MEC-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_MEC_011_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MEC-011:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A2
Classification / reaffirmed	DEMO-CLASS-MEC-02 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_MEC_011_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers combination spanner within the tools prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: dimensions, grip or retention, functional loading and tool identification. Record a sample observation for each topic and attach fixture report DEMO-TEST-MEC-011; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MEC DEMO-APP-MEC-011 Granted
Certificate	DEMO-CERT-MEC-011 Issued
Licence	DEMO-LIC-MEC-011 Active
Holder / product scope	Demo Mechanical Manufacturer 011 Combination spanner
Validity / grant note	2025-06-15 to 2027-06-14 Grant completed in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 376. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Socket wrench

Mechanical / Tools | DEMO-REC-MEC-012

A. View | Basic details

IS Number	DEMO-IS-MEC-012:2025
IS Title	Socket wrench - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-MEC-012:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-MEC (Mechanical Prototype Department)
Technical Committee	DEMO-MEC-02 (Tools Prototype Committee)
Member Secretary	Demo Secretary MEC-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_MEC_012_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MEC-012:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A3
Classification / reaffirmed	DEMO-CLASS-MEC-02 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_MEC_012_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers socket wrench within the tools prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: dimensions, grip or retention, functional loading and tool identification. Record a sample observation for each topic and attach fixture report DEMO-TEST-MEC-012; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MEC DEMO-APP-MEC-012 Testing pending
Certificate	DEMO-CERT-MEC-012 Draft - not issued
Licence	DEMO-LIC-MEC-012 Not granted
Holder / product scope	Demo Mechanical Manufacturer 012 Socket wrench
Validity / grant note	No issued term Await sample evaluation
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 376. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Screwdriver

Mechanical / Tools | DEMO-REC-MEC-013

A. View | Basic details

IS Number	DEMO-IS-MEC-013:2024
IS Title	Screwdriver - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-MEC (Mechanical Prototype Department)
Technical Committee	DEMO-MEC-02 (Tools Prototype Committee)
Member Secretary	Demo Secretary MEC-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_MEC_013_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MEC-013:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A0
Classification / reaffirmed	DEMO-CLASS-MEC-02 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_MEC_013_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers screwdriver within the tools prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: dimensions, grip or retention, functional loading and tool identification. Record a sample observation for each topic and attach fixture report DEMO-TEST-MEC-013; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MEC DEMO-APP-MEC-013 Technical review
Certificate	DEMO-CERT-MEC-013 Draft - not issued
Licence	DEMO-LIC-MEC-013 Not granted
Holder / product scope	Demo Mechanical Manufacturer 013 Screwdriver
Validity / grant note	No issued term Reviewer decision pending
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 376. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Pliers

Mechanical / Tools | DEMO-REC-MEC-014

A. View | Basic details

IS Number	DEMO-IS-MEC-014:2025
IS Title	Pliers - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-MEC-014:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-MEC (Mechanical Prototype Department)
Technical Committee	DEMO-MEC-02 (Tools Prototype Committee)
Member Secretary	Demo Secretary MEC-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_MEC_014_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MEC-014:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A1
Classification / reaffirmed	DEMO-CLASS-MEC-02 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_MEC_014_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers pliers within the tools prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: dimensions, grip or retention, functional loading and tool identification. Record a sample observation for each topic and attach fixture report DEMO-TEST-MEC-014; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MEC DEMO-APP-MEC-014 Clarification requested
Certificate	DEMO-CERT-MEC-014 Draft - not issued
Licence	DEMO-LIC-MEC-014 Not granted
Holder / product scope	Demo Mechanical Manufacturer 014 Pliers
Validity / grant note	No issued term Applicant must revise mock file
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 376. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Ball-peen hammer

Mechanical / Tools | DEMO-REC-MEC-015

A. View | Basic details

IS Number	DEMO-IS-MEC-015:2025
IS Title	Ball-peen hammer - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-MEC-015:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-MEC (Mechanical Prototype Department)
Technical Committee	DEMO-MEC-02 (Tools Prototype Committee)
Member Secretary	Demo Secretary MEC-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_MEC_015_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MEC-015:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A2
Classification / reaffirmed	DEMO-CLASS-MEC-02 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_MEC_015_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers ball-peen hammer within the tools prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: dimensions, grip or retention, functional loading and tool identification. Record a sample observation for each topic and attach fixture report DEMO-TEST-MEC-015; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MEC DEMO-APP-MEC-015 Renewal pending
Certificate	DEMO-CERT-MEC-015 Expired
Licence	DEMO-LIC-MEC-015 Expired
Holder / product scope	Demo Mechanical Manufacturer 015 Ball-peen hammer
Validity / grant note	2024-01-15 to 2025-01-14 Historical expired record
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - expired

Consumer help and FAQs: category guide p. 376. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Bench vice

Mechanical / Tools | DEMO-REC-MEC-016

A. View | Basic details

IS Number	DEMO-IS-MEC-016:2024
IS Title	Bench vice - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-MEC (Mechanical Prototype Department)
Technical Committee	DEMO-MEC-02 (Tools Prototype Committee)
Member Secretary	Demo Secretary MEC-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_MEC_016_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MEC-016:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A3
Classification / reaffirmed	DEMO-CLASS-MEC-02 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_MEC_016_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers bench vice within the tools prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: dimensions, grip or retention, functional loading and tool identification. Record a sample observation for each topic and attach fixture report DEMO-TEST-MEC-016; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MEC DEMO-APP-MEC-016 Investigation open
Certificate	DEMO-CERT-MEC-016 Suspended
Licence	DEMO-LIC-MEC-016 Suspended
Holder / product scope	Demo Mechanical Manufacturer 016 Bench vice
Validity / grant note	2025-06-15 to 2027-06-14 Use blocked in prototype
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - suspended

Consumer help and FAQs: category guide p. 376. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Torque wrench

Mechanical / Tools | DEMO-REC-MEC-017

A. View | Basic details

IS Number	DEMO-IS-MEC-017:2025
IS Title	Torque wrench - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-MEC-017:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-MEC (Mechanical Prototype Department)
Technical Committee	DEMO-MEC-02 (Tools Prototype Committee)
Member Secretary	Demo Secretary MEC-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_MEC_017_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MEC-017:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A0
Classification / reaffirmed	DEMO-CLASS-MEC-02 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_MEC_017_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers torque wrench within the tools prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: dimensions, grip or retention, functional loading and tool identification. Record a sample observation for each topic and attach fixture report DEMO-TEST-MEC-017; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MEC DEMO-APP-MEC-017 Closed
Certificate	DEMO-CERT-MEC-017 Withdrawn
Licence	DEMO-LIC-MEC-017 Withdrawn
Holder / product scope	Demo Mechanical Manufacturer 017 Torque wrench
Validity / grant note	2025-06-15 to 2027-06-14 Historical withdrawal fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - withdrawn

Consumer help and FAQs: category guide p. 376. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Hand saw

Mechanical / Tools | DEMO-REC-MEC-018

A. View | Basic details

IS Number	DEMO-IS-MEC-018:2025
IS Title	Hand saw - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-MEC-018:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-MEC (Mechanical Prototype Department)
Technical Committee	DEMO-MEC-02 (Tools Prototype Committee)
Member Secretary	Demo Secretary MEC-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_MEC_018_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MEC-018:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A1
Classification / reaffirmed	DEMO-CLASS-MEC-02 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_MEC_018_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers hand saw within the tools prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: dimensions, grip or retention, functional loading and tool identification. Record a sample observation for each topic and attach fixture report DEMO-TEST-MEC-018; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MEC DEMO-APP-MEC-018 Rejected
Certificate	DEMO-CERT-MEC-018 Not issued
Licence	DEMO-LIC-MEC-018 Not granted
Holder / product scope	Demo Mechanical Manufacturer 018 Hand saw
Validity / grant note	No issued term Mock application rejected
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 376. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Drill bit

Mechanical / Tools | DEMO-REC-MEC-019

A. View | Basic details

IS Number	DEMO-IS-MEC-019:2024
IS Title	Drill bit - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-MEC (Mechanical Prototype Department)
Technical Committee	DEMO-MEC-02 (Tools Prototype Committee)
Member Secretary	Demo Secretary MEC-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_MEC_019_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MEC-019:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A2
Classification / reaffirmed	DEMO-CLASS-MEC-02 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_MEC_019_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers drill bit within the tools prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: dimensions, grip or retention, functional loading and tool identification. Record a sample observation for each topic and attach fixture report DEMO-TEST-MEC-019; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MEC DEMO-APP-MEC-019 Amendment granted
Certificate	DEMO-CERT-MEC-019 Issued
Licence	DEMO-LIC-MEC-019 Active
Holder / product scope	Demo Mechanical Manufacturer 019 Drill bit
Validity / grant note	2025-06-15 to 2027-06-14 Scope update accepted in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 376. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Cutting tap

Mechanical / Tools | DEMO-REC-MEC-020

A. View | Basic details

IS Number	DEMO-IS-MEC-020:2025
IS Title	Cutting tap - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-MEC-020:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-MEC (Mechanical Prototype Department)
Technical Committee	DEMO-MEC-02 (Tools Prototype Committee)
Member Secretary	Demo Secretary MEC-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_MEC_020_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MEC-020:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A3
Classification / reaffirmed	DEMO-CLASS-MEC-02 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_MEC_020_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers cutting tap within the tools prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: dimensions, grip or retention, functional loading and tool identification. Record a sample observation for each topic and attach fixture report DEMO-TEST-MEC-020; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MEC DEMO-APP-MEC-020 Renewal under review
Certificate	DEMO-CERT-MEC-020 Issued
Licence	DEMO-LIC-MEC-020 Active
Holder / product scope	Demo Mechanical Manufacturer 020 Cutting tap
Validity / grant note	2025-06-15 to 2027-06-14 Existing mock term still active
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 376. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Centrifugal pump

Mechanical / Pumps and valves | DEMO-REC-MEC-021

A. View | Basic details

IS Number	DEMO-IS-MEC-021:2025
IS Title	Centrifugal pump - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-MEC-021:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-MEC (Mechanical Prototype Department)
Technical Committee	DEMO-MEC-03 (Pumps and valves Prototype Committee)
Member Secretary	Demo Secretary MEC-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_MEC_021_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MEC-021:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A0
Classification / reaffirmed	DEMO-CLASS-MEC-03 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_MEC_021_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers centrifugal pump within the pumps and valves prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: leak checks, flow or actuation response, pressure-test samples and connection dimensions. Record a sample observation for each topic and attach fixture report DEMO-TEST-MEC-021; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MEC DEMO-APP-MEC-021 Granted
Certificate	DEMO-CERT-MEC-021 Issued
Licence	DEMO-LIC-MEC-021 Active
Holder / product scope	Demo Mechanical Manufacturer 021 Centrifugal pump
Validity / grant note	2025-06-15 to 2027-06-14 Grant completed in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 376. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Submersible pump

Mechanical / Pumps and valves | DEMO-REC-MEC-022

A. View | Basic details

IS Number	DEMO-IS-MEC-022:2024
IS Title	Submersible pump - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-MEC (Mechanical Prototype Department)
Technical Committee	DEMO-MEC-03 (Pumps and valves Prototype Committee)
Member Secretary	Demo Secretary MEC-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_MEC_022_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MEC-022:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A1
Classification / reaffirmed	DEMO-CLASS-MEC-03 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_MEC_022_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers submersible pump within the pumps and valves prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: leak checks, flow or actuation response, pressure-test samples and connection dimensions. Record a sample observation for each topic and attach fixture report DEMO-TEST-MEC-022; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MEC DEMO-APP-MEC-022 Testing pending
Certificate	DEMO-CERT-MEC-022 Draft - not issued
Licence	DEMO-LIC-MEC-022 Not granted
Holder / product scope	Demo Mechanical Manufacturer 022 Submersible pump
Validity / grant note	No issued term Await sample evaluation
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 376. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Positive-displacement pump

Mechanical / Pumps and valves | DEMO-REC-MEC-023

A. View | Basic details

IS Number	DEMO-IS-MEC-023:2025
IS Title	Positive-displacement pump - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-MEC-023:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-MEC (Mechanical Prototype Department)
Technical Committee	DEMO-MEC-03 (Pumps and valves Prototype Committee)
Member Secretary	Demo Secretary MEC-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_MEC_023_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MEC-023:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A2
Classification / reaffirmed	DEMO-CLASS-MEC-03 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_MEC_023_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers positive-displacement pump within the pumps and valves prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: leak checks, flow or actuation response, pressure-test samples and connection dimensions. Record a sample observation for each topic and attach fixture report DEMO-TEST-MEC-023; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MEC DEMO-APP-MEC-023 Technical review
Certificate	DEMO-CERT-MEC-023 Draft - not issued
Licence	DEMO-LIC-MEC-023 Not granted
Holder / product scope	Demo Mechanical Manufacturer 023 Positive-displacement pump
Validity / grant note	No issued term Reviewer decision pending
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 376. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Gate valve

Mechanical / Pumps and valves | DEMO-REC-MEC-024

A. View | Basic details

IS Number	DEMO-IS-MEC-024:2025
IS Title	Gate valve - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-MEC-024:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-MEC (Mechanical Prototype Department)
Technical Committee	DEMO-MEC-03 (Pumps and valves Prototype Committee)
Member Secretary	Demo Secretary MEC-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_MEC_024_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MEC-024:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A3
Classification / reaffirmed	DEMO-CLASS-MEC-03 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_MEC_024_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers gate valve within the pumps and valves prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: leak checks, flow or actuation response, pressure-test samples and connection dimensions. Record a sample observation for each topic and attach fixture report DEMO-TEST-MEC-024; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MEC DEMO-APP-MEC-024 Clarification requested
Certificate	DEMO-CERT-MEC-024 Draft - not issued
Licence	DEMO-LIC-MEC-024 Not granted
Holder / product scope	Demo Mechanical Manufacturer 024 Gate valve
Validity / grant note	No issued term Applicant must revise mock file
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 376. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Globe valve

Mechanical / Pumps and valves | DEMO-REC-MEC-025

A. View | Basic details

IS Number	DEMO-IS-MEC-025:2024
IS Title	Globe valve - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-MEC (Mechanical Prototype Department)
Technical Committee	DEMO-MEC-03 (Pumps and valves Prototype Committee)
Member Secretary	Demo Secretary MEC-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_MEC_025_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MEC-025:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A0
Classification / reaffirmed	DEMO-CLASS-MEC-03 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_MEC_025_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers globe valve within the pumps and valves prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: leak checks, flow or actuation response, pressure-test samples and connection dimensions. Record a sample observation for each topic and attach fixture report DEMO-TEST-MEC-025; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MEC DEMO-APP-MEC-025 Renewal pending
Certificate	DEMO-CERT-MEC-025 Expired
Licence	DEMO-LIC-MEC-025 Expired
Holder / product scope	Demo Mechanical Manufacturer 025 Globe valve
Validity / grant note	2024-01-15 to 2025-01-14 Historical expired record
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - expired

Consumer help and FAQs: category guide p. 376. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Ball valve

Mechanical / Pumps and valves | DEMO-REC-MEC-026

A. View | Basic details

IS Number	DEMO-IS-MEC-026:2025
IS Title	Ball valve - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-MEC-026:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-MEC (Mechanical Prototype Department)
Technical Committee	DEMO-MEC-03 (Pumps and valves Prototype Committee)
Member Secretary	Demo Secretary MEC-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_MEC_026_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MEC-026:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A1
Classification / reaffirmed	DEMO-CLASS-MEC-03 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_MEC_026_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers ball valve within the pumps and valves prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: leak checks, flow or actuation response, pressure-test samples and connection dimensions. Record a sample observation for each topic and attach fixture report DEMO-TEST-MEC-026; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MEC DEMO-APP-MEC-026 Investigation open
Certificate	DEMO-CERT-MEC-026 Suspended
Licence	DEMO-LIC-MEC-026 Suspended
Holder / product scope	Demo Mechanical Manufacturer 026 Ball valve
Validity / grant note	2025-06-15 to 2027-06-14 Use blocked in prototype
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - suspended

Consumer help and FAQs: category guide p. 376. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Check valve

Mechanical / Pumps and valves | DEMO-REC-MEC-027

A. View | Basic details

IS Number	DEMO-IS-MEC-027:2025
IS Title	Check valve - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-MEC-027:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-MEC (Mechanical Prototype Department)
Technical Committee	DEMO-MEC-03 (Pumps and valves Prototype Committee)
Member Secretary	Demo Secretary MEC-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_MEC_027_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MEC-027:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A2
Classification / reaffirmed	DEMO-CLASS-MEC-03 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_MEC_027_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers check valve within the pumps and valves prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: leak checks, flow or actuation response, pressure-test samples and connection dimensions. Record a sample observation for each topic and attach fixture report DEMO-TEST-MEC-027; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MEC DEMO-APP-MEC-027 Closed
Certificate	DEMO-CERT-MEC-027 Withdrawn
Licence	DEMO-LIC-MEC-027 Withdrawn
Holder / product scope	Demo Mechanical Manufacturer 027 Check valve
Validity / grant note	2025-06-15 to 2027-06-14 Historical withdrawal fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - withdrawn

Consumer help and FAQs: category guide p. 376. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Pressure-reducing valve

Mechanical / Pumps and valves | DEMO-REC-MEC-028

A. View | Basic details

IS Number	DEMO-IS-MEC-028:2024
IS Title	Pressure-reducing valve - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-MEC (Mechanical Prototype Department)
Technical Committee	DEMO-MEC-03 (Pumps and valves Prototype Committee)
Member Secretary	Demo Secretary MEC-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_MEC_028_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MEC-028:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A3
Classification / reaffirmed	DEMO-CLASS-MEC-03 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_MEC_028_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers pressure-reducing valve within the pumps and valves prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: leak checks, flow or actuation response, pressure-test samples and connection dimensions. Record a sample observation for each topic and attach fixture report DEMO-TEST-MEC-028; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MEC DEMO-APP-MEC-028 Rejected
Certificate	DEMO-CERT-MEC-028 Not issued
Licence	DEMO-LIC-MEC-028 Not granted
Holder / product scope	Demo Mechanical Manufacturer 028 Pressure-reducing valve
Validity / grant note	No issued term Mock application rejected
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 376. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Safety relief valve

Mechanical / Pumps and valves | DEMO-REC-MEC-029

A. View | Basic details

IS Number	DEMO-IS-MEC-029:2025
IS Title	Safety relief valve - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-MEC-029:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-MEC (Mechanical Prototype Department)
Technical Committee	DEMO-MEC-03 (Pumps and valves Prototype Committee)
Member Secretary	Demo Secretary MEC-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_MEC_029_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MEC-029:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A0
Classification / reaffirmed	DEMO-CLASS-MEC-03 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_MEC_029_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers safety relief valve within the pumps and valves prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: leak checks, flow or actuation response, pressure-test samples and connection dimensions. Record a sample observation for each topic and attach fixture report DEMO-TEST-MEC-029; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MEC DEMO-APP-MEC-029 Amendment granted
Certificate	DEMO-CERT-MEC-029 Issued
Licence	DEMO-LIC-MEC-029 Active
Holder / product scope	Demo Mechanical Manufacturer 029 Safety relief valve
Validity / grant note	2025-06-15 to 2027-06-14 Scope update accepted in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 376. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Pipe strainer

Mechanical / Pumps and valves | DEMO-REC-MEC-030

A. View | Basic details

IS Number	DEMO-IS-MEC-030:2025
IS Title	Pipe strainer - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-MEC-030:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-MEC (Mechanical Prototype Department)
Technical Committee	DEMO-MEC-03 (Pumps and valves Prototype Committee)
Member Secretary	Demo Secretary MEC-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_MEC_030_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MEC-030:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A1
Classification / reaffirmed	DEMO-CLASS-MEC-03 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_MEC_030_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers pipe strainer within the pumps and valves prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: leak checks, flow or actuation response, pressure-test samples and connection dimensions. Record a sample observation for each topic and attach fixture report DEMO-TEST-MEC-030; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MEC DEMO-APP-MEC-030 Renewal under review
Certificate	DEMO-CERT-MEC-030 Issued
Licence	DEMO-LIC-MEC-030 Active
Holder / product scope	Demo Mechanical Manufacturer 030 Pipe strainer
Validity / grant note	2025-06-15 to 2027-06-14 Existing mock term still active
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 376. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Deep-groove ball bearing

Mechanical / Power transmission | DEMO-REC-MEC-031

A. View | Basic details

IS Number	DEMO-IS-MEC-031:2024
IS Title	Deep-groove ball bearing - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-MEC (Mechanical Prototype Department)
Technical Committee	DEMO-MEC-04 (Power transmission Prototype Committee)
Member Secretary	Demo Secretary MEC-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_MEC_031_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MEC-031:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A2
Classification / reaffirmed	DEMO-CLASS-MEC-04 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_MEC_031_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers deep-groove ball bearing within the power transmission prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: dimensional fit, running consistency, wear-test samples and material traceability. Record a sample observation for each topic and attach fixture report DEMO-TEST-MEC-031; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MEC DEMO-APP-MEC-031 Granted
Certificate	DEMO-CERT-MEC-031 Issued
Licence	DEMO-LIC-MEC-031 Active
Holder / product scope	Demo Mechanical Manufacturer 031 Deep-groove ball bearing
Validity / grant note	2025-06-15 to 2027-06-14 Grant completed in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 376. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Roller bearing

Mechanical / Power transmission | DEMO-REC-MEC-032

A. View | Basic details

IS Number	DEMO-IS-MEC-032:2025
IS Title	Roller bearing - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-MEC-032:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-MEC (Mechanical Prototype Department)
Technical Committee	DEMO-MEC-04 (Power transmission Prototype Committee)
Member Secretary	Demo Secretary MEC-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_MEC_032_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MEC-032:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A3
Classification / reaffirmed	DEMO-CLASS-MEC-04 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_MEC_032_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers roller bearing within the power transmission prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: dimensional fit, running consistency, wear-test samples and material traceability. Record a sample observation for each topic and attach fixture report DEMO-TEST-MEC-032; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MEC DEMO-APP-MEC-032 Testing pending
Certificate	DEMO-CERT-MEC-032 Draft - not issued
Licence	DEMO-LIC-MEC-032 Not granted
Holder / product scope	Demo Mechanical Manufacturer 032 Roller bearing
Validity / grant note	No issued term Await sample evaluation
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 376. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Flexible coupling

Mechanical / Power transmission | DEMO-REC-MEC-033

A. View | Basic details

IS Number	DEMO-IS-MEC-033:2025
IS Title	Flexible coupling - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-MEC-033:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-MEC (Mechanical Prototype Department)
Technical Committee	DEMO-MEC-04 (Power transmission Prototype Committee)
Member Secretary	Demo Secretary MEC-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_MEC_033_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MEC-033:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A0
Classification / reaffirmed	DEMO-CLASS-MEC-04 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_MEC_033_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers flexible coupling within the power transmission prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: dimensional fit, running consistency, wear-test samples and material traceability. Record a sample observation for each topic and attach fixture report DEMO-TEST-MEC-033; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MEC DEMO-APP-MEC-033 Technical review
Certificate	DEMO-CERT-MEC-033 Draft - not issued
Licence	DEMO-LIC-MEC-033 Not granted
Holder / product scope	Demo Mechanical Manufacturer 033 Flexible coupling
Validity / grant note	No issued term Reviewer decision pending
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 376. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Spur gear

Mechanical / Power transmission | DEMO-REC-MEC-034

A. View | Basic details

IS Number	DEMO-IS-MEC-034:2024
IS Title	Spur gear - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-MEC (Mechanical Prototype Department)
Technical Committee	DEMO-MEC-04 (Power transmission Prototype Committee)
Member Secretary	Demo Secretary MEC-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_MEC_034_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MEC-034:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A1
Classification / reaffirmed	DEMO-CLASS-MEC-04 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_MEC_034_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers spur gear within the power transmission prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: dimensional fit, running consistency, wear-test samples and material traceability. Record a sample observation for each topic and attach fixture report DEMO-TEST-MEC-034; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MEC DEMO-APP-MEC-034 Clarification requested
Certificate	DEMO-CERT-MEC-034 Draft - not issued
Licence	DEMO-LIC-MEC-034 Not granted
Holder / product scope	Demo Mechanical Manufacturer 034 Spur gear
Validity / grant note	No issued term Applicant must revise mock file
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 376. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Worm gearbox

Mechanical / Power transmission | DEMO-REC-MEC-035

A. View | Basic details

IS Number	DEMO-IS-MEC-035:2025
IS Title	Worm gearbox - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-MEC-035:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-MEC (Mechanical Prototype Department)
Technical Committee	DEMO-MEC-04 (Power transmission Prototype Committee)
Member Secretary	Demo Secretary MEC-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_MEC_035_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MEC-035:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A2
Classification / reaffirmed	DEMO-CLASS-MEC-04 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_MEC_035_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers worm gearbox within the power transmission prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: dimensional fit, running consistency, wear-test samples and material traceability. Record a sample observation for each topic and attach fixture report DEMO-TEST-MEC-035; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MEC DEMO-APP-MEC-035 Renewal pending
Certificate	DEMO-CERT-MEC-035 Expired
Licence	DEMO-LIC-MEC-035 Expired
Holder / product scope	Demo Mechanical Manufacturer 035 Worm gearbox
Validity / grant note	2024-01-15 to 2025-01-14 Historical expired record
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - expired

Consumer help and FAQs: category guide p. 376. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Roller chain

Mechanical / Power transmission | DEMO-REC-MEC-036

A. View | Basic details

IS Number	DEMO-IS-MEC-036:2025
IS Title	Roller chain - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-MEC-036:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-MEC (Mechanical Prototype Department)
Technical Committee	DEMO-MEC-04 (Power transmission Prototype Committee)
Member Secretary	Demo Secretary MEC-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_MEC_036_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MEC-036:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A3
Classification / reaffirmed	DEMO-CLASS-MEC-04 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_MEC_036_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers roller chain within the power transmission prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: dimensional fit, running consistency, wear-test samples and material traceability. Record a sample observation for each topic and attach fixture report DEMO-TEST-MEC-036; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MEC DEMO-APP-MEC-036 Investigation open
Certificate	DEMO-CERT-MEC-036 Suspended
Licence	DEMO-LIC-MEC-036 Suspended
Holder / product scope	Demo Mechanical Manufacturer 036 Roller chain
Validity / grant note	2025-06-15 to 2027-06-14 Use blocked in prototype
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - suspended

Consumer help and FAQs: category guide p. 376. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

V-belt pulley

Mechanical / Power transmission | DEMO-REC-MEC-037

A. View | Basic details

IS Number	DEMO-IS-MEC-037:2024
IS Title	V-belt pulley - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-MEC (Mechanical Prototype Department)
Technical Committee	DEMO-MEC-04 (Power transmission Prototype Committee)
Member Secretary	Demo Secretary MEC-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_MEC_037_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MEC-037:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A0
Classification / reaffirmed	DEMO-CLASS-MEC-04 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_MEC_037_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers v-belt pulley within the power transmission prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: dimensional fit, running consistency, wear-test samples and material traceability. Record a sample observation for each topic and attach fixture report DEMO-TEST-MEC-037; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MEC DEMO-APP-MEC-037 Closed
Certificate	DEMO-CERT-MEC-037 Withdrawn
Licence	DEMO-LIC-MEC-037 Withdrawn
Holder / product scope	Demo Mechanical Manufacturer 037 V-belt pulley
Validity / grant note	2025-06-15 to 2027-06-14 Historical withdrawal fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - withdrawn

Consumer help and FAQs: category guide p. 376. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Shaft seal

Mechanical / Power transmission | DEMO-REC-MEC-038

A. View | Basic details

IS Number	DEMO-IS-MEC-038:2025
IS Title	Shaft seal - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-MEC-038:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-MEC (Mechanical Prototype Department)
Technical Committee	DEMO-MEC-04 (Power transmission Prototype Committee)
Member Secretary	Demo Secretary MEC-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_MEC_038_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MEC-038:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A1
Classification / reaffirmed	DEMO-CLASS-MEC-04 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_MEC_038_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers shaft seal within the power transmission prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: dimensional fit, running consistency, wear-test samples and material traceability. Record a sample observation for each topic and attach fixture report DEMO-TEST-MEC-038; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MEC DEMO-APP-MEC-038 Rejected
Certificate	DEMO-CERT-MEC-038 Not issued
Licence	DEMO-LIC-MEC-038 Not granted
Holder / product scope	Demo Mechanical Manufacturer 038 Shaft seal
Validity / grant note	No issued term Mock application rejected
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 376. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Mechanical seal

Mechanical / Power transmission | DEMO-REC-MEC-039

A. View | Basic details

IS Number	DEMO-IS-MEC-039:2025
IS Title	Mechanical seal - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-MEC-039:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-MEC (Mechanical Prototype Department)
Technical Committee	DEMO-MEC-04 (Power transmission Prototype Committee)
Member Secretary	Demo Secretary MEC-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_MEC_039_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MEC-039:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A2
Classification / reaffirmed	DEMO-CLASS-MEC-04 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_MEC_039_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers mechanical seal within the power transmission prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: dimensional fit, running consistency, wear-test samples and material traceability. Record a sample observation for each topic and attach fixture report DEMO-TEST-MEC-039; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MEC DEMO-APP-MEC-039 Amendment granted
Certificate	DEMO-CERT-MEC-039 Issued
Licence	DEMO-LIC-MEC-039 Active
Holder / product scope	Demo Mechanical Manufacturer 039 Mechanical seal
Validity / grant note	2025-06-15 to 2027-06-14 Scope update accepted in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 376. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Shaft key

Mechanical / Power transmission | DEMO-REC-MEC-040

A. View | Basic details

IS Number	DEMO-IS-MEC-040:2024
IS Title	Shaft key - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-MEC (Mechanical Prototype Department)
Technical Committee	DEMO-MEC-04 (Power transmission Prototype Committee)
Member Secretary	Demo Secretary MEC-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_MEC_040_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MEC-040:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A3
Classification / reaffirmed	DEMO-CLASS-MEC-04 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_MEC_040_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers shaft key within the power transmission prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: dimensional fit, running consistency, wear-test samples and material traceability. Record a sample observation for each topic and attach fixture report DEMO-TEST-MEC-040; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MEC DEMO-APP-MEC-040 Renewal under review
Certificate	DEMO-CERT-MEC-040 Issued
Licence	DEMO-LIC-MEC-040 Active
Holder / product scope	Demo Mechanical Manufacturer 040 Shaft key
Validity / grant note	2025-06-15 to 2027-06-14 Existing mock term still active
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 376. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Air compressor

Mechanical / Industrial equipment | DEMO-REC-MEC-041

A. View | Basic details

IS Number	DEMO-IS-MEC-041:2025
IS Title	Air compressor - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-MEC-041:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-MEC (Mechanical Prototype Department)
Technical Committee	DEMO-MEC-05 (Industrial equipment Prototype Committee)
Member Secretary	Demo Secretary MEC-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_MEC_041_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MEC-041:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A0
Classification / reaffirmed	DEMO-CLASS-MEC-05 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_MEC_041_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers air compressor within the industrial equipment prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: rated-function checks, guarding or handling, measurement repeatability and maintenance information. Record a sample observation for each topic and attach fixture report DEMO-TEST-MEC-041; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MEC DEMO-APP-MEC-041 Granted
Certificate	DEMO-CERT-MEC-041 Issued
Licence	DEMO-LIC-MEC-041 Active
Holder / product scope	Demo Mechanical Manufacturer 041 Air compressor
Validity / grant note	2025-06-15 to 2027-06-14 Grant completed in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 376. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Manual chain hoist

Mechanical / Industrial equipment | DEMO-REC-MEC-042

A. View | Basic details

IS Number	DEMO-IS-MEC-042:2025
IS Title	Manual chain hoist - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-MEC-042:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-MEC (Mechanical Prototype Department)
Technical Committee	DEMO-MEC-05 (Industrial equipment Prototype Committee)
Member Secretary	Demo Secretary MEC-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_MEC_042_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MEC-042:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A1
Classification / reaffirmed	DEMO-CLASS-MEC-05 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_MEC_042_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers manual chain hoist within the industrial equipment prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: rated-function checks, guarding or handling, measurement repeatability and maintenance information. Record a sample observation for each topic and attach fixture report DEMO-TEST-MEC-042; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MEC DEMO-APP-MEC-042 Testing pending
Certificate	DEMO-CERT-MEC-042 Draft - not issued
Licence	DEMO-LIC-MEC-042 Not granted
Holder / product scope	Demo Mechanical Manufacturer 042 Manual chain hoist
Validity / grant note	No issued term Await sample evaluation
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 376. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Hydraulic jack

Mechanical / Industrial equipment | DEMO-REC-MEC-043

A. View | Basic details

IS Number	DEMO-IS-MEC-043:2024
IS Title	Hydraulic jack - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-MEC (Mechanical Prototype Department)
Technical Committee	DEMO-MEC-05 (Industrial equipment Prototype Committee)
Member Secretary	Demo Secretary MEC-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_MEC_043_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MEC-043:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A2
Classification / reaffirmed	DEMO-CLASS-MEC-05 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_MEC_043_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers hydraulic jack within the industrial equipment prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: rated-function checks, guarding or handling, measurement repeatability and maintenance information. Record a sample observation for each topic and attach fixture report DEMO-TEST-MEC-043; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MEC DEMO-APP-MEC-043 Technical review
Certificate	DEMO-CERT-MEC-043 Draft - not issued
Licence	DEMO-LIC-MEC-043 Not granted
Holder / product scope	Demo Mechanical Manufacturer 043 Hydraulic jack
Validity / grant note	No issued term Reviewer decision pending
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 376. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Pallet truck

Mechanical / Industrial equipment | DEMO-REC-MEC-044

A. View | Basic details

IS Number	DEMO-IS-MEC-044:2025
IS Title	Pallet truck - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-MEC-044:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-MEC (Mechanical Prototype Department)
Technical Committee	DEMO-MEC-05 (Industrial equipment Prototype Committee)
Member Secretary	Demo Secretary MEC-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_MEC_044_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MEC-044:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A3
Classification / reaffirmed	DEMO-CLASS-MEC-05 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_MEC_044_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers pallet truck within the industrial equipment prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: rated-function checks, guarding or handling, measurement repeatability and maintenance information. Record a sample observation for each topic and attach fixture report DEMO-TEST-MEC-044; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MEC DEMO-APP-MEC-044 Clarification requested
Certificate	DEMO-CERT-MEC-044 Draft - not issued
Licence	DEMO-LIC-MEC-044 Not granted
Holder / product scope	Demo Mechanical Manufacturer 044 Pallet truck
Validity / grant note	No issued term Applicant must revise mock file
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 376. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Bench grinder

Mechanical / Industrial equipment | DEMO-REC-MEC-045

A. View | Basic details

IS Number	DEMO-IS-MEC-045:2025
IS Title	Bench grinder - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-MEC-045:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-MEC (Mechanical Prototype Department)
Technical Committee	DEMO-MEC-05 (Industrial equipment Prototype Committee)
Member Secretary	Demo Secretary MEC-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_MEC_045_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MEC-045:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A0
Classification / reaffirmed	DEMO-CLASS-MEC-05 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_MEC_045_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers bench grinder within the industrial equipment prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: rated-function checks, guarding or handling, measurement repeatability and maintenance information. Record a sample observation for each topic and attach fixture report DEMO-TEST-MEC-045; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MEC DEMO-APP-MEC-045 Renewal pending
Certificate	DEMO-CERT-MEC-045 Expired
Licence	DEMO-LIC-MEC-045 Expired
Holder / product scope	Demo Mechanical Manufacturer 045 Bench grinder
Validity / grant note	2024-01-15 to 2025-01-14 Historical expired record
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - expired

Consumer help and FAQs: category guide p. 376. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Drilling machine

Mechanical / Industrial equipment | DEMO-REC-MEC-046

A. View | Basic details

IS Number	DEMO-IS-MEC-046:2024
IS Title	Drilling machine - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-MEC (Mechanical Prototype Department)
Technical Committee	DEMO-MEC-05 (Industrial equipment Prototype Committee)
Member Secretary	Demo Secretary MEC-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_MEC_046_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MEC-046:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A1
Classification / reaffirmed	DEMO-CLASS-MEC-05 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_MEC_046_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers drilling machine within the industrial equipment prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: rated-function checks, guarding or handling, measurement repeatability and maintenance information. Record a sample observation for each topic and attach fixture report DEMO-TEST-MEC-046; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MEC DEMO-APP-MEC-046 Investigation open
Certificate	DEMO-CERT-MEC-046 Suspended
Licence	DEMO-LIC-MEC-046 Suspended
Holder / product scope	Demo Mechanical Manufacturer 046 Drilling machine
Validity / grant note	2025-06-15 to 2027-06-14 Use blocked in prototype
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - suspended

Consumer help and FAQs: category guide p. 376. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Lathe chuck

Mechanical / Industrial equipment | DEMO-REC-MEC-047

A. View | Basic details

IS Number	DEMO-IS-MEC-047:2025
IS Title	Lathe chuck - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-MEC-047:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-MEC (Mechanical Prototype Department)
Technical Committee	DEMO-MEC-05 (Industrial equipment Prototype Committee)
Member Secretary	Demo Secretary MEC-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_MEC_047_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MEC-047:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A2
Classification / reaffirmed	DEMO-CLASS-MEC-05 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_MEC_047_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers lathe chuck within the industrial equipment prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: rated-function checks, guarding or handling, measurement repeatability and maintenance information. Record a sample observation for each topic and attach fixture report DEMO-TEST-MEC-047; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MEC DEMO-APP-MEC-047 Closed
Certificate	DEMO-CERT-MEC-047 Withdrawn
Licence	DEMO-LIC-MEC-047 Withdrawn
Holder / product scope	Demo Mechanical Manufacturer 047 Lathe chuck
Validity / grant note	2025-06-15 to 2027-06-14 Historical withdrawal fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - withdrawn

Consumer help and FAQs: category guide p. 376. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Pressure gauge

Mechanical / Industrial equipment | DEMO-REC-MEC-048

A. View | Basic details

IS Number	DEMO-IS-MEC-048:2025
IS Title	Pressure gauge - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-MEC-048:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-MEC (Mechanical Prototype Department)
Technical Committee	DEMO-MEC-05 (Industrial equipment Prototype Committee)
Member Secretary	Demo Secretary MEC-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_MEC_048_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MEC-048:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A3
Classification / reaffirmed	DEMO-CLASS-MEC-05 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_MEC_048_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers pressure gauge within the industrial equipment prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: rated-function checks, guarding or handling, measurement repeatability and maintenance information. Record a sample observation for each topic and attach fixture report DEMO-TEST-MEC-048; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MEC DEMO-APP-MEC-048 Rejected
Certificate	DEMO-CERT-MEC-048 Not issued
Licence	DEMO-LIC-MEC-048 Not granted
Holder / product scope	Demo Mechanical Manufacturer 048 Pressure gauge
Validity / grant note	No issued term Mock application rejected
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 376. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Vernier caliper

Mechanical / Industrial equipment | DEMO-REC-MEC-049

A. View | Basic details

IS Number	DEMO-IS-MEC-049:2024
IS Title	Vernier caliper - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-MEC (Mechanical Prototype Department)
Technical Committee	DEMO-MEC-05 (Industrial equipment Prototype Committee)
Member Secretary	Demo Secretary MEC-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_MEC_049_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MEC-049:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A0
Classification / reaffirmed	DEMO-CLASS-MEC-05 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_MEC_049_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers vernier caliper within the industrial equipment prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: rated-function checks, guarding or handling, measurement repeatability and maintenance information. Record a sample observation for each topic and attach fixture report DEMO-TEST-MEC-049; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MEC DEMO-APP-MEC-049 Amendment granted
Certificate	DEMO-CERT-MEC-049 Issued
Licence	DEMO-LIC-MEC-049 Active
Holder / product scope	Demo Mechanical Manufacturer 049 Vernier caliper
Validity / grant note	2025-06-15 to 2027-06-14 Scope update accepted in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 376. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Digital weighing scale

Mechanical / Industrial equipment | DEMO-REC-MEC-050

A. View | Basic details

IS Number	DEMO-IS-MEC-050:2025
IS Title	Digital weighing scale - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-MEC-050:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-MEC (Mechanical Prototype Department)
Technical Committee	DEMO-MEC-05 (Industrial equipment Prototype Committee)
Member Secretary	Demo Secretary MEC-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_MEC_050_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MEC-050:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A1
Classification / reaffirmed	DEMO-CLASS-MEC-05 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_MEC_050_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers digital weighing scale within the industrial equipment prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: rated-function checks, guarding or handling, measurement repeatability and maintenance information. Record a sample observation for each topic and attach fixture report DEMO-TEST-MEC-050; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MEC DEMO-APP-MEC-050 Renewal under review
Certificate	DEMO-CERT-MEC-050 Issued
Licence	DEMO-LIC-MEC-050 Active
Holder / product scope	Demo Mechanical Manufacturer 050 Digital weighing scale
Validity / grant note	2025-06-15 to 2027-06-14 Existing mock term still active
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 376. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Medical | 50-record catalogue

Indian Standards-style catalogue / standards search - all records on these pages are fictional.

Catalogue ID: DEMO-CAT-MED. Search by product name, DEMO-IS number, subgroup or category. Click a product below to open its detail sheet.

01. Examination glove	430	26. Fetal Doppler monitor	455
02. Surgical glove	431	27. Capnography monitor	456
03. Medical face mask	432	28. Glucose meter	457
04. Surgical cap	433	29. Peak-flow meter	458
05. Surgical gown	434	30. Stethoscope	459
06. Sterile drape	435	31. Hospital bed	460
07. Gauze swab	436	32. Examination couch	461
08. Cotton bandage	437	33. Wheelchair	462
09. Adhesive dressing	438	34. Walking frame	463
10. Medical adhesive tape	439	35. Crutch	464
11. Hypodermic syringe	440	36. Patient transfer trolley	465
12. Hypodermic needle	441	37. Infusion stand	466
13. Infusion set	442	38. Bedside cabinet	467
14. IV cannula	443	39. Pressure-relief mattress	468
15. Blood collection tube	444	40. Medical stool	469
16. Urine collection bag	445	41. Steam steriliser	470
17. Feeding tube	446	42. Oxygen concentrator	471
18. Suction catheter	447	43. Nebuliser	472
19. Oxygen tubing	448	44. Suction unit	473
20. Nebuliser mask	449	45. Infusion pump	474
21. Clinical digital thermometer	450	46. Syringe pump	475
22. Blood-pressure monitor	451	47. Phototherapy lamp	476
23. Pulse oximeter	452	48. Examination lamp	477
24. ECG monitor	453	49. Dental handpiece	478
25. Patient weighing scale	454	50. Laboratory centrifuge	479

The page number is the combined PDF location. Every detail sheet includes a unique standard, application, certificate and licence ID.

Medical | Certification and applications

Product Certification / Certification Schemes / Grant of Licence / Application - DEMO policy only.

Product Certification and Certification Schemes

Mock scheme	DEMO-PC-MED: Medical Product Evaluation - Prototype Scheme
Scheme intent	Demonstrate document review, sample evaluation, grant decisions, status changes and verification screens.
Who can apply	A fictional manufacturer record with a demo product and facility; this is not actual BIS eligibility.
Application evidence	Demo factory profile, product specification, mock quality plan and fixture evaluation report.
Fees / service time	0 sandbox units. Use simulated workflow events; no actual fee or processing-time promise.
Scope of grant	Only the product and DEMO-IS record named in the fixture. Real Standard Mark permission is always false.

Application to Grant of Licence | simulated sequence

1. Create DEMO-APP record and link product, manufacturer and facility.
2. Validate required fields; missing details produce Clarification requested.
3. Record sample evidence under the matching DEMO-TEST identifier.
4. Reviewer selects Granted, Testing pending, Technical review or Rejected.
5. On grant, activate the mock licence and issue the linked demo certificate. Later events may expire, suspend, withdraw, amend or renew the fixture.

Product-specific requirements | subgroup examples

Single-use supplies: packaging integrity, dimensions, material identification and labelling traceability.

Fluid-path devices: connection fit, leak checks, sample cleanliness and single-use identification.

Monitoring equipment: measurement repeatability, alarm or display function, electrical screening and instructions.

Care equipment: load-test samples, stability, adjustment mechanisms and cleaning information.

Clinical equipment: control response, enclosure integrity, alarm handling and maintenance traceability.

Demo certificate and licence contents

Each product sheet displays the document IDs, holder, status, scope and term. The JSONL also contains document names, issuer, application evidence, lookup URL and an explicit not-valid field. Draft, rejected and not-granted records do not represent issued permissions.

IS documents and standards online source

The logical documents are stored as catalogue fixtures. Example route:

<https://standards-prototype.invalid/med/catalogue>. No official licence, IS document or payment workflow is created.

Medical | Consumer information and FAQs

BIS-style consumer help screens for a prototype - all process and contact information here is synthetic.

BIS complaint process / How to lodge complaints | demo

Open the mock complaint form; choose category, product and complaint topic; add a mock invoice, label and image; submit to create a DEMO-CMP ID. A fixture moves through Submitted, Under review, Evidence requested, Resolved or Closed. These are UI examples, not a real complaint submission or escalation promise.

Product authenticity and Standard Mark

Compare the demo licence ID with the fixture holder, product scope, DEMO-IS number, status and dates. An ID match alone must not imply Active. Use only the text DEMO MARK - NOT BIS/ISI. No real product authenticity or conformity finding is made.

Hallmark verification

Not applicable to these category fixtures. Display N/A and do not invent a HUID or imply a general product certificate is a hallmark. A future jewellery prototype would need a separately defined dataset.

Consumer rights / information | fictional policy

The prototype lets users read disclosures, request correction of fixture data, attach evidence, view complaint history and receive a simulated response. No legal entitlement, refund duty, enforcement outcome or statutory response deadline is asserted.

BIS contact information | fictional placeholder

Office	Demo Medical Help Desk, Fictional Test Zone
Email	help-med@standards-prototype.invalid
Telephone	DEMO-NOT-A-PHONE; JSON value is null
Contact URL	https://standards-prototype.invalid/med/contact
Complaint URL	https://standards-prototype.invalid/med/complaints

FAQs

How do I find a standard?

Search the Medical catalogue by name, subgroup or DEMO-IS number.

Is the certificate a real BIS certificate?

No. It is an unsigned fictional training object.

Can an expired or suspended record verify as Active?

No. Match the status and term, not only the identifier.

What if application evidence is missing?

Use the Clarification requested scenario; no licence is granted.

How do I check a hallmark?

This dataset returns Not applicable; it issues no hallmark identifier.

Do these links submit a real complaint?

No. The .invalid domain is deliberately non-operational.

Where are product-level FAQs stored?

Every synthetic JSONL record includes a five-question FAQs array.

Examination glove

Medical / Single-use supplies | DEMO-REC-MED-001

A. View | Basic details

IS Number	DEMO-IS-MED-001:2024
IS Title	Examination glove - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-MED (Medical Prototype Department)
Technical Committee	DEMO-MED-01 (Single-use supplies Prototype Committee)
Member Secretary	Demo Secretary MED-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_MED_001_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MED-001:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A0
Classification / reaffirmed	DEMO-CLASS-MED-01 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_MED_001_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers examination glove within the single-use supplies prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: packaging integrity, dimensions, material identification and labelling traceability. Record a sample observation for each topic and attach fixture report DEMO-TEST-MED-001; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MED DEMO-APP-MED-001 Granted
Certificate	DEMO-CERT-MED-001 Issued
Licence	DEMO-LIC-MED-001 Active
Holder / product scope	Demo Medical Manufacturer 001 Examination glove
Validity / grant note	2025-06-15 to 2027-06-14 Grant completed in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 429. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Surgical glove

Medical / Single-use supplies | DEMO-REC-MED-002

A. View | Basic details

IS Number	DEMO-IS-MED-002:2025
IS Title	Surgical glove - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-MED-002:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-MED (Medical Prototype Department)
Technical Committee	DEMO-MED-01 (Single-use supplies Prototype Committee)
Member Secretary	Demo Secretary MED-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_MED_002_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MED-002:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A1
Classification / reaffirmed	DEMO-CLASS-MED-01 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_MED_002_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers surgical glove within the single-use supplies prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: packaging integrity, dimensions, material identification and labelling traceability. Record a sample observation for each topic and attach fixture report DEMO-TEST-MED-002; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MED DEMO-APP-MED-002 Testing pending
Certificate	DEMO-CERT-MED-002 Draft - not issued
Licence	DEMO-LIC-MED-002 Not granted
Holder / product scope	Demo Medical Manufacturer 002 Surgical glove
Validity / grant note	No issued term Await sample evaluation
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 429. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Medical face mask

Medical / Single-use supplies | DEMO-REC-MED-003

A. View | Basic details

IS Number	DEMO-IS-MED-003:2025
IS Title	Medical face mask - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-MED-003:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-MED (Medical Prototype Department)
Technical Committee	DEMO-MED-01 (Single-use supplies Prototype Committee)
Member Secretary	Demo Secretary MED-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_MED_003_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MED-003:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A2
Classification / reaffirmed	DEMO-CLASS-MED-01 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_MED_003_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers medical face mask within the single-use supplies prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: packaging integrity, dimensions, material identification and labelling traceability. Record a sample observation for each topic and attach fixture report DEMO-TEST-MED-003; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MED DEMO-APP-MED-003 Technical review
Certificate	DEMO-CERT-MED-003 Draft - not issued
Licence	DEMO-LIC-MED-003 Not granted
Holder / product scope	Demo Medical Manufacturer 003 Medical face mask
Validity / grant note	No issued term Reviewer decision pending
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 429. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Surgical cap

Medical / Single-use supplies | DEMO-REC-MED-004

A. View | Basic details

IS Number	DEMO-IS-MED-004:2024
IS Title	Surgical cap - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-MED (Medical Prototype Department)
Technical Committee	DEMO-MED-01 (Single-use supplies Prototype Committee)
Member Secretary	Demo Secretary MED-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_MED_004_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MED-004:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A3
Classification / reaffirmed	DEMO-CLASS-MED-01 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_MED_004_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers surgical cap within the single-use supplies prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: packaging integrity, dimensions, material identification and labelling traceability. Record a sample observation for each topic and attach fixture report DEMO-TEST-MED-004; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MED DEMO-APP-MED-004 Clarification requested
Certificate	DEMO-CERT-MED-004 Draft - not issued
Licence	DEMO-LIC-MED-004 Not granted
Holder / product scope	Demo Medical Manufacturer 004 Surgical cap
Validity / grant note	No issued term Applicant must revise mock file
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 429. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Surgical gown

Medical / Single-use supplies | DEMO-REC-MED-005

A. View | Basic details

IS Number	DEMO-IS-MED-005:2025
IS Title	Surgical gown - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-MED-005:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-MED (Medical Prototype Department)
Technical Committee	DEMO-MED-01 (Single-use supplies Prototype Committee)
Member Secretary	Demo Secretary MED-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_MED_005_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MED-005:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A0
Classification / reaffirmed	DEMO-CLASS-MED-01 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_MED_005_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers surgical gown within the single-use supplies prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: packaging integrity, dimensions, material identification and labelling traceability. Record a sample observation for each topic and attach fixture report DEMO-TEST-MED-005; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MED DEMO-APP-MED-005 Renewal pending
Certificate	DEMO-CERT-MED-005 Expired
Licence	DEMO-LIC-MED-005 Expired
Holder / product scope	Demo Medical Manufacturer 005 Surgical gown
Validity / grant note	2024-01-15 to 2025-01-14 Historical expired record
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - expired

Consumer help and FAQs: category guide p. 429. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Sterile drape

Medical / Single-use supplies | DEMO-REC-MED-006

A. View | Basic details

IS Number	DEMO-IS-MED-006:2025
IS Title	Sterile drape - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-MED-006:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-MED (Medical Prototype Department)
Technical Committee	DEMO-MED-01 (Single-use supplies Prototype Committee)
Member Secretary	Demo Secretary MED-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_MED_006_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MED-006:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A1
Classification / reaffirmed	DEMO-CLASS-MED-01 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_MED_006_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers sterile drape within the single-use supplies prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: packaging integrity, dimensions, material identification and labelling traceability. Record a sample observation for each topic and attach fixture report DEMO-TEST-MED-006; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MED DEMO-APP-MED-006 Investigation open
Certificate	DEMO-CERT-MED-006 Suspended
Licence	DEMO-LIC-MED-006 Suspended
Holder / product scope	Demo Medical Manufacturer 006 Sterile drape
Validity / grant note	2025-06-15 to 2027-06-14 Use blocked in prototype
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - suspended

Consumer help and FAQs: category guide p. 429. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Gauze swab

Medical / Single-use supplies | DEMO-REC-MED-007

A. View | Basic details

IS Number	DEMO-IS-MED-007:2024
IS Title	Gauze swab - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-MED (Medical Prototype Department)
Technical Committee	DEMO-MED-01 (Single-use supplies Prototype Committee)
Member Secretary	Demo Secretary MED-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_MED_007_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MED-007:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A2
Classification / reaffirmed	DEMO-CLASS-MED-01 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_MED_007_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers gauze swab within the single-use supplies prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: packaging integrity, dimensions, material identification and labelling traceability. Record a sample observation for each topic and attach fixture report DEMO-TEST-MED-007; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MED DEMO-APP-MED-007 Closed
Certificate	DEMO-CERT-MED-007 Withdrawn
Licence	DEMO-LIC-MED-007 Withdrawn
Holder / product scope	Demo Medical Manufacturer 007 Gauze swab
Validity / grant note	2025-06-15 to 2027-06-14 Historical withdrawal fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - withdrawn

Consumer help and FAQs: category guide p. 429. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Cotton bandage

Medical / Single-use supplies | DEMO-REC-MED-008

A. View | Basic details

IS Number	DEMO-IS-MED-008:2025
IS Title	Cotton bandage - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-MED-008:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-MED (Medical Prototype Department)
Technical Committee	DEMO-MED-01 (Single-use supplies Prototype Committee)
Member Secretary	Demo Secretary MED-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_MED_008_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MED-008:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A3
Classification / reaffirmed	DEMO-CLASS-MED-01 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_MED_008_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers cotton bandage within the single-use supplies prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: packaging integrity, dimensions, material identification and labelling traceability. Record a sample observation for each topic and attach fixture report DEMO-TEST-MED-008; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MED DEMO-APP-MED-008 Rejected
Certificate	DEMO-CERT-MED-008 Not issued
Licence	DEMO-LIC-MED-008 Not granted
Holder / product scope	Demo Medical Manufacturer 008 Cotton bandage
Validity / grant note	No issued term Mock application rejected
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 429. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Adhesive dressing

Medical / Single-use supplies | DEMO-REC-MED-009

A. View | Basic details

IS Number	DEMO-IS-MED-009:2025
IS Title	Adhesive dressing - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-MED-009:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-MED (Medical Prototype Department)
Technical Committee	DEMO-MED-01 (Single-use supplies Prototype Committee)
Member Secretary	Demo Secretary MED-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_MED_009_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MED-009:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A0
Classification / reaffirmed	DEMO-CLASS-MED-01 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_MED_009_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers adhesive dressing within the single-use supplies prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: packaging integrity, dimensions, material identification and labelling traceability. Record a sample observation for each topic and attach fixture report DEMO-TEST-MED-009; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MED DEMO-APP-MED-009 Amendment granted
Certificate	DEMO-CERT-MED-009 Issued
Licence	DEMO-LIC-MED-009 Active
Holder / product scope	Demo Medical Manufacturer 009 Adhesive dressing
Validity / grant note	2025-06-15 to 2027-06-14 Scope update accepted in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 429. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Medical adhesive tape

Medical / Single-use supplies | DEMO-REC-MED-010

A. View | Basic details

IS Number	DEMO-IS-MED-010:2024
IS Title	Medical adhesive tape - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-MED (Medical Prototype Department)
Technical Committee	DEMO-MED-01 (Single-use supplies Prototype Committee)
Member Secretary	Demo Secretary MED-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_MED_010_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MED-010:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A1
Classification / reaffirmed	DEMO-CLASS-MED-01 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_MED_010_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers medical adhesive tape within the single-use supplies prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: packaging integrity, dimensions, material identification and labelling traceability. Record a sample observation for each topic and attach fixture report DEMO-TEST-MED-010; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MED DEMO-APP-MED-010 Renewal under review
Certificate	DEMO-CERT-MED-010 Issued
Licence	DEMO-LIC-MED-010 Active
Holder / product scope	Demo Medical Manufacturer 010 Medical adhesive tape
Validity / grant note	2025-06-15 to 2027-06-14 Existing mock term still active
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 429. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Hypodermic syringe

Medical / Fluid-path devices | DEMO-REC-MED-011

A. View | Basic details

IS Number	DEMO-IS-MED-011:2025
IS Title	Hypodermic syringe - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-MED-011:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-MED (Medical Prototype Department)
Technical Committee	DEMO-MED-02 (Fluid-path devices Prototype Committee)
Member Secretary	Demo Secretary MED-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_MED_011_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MED-011:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A2
Classification / reaffirmed	DEMO-CLASS-MED-02 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_MED_011_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers hypodermic syringe within the fluid-path devices prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: connection fit, leak checks, sample cleanliness and single-use identification. Record a sample observation for each topic and attach fixture report DEMO-TEST-MED-011; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MED DEMO-APP-MED-011 Granted
Certificate	DEMO-CERT-MED-011 Issued
Licence	DEMO-LIC-MED-011 Active
Holder / product scope	Demo Medical Manufacturer 011 Hypodermic syringe
Validity / grant note	2025-06-15 to 2027-06-14 Grant completed in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 429. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Hypodermic needle

Medical / Fluid-path devices | DEMO-REC-MED-012

A. View | Basic details

IS Number	DEMO-IS-MED-012:2025
IS Title	Hypodermic needle - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-MED-012:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-MED (Medical Prototype Department)
Technical Committee	DEMO-MED-02 (Fluid-path devices Prototype Committee)
Member Secretary	Demo Secretary MED-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_MED_012_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MED-012:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A3
Classification / reaffirmed	DEMO-CLASS-MED-02 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_MED_012_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers hypodermic needle within the fluid-path devices prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: connection fit, leak checks, sample cleanliness and single-use identification. Record a sample observation for each topic and attach fixture report DEMO-TEST-MED-012; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MED DEMO-APP-MED-012 Testing pending
Certificate	DEMO-CERT-MED-012 Draft - not issued
Licence	DEMO-LIC-MED-012 Not granted
Holder / product scope	Demo Medical Manufacturer 012 Hypodermic needle
Validity / grant note	No issued term Await sample evaluation
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 429. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Infusion set

Medical / Fluid-path devices | DEMO-REC-MED-013

A. View | Basic details

IS Number	DEMO-IS-MED-013:2024
IS Title	Infusion set - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-MED (Medical Prototype Department)
Technical Committee	DEMO-MED-02 (Fluid-path devices Prototype Committee)
Member Secretary	Demo Secretary MED-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_MED_013_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MED-013:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A0
Classification / reaffirmed	DEMO-CLASS-MED-02 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_MED_013_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers infusion set within the fluid-path devices prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: connection fit, leak checks, sample cleanliness and single-use identification. Record a sample observation for each topic and attach fixture report DEMO-TEST-MED-013; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MED DEMO-APP-MED-013 Technical review
Certificate	DEMO-CERT-MED-013 Draft - not issued
Licence	DEMO-LIC-MED-013 Not granted
Holder / product scope	Demo Medical Manufacturer 013 Infusion set
Validity / grant note	No issued term Reviewer decision pending
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 429. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

IV cannula

Medical / Fluid-path devices | DEMO-REC-MED-014

A. View | Basic details

IS Number	DEMO-IS-MED-014:2025
IS Title	IV cannula - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-MED-014:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-MED (Medical Prototype Department)
Technical Committee	DEMO-MED-02 (Fluid-path devices Prototype Committee)
Member Secretary	Demo Secretary MED-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_MED_014_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MED-014:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A1
Classification / reaffirmed	DEMO-CLASS-MED-02 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_MED_014_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers iv cannula within the fluid-path devices prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: connection fit, leak checks, sample cleanliness and single-use identification. Record a sample observation for each topic and attach fixture report DEMO-TEST-MED-014; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MED DEMO-APP-MED-014 Clarification requested
Certificate	DEMO-CERT-MED-014 Draft - not issued
Licence	DEMO-LIC-MED-014 Not granted
Holder / product scope	Demo Medical Manufacturer 014 IV cannula
Validity / grant note	No issued term Applicant must revise mock file
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 429. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Blood collection tube

Medical / Fluid-path devices | DEMO-REC-MED-015

A. View | Basic details

IS Number	DEMO-IS-MED-015:2025
IS Title	Blood collection tube - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-MED-015:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-MED (Medical Prototype Department)
Technical Committee	DEMO-MED-02 (Fluid-path devices Prototype Committee)
Member Secretary	Demo Secretary MED-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_MED_015_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MED-015:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A2
Classification / reaffirmed	DEMO-CLASS-MED-02 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_MED_015_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers blood collection tube within the fluid-path devices prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: connection fit, leak checks, sample cleanliness and single-use identification. Record a sample observation for each topic and attach fixture report DEMO-TEST-MED-015; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MED DEMO-APP-MED-015 Renewal pending
Certificate	DEMO-CERT-MED-015 Expired
Licence	DEMO-LIC-MED-015 Expired
Holder / product scope	Demo Medical Manufacturer 015 Blood collection tube
Validity / grant note	2024-01-15 to 2025-01-14 Historical expired record
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - expired

Consumer help and FAQs: category guide p. 429. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Urine collection bag

Medical / Fluid-path devices | DEMO-REC-MED-016

A. View | Basic details

IS Number	DEMO-IS-MED-016:2024
IS Title	Urine collection bag - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-MED (Medical Prototype Department)
Technical Committee	DEMO-MED-02 (Fluid-path devices Prototype Committee)
Member Secretary	Demo Secretary MED-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_MED_016_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MED-016:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A3
Classification / reaffirmed	DEMO-CLASS-MED-02 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_MED_016_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers urine collection bag within the fluid-path devices prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: connection fit, leak checks, sample cleanliness and single-use identification. Record a sample observation for each topic and attach fixture report DEMO-TEST-MED-016; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MED DEMO-APP-MED-016 Investigation open
Certificate	DEMO-CERT-MED-016 Suspended
Licence	DEMO-LIC-MED-016 Suspended
Holder / product scope	Demo Medical Manufacturer 016 Urine collection bag
Validity / grant note	2025-06-15 to 2027-06-14 Use blocked in prototype
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - suspended

Consumer help and FAQs: category guide p. 429. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Feeding tube

Medical / Fluid-path devices | DEMO-REC-MED-017

A. View | Basic details

IS Number	DEMO-IS-MED-017:2025
IS Title	Feeding tube - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-MED-017:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-MED (Medical Prototype Department)
Technical Committee	DEMO-MED-02 (Fluid-path devices Prototype Committee)
Member Secretary	Demo Secretary MED-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_MED_017_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MED-017:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A0
Classification / reaffirmed	DEMO-CLASS-MED-02 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_MED_017_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers feeding tube within the fluid-path devices prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: connection fit, leak checks, sample cleanliness and single-use identification. Record a sample observation for each topic and attach fixture report DEMO-TEST-MED-017; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MED DEMO-APP-MED-017 Closed
Certificate	DEMO-CERT-MED-017 Withdrawn
Licence	DEMO-LIC-MED-017 Withdrawn
Holder / product scope	Demo Medical Manufacturer 017 Feeding tube
Validity / grant note	2025-06-15 to 2027-06-14 Historical withdrawal fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - withdrawn

Consumer help and FAQs: category guide p. 429. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Suction catheter

Medical / Fluid-path devices | DEMO-REC-MED-018

A. View | Basic details

IS Number	DEMO-IS-MED-018:2025
IS Title	Suction catheter - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-MED-018:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-MED (Medical Prototype Department)
Technical Committee	DEMO-MED-02 (Fluid-path devices Prototype Committee)
Member Secretary	Demo Secretary MED-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_MED_018_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MED-018:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A1
Classification / reaffirmed	DEMO-CLASS-MED-02 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_MED_018_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers suction catheter within the fluid-path devices prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: connection fit, leak checks, sample cleanliness and single-use identification. Record a sample observation for each topic and attach fixture report DEMO-TEST-MED-018; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MED DEMO-APP-MED-018 Rejected
Certificate	DEMO-CERT-MED-018 Not issued
Licence	DEMO-LIC-MED-018 Not granted
Holder / product scope	Demo Medical Manufacturer 018 Suction catheter
Validity / grant note	No issued term Mock application rejected
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 429. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Oxygen tubing

Medical / Fluid-path devices | DEMO-REC-MED-019

A. View | Basic details

IS Number	DEMO-IS-MED-019:2024
IS Title	Oxygen tubing - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-MED (Medical Prototype Department)
Technical Committee	DEMO-MED-02 (Fluid-path devices Prototype Committee)
Member Secretary	Demo Secretary MED-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_MED_019_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MED-019:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A2
Classification / reaffirmed	DEMO-CLASS-MED-02 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_MED_019_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers oxygen tubing within the fluid-path devices prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: connection fit, leak checks, sample cleanliness and single-use identification. Record a sample observation for each topic and attach fixture report DEMO-TEST-MED-019; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MED DEMO-APP-MED-019 Amendment granted
Certificate	DEMO-CERT-MED-019 Issued
Licence	DEMO-LIC-MED-019 Active
Holder / product scope	Demo Medical Manufacturer 019 Oxygen tubing
Validity / grant note	2025-06-15 to 2027-06-14 Scope update accepted in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 429. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Nebuliser mask

Medical / Fluid-path devices | DEMO-REC-MED-020

A. View | Basic details

IS Number	DEMO-IS-MED-020:2025
IS Title	Nebuliser mask - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-MED-020:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-MED (Medical Prototype Department)
Technical Committee	DEMO-MED-02 (Fluid-path devices Prototype Committee)
Member Secretary	Demo Secretary MED-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_MED_020_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MED-020:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A3
Classification / reaffirmed	DEMO-CLASS-MED-02 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_MED_020_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers nebuliser mask within the fluid-path devices prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: connection fit, leak checks, sample cleanliness and single-use identification. Record a sample observation for each topic and attach fixture report DEMO-TEST-MED-020; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MED DEMO-APP-MED-020 Renewal under review
Certificate	DEMO-CERT-MED-020 Issued
Licence	DEMO-LIC-MED-020 Active
Holder / product scope	Demo Medical Manufacturer 020 Nebuliser mask
Validity / grant note	2025-06-15 to 2027-06-14 Existing mock term still active
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 429. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Clinical digital thermometer

Medical / Monitoring equipment | DEMO-REC-MED-021

A. View | Basic details

IS Number	DEMO-IS-MED-021:2025
IS Title	Clinical digital thermometer - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-MED-021:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-MED (Medical Prototype Department)
Technical Committee	DEMO-MED-03 (Monitoring equipment Prototype Committee)
Member Secretary	Demo Secretary MED-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_MED_021_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MED-021:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A0
Classification / reaffirmed	DEMO-CLASS-MED-03 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_MED_021_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers clinical digital thermometer within the monitoring equipment prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: measurement repeatability, alarm or display function, electrical screening and instructions. Record a sample observation for each topic and attach fixture report DEMO-TEST-MED-021; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MED DEMO-APP-MED-021 Granted
Certificate	DEMO-CERT-MED-021 Issued
Licence	DEMO-LIC-MED-021 Active
Holder / product scope	Demo Medical Manufacturer 021 Clinical digital thermometer
Validity / grant note	2025-06-15 to 2027-06-14 Grant completed in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 429. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Blood-pressure monitor

Medical / Monitoring equipment | DEMO-REC-MED-022

A. View | Basic details

IS Number	DEMO-IS-MED-022:2024
IS Title	Blood-pressure monitor - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-MED (Medical Prototype Department)
Technical Committee	DEMO-MED-03 (Monitoring equipment Prototype Committee)
Member Secretary	Demo Secretary MED-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_MED_022_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MED-022:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A1
Classification / reaffirmed	DEMO-CLASS-MED-03 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_MED_022_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers blood-pressure monitor within the monitoring equipment prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: measurement repeatability, alarm or display function, electrical screening and instructions. Record a sample observation for each topic and attach fixture report DEMO-TEST-MED-022; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MED DEMO-APP-MED-022 Testing pending
Certificate	DEMO-CERT-MED-022 Draft - not issued
Licence	DEMO-LIC-MED-022 Not granted
Holder / product scope	Demo Medical Manufacturer 022 Blood-pressure monitor
Validity / grant note	No issued term Await sample evaluation
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 429. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Pulse oximeter

Medical / Monitoring equipment | DEMO-REC-MED-023

A. View | Basic details

IS Number	DEMO-IS-MED-023:2025
IS Title	Pulse oximeter - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-MED-023:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-MED (Medical Prototype Department)
Technical Committee	DEMO-MED-03 (Monitoring equipment Prototype Committee)
Member Secretary	Demo Secretary MED-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_MED_023_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MED-023:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A2
Classification / reaffirmed	DEMO-CLASS-MED-03 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_MED_023_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers pulse oximeter within the monitoring equipment prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: measurement repeatability, alarm or display function, electrical screening and instructions. Record a sample observation for each topic and attach fixture report DEMO-TEST-MED-023; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MED DEMO-APP-MED-023 Technical review
Certificate	DEMO-CERT-MED-023 Draft - not issued
Licence	DEMO-LIC-MED-023 Not granted
Holder / product scope	Demo Medical Manufacturer 023 Pulse oximeter
Validity / grant note	No issued term Reviewer decision pending
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 429. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

ECG monitor

Medical / Monitoring equipment | DEMO-REC-MED-024

A. View | Basic details

IS Number	DEMO-IS-MED-024:2025
IS Title	ECG monitor - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-MED-024:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-MED (Medical Prototype Department)
Technical Committee	DEMO-MED-03 (Monitoring equipment Prototype Committee)
Member Secretary	Demo Secretary MED-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_MED_024_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MED-024:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A3
Classification / reaffirmed	DEMO-CLASS-MED-03 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_MED_024_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers ecg monitor within the monitoring equipment prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: measurement repeatability, alarm or display function, electrical screening and instructions. Record a sample observation for each topic and attach fixture report DEMO-TEST-MED-024; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MED DEMO-APP-MED-024 Clarification requested
Certificate	DEMO-CERT-MED-024 Draft - not issued
Licence	DEMO-LIC-MED-024 Not granted
Holder / product scope	Demo Medical Manufacturer 024 ECG monitor
Validity / grant note	No issued term Applicant must revise mock file
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 429. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Patient weighing scale

Medical / Monitoring equipment | DEMO-REC-MED-025

A. View | Basic details

IS Number	DEMO-IS-MED-025:2024
IS Title	Patient weighing scale - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-MED (Medical Prototype Department)
Technical Committee	DEMO-MED-03 (Monitoring equipment Prototype Committee)
Member Secretary	Demo Secretary MED-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_MED_025_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MED-025:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A0
Classification / reaffirmed	DEMO-CLASS-MED-03 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_MED_025_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers patient weighing scale within the monitoring equipment prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: measurement repeatability, alarm or display function, electrical screening and instructions. Record a sample observation for each topic and attach fixture report DEMO-TEST-MED-025; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MED DEMO-APP-MED-025 Renewal pending
Certificate	DEMO-CERT-MED-025 Expired
Licence	DEMO-LIC-MED-025 Expired
Holder / product scope	Demo Medical Manufacturer 025 Patient weighing scale
Validity / grant note	2024-01-15 to 2025-01-14 Historical expired record
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - expired

Consumer help and FAQs: category guide p. 429. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Fetal Doppler monitor

Medical / Monitoring equipment | DEMO-REC-MED-026

A. View | Basic details

IS Number	DEMO-IS-MED-026:2025
IS Title	Fetal Doppler monitor - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-MED-026:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-MED (Medical Prototype Department)
Technical Committee	DEMO-MED-03 (Monitoring equipment Prototype Committee)
Member Secretary	Demo Secretary MED-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_MED_026_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MED-026:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A1
Classification / reaffirmed	DEMO-CLASS-MED-03 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_MED_026_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers fetal doppler monitor within the monitoring equipment prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: measurement repeatability, alarm or display function, electrical screening and instructions. Record a sample observation for each topic and attach fixture report DEMO-TEST-MED-026; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MED DEMO-APP-MED-026 Investigation open
Certificate	DEMO-CERT-MED-026 Suspended
Licence	DEMO-LIC-MED-026 Suspended
Holder / product scope	Demo Medical Manufacturer 026 Fetal Doppler monitor
Validity / grant note	2025-06-15 to 2027-06-14 Use blocked in prototype
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - suspended

Consumer help and FAQs: category guide p. 429. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Capnography monitor

Medical / Monitoring equipment | DEMO-REC-MED-027

A. View | Basic details

IS Number	DEMO-IS-MED-027:2025
IS Title	Capnography monitor - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-MED-027:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-MED (Medical Prototype Department)
Technical Committee	DEMO-MED-03 (Monitoring equipment Prototype Committee)
Member Secretary	Demo Secretary MED-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_MED_027_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MED-027:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A2
Classification / reaffirmed	DEMO-CLASS-MED-03 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_MED_027_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers capnography monitor within the monitoring equipment prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: measurement repeatability, alarm or display function, electrical screening and instructions. Record a sample observation for each topic and attach fixture report DEMO-TEST-MED-027; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MED DEMO-APP-MED-027 Closed
Certificate	DEMO-CERT-MED-027 Withdrawn
Licence	DEMO-LIC-MED-027 Withdrawn
Holder / product scope	Demo Medical Manufacturer 027 Capnography monitor
Validity / grant note	2025-06-15 to 2027-06-14 Historical withdrawal fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - withdrawn

Consumer help and FAQs: category guide p. 429. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Glucose meter

Medical / Monitoring equipment | DEMO-REC-MED-028

A. View | Basic details

IS Number	DEMO-IS-MED-028:2024
IS Title	Glucose meter - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-MED (Medical Prototype Department)
Technical Committee	DEMO-MED-03 (Monitoring equipment Prototype Committee)
Member Secretary	Demo Secretary MED-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_MED_028_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MED-028:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A3
Classification / reaffirmed	DEMO-CLASS-MED-03 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_MED_028_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers glucose meter within the monitoring equipment prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: measurement repeatability, alarm or display function, electrical screening and instructions. Record a sample observation for each topic and attach fixture report DEMO-TEST-MED-028; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MED DEMO-APP-MED-028 Rejected
Certificate	DEMO-CERT-MED-028 Not issued
Licence	DEMO-LIC-MED-028 Not granted
Holder / product scope	Demo Medical Manufacturer 028 Glucose meter
Validity / grant note	No issued term Mock application rejected
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 429. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Peak-flow meter

Medical / Monitoring equipment | DEMO-REC-MED-029

A. View | Basic details

IS Number	DEMO-IS-MED-029:2025
IS Title	Peak-flow meter - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-MED-029:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-MED (Medical Prototype Department)
Technical Committee	DEMO-MED-03 (Monitoring equipment Prototype Committee)
Member Secretary	Demo Secretary MED-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_MED_029_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MED-029:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A0
Classification / reaffirmed	DEMO-CLASS-MED-03 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_MED_029_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers peak-flow meter within the monitoring equipment prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: measurement repeatability, alarm or display function, electrical screening and instructions. Record a sample observation for each topic and attach fixture report DEMO-TEST-MED-029; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MED DEMO-APP-MED-029 Amendment granted
Certificate	DEMO-CERT-MED-029 Issued
Licence	DEMO-LIC-MED-029 Active
Holder / product scope	Demo Medical Manufacturer 029 Peak-flow meter
Validity / grant note	2025-06-15 to 2027-06-14 Scope update accepted in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 429. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Stethoscope

Medical / Monitoring equipment | DEMO-REC-MED-030

A. View | Basic details

IS Number	DEMO-IS-MED-030:2025
IS Title	Stethoscope - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-MED-030:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-MED (Medical Prototype Department)
Technical Committee	DEMO-MED-03 (Monitoring equipment Prototype Committee)
Member Secretary	Demo Secretary MED-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_MED_030_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MED-030:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A1
Classification / reaffirmed	DEMO-CLASS-MED-03 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_MED_030_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers stethoscope within the monitoring equipment prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: measurement repeatability, alarm or display function, electrical screening and instructions. Record a sample observation for each topic and attach fixture report DEMO-TEST-MED-030; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MED DEMO-APP-MED-030 Renewal under review
Certificate	DEMO-CERT-MED-030 Issued
Licence	DEMO-LIC-MED-030 Active
Holder / product scope	Demo Medical Manufacturer 030 Stethoscope
Validity / grant note	2025-06-15 to 2027-06-14 Existing mock term still active
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 429. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Hospital bed

Medical / Care equipment | DEMO-REC-MED-031

A. View | Basic details

IS Number	DEMO-IS-MED-031:2024
IS Title	Hospital bed - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-MED (Medical Prototype Department)
Technical Committee	DEMO-MED-04 (Care equipment Prototype Committee)
Member Secretary	Demo Secretary MED-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_MED_031_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MED-031:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A2
Classification / reaffirmed	DEMO-CLASS-MED-04 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_MED_031_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers hospital bed within the care equipment prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: load-test samples, stability, adjustment mechanisms and cleaning information. Record a sample observation for each topic and attach fixture report DEMO-TEST-MED-031; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MED DEMO-APP-MED-031 Granted
Certificate	DEMO-CERT-MED-031 Issued
Licence	DEMO-LIC-MED-031 Active
Holder / product scope	Demo Medical Manufacturer 031 Hospital bed
Validity / grant note	2025-06-15 to 2027-06-14 Grant completed in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 429. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Examination couch

Medical / Care equipment | DEMO-REC-MED-032

A. View | Basic details

IS Number	DEMO-IS-MED-032:2025
IS Title	Examination couch - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-MED-032:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-MED (Medical Prototype Department)
Technical Committee	DEMO-MED-04 (Care equipment Prototype Committee)
Member Secretary	Demo Secretary MED-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_MED_032_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MED-032:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A3
Classification / reaffirmed	DEMO-CLASS-MED-04 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_MED_032_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers examination couch within the care equipment prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: load-test samples, stability, adjustment mechanisms and cleaning information. Record a sample observation for each topic and attach fixture report DEMO-TEST-MED-032; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MED DEMO-APP-MED-032 Testing pending
Certificate	DEMO-CERT-MED-032 Draft - not issued
Licence	DEMO-LIC-MED-032 Not granted
Holder / product scope	Demo Medical Manufacturer 032 Examination couch
Validity / grant note	No issued term Await sample evaluation
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 429. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Wheelchair

Medical / Care equipment | DEMO-REC-MED-033

A. View | Basic details

IS Number	DEMO-IS-MED-033:2025
IS Title	Wheelchair - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-MED-033:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-MED (Medical Prototype Department)
Technical Committee	DEMO-MED-04 (Care equipment Prototype Committee)
Member Secretary	Demo Secretary MED-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_MED_033_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MED-033:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A0
Classification / reaffirmed	DEMO-CLASS-MED-04 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_MED_033_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers wheelchair within the care equipment prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: load-test samples, stability, adjustment mechanisms and cleaning information. Record a sample observation for each topic and attach fixture report DEMO-TEST-MED-033; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MED DEMO-APP-MED-033 Technical review
Certificate	DEMO-CERT-MED-033 Draft - not issued
Licence	DEMO-LIC-MED-033 Not granted
Holder / product scope	Demo Medical Manufacturer 033 Wheelchair
Validity / grant note	No issued term Reviewer decision pending
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 429. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Walking frame

Medical / Care equipment | DEMO-REC-MED-034

A. View | Basic details

IS Number	DEMO-IS-MED-034:2024
IS Title	Walking frame - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-MED (Medical Prototype Department)
Technical Committee	DEMO-MED-04 (Care equipment Prototype Committee)
Member Secretary	Demo Secretary MED-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_MED_034_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MED-034:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A1
Classification / reaffirmed	DEMO-CLASS-MED-04 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_MED_034_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers walking frame within the care equipment prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: load-test samples, stability, adjustment mechanisms and cleaning information. Record a sample observation for each topic and attach fixture report DEMO-TEST-MED-034; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MED DEMO-APP-MED-034 Clarification requested
Certificate	DEMO-CERT-MED-034 Draft - not issued
Licence	DEMO-LIC-MED-034 Not granted
Holder / product scope	Demo Medical Manufacturer 034 Walking frame
Validity / grant note	No issued term Applicant must revise mock file
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 429. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Crutch

Medical / Care equipment | DEMO-REC-MED-035

A. View | Basic details

IS Number	DEMO-IS-MED-035:2025
IS Title	Crutch - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-MED-035:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-MED (Medical Prototype Department)
Technical Committee	DEMO-MED-04 (Care equipment Prototype Committee)
Member Secretary	Demo Secretary MED-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_MED_035_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MED-035:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A2
Classification / reaffirmed	DEMO-CLASS-MED-04 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_MED_035_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers crutch within the care equipment prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: load-test samples, stability, adjustment mechanisms and cleaning information. Record a sample observation for each topic and attach fixture report DEMO-TEST-MED-035; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MED DEMO-APP-MED-035 Renewal pending
Certificate	DEMO-CERT-MED-035 Expired
Licence	DEMO-LIC-MED-035 Expired
Holder / product scope	Demo Medical Manufacturer 035 Crutch
Validity / grant note	2024-01-15 to 2025-01-14 Historical expired record
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - expired

Consumer help and FAQs: category guide p. 429. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Patient transfer trolley

Medical / Care equipment | DEMO-REC-MED-036

A. View | Basic details

IS Number	DEMO-IS-MED-036:2025
IS Title	Patient transfer trolley - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-MED-036:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-MED (Medical Prototype Department)
Technical Committee	DEMO-MED-04 (Care equipment Prototype Committee)
Member Secretary	Demo Secretary MED-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_MED_036_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MED-036:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A3
Classification / reaffirmed	DEMO-CLASS-MED-04 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_MED_036_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers patient transfer trolley within the care equipment prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: load-test samples, stability, adjustment mechanisms and cleaning information. Record a sample observation for each topic and attach fixture report DEMO-TEST-MED-036; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MED DEMO-APP-MED-036 Investigation open
Certificate	DEMO-CERT-MED-036 Suspended
Licence	DEMO-LIC-MED-036 Suspended
Holder / product scope	Demo Medical Manufacturer 036 Patient transfer trolley
Validity / grant note	2025-06-15 to 2027-06-14 Use blocked in prototype
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - suspended

Consumer help and FAQs: category guide p. 429. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Infusion stand

Medical / Care equipment | DEMO-REC-MED-037

A. View | Basic details

IS Number	DEMO-IS-MED-037:2024
IS Title	Infusion stand - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-MED (Medical Prototype Department)
Technical Committee	DEMO-MED-04 (Care equipment Prototype Committee)
Member Secretary	Demo Secretary MED-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_MED_037_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MED-037:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A0
Classification / reaffirmed	DEMO-CLASS-MED-04 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_MED_037_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers infusion stand within the care equipment prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: load-test samples, stability, adjustment mechanisms and cleaning information. Record a sample observation for each topic and attach fixture report DEMO-TEST-MED-037; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MED DEMO-APP-MED-037 Closed
Certificate	DEMO-CERT-MED-037 Withdrawn
Licence	DEMO-LIC-MED-037 Withdrawn
Holder / product scope	Demo Medical Manufacturer 037 Infusion stand
Validity / grant note	2025-06-15 to 2027-06-14 Historical withdrawal fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - withdrawn

Consumer help and FAQs: category guide p. 429. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Bedside cabinet

Medical / Care equipment | DEMO-REC-MED-038

A. View | Basic details

IS Number	DEMO-IS-MED-038:2025
IS Title	Bedside cabinet - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-MED-038:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-MED (Medical Prototype Department)
Technical Committee	DEMO-MED-04 (Care equipment Prototype Committee)
Member Secretary	Demo Secretary MED-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_MED_038_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MED-038:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A1
Classification / reaffirmed	DEMO-CLASS-MED-04 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_MED_038_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers bedside cabinet within the care equipment prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: load-test samples, stability, adjustment mechanisms and cleaning information. Record a sample observation for each topic and attach fixture report DEMO-TEST-MED-038; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MED DEMO-APP-MED-038 Rejected
Certificate	DEMO-CERT-MED-038 Not issued
Licence	DEMO-LIC-MED-038 Not granted
Holder / product scope	Demo Medical Manufacturer 038 Bedside cabinet
Validity / grant note	No issued term Mock application rejected
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 429. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Pressure-relief mattress

Medical / Care equipment | DEMO-REC-MED-039

A. View | Basic details

IS Number	DEMO-IS-MED-039:2025
IS Title	Pressure-relief mattress - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-MED-039:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-MED (Medical Prototype Department)
Technical Committee	DEMO-MED-04 (Care equipment Prototype Committee)
Member Secretary	Demo Secretary MED-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_MED_039_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MED-039:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A2
Classification / reaffirmed	DEMO-CLASS-MED-04 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_MED_039_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers pressure-relief mattress within the care equipment prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: load-test samples, stability, adjustment mechanisms and cleaning information. Record a sample observation for each topic and attach fixture report DEMO-TEST-MED-039; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MED DEMO-APP-MED-039 Amendment granted
Certificate	DEMO-CERT-MED-039 Issued
Licence	DEMO-LIC-MED-039 Active
Holder / product scope	Demo Medical Manufacturer 039 Pressure-relief mattress
Validity / grant note	2025-06-15 to 2027-06-14 Scope update accepted in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 429. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Medical stool

Medical / Care equipment | DEMO-REC-MED-040

A. View | Basic details

IS Number	DEMO-IS-MED-040:2024
IS Title	Medical stool - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-MED (Medical Prototype Department)
Technical Committee	DEMO-MED-04 (Care equipment Prototype Committee)
Member Secretary	Demo Secretary MED-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_MED_040_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MED-040:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A3
Classification / reaffirmed	DEMO-CLASS-MED-04 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_MED_040_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers medical stool within the care equipment prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: load-test samples, stability, adjustment mechanisms and cleaning information. Record a sample observation for each topic and attach fixture report DEMO-TEST-MED-040; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MED DEMO-APP-MED-040 Renewal under review
Certificate	DEMO-CERT-MED-040 Issued
Licence	DEMO-LIC-MED-040 Active
Holder / product scope	Demo Medical Manufacturer 040 Medical stool
Validity / grant note	2025-06-15 to 2027-06-14 Existing mock term still active
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 429. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Steam steriliser

Medical / Clinical equipment | DEMO-REC-MED-041

A. View | Basic details

IS Number	DEMO-IS-MED-041:2025
IS Title	Steam steriliser - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-MED-041:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-MED (Medical Prototype Department)
Technical Committee	DEMO-MED-05 (Clinical equipment Prototype Committee)
Member Secretary	Demo Secretary MED-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_MED_041_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MED-041:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A0
Classification / reaffirmed	DEMO-CLASS-MED-05 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_MED_041_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers steam steriliser within the clinical equipment prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: control response, enclosure integrity, alarm handling and maintenance traceability. Record a sample observation for each topic and attach fixture report DEMO-TEST-MED-041; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MED DEMO-APP-MED-041 Granted
Certificate	DEMO-CERT-MED-041 Issued
Licence	DEMO-LIC-MED-041 Active
Holder / product scope	Demo Medical Manufacturer 041 Steam steriliser
Validity / grant note	2025-06-15 to 2027-06-14 Grant completed in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 429. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Oxygen concentrator

Medical / Clinical equipment | DEMO-REC-MED-042

A. View | Basic details

IS Number	DEMO-IS-MED-042:2025
IS Title	Oxygen concentrator - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-MED-042:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-MED (Medical Prototype Department)
Technical Committee	DEMO-MED-05 (Clinical equipment Prototype Committee)
Member Secretary	Demo Secretary MED-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_MED_042_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MED-042:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A1
Classification / reaffirmed	DEMO-CLASS-MED-05 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_MED_042_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers oxygen concentrator within the clinical equipment prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: control response, enclosure integrity, alarm handling and maintenance traceability. Record a sample observation for each topic and attach fixture report DEMO-TEST-MED-042; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MED DEMO-APP-MED-042 Testing pending
Certificate	DEMO-CERT-MED-042 Draft - not issued
Licence	DEMO-LIC-MED-042 Not granted
Holder / product scope	Demo Medical Manufacturer 042 Oxygen concentrator
Validity / grant note	No issued term Await sample evaluation
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 429. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Nebuliser

Medical / Clinical equipment | DEMO-REC-MED-043

A. View | Basic details

IS Number	DEMO-IS-MED-043:2024
IS Title	Nebuliser - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-MED (Medical Prototype Department)
Technical Committee	DEMO-MED-05 (Clinical equipment Prototype Committee)
Member Secretary	Demo Secretary MED-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_MED_043_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MED-043:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A2
Classification / reaffirmed	DEMO-CLASS-MED-05 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_MED_043_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers nebuliser within the clinical equipment prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: control response, enclosure integrity, alarm handling and maintenance traceability. Record a sample observation for each topic and attach fixture report DEMO-TEST-MED-043; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MED DEMO-APP-MED-043 Technical review
Certificate	DEMO-CERT-MED-043 Draft - not issued
Licence	DEMO-LIC-MED-043 Not granted
Holder / product scope	Demo Medical Manufacturer 043 Nebuliser
Validity / grant note	No issued term Reviewer decision pending
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 429. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Suction unit

Medical / Clinical equipment | DEMO-REC-MED-044

A. View | Basic details

IS Number	DEMO-IS-MED-044:2025
IS Title	Suction unit - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-MED-044:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-MED (Medical Prototype Department)
Technical Committee	DEMO-MED-05 (Clinical equipment Prototype Committee)
Member Secretary	Demo Secretary MED-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_MED_044_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MED-044:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A3
Classification / reaffirmed	DEMO-CLASS-MED-05 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_MED_044_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers suction unit within the clinical equipment prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: control response, enclosure integrity, alarm handling and maintenance traceability. Record a sample observation for each topic and attach fixture report DEMO-TEST-MED-044; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MED DEMO-APP-MED-044 Clarification requested
Certificate	DEMO-CERT-MED-044 Draft - not issued
Licence	DEMO-LIC-MED-044 Not granted
Holder / product scope	Demo Medical Manufacturer 044 Suction unit
Validity / grant note	No issued term Applicant must revise mock file
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 429. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Infusion pump

Medical / Clinical equipment | DEMO-REC-MED-045

A. View | Basic details

IS Number	DEMO-IS-MED-045:2025
IS Title	Infusion pump - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-MED-045:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-MED (Medical Prototype Department)
Technical Committee	DEMO-MED-05 (Clinical equipment Prototype Committee)
Member Secretary	Demo Secretary MED-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_MED_045_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MED-045:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A0
Classification / reaffirmed	DEMO-CLASS-MED-05 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_MED_045_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers infusion pump within the clinical equipment prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: control response, enclosure integrity, alarm handling and maintenance traceability. Record a sample observation for each topic and attach fixture report DEMO-TEST-MED-045; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MED DEMO-APP-MED-045 Renewal pending
Certificate	DEMO-CERT-MED-045 Expired
Licence	DEMO-LIC-MED-045 Expired
Holder / product scope	Demo Medical Manufacturer 045 Infusion pump
Validity / grant note	2024-01-15 to 2025-01-14 Historical expired record
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - expired

Consumer help and FAQs: category guide p. 429. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Syringe pump

Medical / Clinical equipment | DEMO-REC-MED-046

A. View | Basic details

IS Number	DEMO-IS-MED-046:2024
IS Title	Syringe pump - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-MED (Medical Prototype Department)
Technical Committee	DEMO-MED-05 (Clinical equipment Prototype Committee)
Member Secretary	Demo Secretary MED-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_MED_046_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MED-046:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A1
Classification / reaffirmed	DEMO-CLASS-MED-05 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_MED_046_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers syringe pump within the clinical equipment prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: control response, enclosure integrity, alarm handling and maintenance traceability. Record a sample observation for each topic and attach fixture report DEMO-TEST-MED-046; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MED DEMO-APP-MED-046 Investigation open
Certificate	DEMO-CERT-MED-046 Suspended
Licence	DEMO-LIC-MED-046 Suspended
Holder / product scope	Demo Medical Manufacturer 046 Syringe pump
Validity / grant note	2025-06-15 to 2027-06-14 Use blocked in prototype
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - suspended

Consumer help and FAQs: category guide p. 429. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Phototherapy lamp

Medical / Clinical equipment | DEMO-REC-MED-047

A. View | Basic details

IS Number	DEMO-IS-MED-047:2025
IS Title	Phototherapy lamp - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-MED-047:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-MED (Medical Prototype Department)
Technical Committee	DEMO-MED-05 (Clinical equipment Prototype Committee)
Member Secretary	Demo Secretary MED-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_MED_047_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MED-047:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A2
Classification / reaffirmed	DEMO-CLASS-MED-05 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_MED_047_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers phototherapy lamp within the clinical equipment prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: control response, enclosure integrity, alarm handling and maintenance traceability. Record a sample observation for each topic and attach fixture report DEMO-TEST-MED-047; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MED DEMO-APP-MED-047 Closed
Certificate	DEMO-CERT-MED-047 Withdrawn
Licence	DEMO-LIC-MED-047 Withdrawn
Holder / product scope	Demo Medical Manufacturer 047 Phototherapy lamp
Validity / grant note	2025-06-15 to 2027-06-14 Historical withdrawal fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - withdrawn

Consumer help and FAQs: category guide p. 429. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Examination lamp

Medical / Clinical equipment | DEMO-REC-MED-048

A. View | Basic details

IS Number	DEMO-IS-MED-048:2025
IS Title	Examination lamp - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-MED-048:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-MED (Medical Prototype Department)
Technical Committee	DEMO-MED-05 (Clinical equipment Prototype Committee)
Member Secretary	Demo Secretary MED-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_MED_048_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MED-048:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A3
Classification / reaffirmed	DEMO-CLASS-MED-05 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_MED_048_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers examination lamp within the clinical equipment prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: control response, enclosure integrity, alarm handling and maintenance traceability. Record a sample observation for each topic and attach fixture report DEMO-TEST-MED-048; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MED DEMO-APP-MED-048 Rejected
Certificate	DEMO-CERT-MED-048 Not issued
Licence	DEMO-LIC-MED-048 Not granted
Holder / product scope	Demo Medical Manufacturer 048 Examination lamp
Validity / grant note	No issued term Mock application rejected
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 429. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Dental handpiece

Medical / Clinical equipment | DEMO-REC-MED-049

A. View | Basic details

IS Number	DEMO-IS-MED-049:2024
IS Title	Dental handpiece - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-MED (Medical Prototype Department)
Technical Committee	DEMO-MED-05 (Clinical equipment Prototype Committee)
Member Secretary	Demo Secretary MED-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_MED_049_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MED-049:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A0
Classification / reaffirmed	DEMO-CLASS-MED-05 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_MED_049_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers dental handpiece within the clinical equipment prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: control response, enclosure integrity, alarm handling and maintenance traceability. Record a sample observation for each topic and attach fixture report DEMO-TEST-MED-049; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MED DEMO-APP-MED-049 Amendment granted
Certificate	DEMO-CERT-MED-049 Issued
Licence	DEMO-LIC-MED-049 Active
Holder / product scope	Demo Medical Manufacturer 049 Dental handpiece
Validity / grant note	2025-06-15 to 2027-06-14 Scope update accepted in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 429. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Laboratory centrifuge

Medical / Clinical equipment | DEMO-REC-MED-050

A. View | Basic details

IS Number	DEMO-IS-MED-050:2025
IS Title	Laboratory centrifuge - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-MED-050:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-MED (Medical Prototype Department)
Technical Committee	DEMO-MED-05 (Clinical equipment Prototype Committee)
Member Secretary	Demo Secretary MED-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_MED_050_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-MED-050:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A1
Classification / reaffirmed	DEMO-CLASS-MED-05 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_MED_050_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers laboratory centrifuge within the clinical equipment prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: control response, enclosure integrity, alarm handling and maintenance traceability. Record a sample observation for each topic and attach fixture report DEMO-TEST-MED-050; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-MED DEMO-APP-MED-050 Renewal under review
Certificate	DEMO-CERT-MED-050 Issued
Licence	DEMO-LIC-MED-050 Active
Holder / product scope	Demo Medical Manufacturer 050 Laboratory centrifuge
Validity / grant note	2025-06-15 to 2027-06-14 Existing mock term still active
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 429. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Agriculture | 50-record catalogue

Indian Standards-style catalogue / standards search - all records on these pages are fictional.

Catalogue ID: DEMO-CAT-AGR. Search by product name, DEMO-IS number, subgroup or category. Click a product below to open its detail sheet.

01. Spade	483	26. Battery sprayer	508
02. Shovel	484	27. Power sprayer	509
03. Hoe	485	28. Boom sprayer	510
04. Sickle	486	29. Fertiliser broadcaster	511
05. Pruning shear	487	30. Inter-row weeder	512
06. Garden rake	488	31. Drip emitter	513
07. Hand weeder	489	32. Inline drip lateral	514
08. Dibber	490	33. Micro-sprinkler	515
09. Pickaxe	491	34. Impact sprinkler	516
10. Manual fruit picker	492	35. Irrigation filter	517
11. Mouldboard plough	493	36. Venturi fertiliser injector	518
12. Disc plough	494	37. Irrigation control valve	519
13. Cultivator	495	38. Lay-flat hose	520
14. Disc harrow	496	39. Irrigation pipe coupling	521
15. Rotavator	497	40. Soil-moisture sensor	522
16. Land leveller	498	41. Reaper	523
17. Ridger	499	42. Paddy thresher	524
18. Puddler	500	43. Maize sheller	525
19. Power tiller	501	44. Chaff cutter	526
20. Subsoiler	502	45. Grain cleaner	527
21. Seed drill	503	46. Grain dryer	528
22. Seed-cum-fertiliser drill	504	47. Grain moisture meter	529
23. Manual seed planter	505	48. Seed grading machine	530
24. Paddy transplanter	506	49. Oilseed expeller	531
25. Knapsack sprayer	507	50. Produce storage bin	532

The page number is the combined PDF location. Every detail sheet includes a unique standard, application, certificate and licence ID.

Agriculture | Certification and applications

Product Certification / Certification Schemes / Grant of Licence / Application - DEMO policy only.

Product Certification and Certification Schemes

Mock scheme	DEMO-PC-AGR: Agriculture Product Evaluation - Prototype Scheme
Scheme intent	Demonstrate document review, sample evaluation, grant decisions, status changes and verification screens.
Who can apply	A fictional manufacturer record with a demo product and facility; this is not actual BIS eligibility.
Application evidence	Demo factory profile, product specification, mock quality plan and fixture evaluation report.
Fees / service time	0 sandbox units. Use simulated workflow events; no actual fee or processing-time promise.
Scope of grant	Only the product and DEMO-IS record named in the fixture. Real Standard Mark permission is always false.

Application to Grant of Licence | simulated sequence

1. Create DEMO-APP record and link product, manufacturer and facility.
2. Validate required fields; missing details produce Clarification requested.
3. Record sample evidence under the matching DEMO-TEST identifier.
4. Reviewer selects Granted, Testing pending, Technical review or Rejected.
5. On grant, activate the mock licence and issue the linked demo certificate. Later events may expire, suspend, withdraw, amend or renew the fixture.

Product-specific requirements | subgroup examples

Hand tools: dimensions, handle retention, working-edge condition and handling instructions.

Soil preparation: hitch dimensions, moving-part checks, structural sampling and guarding information.

Sowing and crop care: delivery consistency, adjustment function, leakage checks and operator information.

Irrigation: flow repeatability, connection integrity, pressure-test samples and installation marking.

Harvest and post-harvest: feed or output consistency, guarding, sample capacity checks and cleaning instructions.

Demo certificate and licence contents

Each product sheet displays the document IDs, holder, status, scope and term. The JSONL also contains document names, issuer, application evidence, lookup URL and an explicit not-valid field. Draft, rejected and not-granted records do not represent issued permissions.

IS documents and standards online source

The logical documents are stored as catalogue fixtures. Example route: <https://standards-prototype.invalid/agr/catalogue>. No official licence, IS document or payment workflow is created.

Agriculture | Consumer information and FAQs

BIS-style consumer help screens for a prototype - all process and contact information here is synthetic.

BIS complaint process / How to lodge complaints | demo

Open the mock complaint form; choose category, product and complaint topic; add a mock invoice, label and image; submit to create a DEMO-CMP ID. A fixture moves through Submitted, Under review, Evidence requested, Resolved or Closed. These are UI examples, not a real complaint submission or escalation promise.

Product authenticity and Standard Mark

Compare the demo licence ID with the fixture holder, product scope, DEMO-IS number, status and dates. An ID match alone must not imply Active. Use only the text DEMO MARK - NOT BIS/ISI. No real product authenticity or conformity finding is made.

Hallmark verification

Not applicable to these category fixtures. Display N/A and do not invent a HUID or imply a general product certificate is a hallmark. A future jewellery prototype would need a separately defined dataset.

Consumer rights / information | fictional policy

The prototype lets users read disclosures, request correction of fixture data, attach evidence, view complaint history and receive a simulated response. No legal entitlement, refund duty, enforcement outcome or statutory response deadline is asserted.

BIS contact information | fictional placeholder

Office	Demo Agriculture Help Desk, Fictional Test Zone
Email	help-agr@standards-prototype.invalid
Telephone	DEMO-NOT-A-PHONE; JSON value is null
Contact URL	https://standards-prototype.invalid/agr/contact
Complaint URL	https://standards-prototype.invalid/agr/complaints

FAQs

How do I find a standard?

Search the Agriculture catalogue by name, subgroup or DEMO-IS number.

Is the certificate a real BIS certificate?

No. It is an unsigned fictional training object.

Can an expired or suspended record verify as Active?

No. Match the status and term, not only the identifier.

What if application evidence is missing?

Use the Clarification requested scenario; no licence is granted.

How do I check a hallmark?

This dataset returns Not applicable; it issues no hallmark identifier.

Do these links submit a real complaint?

No. The .invalid domain is deliberately non-operational.

Where are product-level FAQs stored?

Every synthetic JSONL record includes a five-question FAQs array.

Spade

Agriculture / Hand tools | DEMO-REC-AGR-001

A. View | Basic details

IS Number	DEMO-IS-AGR-001:2024
IS Title	Spade - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-AGR (Agriculture Prototype Department)
Technical Committee	DEMO-AGR-01 (Hand tools Prototype Committee)
Member Secretary	Demo Secretary AGR-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_AGR_001_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AGR-001:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A0
Classification / reaffirmed	DEMO-CLASS-AGR-01 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_AGR_001_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers spade within the hand tools prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: dimensions, handle retention, working-edge condition and handling instructions. Record a sample observation for each topic and attach fixture report DEMO-TEST-AGR-001; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AGR DEMO-APP-AGR-001 Granted
Certificate	DEMO-CERT-AGR-001 Issued
Licence	DEMO-LIC-AGR-001 Active
Holder / product scope	Demo Agriculture Manufacturer 001 Spade
Validity / grant note	2025-06-15 to 2027-06-14 Grant completed in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 482. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Shovel

Agriculture / Hand tools | DEMO-REC-AGR-002

A. View | Basic details

IS Number	DEMO-IS-AGR-002:2025
IS Title	Shovel - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-AGR-002:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-AGR (Agriculture Prototype Department)
Technical Committee	DEMO-AGR-01 (Hand tools Prototype Committee)
Member Secretary	Demo Secretary AGR-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_AGR_002_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AGR-002:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A1
Classification / reaffirmed	DEMO-CLASS-AGR-01 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_AGR_002_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers shovel within the hand tools prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: dimensions, handle retention, working-edge condition and handling instructions. Record a sample observation for each topic and attach fixture report DEMO-TEST-AGR-002; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AGR DEMO-APP-AGR-002 Testing pending
Certificate	DEMO-CERT-AGR-002 Draft - not issued
Licence	DEMO-LIC-AGR-002 Not granted
Holder / product scope	Demo Agriculture Manufacturer 002 Shovel
Validity / grant note	No issued term Await sample evaluation
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 482. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Hoe

Agriculture / Hand tools | DEMO-REC-AGR-003

A. View | Basic details

IS Number	DEMO-IS-AGR-003:2025
IS Title	Hoe - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-AGR-003:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-AGR (Agriculture Prototype Department)
Technical Committee	DEMO-AGR-01 (Hand tools Prototype Committee)
Member Secretary	Demo Secretary AGR-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_AGR_003_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AGR-003:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A2
Classification / reaffirmed	DEMO-CLASS-AGR-01 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_AGR_003_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers hoe within the hand tools prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: dimensions, handle retention, working-edge condition and handling instructions. Record a sample observation for each topic and attach fixture report DEMO-TEST-AGR-003; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AGR DEMO-APP-AGR-003 Technical review
Certificate	DEMO-CERT-AGR-003 Draft - not issued
Licence	DEMO-LIC-AGR-003 Not granted
Holder / product scope	Demo Agriculture Manufacturer 003 Hoe
Validity / grant note	No issued term Reviewer decision pending
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 482. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Sickle

Agriculture / Hand tools | DEMO-REC-AGR-004

A. View | Basic details

IS Number	DEMO-IS-AGR-004:2024
IS Title	Sickle - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-AGR (Agriculture Prototype Department)
Technical Committee	DEMO-AGR-01 (Hand tools Prototype Committee)
Member Secretary	Demo Secretary AGR-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_AGR_004_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AGR-004:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A3
Classification / reaffirmed	DEMO-CLASS-AGR-01 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_AGR_004_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers sickle within the hand tools prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: dimensions, handle retention, working-edge condition and handling instructions. Record a sample observation for each topic and attach fixture report DEMO-TEST-AGR-004; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AGR DEMO-APP-AGR-004 Clarification requested
Certificate	DEMO-CERT-AGR-004 Draft - not issued
Licence	DEMO-LIC-AGR-004 Not granted
Holder / product scope	Demo Agriculture Manufacturer 004 Sickle
Validity / grant note	No issued term Applicant must revise mock file
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 482. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Pruning shear

Agriculture / Hand tools | DEMO-REC-AGR-005

A. View | Basic details

IS Number	DEMO-IS-AGR-005:2025
IS Title	Pruning shear - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-AGR-005:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-AGR (Agriculture Prototype Department)
Technical Committee	DEMO-AGR-01 (Hand tools Prototype Committee)
Member Secretary	Demo Secretary AGR-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_AGR_005_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AGR-005:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A0
Classification / reaffirmed	DEMO-CLASS-AGR-01 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_AGR_005_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers pruning shear within the hand tools prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: dimensions, handle retention, working-edge condition and handling instructions. Record a sample observation for each topic and attach fixture report DEMO-TEST-AGR-005; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AGR DEMO-APP-AGR-005 Renewal pending
Certificate	DEMO-CERT-AGR-005 Expired
Licence	DEMO-LIC-AGR-005 Expired
Holder / product scope	Demo Agriculture Manufacturer 005 Pruning shear
Validity / grant note	2024-01-15 to 2025-01-14 Historical expired record
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - expired

Consumer help and FAQs: category guide p. 482. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Garden rake

Agriculture / Hand tools | DEMO-REC-AGR-006

A. View | Basic details

IS Number	DEMO-IS-AGR-006:2025
IS Title	Garden rake - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-AGR-006:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-AGR (Agriculture Prototype Department)
Technical Committee	DEMO-AGR-01 (Hand tools Prototype Committee)
Member Secretary	Demo Secretary AGR-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_AGR_006_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AGR-006:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A1
Classification / reaffirmed	DEMO-CLASS-AGR-01 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_AGR_006_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers garden rake within the hand tools prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: dimensions, handle retention, working-edge condition and handling instructions. Record a sample observation for each topic and attach fixture report DEMO-TEST-AGR-006; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AGR DEMO-APP-AGR-006 Investigation open
Certificate	DEMO-CERT-AGR-006 Suspended
Licence	DEMO-LIC-AGR-006 Suspended
Holder / product scope	Demo Agriculture Manufacturer 006 Garden rake
Validity / grant note	2025-06-15 to 2027-06-14 Use blocked in prototype
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - suspended

Consumer help and FAQs: category guide p. 482. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Hand weeder

Agriculture / Hand tools | DEMO-REC-AGR-007

A. View | Basic details

IS Number	DEMO-IS-AGR-007:2024
IS Title	Hand weeder - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-AGR (Agriculture Prototype Department)
Technical Committee	DEMO-AGR-01 (Hand tools Prototype Committee)
Member Secretary	Demo Secretary AGR-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_AGR_007_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AGR-007:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A2
Classification / reaffirmed	DEMO-CLASS-AGR-01 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_AGR_007_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers hand weeder within the hand tools prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: dimensions, handle retention, working-edge condition and handling instructions. Record a sample observation for each topic and attach fixture report DEMO-TEST-AGR-007; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AGR DEMO-APP-AGR-007 Closed
Certificate	DEMO-CERT-AGR-007 Withdrawn
Licence	DEMO-LIC-AGR-007 Withdrawn
Holder / product scope	Demo Agriculture Manufacturer 007 Hand weeder
Validity / grant note	2025-06-15 to 2027-06-14 Historical withdrawal fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - withdrawn

Consumer help and FAQs: category guide p. 482. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Dibber

Agriculture / Hand tools | DEMO-REC-AGR-008

A. View | Basic details

IS Number	DEMO-IS-AGR-008:2025
IS Title	Dibber - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-AGR-008:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-AGR (Agriculture Prototype Department)
Technical Committee	DEMO-AGR-01 (Hand tools Prototype Committee)
Member Secretary	Demo Secretary AGR-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_AGR_008_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AGR-008:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A3
Classification / reaffirmed	DEMO-CLASS-AGR-01 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_AGR_008_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers dibber within the hand tools prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: dimensions, handle retention, working-edge condition and handling instructions. Record a sample observation for each topic and attach fixture report DEMO-TEST-AGR-008; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AGR DEMO-APP-AGR-008 Rejected
Certificate	DEMO-CERT-AGR-008 Not issued
Licence	DEMO-LIC-AGR-008 Not granted
Holder / product scope	Demo Agriculture Manufacturer 008 Dibber
Validity / grant note	No issued term Mock application rejected
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 482. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Pickaxe

Agriculture / Hand tools | DEMO-REC-AGR-009

A. View | Basic details

IS Number	DEMO-IS-AGR-009:2025
IS Title	Pickaxe - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-AGR-009:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-AGR (Agriculture Prototype Department)
Technical Committee	DEMO-AGR-01 (Hand tools Prototype Committee)
Member Secretary	Demo Secretary AGR-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_AGR_009_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AGR-009:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A0
Classification / reaffirmed	DEMO-CLASS-AGR-01 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_AGR_009_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers pickaxe within the hand tools prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: dimensions, handle retention, working-edge condition and handling instructions. Record a sample observation for each topic and attach fixture report DEMO-TEST-AGR-009; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AGR DEMO-APP-AGR-009 Amendment granted
Certificate	DEMO-CERT-AGR-009 Issued
Licence	DEMO-LIC-AGR-009 Active
Holder / product scope	Demo Agriculture Manufacturer 009 Pickaxe
Validity / grant note	2025-06-15 to 2027-06-14 Scope update accepted in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 482. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Manual fruit picker

Agriculture / Hand tools | DEMO-REC-AGR-010

A. View | Basic details

IS Number	DEMO-IS-AGR-010:2024
IS Title	Manual fruit picker - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-AGR (Agriculture Prototype Department)
Technical Committee	DEMO-AGR-01 (Hand tools Prototype Committee)
Member Secretary	Demo Secretary AGR-01 (fictional role)

B. Download | Document metadata

document_name	DEMO_AGR_010_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AGR-010:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A1
Classification / reaffirmed	DEMO-CLASS-AGR-01 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_AGR_010_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers manual fruit picker within the hand tools prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: dimensions, handle retention, working-edge condition and handling instructions. Record a sample observation for each topic and attach fixture report DEMO-TEST-AGR-010; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AGR DEMO-APP-AGR-010 Renewal under review
Certificate	DEMO-CERT-AGR-010 Issued
Licence	DEMO-LIC-AGR-010 Active
Holder / product scope	Demo Agriculture Manufacturer 010 Manual fruit picker
Validity / grant note	2025-06-15 to 2027-06-14 Existing mock term still active
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 482. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Mouldboard plough

Agriculture / Soil preparation | DEMO-REC-AGR-011

A. View | Basic details

IS Number	DEMO-IS-AGR-011:2025
IS Title	Mouldboard plough - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-AGR-011:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-AGR (Agriculture Prototype Department)
Technical Committee	DEMO-AGR-02 (Soil preparation Prototype Committee)
Member Secretary	Demo Secretary AGR-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_AGR_011_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AGR-011:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A2
Classification / reaffirmed	DEMO-CLASS-AGR-02 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_AGR_011_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers mouldboard plough within the soil preparation prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: hitch dimensions, moving-part checks, structural sampling and guarding information. Record a sample observation for each topic and attach fixture report DEMO-TEST-AGR-011; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AGR DEMO-APP-AGR-011 Granted
Certificate	DEMO-CERT-AGR-011 Issued
Licence	DEMO-LIC-AGR-011 Active
Holder / product scope	Demo Agriculture Manufacturer 011 Mouldboard plough
Validity / grant note	2025-06-15 to 2027-06-14 Grant completed in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 482. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Disc plough

Agriculture / Soil preparation | DEMO-REC-AGR-012

A. View | Basic details

IS Number	DEMO-IS-AGR-012:2025
IS Title	Disc plough - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-AGR-012:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-AGR (Agriculture Prototype Department)
Technical Committee	DEMO-AGR-02 (Soil preparation Prototype Committee)
Member Secretary	Demo Secretary AGR-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_AGR_012_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AGR-012:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A3
Classification / reaffirmed	DEMO-CLASS-AGR-02 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_AGR_012_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers disc plough within the soil preparation prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: hitch dimensions, moving-part checks, structural sampling and guarding information. Record a sample observation for each topic and attach fixture report DEMO-TEST-AGR-012; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AGR DEMO-APP-AGR-012 Testing pending
Certificate	DEMO-CERT-AGR-012 Draft - not issued
Licence	DEMO-LIC-AGR-012 Not granted
Holder / product scope	Demo Agriculture Manufacturer 012 Disc plough
Validity / grant note	No issued term Await sample evaluation
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 482. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Cultivator

Agriculture / Soil preparation | DEMO-REC-AGR-013

A. View | Basic details

IS Number	DEMO-IS-AGR-013:2024
IS Title	Cultivator - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-AGR (Agriculture Prototype Department)
Technical Committee	DEMO-AGR-02 (Soil preparation Prototype Committee)
Member Secretary	Demo Secretary AGR-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_AGR_013_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AGR-013:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A0
Classification / reaffirmed	DEMO-CLASS-AGR-02 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_AGR_013_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers cultivator within the soil preparation prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: hitch dimensions, moving-part checks, structural sampling and guarding information. Record a sample observation for each topic and attach fixture report DEMO-TEST-AGR-013; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AGR DEMO-APP-AGR-013 Technical review
Certificate	DEMO-CERT-AGR-013 Draft - not issued
Licence	DEMO-LIC-AGR-013 Not granted
Holder / product scope	Demo Agriculture Manufacturer 013 Cultivator
Validity / grant note	No issued term Reviewer decision pending
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 482. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Disc harrow

Agriculture / Soil preparation | DEMO-REC-AGR-014

A. View | Basic details

IS Number	DEMO-IS-AGR-014:2025
IS Title	Disc harrow - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-AGR-014:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-AGR (Agriculture Prototype Department)
Technical Committee	DEMO-AGR-02 (Soil preparation Prototype Committee)
Member Secretary	Demo Secretary AGR-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_AGR_014_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AGR-014:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A1
Classification / reaffirmed	DEMO-CLASS-AGR-02 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_AGR_014_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers disc harrow within the soil preparation prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: hitch dimensions, moving-part checks, structural sampling and guarding information. Record a sample observation for each topic and attach fixture report DEMO-TEST-AGR-014; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AGR DEMO-APP-AGR-014 Clarification requested
Certificate	DEMO-CERT-AGR-014 Draft - not issued
Licence	DEMO-LIC-AGR-014 Not granted
Holder / product scope	Demo Agriculture Manufacturer 014 Disc harrow
Validity / grant note	No issued term Applicant must revise mock file
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 482. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Rotavator

Agriculture / Soil preparation | DEMO-REC-AGR-015

A. View | Basic details

IS Number	DEMO-IS-AGR-015:2025
IS Title	Rotavator - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-AGR-015:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-AGR (Agriculture Prototype Department)
Technical Committee	DEMO-AGR-02 (Soil preparation Prototype Committee)
Member Secretary	Demo Secretary AGR-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_AGR_015_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AGR-015:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A2
Classification / reaffirmed	DEMO-CLASS-AGR-02 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_AGR_015_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers rotavator within the soil preparation prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: hitch dimensions, moving-part checks, structural sampling and guarding information. Record a sample observation for each topic and attach fixture report DEMO-TEST-AGR-015; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AGR DEMO-APP-AGR-015 Renewal pending
Certificate	DEMO-CERT-AGR-015 Expired
Licence	DEMO-LIC-AGR-015 Expired
Holder / product scope	Demo Agriculture Manufacturer 015 Rotavator
Validity / grant note	2024-01-15 to 2025-01-14 Historical expired record
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - expired

Consumer help and FAQs: category guide p. 482. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Land leveller

Agriculture / Soil preparation | DEMO-REC-AGR-016

A. View | Basic details

IS Number	DEMO-IS-AGR-016:2024
IS Title	Land leveller - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-AGR (Agriculture Prototype Department)
Technical Committee	DEMO-AGR-02 (Soil preparation Prototype Committee)
Member Secretary	Demo Secretary AGR-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_AGR_016_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AGR-016:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A3
Classification / reaffirmed	DEMO-CLASS-AGR-02 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_AGR_016_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers land leveller within the soil preparation prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: hitch dimensions, moving-part checks, structural sampling and guarding information. Record a sample observation for each topic and attach fixture report DEMO-TEST-AGR-016; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AGR DEMO-APP-AGR-016 Investigation open
Certificate	DEMO-CERT-AGR-016 Suspended
Licence	DEMO-LIC-AGR-016 Suspended
Holder / product scope	Demo Agriculture Manufacturer 016 Land leveller
Validity / grant note	2025-06-15 to 2027-06-14 Use blocked in prototype
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - suspended

Consumer help and FAQs: category guide p. 482. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Ridger

Agriculture / Soil preparation | DEMO-REC-AGR-017

A. View | Basic details

IS Number	DEMO-IS-AGR-017:2025
IS Title	Ridger - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-AGR-017:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-AGR (Agriculture Prototype Department)
Technical Committee	DEMO-AGR-02 (Soil preparation Prototype Committee)
Member Secretary	Demo Secretary AGR-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_AGR_017_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AGR-017:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A0
Classification / reaffirmed	DEMO-CLASS-AGR-02 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_AGR_017_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers ridger within the soil preparation prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: hitch dimensions, moving-part checks, structural sampling and guarding information. Record a sample observation for each topic and attach fixture report DEMO-TEST-AGR-017; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AGR DEMO-APP-AGR-017 Closed
Certificate	DEMO-CERT-AGR-017 Withdrawn
Licence	DEMO-LIC-AGR-017 Withdrawn
Holder / product scope	Demo Agriculture Manufacturer 017 Ridger
Validity / grant note	2025-06-15 to 2027-06-14 Historical withdrawal fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - withdrawn

Consumer help and FAQs: category guide p. 482. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Puddler

Agriculture / Soil preparation | DEMO-REC-AGR-018

A. View | Basic details

IS Number	DEMO-IS-AGR-018:2025
IS Title	Puddler - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-AGR-018:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-AGR (Agriculture Prototype Department)
Technical Committee	DEMO-AGR-02 (Soil preparation Prototype Committee)
Member Secretary	Demo Secretary AGR-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_AGR_018_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AGR-018:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A1
Classification / reaffirmed	DEMO-CLASS-AGR-02 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_AGR_018_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers puddler within the soil preparation prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: hitch dimensions, moving-part checks, structural sampling and guarding information. Record a sample observation for each topic and attach fixture report DEMO-TEST-AGR-018; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AGR DEMO-APP-AGR-018 Rejected
Certificate	DEMO-CERT-AGR-018 Not issued
Licence	DEMO-LIC-AGR-018 Not granted
Holder / product scope	Demo Agriculture Manufacturer 018 Puddler
Validity / grant note	No issued term Mock application rejected
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 482. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Power tiller

Agriculture / Soil preparation | DEMO-REC-AGR-019

A. View | Basic details

IS Number	DEMO-IS-AGR-019:2024
IS Title	Power tiller - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-AGR (Agriculture Prototype Department)
Technical Committee	DEMO-AGR-02 (Soil preparation Prototype Committee)
Member Secretary	Demo Secretary AGR-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_AGR_019_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AGR-019:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A2
Classification / reaffirmed	DEMO-CLASS-AGR-02 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_AGR_019_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers power tiller within the soil preparation prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: hitch dimensions, moving-part checks, structural sampling and guarding information. Record a sample observation for each topic and attach fixture report DEMO-TEST-AGR-019; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AGR DEMO-APP-AGR-019 Amendment granted
Certificate	DEMO-CERT-AGR-019 Issued
Licence	DEMO-LIC-AGR-019 Active
Holder / product scope	Demo Agriculture Manufacturer 019 Power tiller
Validity / grant note	2025-06-15 to 2027-06-14 Scope update accepted in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 482. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Subsoiler

Agriculture / Soil preparation | DEMO-REC-AGR-020

A. View | Basic details

IS Number	DEMO-IS-AGR-020:2025
IS Title	Subsoiler - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-AGR-020:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-AGR (Agriculture Prototype Department)
Technical Committee	DEMO-AGR-02 (Soil preparation Prototype Committee)
Member Secretary	Demo Secretary AGR-02 (fictional role)

B. Download | Document metadata

document_name	DEMO_AGR_020_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AGR-020:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A3
Classification / reaffirmed	DEMO-CLASS-AGR-02 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_AGR_020_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers subsoiler within the soil preparation prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: hitch dimensions, moving-part checks, structural sampling and guarding information. Record a sample observation for each topic and attach fixture report DEMO-TEST-AGR-020; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AGR DEMO-APP-AGR-020 Renewal under review
Certificate	DEMO-CERT-AGR-020 Issued
Licence	DEMO-LIC-AGR-020 Active
Holder / product scope	Demo Agriculture Manufacturer 020 Subsoiler
Validity / grant note	2025-06-15 to 2027-06-14 Existing mock term still active
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 482. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Seed drill

Agriculture / Sowing and crop care | DEMO-REC-AGR-021

A. View | Basic details

IS Number	DEMO-IS-AGR-021:2025
IS Title	Seed drill - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-AGR-021:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-AGR (Agriculture Prototype Department)
Technical Committee	DEMO-AGR-03 (Sowing and crop care Prototype Committee)
Member Secretary	Demo Secretary AGR-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_AGR_021_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AGR-021:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A0
Classification / reaffirmed	DEMO-CLASS-AGR-03 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_AGR_021_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers seed drill within the sowing and crop care prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: delivery consistency, adjustment function, leakage checks and operator information. Record a sample observation for each topic and attach fixture report DEMO-TEST-AGR-021; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AGR DEMO-APP-AGR-021 Granted
Certificate	DEMO-CERT-AGR-021 Issued
Licence	DEMO-LIC-AGR-021 Active
Holder / product scope	Demo Agriculture Manufacturer 021 Seed drill
Validity / grant note	2025-06-15 to 2027-06-14 Grant completed in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 482. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Seed-cum-fertiliser drill

Agriculture / Sowing and crop care | DEMO-REC-AGR-022

A. View | Basic details

IS Number	DEMO-IS-AGR-022:2024
IS Title	Seed-cum-fertiliser drill - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-AGR (Agriculture Prototype Department)
Technical Committee	DEMO-AGR-03 (Sowing and crop care Prototype Committee)
Member Secretary	Demo Secretary AGR-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_AGR_022_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AGR-022:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A1
Classification / reaffirmed	DEMO-CLASS-AGR-03 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_AGR_022_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers seed-cum-fertiliser drill within the sowing and crop care prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: delivery consistency, adjustment function, leakage checks and operator information. Record a sample observation for each topic and attach fixture report DEMO-TEST-AGR-022; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AGR DEMO-APP-AGR-022 Testing pending
Certificate	DEMO-CERT-AGR-022 Draft - not issued
Licence	DEMO-LIC-AGR-022 Not granted
Holder / product scope	Demo Agriculture Manufacturer 022 Seed-cum-fertiliser drill
Validity / grant note	No issued term Await sample evaluation
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 482. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Manual seed planter

Agriculture / Sowing and crop care | DEMO-REC-AGR-023

A. View | Basic details

IS Number	DEMO-IS-AGR-023:2025
IS Title	Manual seed planter - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-AGR-023:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-AGR (Agriculture Prototype Department)
Technical Committee	DEMO-AGR-03 (Sowing and crop care Prototype Committee)
Member Secretary	Demo Secretary AGR-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_AGR_023_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AGR-023:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A2
Classification / reaffirmed	DEMO-CLASS-AGR-03 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_AGR_023_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers manual seed planter within the sowing and crop care prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: delivery consistency, adjustment function, leakage checks and operator information. Record a sample observation for each topic and attach fixture report DEMO-TEST-AGR-023; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AGR DEMO-APP-AGR-023 Technical review
Certificate	DEMO-CERT-AGR-023 Draft - not issued
Licence	DEMO-LIC-AGR-023 Not granted
Holder / product scope	Demo Agriculture Manufacturer 023 Manual seed planter
Validity / grant note	No issued term Reviewer decision pending
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 482. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Paddy transplanter

Agriculture / Sowing and crop care | DEMO-REC-AGR-024

A. View | Basic details

IS Number	DEMO-IS-AGR-024:2025
IS Title	Paddy transplanter - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-AGR-024:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-AGR (Agriculture Prototype Department)
Technical Committee	DEMO-AGR-03 (Sowing and crop care Prototype Committee)
Member Secretary	Demo Secretary AGR-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_AGR_024_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AGR-024:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A3
Classification / reaffirmed	DEMO-CLASS-AGR-03 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_AGR_024_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers paddy transplanter within the sowing and crop care prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: delivery consistency, adjustment function, leakage checks and operator information. Record a sample observation for each topic and attach fixture report DEMO-TEST-AGR-024; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AGR DEMO-APP-AGR-024 Clarification requested
Certificate	DEMO-CERT-AGR-024 Draft - not issued
Licence	DEMO-LIC-AGR-024 Not granted
Holder / product scope	Demo Agriculture Manufacturer 024 Paddy transplanter
Validity / grant note	No issued term Applicant must revise mock file
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 482. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Knapsack sprayer

Agriculture / Sowing and crop care | DEMO-REC-AGR-025

A. View | Basic details

IS Number	DEMO-IS-AGR-025:2024
IS Title	Knapsack sprayer - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-AGR (Agriculture Prototype Department)
Technical Committee	DEMO-AGR-03 (Sowing and crop care Prototype Committee)
Member Secretary	Demo Secretary AGR-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_AGR_025_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AGR-025:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A0
Classification / reaffirmed	DEMO-CLASS-AGR-03 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_AGR_025_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers knapsack sprayer within the sowing and crop care prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: delivery consistency, adjustment function, leakage checks and operator information. Record a sample observation for each topic and attach fixture report DEMO-TEST-AGR-025; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AGR DEMO-APP-AGR-025 Renewal pending
Certificate	DEMO-CERT-AGR-025 Expired
Licence	DEMO-LIC-AGR-025 Expired
Holder / product scope	Demo Agriculture Manufacturer 025 Knapsack sprayer
Validity / grant note	2024-01-15 to 2025-01-14 Historical expired record
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - expired

Consumer help and FAQs: category guide p. 482. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Battery sprayer

Agriculture / Sowing and crop care | DEMO-REC-AGR-026

A. View | Basic details

IS Number	DEMO-IS-AGR-026:2025
IS Title	Battery sprayer - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-AGR-026:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-AGR (Agriculture Prototype Department)
Technical Committee	DEMO-AGR-03 (Sowing and crop care Prototype Committee)
Member Secretary	Demo Secretary AGR-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_AGR_026_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AGR-026:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A1
Classification / reaffirmed	DEMO-CLASS-AGR-03 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_AGR_026_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers battery sprayer within the sowing and crop care prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: delivery consistency, adjustment function, leakage checks and operator information. Record a sample observation for each topic and attach fixture report DEMO-TEST-AGR-026; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AGR DEMO-APP-AGR-026 Investigation open
Certificate	DEMO-CERT-AGR-026 Suspended
Licence	DEMO-LIC-AGR-026 Suspended
Holder / product scope	Demo Agriculture Manufacturer 026 Battery sprayer
Validity / grant note	2025-06-15 to 2027-06-14 Use blocked in prototype
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - suspended

Consumer help and FAQs: category guide p. 482. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Power sprayer

Agriculture / Sowing and crop care | DEMO-REC-AGR-027

A. View | Basic details

IS Number	DEMO-IS-AGR-027:2025
IS Title	Power sprayer - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-AGR-027:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-AGR (Agriculture Prototype Department)
Technical Committee	DEMO-AGR-03 (Sowing and crop care Prototype Committee)
Member Secretary	Demo Secretary AGR-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_AGR_027_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AGR-027:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A2
Classification / reaffirmed	DEMO-CLASS-AGR-03 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_AGR_027_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers power sprayer within the sowing and crop care prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: delivery consistency, adjustment function, leakage checks and operator information. Record a sample observation for each topic and attach fixture report DEMO-TEST-AGR-027; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AGR DEMO-APP-AGR-027 Closed
Certificate	DEMO-CERT-AGR-027 Withdrawn
Licence	DEMO-LIC-AGR-027 Withdrawn
Holder / product scope	Demo Agriculture Manufacturer 027 Power sprayer
Validity / grant note	2025-06-15 to 2027-06-14 Historical withdrawal fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - withdrawn

Consumer help and FAQs: category guide p. 482. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Boom sprayer

Agriculture / Sowing and crop care | DEMO-REC-AGR-028

A. View | Basic details

IS Number	DEMO-IS-AGR-028:2024
IS Title	Boom sprayer - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-AGR (Agriculture Prototype Department)
Technical Committee	DEMO-AGR-03 (Sowing and crop care Prototype Committee)
Member Secretary	Demo Secretary AGR-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_AGR_028_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AGR-028:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A3
Classification / reaffirmed	DEMO-CLASS-AGR-03 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_AGR_028_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers boom sprayer within the sowing and crop care prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: delivery consistency, adjustment function, leakage checks and operator information. Record a sample observation for each topic and attach fixture report DEMO-TEST-AGR-028; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AGR DEMO-APP-AGR-028 Rejected
Certificate	DEMO-CERT-AGR-028 Not issued
Licence	DEMO-LIC-AGR-028 Not granted
Holder / product scope	Demo Agriculture Manufacturer 028 Boom sprayer
Validity / grant note	No issued term Mock application rejected
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 482. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Fertiliser broadcaster

Agriculture / Sowing and crop care | DEMO-REC-AGR-029

A. View | Basic details

IS Number	DEMO-IS-AGR-029:2025
IS Title	Fertiliser broadcaster - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-AGR-029:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-AGR (Agriculture Prototype Department)
Technical Committee	DEMO-AGR-03 (Sowing and crop care Prototype Committee)
Member Secretary	Demo Secretary AGR-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_AGR_029_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AGR-029:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A0
Classification / reaffirmed	DEMO-CLASS-AGR-03 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_AGR_029_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers fertiliser broadcaster within the sowing and crop care prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: delivery consistency, adjustment function, leakage checks and operator information. Record a sample observation for each topic and attach fixture report DEMO-TEST-AGR-029; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AGR DEMO-APP-AGR-029 Amendment granted
Certificate	DEMO-CERT-AGR-029 Issued
Licence	DEMO-LIC-AGR-029 Active
Holder / product scope	Demo Agriculture Manufacturer 029 Fertiliser broadcaster
Validity / grant note	2025-06-15 to 2027-06-14 Scope update accepted in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 482. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Inter-row weeder

Agriculture / Sowing and crop care | DEMO-REC-AGR-030

A. View | Basic details

IS Number	DEMO-IS-AGR-030:2025
IS Title	Inter-row weeder - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-AGR-030:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-AGR (Agriculture Prototype Department)
Technical Committee	DEMO-AGR-03 (Sowing and crop care Prototype Committee)
Member Secretary	Demo Secretary AGR-03 (fictional role)

B. Download | Document metadata

document_name	DEMO_AGR_030_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AGR-030:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A1
Classification / reaffirmed	DEMO-CLASS-AGR-03 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_AGR_030_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers inter-row weeder within the sowing and crop care prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: delivery consistency, adjustment function, leakage checks and operator information. Record a sample observation for each topic and attach fixture report DEMO-TEST-AGR-030; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AGR DEMO-APP-AGR-030 Renewal under review
Certificate	DEMO-CERT-AGR-030 Issued
Licence	DEMO-LIC-AGR-030 Active
Holder / product scope	Demo Agriculture Manufacturer 030 Inter-row weeder
Validity / grant note	2025-06-15 to 2027-06-14 Existing mock term still active
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 482. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Drip emitter

Agriculture / Irrigation | DEMO-REC-AGR-031

A. View | Basic details

IS Number	DEMO-IS-AGR-031:2024
IS Title	Drip emitter - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-AGR (Agriculture Prototype Department)
Technical Committee	DEMO-AGR-04 (Irrigation Prototype Committee)
Member Secretary	Demo Secretary AGR-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_AGR_031_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AGR-031:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A2
Classification / reaffirmed	DEMO-CLASS-AGR-04 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_AGR_031_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers drip emitter within the irrigation prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: flow repeatability, connection integrity, pressure-test samples and installation marking. Record a sample observation for each topic and attach fixture report DEMO-TEST-AGR-031; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AGR DEMO-APP-AGR-031 Granted
Certificate	DEMO-CERT-AGR-031 Issued
Licence	DEMO-LIC-AGR-031 Active
Holder / product scope	Demo Agriculture Manufacturer 031 Drip emitter
Validity / grant note	2025-06-15 to 2027-06-14 Grant completed in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 482. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Inline drip lateral

Agriculture / Irrigation | DEMO-REC-AGR-032

A. View | Basic details

IS Number	DEMO-IS-AGR-032:2025
IS Title	Inline drip lateral - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-AGR-032:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-AGR (Agriculture Prototype Department)
Technical Committee	DEMO-AGR-04 (Irrigation Prototype Committee)
Member Secretary	Demo Secretary AGR-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_AGR_032_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AGR-032:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A3
Classification / reaffirmed	DEMO-CLASS-AGR-04 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_AGR_032_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers inline drip lateral within the irrigation prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: flow repeatability, connection integrity, pressure-test samples and installation marking. Record a sample observation for each topic and attach fixture report DEMO-TEST-AGR-032; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AGR DEMO-APP-AGR-032 Testing pending
Certificate	DEMO-CERT-AGR-032 Draft - not issued
Licence	DEMO-LIC-AGR-032 Not granted
Holder / product scope	Demo Agriculture Manufacturer 032 Inline drip lateral
Validity / grant note	No issued term Await sample evaluation
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 482. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Micro-sprinkler

Agriculture / Irrigation | DEMO-REC-AGR-033

A. View | Basic details

IS Number	DEMO-IS-AGR-033:2025
IS Title	Micro-sprinkler - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-AGR-033:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-AGR (Agriculture Prototype Department)
Technical Committee	DEMO-AGR-04 (Irrigation Prototype Committee)
Member Secretary	Demo Secretary AGR-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_AGR_033_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AGR-033:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A0
Classification / reaffirmed	DEMO-CLASS-AGR-04 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_AGR_033_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers micro-sprinkler within the irrigation prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: flow repeatability, connection integrity, pressure-test samples and installation marking. Record a sample observation for each topic and attach fixture report DEMO-TEST-AGR-033; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AGR DEMO-APP-AGR-033 Technical review
Certificate	DEMO-CERT-AGR-033 Draft - not issued
Licence	DEMO-LIC-AGR-033 Not granted
Holder / product scope	Demo Agriculture Manufacturer 033 Micro-sprinkler
Validity / grant note	No issued term Reviewer decision pending
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 482. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Impact sprinkler

Agriculture / Irrigation | DEMO-REC-AGR-034

A. View | Basic details

IS Number	DEMO-IS-AGR-034:2024
IS Title	Impact sprinkler - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-AGR (Agriculture Prototype Department)
Technical Committee	DEMO-AGR-04 (Irrigation Prototype Committee)
Member Secretary	Demo Secretary AGR-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_AGR_034_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AGR-034:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A1
Classification / reaffirmed	DEMO-CLASS-AGR-04 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_AGR_034_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers impact sprinkler within the irrigation prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: flow repeatability, connection integrity, pressure-test samples and installation marking. Record a sample observation for each topic and attach fixture report DEMO-TEST-AGR-034; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AGR DEMO-APP-AGR-034 Clarification requested
Certificate	DEMO-CERT-AGR-034 Draft - not issued
Licence	DEMO-LIC-AGR-034 Not granted
Holder / product scope	Demo Agriculture Manufacturer 034 Impact sprinkler
Validity / grant note	No issued term Applicant must revise mock file
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 482. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Irrigation filter

Agriculture / Irrigation | DEMO-REC-AGR-035

A. View | Basic details

IS Number	DEMO-IS-AGR-035:2025
IS Title	Irrigation filter - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-AGR-035:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-AGR (Agriculture Prototype Department)
Technical Committee	DEMO-AGR-04 (Irrigation Prototype Committee)
Member Secretary	Demo Secretary AGR-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_AGR_035_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AGR-035:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A2
Classification / reaffirmed	DEMO-CLASS-AGR-04 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_AGR_035_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers irrigation filter within the irrigation prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: flow repeatability, connection integrity, pressure-test samples and installation marking. Record a sample observation for each topic and attach fixture report DEMO-TEST-AGR-035; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AGR DEMO-APP-AGR-035 Renewal pending
Certificate	DEMO-CERT-AGR-035 Expired
Licence	DEMO-LIC-AGR-035 Expired
Holder / product scope	Demo Agriculture Manufacturer 035 Irrigation filter
Validity / grant note	2024-01-15 to 2025-01-14 Historical expired record
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - expired

Consumer help and FAQs: category guide p. 482. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Venturi fertiliser injector

Agriculture / Irrigation | DEMO-REC-AGR-036

A. View | Basic details

IS Number	DEMO-IS-AGR-036:2025
IS Title	Venturi fertiliser injector - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-AGR-036:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-AGR (Agriculture Prototype Department)
Technical Committee	DEMO-AGR-04 (Irrigation Prototype Committee)
Member Secretary	Demo Secretary AGR-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_AGR_036_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AGR-036:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A3
Classification / reaffirmed	DEMO-CLASS-AGR-04 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_AGR_036_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers venturi fertiliser injector within the irrigation prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: flow repeatability, connection integrity, pressure-test samples and installation marking. Record a sample observation for each topic and attach fixture report DEMO-TEST-AGR-036; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AGR DEMO-APP-AGR-036 Investigation open
Certificate	DEMO-CERT-AGR-036 Suspended
Licence	DEMO-LIC-AGR-036 Suspended
Holder / product scope	Demo Agriculture Manufacturer 036 Venturi fertiliser injector
Validity / grant note	2025-06-15 to 2027-06-14 Use blocked in prototype
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - suspended

Consumer help and FAQs: category guide p. 482. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Irrigation control valve

Agriculture / Irrigation | DEMO-REC-AGR-037

A. View | Basic details

IS Number	DEMO-IS-AGR-037:2024
IS Title	Irrigation control valve - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-AGR (Agriculture Prototype Department)
Technical Committee	DEMO-AGR-04 (Irrigation Prototype Committee)
Member Secretary	Demo Secretary AGR-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_AGR_037_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AGR-037:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A0
Classification / reaffirmed	DEMO-CLASS-AGR-04 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_AGR_037_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers irrigation control valve within the irrigation prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: flow repeatability, connection integrity, pressure-test samples and installation marking. Record a sample observation for each topic and attach fixture report DEMO-TEST-AGR-037; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AGR DEMO-APP-AGR-037 Closed
Certificate	DEMO-CERT-AGR-037 Withdrawn
Licence	DEMO-LIC-AGR-037 Withdrawn
Holder / product scope	Demo Agriculture Manufacturer 037 Irrigation control valve
Validity / grant note	2025-06-15 to 2027-06-14 Historical withdrawal fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - withdrawn

Consumer help and FAQs: category guide p. 482. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Lay-flat hose

Agriculture / Irrigation | DEMO-REC-AGR-038

A. View | Basic details

IS Number	DEMO-IS-AGR-038:2025
IS Title	Lay-flat hose - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-AGR-038:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-AGR (Agriculture Prototype Department)
Technical Committee	DEMO-AGR-04 (Irrigation Prototype Committee)
Member Secretary	Demo Secretary AGR-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_AGR_038_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AGR-038:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A1
Classification / reaffirmed	DEMO-CLASS-AGR-04 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_AGR_038_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers lay-flat hose within the irrigation prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: flow repeatability, connection integrity, pressure-test samples and installation marking. Record a sample observation for each topic and attach fixture report DEMO-TEST-AGR-038; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AGR DEMO-APP-AGR-038 Rejected
Certificate	DEMO-CERT-AGR-038 Not issued
Licence	DEMO-LIC-AGR-038 Not granted
Holder / product scope	Demo Agriculture Manufacturer 038 Lay-flat hose
Validity / grant note	No issued term Mock application rejected
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 482. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Irrigation pipe coupling

Agriculture / Irrigation | DEMO-REC-AGR-039

A. View | Basic details

IS Number	DEMO-IS-AGR-039:2025
IS Title	Irrigation pipe coupling - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-AGR-039:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-AGR (Agriculture Prototype Department)
Technical Committee	DEMO-AGR-04 (Irrigation Prototype Committee)
Member Secretary	Demo Secretary AGR-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_AGR_039_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AGR-039:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A2
Classification / reaffirmed	DEMO-CLASS-AGR-04 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_AGR_039_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers irrigation pipe coupling within the irrigation prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: flow repeatability, connection integrity, pressure-test samples and installation marking. Record a sample observation for each topic and attach fixture report DEMO-TEST-AGR-039; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AGR DEMO-APP-AGR-039 Amendment granted
Certificate	DEMO-CERT-AGR-039 Issued
Licence	DEMO-LIC-AGR-039 Active
Holder / product scope	Demo Agriculture Manufacturer 039 Irrigation pipe coupling
Validity / grant note	2025-06-15 to 2027-06-14 Scope update accepted in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 482. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Soil-moisture sensor

Agriculture / Irrigation | DEMO-REC-AGR-040

A. View | Basic details

IS Number	DEMO-IS-AGR-040:2024
IS Title	Soil-moisture sensor - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-AGR (Agriculture Prototype Department)
Technical Committee	DEMO-AGR-04 (Irrigation Prototype Committee)
Member Secretary	Demo Secretary AGR-04 (fictional role)

B. Download | Document metadata

document_name	DEMO_AGR_040_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AGR-040:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A3
Classification / reaffirmed	DEMO-CLASS-AGR-04 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_AGR_040_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers soil-moisture sensor within the irrigation prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: flow repeatability, connection integrity, pressure-test samples and installation marking. Record a sample observation for each topic and attach fixture report DEMO-TEST-AGR-040; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AGR DEMO-APP-AGR-040 Renewal under review
Certificate	DEMO-CERT-AGR-040 Issued
Licence	DEMO-LIC-AGR-040 Active
Holder / product scope	Demo Agriculture Manufacturer 040 Soil-moisture sensor
Validity / grant note	2025-06-15 to 2027-06-14 Existing mock term still active
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 482. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Reaper

Agriculture / Harvest and post-harvest | DEMO-REC-AGR-041

A. View | Basic details

IS Number	DEMO-IS-AGR-041:2025
IS Title	Reaper - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-AGR-041:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-AGR (Agriculture Prototype Department)
Technical Committee	DEMO-AGR-05 (Harvest and post-harvest Prototype Committee)
Member Secretary	Demo Secretary AGR-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_AGR_041_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AGR-041:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A0
Classification / reaffirmed	DEMO-CLASS-AGR-05 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_AGR_041_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers reaper within the harvest and post-harvest prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: feed or output consistency, guarding, sample capacity checks and cleaning instructions. Record a sample observation for each topic and attach fixture report DEMO-TEST-AGR-041; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AGR DEMO-APP-AGR-041 Granted
Certificate	DEMO-CERT-AGR-041 Issued
Licence	DEMO-LIC-AGR-041 Active
Holder / product scope	Demo Agriculture Manufacturer 041 Reaper
Validity / grant note	2025-06-15 to 2027-06-14 Grant completed in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 482. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Paddy thresher

Agriculture / Harvest and post-harvest | DEMO-REC-AGR-042

A. View | Basic details

IS Number	DEMO-IS-AGR-042:2025
IS Title	Paddy thresher - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-AGR-042:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-AGR (Agriculture Prototype Department)
Technical Committee	DEMO-AGR-05 (Harvest and post-harvest Prototype Committee)
Member Secretary	Demo Secretary AGR-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_AGR_042_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AGR-042:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A1
Classification / reaffirmed	DEMO-CLASS-AGR-05 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_AGR_042_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers paddy thresher within the harvest and post-harvest prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: feed or output consistency, guarding, sample capacity checks and cleaning instructions. Record a sample observation for each topic and attach fixture report DEMO-TEST-AGR-042; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AGR DEMO-APP-AGR-042 Testing pending
Certificate	DEMO-CERT-AGR-042 Draft - not issued
Licence	DEMO-LIC-AGR-042 Not granted
Holder / product scope	Demo Agriculture Manufacturer 042 Paddy thresher
Validity / grant note	No issued term Await sample evaluation
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 482. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Maize sheller

Agriculture / Harvest and post-harvest | DEMO-REC-AGR-043

A. View | Basic details

IS Number	DEMO-IS-AGR-043:2024
IS Title	Maize sheller - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-AGR (Agriculture Prototype Department)
Technical Committee	DEMO-AGR-05 (Harvest and post-harvest Prototype Committee)
Member Secretary	Demo Secretary AGR-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_AGR_043_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AGR-043:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A2
Classification / reaffirmed	DEMO-CLASS-AGR-05 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_AGR_043_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers maize sheller within the harvest and post-harvest prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: feed or output consistency, guarding, sample capacity checks and cleaning instructions. Record a sample observation for each topic and attach fixture report DEMO-TEST-AGR-043; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AGR DEMO-APP-AGR-043 Technical review
Certificate	DEMO-CERT-AGR-043 Draft - not issued
Licence	DEMO-LIC-AGR-043 Not granted
Holder / product scope	Demo Agriculture Manufacturer 043 Maize sheller
Validity / grant note	No issued term Reviewer decision pending
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 482. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Chaff cutter

Agriculture / Harvest and post-harvest | DEMO-REC-AGR-044

A. View | Basic details

IS Number	DEMO-IS-AGR-044:2025
IS Title	Chaff cutter - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-AGR-044:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-AGR (Agriculture Prototype Department)
Technical Committee	DEMO-AGR-05 (Harvest and post-harvest Prototype Committee)
Member Secretary	Demo Secretary AGR-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_AGR_044_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AGR-044:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A3
Classification / reaffirmed	DEMO-CLASS-AGR-05 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_AGR_044_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers chaff cutter within the harvest and post-harvest prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: feed or output consistency, guarding, sample capacity checks and cleaning instructions. Record a sample observation for each topic and attach fixture report DEMO-TEST-AGR-044; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AGR DEMO-APP-AGR-044 Clarification requested
Certificate	DEMO-CERT-AGR-044 Draft - not issued
Licence	DEMO-LIC-AGR-044 Not granted
Holder / product scope	Demo Agriculture Manufacturer 044 Chaff cutter
Validity / grant note	No issued term Applicant must revise mock file
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 482. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Grain cleaner

Agriculture / Harvest and post-harvest | DEMO-REC-AGR-045

A. View | Basic details

IS Number	DEMO-IS-AGR-045:2025
IS Title	Grain cleaner - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-AGR-045:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-AGR (Agriculture Prototype Department)
Technical Committee	DEMO-AGR-05 (Harvest and post-harvest Prototype Committee)
Member Secretary	Demo Secretary AGR-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_AGR_045_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AGR-045:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A0
Classification / reaffirmed	DEMO-CLASS-AGR-05 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_AGR_045_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers grain cleaner within the harvest and post-harvest prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: feed or output consistency, guarding, sample capacity checks and cleaning instructions. Record a sample observation for each topic and attach fixture report DEMO-TEST-AGR-045; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AGR DEMO-APP-AGR-045 Renewal pending
Certificate	DEMO-CERT-AGR-045 Expired
Licence	DEMO-LIC-AGR-045 Expired
Holder / product scope	Demo Agriculture Manufacturer 045 Grain cleaner
Validity / grant note	2024-01-15 to 2025-01-14 Historical expired record
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - expired

Consumer help and FAQs: category guide p. 482. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Grain dryer

Agriculture / Harvest and post-harvest | DEMO-REC-AGR-046

A. View | Basic details

IS Number	DEMO-IS-AGR-046:2024
IS Title	Grain dryer - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-AGR (Agriculture Prototype Department)
Technical Committee	DEMO-AGR-05 (Harvest and post-harvest Prototype Committee)
Member Secretary	Demo Secretary AGR-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_AGR_046_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AGR-046:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A1
Classification / reaffirmed	DEMO-CLASS-AGR-05 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_AGR_046_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers grain dryer within the harvest and post-harvest prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: feed or output consistency, guarding, sample capacity checks and cleaning instructions. Record a sample observation for each topic and attach fixture report DEMO-TEST-AGR-046; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AGR DEMO-APP-AGR-046 Investigation open
Certificate	DEMO-CERT-AGR-046 Suspended
Licence	DEMO-LIC-AGR-046 Suspended
Holder / product scope	Demo Agriculture Manufacturer 046 Grain dryer
Validity / grant note	2025-06-15 to 2027-06-14 Use blocked in prototype
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - suspended

Consumer help and FAQs: category guide p. 482. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Grain moisture meter

Agriculture / Harvest and post-harvest | DEMO-REC-AGR-047

A. View | Basic details

IS Number	DEMO-IS-AGR-047:2025
IS Title	Grain moisture meter - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-AGR-047:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	2
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-AGR (Agriculture Prototype Department)
Technical Committee	DEMO-AGR-05 (Harvest and post-harvest Prototype Committee)
Member Secretary	Demo Secretary AGR-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_AGR_047_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AGR-047:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A2
Classification / reaffirmed	DEMO-CLASS-AGR-05 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_AGR_047_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers grain moisture meter within the harvest and post-harvest prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: feed or output consistency, guarding, sample capacity checks and cleaning instructions. Record a sample observation for each topic and attach fixture report DEMO-TEST-AGR-047; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AGR DEMO-APP-AGR-047 Closed
Certificate	DEMO-CERT-AGR-047 Withdrawn
Licence	DEMO-LIC-AGR-047 Withdrawn
Holder / product scope	Demo Agriculture Manufacturer 047 Grain moisture meter
Validity / grant note	2025-06-15 to 2027-06-14 Historical withdrawal fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - withdrawn

Consumer help and FAQs: category guide p. 482. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Seed grading machine

Agriculture / Harvest and post-harvest | DEMO-REC-AGR-048

A. View | Basic details

IS Number	DEMO-IS-AGR-048:2025
IS Title	Seed grading machine - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-AGR-048:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	2
Number of Amendments	3
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-AGR (Agriculture Prototype Department)
Technical Committee	DEMO-AGR-05 (Harvest and post-harvest Prototype Committee)
Member Secretary	Demo Secretary AGR-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_AGR_048_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AGR-048:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R2 / A3
Classification / reaffirmed	DEMO-CLASS-AGR-05 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_AGR_048_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers seed grading machine within the harvest and post-harvest prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: feed or output consistency, guarding, sample capacity checks and cleaning instructions. Record a sample observation for each topic and attach fixture report DEMO-TEST-AGR-048; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AGR DEMO-APP-AGR-048 Rejected
Certificate	DEMO-CERT-AGR-048 Not issued
Licence	DEMO-LIC-AGR-048 Not granted
Holder / product scope	Demo Agriculture Manufacturer 048 Seed grading machine
Validity / grant note	No issued term Mock application rejected
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - not granted

Consumer help and FAQs: category guide p. 482. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Oilseed expeller

Agriculture / Harvest and post-harvest | DEMO-REC-AGR-049

A. View | Basic details

IS Number	DEMO-IS-AGR-049:2024
IS Title	Oilseed expeller - Prototype specification and sample evaluation requirements
Superseding IS	None (new demo record)
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	0
Number of Amendments	0
Aspect	Product specification - demo
Language	English
Reaffirmation Year	Not supplied in this fixture
Technical Department	DEMO-AGR (Agriculture Prototype Department)
Technical Committee	DEMO-AGR-05 (Harvest and post-harvest Prototype Committee)
Member Secretary	Demo Secretary AGR-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_AGR_049_2024_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AGR-049:2024
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2024-03-15 R0 / A0
Classification / reaffirmed	DEMO-CLASS-AGR-05 (not UDC/ICS) Not supplied
URL	https://standards-prototype.invalid/documents/DEMO_AGR_049_2024_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers oilseed expeller within the harvest and post-harvest prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: feed or output consistency, guarding, sample capacity checks and cleaning instructions. Record a sample observation for each topic and attach fixture report DEMO-TEST-AGR-049; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AGR DEMO-APP-AGR-049 Amendment granted
Certificate	DEMO-CERT-AGR-049 Issued
Licence	DEMO-LIC-AGR-049 Active
Holder / product scope	Demo Agriculture Manufacturer 049 Oilseed expeller
Validity / grant note	2025-06-15 to 2027-06-14 Scope update accepted in fixture
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 482. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Produce storage bin

Agriculture / Harvest and post-harvest | DEMO-REC-AGR-050

A. View | Basic details

IS Number	DEMO-IS-AGR-050:2025
IS Title	Produce storage bin - Prototype specification and sample evaluation requirements
Superseding IS	DEMO-IS-AGR-050:2024
Degree of Equivalence	Synthetic; no ISO/IEC equivalence claimed
Number of Revisions	1
Number of Amendments	1
Aspect	Product specification - demo
Language	English
Reaffirmation Year	2026 (demo)
Technical Department	DEMO-AGR (Agriculture Prototype Department)
Technical Committee	DEMO-AGR-05 (Harvest and post-harvest Prototype Committee)
Member Secretary	Demo Secretary AGR-05 (fictional role)

B. Download | Document metadata

document_name	DEMO_AGR_050_2025_Standard.pdf
document_type	Synthetic Indian Standard-style document
IS_number	DEMO-IS-AGR-050:2025
clause / page_number / section	1.1 / 1 / 1 Scope
publication_date / revision	2025-03-15 R1 / A1
Classification / reaffirmed	DEMO-CLASS-AGR-05 (not UDC/ICS) 2026
URL	https://standards-prototype.invalid/documents/DEMO_AGR_050_2025_Standard.pdf
Standards online source	Local synthetic catalogue; not an official BIS source

1 Scope - synthetic

This fictional specification covers produce storage bin within the harvest and post-harvest prototype group. It defines sample identification, evaluation records and reporting fields for a catalogue demonstration. It establishes no real safety limit, certification obligation or performance claim.

Product-specific requirements - simulated

Demo evaluation topics: feed or output consistency, guarding, sample capacity checks and cleaning instructions. Record a sample observation for each topic and attach fixture report DEMO-TEST-AGR-050; all acceptance outcomes are simulated.

C. Demo certificate / licence | NOT VALID

Scheme / application	DEMO-PC-AGR DEMO-APP-AGR-050 Renewal under review
Certificate	DEMO-CERT-AGR-050 Issued
Licence	DEMO-LIC-AGR-050 Active
Holder / product scope	Demo Agriculture Manufacturer 050 Produce storage bin
Validity / grant note	2025-06-15 to 2027-06-14 Existing mock term still active
Mark / verification	DEMO MARK - NOT BIS/ISI Demo match - active fixture

Consumer help and FAQs: category guide p. 482. Per-product complaint, contact and FAQ data: matching JSONL record. All certificate and licence fields are fictional.

Previous BIS reference PDF

The following 24 pages reproduce the reference PDF created earlier in this conversation. They contain 21 distinct standard records, product indexes and public-source notes.

Reference provenance

Source file: BIS_Electrical_Electronics_Standards.pdf. Record date: 08 September 2026. The earlier task used the supplied BIS Know Your Standards portal and public previews linked through Download.

How this differs from the prototype

The appendix is a source-based compilation, not synthetic catalogue content. It still is not a manufacturer-specific certificate or licence. It retains the earlier limitations: some scopes were absent, full standard downloads required login or purchase, and certain catalogue fields differed between sources.

Pagination

Original printed pages 1-24 are preserved. They appear at combined PDF pages 534-557. References inside the earlier index point to those original printed numbers. PDF bookmarks and the JSONL pdf_location field identify combined page positions.

JSONL reference records

The 21 companion reference records use record_type = reference_standard, is_synthetic = false and source_type = prior_official_source_compilation. Certificate/licence and consumer objects are null because they were not part of the earlier evidence. No missing date, scope or licence is fabricated.

The original observations have not been revalidated during this prototype task.

BIS | KNOW YOUR STANDARDS

Electrical & Electronics Standards Reference

21 IS records • Product index • View metadata • Download / Preview details

Prepared from your supplied BIS portal

This booklet covers the product categories in the supplied list, using 21 distinct standard records. Shared standards are listed once and mapped to each relevant product in the index. The total is below the requested limit of 50 entries.

Record date: 8 September 2026

[Open the supplied Know Your Standards portal](#)

What each sheet contains

A. The twelve requested View fields, preserving blank and conflicting source values. B. The heading, UDC/ICS classification, committee and reaffirmation shown by the public preview reached through Download. C. A concise paraphrase of Scope, or a clearly labelled foreword summary when Clause 1 is absent.

Full standard PDFs were not downloaded: the linked distributor requires login for some documents and offers others for purchase. Public previews were read. No purchase was made.

This is a research compilation of Indian Standard records, not a manufacturer-specific BIS licence or registration certificate. Broad categories such as cables, meters and transformers are represented by the stated type; one standard does not cover every variant.

How to read source differences

A blank field is reported as blank, not as “None”. “Superseding IS” retains the portal label. The View portal, Download listing and preview sometimes differ in edition wording, amendments, committee or reaffirmation. These differences appear beside the relevant record.

Source links on each sheet are clickable. Scope summaries are paraphrased; for precise requirements use the complete standard and applicable amendments.

Product index | Electronics

The current BIS Scheme-II product table maps the listed IT/audio-video groups to IS/IEC 62368 (Part 1):2023. Older IS 13252 and IS 616 records remain available in the catalogue and are included as earlier references.

Product category	Standard / detail page
Power adapter for IT / audio-video equipment	IS/IEC 62368-1:2023 p. 4
Laptop / notebook / tablet	IS/IEC 62368-1:2023 p. 4
LED / LCD television	IS/IEC 62368-1:2023 p. 4
Monitor / visual display unit	IS/IEC 62368-1:2023 p. 4
Printer / plotter	IS/IEC 62368-1:2023 p. 4
Scanner	IS/IEC 62368-1:2023 p. 4
Wireless keyboard	IS/IEC 62368-1:2023 p. 4
Set-top box	IS/IEC 62368-1:2023 p. 4
Electronic video game equipment	IS/IEC 62368-1:2023 p. 4
Microwave oven	IS 302 (Part 2/Sec 25):2014 p. 5

Power-supply category note

The original term “power supply” is broad. This index maps IT/audio-video adapters. The BIS Scheme-II list additionally names standalone SMPS with output up to 48 V under IS/IEC 62368 (Part 1):2023. Household-appliance adapters are a separate entry that cites IS 302 (Part 1):2008.

Related reference sheets

General household safety: p. 22. Earlier IT safety (IS 13252): p. 23. Earlier audio/video safety (IS 616): p. 24.

Source: BIS Scheme-II product-to-standard table

Comparison: older CRS product table

Product index | Electrical

Product category	Standard / detail page
MCB for household AC installations	IS/IEC 60898-1:2015 p. 6
MCCB / industrial low-voltage circuit-breaker	IS/IEC 60947-2:2016 p. 7
Switch / disconnecter / switch-disconnector	IS/IEC 60947-3:2020 p. 8
PVC cable / cord with conductor	IS 694:2010 p. 9
Plug / socket-outlet	IS 1293:2019 p. 10
Static AC energy meter, Class 1 and 2	IS 13779:2020 p. 11
Mineral-oil distribution transformer	IS 1180 (Part 1):2014 p. 12
Transformer core / stamping / lamination: CRGO material	IS 3024:2015 p. 13
Ceiling fan	IS 374:2019 p. 14
Portable immersion water heater	IS 302 (Part 2/Sec 201):2008 p. 15
Storage water heater / geyser	IS 302 (Part 2/Sec 21):2024 p. 16
Instantaneous water heater	IS 302 (Part 2/Sec 35):2017 p. 17
Electric iron	IS 302 (Part 2/Sec 3):2024 p. 18
Room heater	IS 302 (Part 2/Sec 30):2007 p. 19
Electric stove with open heating element	IS 302 (Part 2/Sec 202):1992 p. 20
Mixer / grinder / juicer / hand blender	IS 302 (Part 2/Sec 14):2009 p. 21

Source: [BIS Scheme-I product table](#)

Transformer cores: [BIS Scheme-IV essential requirements](#)

Standard selection is type-specific. The core-material sheet covers one of the alternative materials named by Scheme-IV. The kitchen-machine public preview has no Scope text, so model-specific coverage remains unverified.

Electronics / IT equipment - current list mapping

A. View | Basic details

IS Number	IS/IEC 62368-1:2023
IS Title	Audio Video Information and Communication Technology Equipment - Part 1: Safety Requirements (Second Revision)
Superseding IS	IS/IEC 62368 : Part 1 : 2018
Degree of Equivalence	Identical under single numbering
Number of Revisions	2
Number of Amendments	No amendment issued
Aspect	Safety Standard
Language	English
Reaffirmation Year	Not displayed (blank in View)
Technical Department	LITD (Electronics and Information Technology Department)
Technical Committee	LITD 07 (Audio, Video, Multimedia Systems And Communication Equipment Sectional Committee Sectional Committee)
Member Secretary	VIJAY KUMAR GAURAW (SCIENTIST-D)

B. Download / Preview | Front matter

IS/IEC 62368 : Part : 2023 Audio/Video, Information and Communication Technology Equipment - Part 1 Safety Requirements

Classification	ICS 33.160.01; 35.020
Committee in preview	LITD 07
Reaffirmed in preview	Not displayed in preview

C. Scope availability / foreword summary

Clause 1 Scope is not included in the public preview. The foreword confirms the second revision and identical adoption of IEC 62368-1:2023 for safety of audio/video, information and communication technology equipment.

Source note: The live BIS Scheme-II table maps the requested IT/audio-video product groups to the 2023 standard. The older CRS product page still shows IS 13252:2010 / IS 616:2010. This booklet records that difference; it does not determine transition deadlines.

Access: Purchase offered; full standard not downloaded.

[Download listing | IS/IEC 62368-1:2023](#)

[Public preview | heading, classification and available scope](#)

View source: supplied BIS portal; search IS/IEC 62368-1:2023 and select View.

Microwave oven

A. View | Basic details

IS Number	IS 302 (Part 2/Sec 25):2014
IS Title	Safety of household and similar electrical appliances: Part 2 Particular requirements: Section 25 Microwave ovens
Superseding IS	IS 302-2-25 : 1994
Degree of Equivalence	Modified/Technically Equivalent
Number of Revisions	1
Number of Amendments	No amendment issued
Aspect	Product Specification
Language	English
Reaffirmation Year	Not displayed (blank in View)
Technical Department	ETD (Electrotechnical Department)
Technical Committee	ETD 32 (Electrical Appliances Sectional Committee)
Member Secretary	Ankita Tripathi (SCIENTIST-D)

B. Download / Preview | Front matter

IS 302 : Part 2 : Sec 25 : 2014 Safety of Household and Similar Electrical Appliances Part 2 Particular Requirements Section 25 Microwave ovens, including combination microwave ovens

Classification	ICS 13.120; 97.100.10
Committee in preview	ETD 32
Reaffirmed in preview	2019

C. Scope summary

Safety requirements for domestic and similar microwave ovens rated at no more than 250 V, including combination models. The preview also addresses shipboard use. Commercial ovens, industrial microwave heating and medical applications are excluded.

Access: Login required for full download; public preview read.

[Download listing | IS 302 \(Part 2/Sec 25\):2014](#)

[Public preview | heading, classification and available scope](#)

View source: supplied BIS portal; search IS 302 (Part 2/Sec 25):2014 and select View.

Household MCB

A. View | Basic details

IS Number	IS/IEC 60898-1:2015
IS Title	Electrical accessories - Circuit - Breakers for overcurrent protection for household and similar installations: Part 1 circuit - Breakers for a.c. operation (First Revision)
Superseding IS	None
Degree of Equivalence	Identical under single numbering
Number of Revisions	1
Number of Amendments	No amendment issued
Aspect	Product Specification
Language	English
Reaffirmation Year	Not displayed (blank in View)
Technical Department	ETD (Electrotechnical Department)
Technical Committee	ETD 07 (Low Voltage Switchgear And Controlgear Sectional Committee)
Member Secretary	SINGARAJU VENKATESH (SCIENTIST-D)

B. Download / Preview | Front matter

IS/IEC 60898-1 : 2015 Electrical Accessories - Circuit-Breakers for Overcurrent Protection for Household and Similar Installations
Part 1 Circuit-Breakers for a.c. Operation

Classification	ICS 29.120.50
Committee in preview	ETD 07
Reaffirmed in preview	2024

C. Scope availability / foreword summary

Clause 1 Scope is not included in the public preview. The foreword confirms IEC 60898-1:2015 adoption for household AC overcurrent circuit-breakers and describes changes to terminal-reliability, glow-wire and short-circuit tests.

Access: Purchase offered; full standard not downloaded.

[Download listing | IS/IEC 60898-1:2015](#)

[Public preview | heading, classification and available scope](#)

View source: supplied BIS portal; search IS/IEC 60898-1:2015 and select View.

MCCB / low-voltage circuit-breaker

A. View | Basic details

IS Number	IS/IEC 60947-2:2016
IS Title	Low - Voltage switchgear and controlgear: Part 2 circuit - Breakers (First Revision)
Superseding IS	None
Degree of Equivalence	Identical under single numbering
Number of Revisions	1
Number of Amendments	1
Aspect	Product Specification
Language	English
Reaffirmation Year	Not displayed (blank in View)
Technical Department	ETD (Electrotechnical Department)
Technical Committee	ETD 07 (Low Voltage Switchgear And Controlgear Sectional Committee)
Member Secretary	SINGARAJU VENKATESH (SCIENTIST-D)

B. Download / Preview | Front matter

IS/IEC 60947 : Part 2 : 2016 Low-Voltage Switchgear and Controlgear Part 2 Circuit-Breakers

Classification	ICS 29.130.20
Committee in preview	ETD 07
Reaffirmed in preview	Not displayed in preview

C. Scope availability / foreword summary

Clause 1 Scope is not included in the public preview. The foreword confirms IEC 60947-2:2016 adoption for low-voltage circuit-breakers and outlines changes concerning selectivity, DC testing, photovoltaic applications and automatic reclosing.

Access: Purchase offered; full standard not downloaded.

[Download listing | IS/IEC 60947-2:2016](#)

[Public preview | heading, classification and available scope](#)

View source: supplied BIS portal; search IS/IEC 60947-2:2016 and select View.

Switches and disconnectors

A. View | Basic details

IS Number	IS/IEC 60947-3:2020
IS Title	Low-Voltage Switchgear and Controlgear: Part 3 Switches Disconnectors Switch-Disconnectors and Fuse-Combination Units
Superseding IS	IS/IEC 60947 : PART 3 : 2012
Degree of Equivalence	Identical under single numbering
Number of Revisions	2
Number of Amendments	No amendment issued
Aspect	Product Specification
Language	English
Reaffirmation Year	Not displayed (blank in View)
Technical Department	ETD (Electrotechnical Department)
Technical Committee	ETD 07 (Low Voltage Switchgear And Controlgear Sectional Committee)
Member Secretary	SINGARAJU VENKATESH (SCIENTIST-D)

B. Download / Preview | Front matter

IS/IEC 60947 : Part 3 : 2020 Low-Voltage Switchgear and Controlgear Part 3 Switches, Disconnectors, Switch- Disconnectors and Fuse-Combination Units

Classification	ICS 29.120.40; 29.130.20
Committee in preview	ETD 07
Reaffirmed in preview	Not displayed in preview

C. Scope availability / foreword summary

Clause 1 Scope is not included in the public preview. The foreword confirms adoption of IEC 60947-3:2020 for low-voltage switches, disconnectors, combined switch-disconnectors and fuse-combination units.

Access: Purchase offered; full standard not downloaded.

[Download listing | IS/IEC 60947-3:2020](#)

[Public preview | heading, classification and available scope](#)

View source: supplied BIS portal; search IS/IEC 60947-3:2020 and select View.

PVC electrical cables / cords

A. View | Basic details

IS Number	IS 694:2010
IS Title	Polyvinyl chloride insulated unsheathed and sheathed cables/cords with rigid and flexible conductor for rated voltages up to and including 1 100 V (Fourth Revision)
Superseding IS	None
Degree of Equivalence	Modified/Technically Equivalent
Number of Revisions	4
Number of Amendments	4
Aspect	Product Specification
Language	English
Reaffirmation Year	Not displayed (blank in View)
Technical Department	ETD (Electrotechnical Department)
Technical Committee	ETD 09 (Power Cables Sectional Committee)
Member Secretary	EMMANUEL ABHISHEK MURMU (SCIENTIST-D)

B. Download / Preview | Front matter

IS 694 : 2010 : Polyvinyl Chloride Insulated Unsheathed--And Sheathed Cables/cords With Rigid And--Flexible Conductor For Rated Voltages--Up To And Including 450/750 V

Classification	UDC 621.315.211 [621.315.616.96]
Committee in preview	ETD 9
Reaffirmed in preview	2015

C. Scope summary

The displayed preview describes PVC-insulated single-core and multicore copper/aluminium cables and cords for power and lighting, with rigid or flexible conductors. It states 450/750 V AC and up to 1,500 V DC to earth, and includes FR and FR-LSH categories. See the source discrepancy below.

Source note: View title states up to 1,100 V. The linked preview instead states 450/750 V and Reaffirmed 2015. Its filename mentions 2020. The visible preview content is recorded without silently reconciling it with the View entry.

Access: Login required for full download; public preview read.

[Download listing | IS 694:2010](#)

[Public preview | heading, classification and available scope](#)

View source: supplied BIS portal; search IS 694:2010 and select View.

Plugs and socket-outlets

A. View | Basic details

IS Number	IS 1293:2019
IS Title	Plugs and Socket-Outlets for Household and Similar Purposes of Rated Voltage up to and Including 250 V and Rated Current up to and Including 16 A - Specification (Fourth Revision)
Superseding IS	None
Degree of Equivalence	Modified/Technically Equivalent
Number of Revisions	3
Number of Amendments	2
Aspect	Product Specification
Language	English
Reaffirmation Year	Not displayed (blank in View)
Technical Department	ETD (Electrotechnical Department)
Technical Committee	ETD 14 (Electrical Wiring Accessories Sectional Committee)
Member Secretary	Nitish Kumar Jain (SCIENTIST-C)

B. Download / Preview | Front matter

IS 1293 : 2019 Plugs and Socket-Outlets for Household and Similar Purposes of Rated Voltage up to and Including 250 V and Rated Current up to and Including 16 A - Specification

Classification	ICS 29.120.30
Committee in preview	ETD 14
Reaffirmed in preview	Not displayed in preview

C. Scope summary

Domestic and similar AC plugs and fixed or portable sockets, with or without an earth contact, rated up to 250 V and 16 A. Cord sets and extension sets are included. Industrial connectors, appliance couplers and extra-low-voltage products are excluded.

Source note: View title says Fourth Revision, but Number of Revisions is 3. Both are reproduced as displayed.

Access: Login required for full download; public preview read.

[Download listing | IS 1293:2019](#)

[Public preview | heading, classification and available scope](#)

View source: supplied BIS portal; search IS 1293:2019 and select View.

Static energy meter

A. View | Basic details

IS Number	IS 13779:2020
IS Title	ac STATIC WATTHOUR METERS CLASS 1 AND 2-Specefication
Superseding IS	None
Degree of Equivalence	Modified/Technically Equivalent
Number of Revisions	2
Number of Amendments	No amendment issued
Aspect	Product Specification
Language	English
Reaffirmation Year	Not displayed (blank in View)
Technical Department	ETD (Electrotechnical Department)
Technical Committee	ETD 13 (Equipment For Electrical Energy Measurement And Load Control Sectional Committee)
Member Secretary	EMMANUEL ABHISHEK MURMU (SCIENTIST-D)

B. Download / Preview | Front matter

IS 13779 : 2020 a.c. Static Watthour Meters, Class 1 and 2-Specification

Classification	ICS 91.140.50
Committee in preview	ETD 13
Reaffirmed in preview	Not displayed in preview

C. Scope summary

Class 1 and Class 2 static meters for AC active-energy measurement at 45-55 Hz, for single-phase and three-phase loads. Includes multi-tariff and bidirectional meters for indoor/outdoor use. Portable meters, register data interfaces and meters above 600 V terminal voltage are excluded.

Access: Login required for full download; public preview read.

[Download listing | IS 13779:2020](#)

[Public preview | heading, classification and available scope](#)

View source: supplied BIS portal; search IS 13779:2020 and select View.

Distribution transformer

A. View | Basic details

IS Number	IS 1180 (Part 1):2014
IS Title	Outdoor Type Oil Immersed Distribution Transformers Upto and Including 2 500 kVA, 33kV - Specification Part 1 Mineral Oil Immersed (Fourth Revision)
Superseding IS	IS 1180 (PART 2) : 1989
Degree of Equivalence	Indigenous
Number of Revisions	4
Number of Amendments	4
Aspect	Product Specification
Language	English
Reaffirmation Year	Not displayed (blank in View)
Technical Department	ETD (Electrotechnical Department)
Technical Committee	ETD 16 (Transformers Sectional Committee)
Member Secretary	SINGARAJU VENKATESH (SCIENTIST-D)

B. Download / Preview | Front matter

IS 1180 : Part 1 : 2014 : Outdoor Type Oil Immersed Distribution Transformers Upto and Including 2 500 kVA, 33kV - Specification Part 1 Mineral Oil Immersed (Fourth Revision)

Classification	ICS 29.180
Committee in preview	ETD 16
Reaffirmed in preview	2019

C. Scope summary

Requirements, tests and loss levels for outdoor, mineral-oil-filled, naturally air-cooled distribution transformers on systems up to 33 kV. It covers three-phase sealed and non-sealed models up to 2,500 kVA, and sealed single-phase models up to 25 kVA.

Access: Login required for full download; public preview read.

[Download listing | IS 1180 \(Part 1\):2014](#)

[Public preview | heading, classification and available scope](#)

View source: supplied BIS portal; search IS 1180 (Part 1):2014 and select View.

Transformer core material - CRGO steel

A. View | Basic details

IS Number	IS 3024:2015
IS Title	Cold Rolled Grain Oriented Electrical Steel Strip and Sheet Delivered in Fully Processed State (Third Revision)
Superseding IS	None
Degree of Equivalence	Not Equivalent
Number of Revisions	3
Number of Amendments	3
Aspect	Product Specification
Language	English
Reaffirmation Year	Not displayed (blank in View)
Technical Department	MTD (Metallurgical Engineering Department)
Technical Committee	MTD 04 (Wrought Steel Products Sectional Committee Sectional Committee)
Member Secretary	RAM SAI KUMAR GEDELA (SCIENTIST-C)

B. Download / Preview | Front matter

IS 3024 : 2015 Grain Oriented Electrical Steel Sheet and Strip

Classification	ICS 77.140.40
Committee in preview	MTD 04
Reaffirmed in preview	2021

C. Scope summary

Requirements for fully processed, flat-rolled grain-oriented electrical steel sheet and strip used in transformer cores and other magnetic circuits. Includes conventional and high-permeability grades, with insulating coatings on both sides. Intermediate material for subsequent manufacture is excluded.

Source note: This is the CRGO raw-material standard, not a universal finished-core specification. BIS Scheme-IV also names IS 648:2006 and IS 16585:2016 as alternative input-material standards; their full View records are not included here.

Access: Login required for full download; public preview read.

[Download listing | IS 3024:2015](#)

[Public preview | heading, classification and available scope](#)

View source: supplied BIS portal; search IS 3024:2015 and select View.

STANDARD SHEET 11 / 21

Ceiling fan

A. View | Basic details

IS Number	IS 374:2019
IS Title	Specification for electric ceiling type fans and regulators (Third Revision)
Superseding IS	None
Degree of Equivalence	Indigenous
Number of Revisions	4
Number of Amendments	1
Aspect	Product Specification
Language	English
Reaffirmation Year	Not displayed (blank in View)
Technical Department	ETD (Electrotechnical Department)
Technical Committee	ETD 32 (Electrical Appliances Sectional Committee)
Member Secretary	Ankita Tripathi (SCIENTIST-D)

B. Download / Preview | Front matter

IS 374 : 2019 Electric Ceiling Type Fans - Specification

Classification	ICS 621.631 - 83
Committee in preview	ETD 32
Reaffirmed in preview	Not displayed in preview

C. Scope summary

Performance requirements for single-phase, 50 Hz AC ceiling fans up to 250 V, including capacitor-type induction motors and brushless DC motors. A speed regulator is optional unless requested. Safety requirements are referenced separately to IS 302 (Part 2/Sec 80).

Source note: View title says Third Revision, but Number of Revisions is 4. The preview labels "621.631 - 83" as ICS; this unusual label/code is retained as printed.

Access: Login required for full download; public preview read.

[Download listing | IS 374:2019](#)

[Public preview | heading, classification and available scope](#)

View source: supplied BIS portal; search IS 374:2019 and select View.

Portable immersion heater

A. View | Basic details

IS Number	IS 302 (Part 2/Sec 201):2008
IS Title	Safety of household and similar electrical appliances: Part 2 particular requirements: Sec 201 electric immersion water heaters (First Revision)
Superseding IS	None
Degree of Equivalence	Modified/Technically Equivalent
Number of Revisions	1
Number of Amendments	1
Aspect	Safety Standard
Language	English
Reaffirmation Year	Not displayed (blank in View)
Technical Department	ETD (Electrotechnical Department)
Technical Committee	ETD 32 (Electrical Appliances Sectional Committee)
Member Secretary	Ankita Tripathi (SCIENTIST-D)

B. Download / Preview | Front matter

IS 302 : Part 2 : Sec 201 : 2008 Safety of household and similar electrical appliances: Part 2 Particular requirements, Section 201 Electric immersion water heater

Classification	ICS 12.260;97.100.10
Committee in preview	ETD 32
Reaffirmed in preview	2018

C. Scope summary

Safety requirements for portable immersion water heaters intended for domestic and similar use, rated up to 250 V. Fixed immersion heaters, aquarium heaters, industrial-only equipment and built-in elements in other portable appliances are excluded.

Access: Login required for full download; public preview read.

[Download listing | IS 302 \(Part 2/Sec 201\):2008](#)

[Public preview | heading, classification and available scope](#)

View source: supplied BIS portal; search IS 302 (Part 2/Sec 201):2008 and select View.

Storage water heater / geyser

A. View | Basic details

IS Number	IS 302 (Part 2/Sec 21):2024
IS Title	Household and Similar Electrical Appliances-Safety Part 2 Particular Requirements Section 21 Storage Water Heaters
Superseding IS	IS 302 : Part 2 : Sec 21 : 2018
Degree of Equivalence	Identical under dual numbering
Number of Revisions	3
Number of Amendments	No amendment issued
Aspect	Safety Standard
Language	English
Reaffirmation Year	Not displayed (blank in View)
Technical Department	ETD (Electrotechnical Department)
Technical Committee	ETD 32 (Electrical Appliances Sectional Committee)
Member Secretary	Ankita Tripathi (SCIENTIST-D)

B. Download / Preview | Front matter

IS 302 : Part 2 : Sec 21 : 2024/IEC 60335-2-21 : 2022 Household and Similar Electrical Appliances - Safety - Part 2 Particular Requirements - Section 21 Storage Water Heaters

Classification	ICS 13.120; 91.140.65
Committee in preview	ETD 32
Reaffirmed in preview	Not displayed in preview

C. Scope availability / foreword summary

Clause 1 Scope is not included in the public preview. Its foreword states that this standard addresses storage-water-heater safety, is used with IS 302 (Part 1):2024, and leaves performance requirements to IS 2082.

Source note: View identifies IS 302 : Part 2 : Sec 21 : 2018 in its Superseding IS field. The 2018 row is also marked as concurrently running in the catalogue.

Access: Purchase offered; full standard not downloaded.

[Download listing | IS 302 \(Part 2/Sec 21\):2024](#)

[Public preview | heading, classification and available scope](#)

View source: supplied BIS portal; search IS 302 (Part 2/Sec 21):2024 and select View.

STANDARD SHEET 14 / 21

Instantaneous water heater

A. View | Basic details

IS Number	IS 302 (Part 2/Sec 35):2017
IS Title	Safety of household and similar electrical appliances: Part 2 particular requirements: Sec 35 electric instantaneous water heaters (Second Revision)
Superseding IS	None
Degree of Equivalence	Modified/Technically Equivalent
Number of Revisions	New Standard
Number of Amendments	1
Aspect	Safety Standard
Language	English
Reaffirmation Year	Not displayed (blank in View)
Technical Department	ETD (Electrotechnical Department)
Technical Committee	ETD 32 (Electrical Appliances Sectional Committee)
Member Secretary	Ankita Tripathi (SCIENTIST-D)

B. Download / Preview | Front matter

IS 302 : Part 2 : Sec 35 : 2017 Safety of Household and Similar Electrical Appliances Part 2 Particular Requirements Section 35 Electric Instantaneous Water Heaters

Classification	ICS 13.120; 97.040.50
Committee in preview	ETD 32
Reaffirmed in preview	Not displayed in preview

C. Scope summary

Safety requirements for instantaneous electric water heaters that heat water below its boiling point. Limits are 250 V for single-phase models and 480 V for other models. Bare-element versions are not permitted. Storage heaters and industrial-only appliances are excluded.

Access: Login required for full download; public preview read.

[Download listing | IS 302 \(Part 2/Sec 35\):2017](#)

[Public preview | heading, classification and available scope](#)

View source: supplied BIS portal; search IS 302 (Part 2/Sec 35):2017 and select View.

Electric iron

A. View | Basic details

IS Number	IS 302 (Part 2/Sec 3):2024
IS Title	Household and Similar Electrical Appliances -Safety Part 2 Particular Requirements Section 3 Electric Irons (Second Revision)
Superseding IS	IS 302 : Part 2 : Sec 3 : 2007
Degree of Equivalence	Identical under dual numbering
Number of Revisions	2
Number of Amendments	No amendment issued
Aspect	Safety Standard
Language	English
Reaffirmation Year	Not displayed (blank in View)
Technical Department	ETD (Electrotechnical Department)
Technical Committee	ETD 32 (Electrical Appliances Sectional Committee)
Member Secretary	Ankita Tripathi (SCIENTIST-D)

B. Download / Preview | Front matter

IS 302 : Part 2 : Sec 3 : 2024/IEC 60335-2-3 : 2022 Household and Similar Electrical Appliances - Safety - Part 2 Particular Requirements - Section 3 Electric Irons

Classification	ICS 13.120; 97.060
Committee in preview	ETD 32
Reaffirmed in preview	Not displayed in preview

C. Scope availability / foreword summary

Clause 1 Scope is not included in the public preview. The foreword states that the standard addresses electric-iron safety and is used with IS 302 (Part 1):2024. It identifies IS 366 as the separate performance standard.

Source note: The 2007 edition is also marked as concurrently running in the catalogue.

Access: Purchase offered; full standard not downloaded.

[Download listing | IS 302 \(Part 2/Sec 3\):2024](#)

[Public preview | heading, classification and available scope](#)

View source: supplied BIS portal; search IS 302 (Part 2/Sec 3):2024 and select View.

STANDARD SHEET 16 / 21

Room heater

A. View | Basic details

IS Number	IS 302 (Part 2/Sec 30):2007
IS Title	Safety of household and similar electrical appliances: Part 2 particular requirements: Sec 30 room heaters (First Revision)
Superseding IS	None
Degree of Equivalence	Modified/Technically Equivalent
Number of Revisions	1
Number of Amendments	3
Aspect	Safety Standard
Language	English
Reaffirmation Year	Not displayed (blank in View)
Technical Department	ETD (Electrotechnical Department)
Technical Committee	ETD 32 (Electrical Appliances Sectional Committee)
Member Secretary	Ankita Tripathi (SCIENTIST-D)

B. Download / Preview | Front matter

IS 302 : Part 2 : Sec 30 : 2007 Safety of Household and Similar Electrical Appliances - Part 2 : Particular Requirements - Section 30 : Room Heaters

Classification	ICS 13.120:97.100.10
Committee in preview	ETD 32
Reaffirmed in preview	2013

C. Scope summary

Safety requirements for domestic and similar electric space heaters: up to 250 V for single-phase models and 415 V for other models. Examples include fan, convector, panel, radiant and oil-filled heaters. Industrial-only equipment and several specialised heating categories are excluded.

Access: Login required for full download; public preview read.

[Download listing | IS 302 \(Part 2/Sec 30\):2007](#)

[Public preview | heading, classification and available scope](#)

View source: supplied BIS portal; search IS 302 (Part 2/Sec 30):2007 and select View.

STANDARD SHEET 17 / 21

Electric stove

A. View | Basic details

IS Number	IS 302 (Part 2/Sec 202):1992
IS Title	Safety of household and similar electrical appliances: Part 2 particular requirements: Sec 202 electric stoves
Superseding IS	None
Degree of Equivalence	Modified/Technically Equivalent
Number of Revisions	New Standard
Number of Amendments	2
Aspect	Product Specification
Language	English
Reaffirmation Year	No reaffirmation
Technical Department	ETD (Electrotechnical Department)
Technical Committee	ETD 32 (Electrical Appliances Sectional Committee)
Member Secretary	Ankita Tripathi (SCIENTIST-D)

B. Download / Preview | Front matter

IS 302 : Part 2 : Sec 202 : 1992 SAFETY OF HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES PART 2 PARTICULAR REQUIREMENTS Section 202 Electric Stoves

Classification	UDC 641.535.2
Committee in preview	ETD 32
Reaffirmed in preview	2019

C. Scope summary

General safety and test requirements for electric stoves using exposed heating elements, supplied at up to 250 V single-phase AC at 50 Hz or DC. Multi-unit stoves with more than one heating unit are outside this scope.

Source note: View says "No reaffirmation"; the public preview says Reaffirmed 2019.

Access: Login required for full download; public preview read.

[Download listing | IS 302 \(Part 2/Sec 202\):1992](#)

[Public preview | heading, classification and available scope](#)

View source: supplied BIS portal; search IS 302 (Part 2/Sec 202):1992 and select View.

STANDARD SHEET 18 / 21

Mixer, grinder, juicer and hand blender

A. View | Basic details

IS Number	IS 302 (Part 2/Sec 14):2009
IS Title	Safety of household and similar electrical appliances: Part 2 particular requirements: Sec 14 electric kitchen machines (First Revision)
Superseding IS	None
Degree of Equivalence	Modified/Technically Equivalent
Number of Revisions	1
Number of Amendments	No amendment issued
Aspect	Product Specification
Language	English
Reaffirmation Year	Not displayed (blank in View)
Technical Department	ETD (Electrotechnical Department)
Technical Committee	ETD 32 (Electrical Appliances Sectional Committee)
Member Secretary	Ankita Tripathi (SCIENTIST-D)

B. Download / Preview | Front matter

IS 302 : Part 2 : Sec 14 : 2009 : Safety of household and similar electrical appliances: Part 2 Particular requirements. Section 14
Electric kitchen machines

Classification	UDC 64.06 - 83 : 614.825
Committee in preview	ETD 32
Reaffirmed in preview	2014

C. Scope availability / foreword summary

No Scope text is displayed in the public preview. Only the standard heading, UDC code, committee and reaffirmation year are available. The View title identifies electric kitchen machines.

Source note: The exact applicability to a particular mixer, grinder, juicer or blender model cannot be established from the title-only public preview.

Access: Login required for full download; public preview read.

[Download listing | IS 302 \(Part 2/Sec 14\):2009](#)

[Public preview | heading, classification and available scope](#)

View source: supplied BIS portal; search IS 302 (Part 2/Sec 14):2009 and select View.

General household-appliance safety

A. View | Basic details

IS Number	IS 302 (Part 1):2024
IS Title	Household and Similar Electrical Appliances - Safety Part 1 General Requirements (Seventh Revision)
Superseding IS	IS 302 : Part 1 : 2008
Degree of Equivalence	Identical under dual numbering
Number of Revisions	7
Number of Amendments	No amendment issued
Aspect	Safety Standard
Language	English
Reaffirmation Year	Not displayed (blank in View)
Technical Department	ETD (Electrotechnical Department)
Technical Committee	ETD 32 (Electrical Appliances Sectional Committee)
Member Secretary	Ankita Tripathi (SCIENTIST-D)

B. Download / Preview | Front matter

IS 302 : Part 1 : 2024/IEC 60335-1 : 2020 Household and Similar Electrical Appliances - Safety - Part 1 General Requirements

Classification	ICS 13.120; 97.060
Committee in preview	ETD 32
Reaffirmed in preview	Not displayed in preview

C. Scope availability / foreword summary

Clause 1 Scope is not included in the public preview. The foreword describes general electrical and mechanical safety considerations for household appliances, including construction, service reliability and durability. Product-specific requirements are also needed.

Source note: The older IS 302 (Part 1):2008 also appears as concurrently running in the catalogue. The Scheme-II table still cites the 2008 edition for household-appliance adapters.

Access: Purchase offered; full standard not downloaded.

[Download listing | IS 302 \(Part 1\):2024](#)

[Public preview | heading, classification and available scope](#)

View source: supplied BIS portal; search IS 302 (Part 1):2024 and select View.

STANDARD SHEET 20 / 21

IT equipment - earlier standard

A. View | Basic details

IS Number	IS 13252 (Part 1):2010
IS Title	Information Technology Equipment - Safety Part 1: General Requirements (Second Revision)
Superseding IS	None
Degree of Equivalence	Identical under dual numbering
Number of Revisions	2
Number of Amendments	No amendment issued
Aspect	Safety Standard
Language	English
Reaffirmation Year	Not displayed (blank in View)
Technical Department	LITD (Electronics and Information Technology Department)
Technical Committee	LITD 07 (Audio, Video, Multimedia Systems And Communication Equipment Sectional Committee Sectional Committee)
Member Secretary	VIJAY KUMAR GAURAW (SCIENTIST-D)

B. Download / Preview | Front matter

IS 13252 : Part 1 : 2010/IEC 60950-1 : 2005 INFORMATION TECHNOLOGY EQUIPMENT - SAFETY PART 1 GENERAL REQUIREMENTS

Classification	ICS 33.020; 35.260
Committee in preview	LITD 16
Reaffirmed in preview	2022

C. Scope availability / foreword summary

Clause 1 Scope is not included in the public preview. The foreword identifies the Indian adoption of IEC 60950-1:2005 for IT-equipment safety and its second revision.

Source note: View reports no amendments; the Download listing reports 2. View committee is LITD 07, while the preview header is LITD 16. These source values are retained separately.

Access: Purchase offered; full standard not downloaded.

[Download listing | IS 13252 \(Part 1\):2010](#)

[Public preview | heading, classification and available scope](#)

View source: supplied BIS portal; search IS 13252 (Part 1):2010 and select View.

STANDARD SHEET 21 / 21

Audio/video equipment - earlier standard

A. View | Basic details

IS Number	IS 616:2017
IS Title	Audio, video and similar electronic apparatus - Safety requirements (Fifth Revision)
Superseding IS	None
Degree of Equivalence	Identical under dual numbering
Number of Revisions	5
Number of Amendments	No amendment issued
Aspect	Product Specification
Language	English
Reaffirmation Year	Not displayed (blank in View)
Technical Department	LITD (Electronics and Information Technology Department)
Technical Committee	LITD 07 (Audio, Video, Multimedia Systems And Communication Equipment Sectional Committee Sectional Committee)
Member Secretary	VIJAY KUMAR GAURAW (SCIENTIST-D)

B. Download / Preview | Front matter

IS 616 : 2017/IEC 60065 : 2014 Audio, Video and Similar Electronic Apparatus - Safety Requirements

Classification	ICS 97.020 LITD 07
Committee in preview	LITD 07
Reaffirmed in preview	2023

C. Scope availability / foreword summary

Clause 1 Scope is not included in the public preview. The foreword identifies the fifth revision and adoption of IEC 60065:2014 for audio/video apparatus safety.

Access: Purchase offered; full standard not downloaded.

[Download listing | IS 616:2017](#)

[Public preview | heading, classification and available scope](#)

View source: supplied BIS portal; search IS 616:2017 and select View.