

Discrete Mathematics

Topic 01 : Logic

Lecture 01 : Introduction to Propositional Logic

Dr Kieran Murphy
Computing and Mathematics, SETU (Waterford).
(kieran.murphy@setu.ie)

Autumn Semester, 2023

Outline

- Propositions and fundamental logical operators (AND, OR and NOT).
- Evaluating logical expression using truth tables.
- Satisfiability, Tautologies and Contradictions.

Thought for the day . . .

While walking through a fictional forest, you encounter three identical trolls guarding a bridge. Each troll is either a knight, who always tells the truth, or a knave, who always lies. The trolls will not let you pass until you correctly identify each as either a knight or a knave. Each troll makes a single statement:



Which troll are knights? and which are knaves?

Outline

1. Introduction 3
   - Propositional logic is concerned with analysing propositions (true or false statements).
   - A proposition may be atomic or compound (build up using logical connectives).
   - Constructing compound propositions using *And*, *Or* and *Not*.

2. Truth tables 12
   - Evaluating an expression for all possible input combinations.

3. Tautologies and Contradictions 20
   - Statements that are always true or always false.

Logic

Logic is "science of reasoning"

- Allows us to represent knowledge in precise, unambiguous way.
- Allows us to make valid inferences using a set of consistent rule
- Roots of logic date back to the ancient Greeks, e.g., Aristotle.
- Greeks were interested in valid logical inference rules, such as syllogisms:

  "All men are mortal.
  Socrates is a man.
  Therefore, Socrates is mortal."



Logic: another thing that penguins aren't very good at.

The Partially Examined Life podcast: www.partiallyexaminedlife.com
The Fallacy-a-Day Podcast: http://fallacyaday.com

Propositional Logic I

- The building blocks of propositional logic are propositions

Definition 1 (Proposition)

A proposition (statement) is a sentence that is either **True** or **False**.

- Examples:

"*Java is a programming language.*"	**True**
"*Cork is the capital of Ireland.*"	**False**
"$1 + 2 = 3$"	**True**
"*Today is Tuesday.*"	depends
"*The universe is fine-tuned.*"	unknown (at present)

- Examples of sentences that are not propositions/statements:
  - "*How are you?*" — A question cannot be assign a **True**/**False** value.
  - "*Stop sleeping in class!*" — An order cannot be assign a **True**/**False** value.
  - "*Correct horse battery staple.*" — Not a sentence.
  - "*This sentence is false.*" — Pathological example.

Propositional Variables, Truth Value

Given a proposition we are interested in knowing its truth value.

Definition 2 (Truth Value)

The truth value of a proposition identifies whether a proposition is true false (written **False** or **F** or 0) or (written **True** or **T** or 1)

Question

What is truth value of "*Tuesday is the day after Sunday*" ? **F**

Notation

- Variables that represent propositions are called propositional variables.
- Denote propositional variables using lower-case letters, such as p, p_1, p_2, q, r, s, ...
- Truth value of a propositional variable is either **T** or **F**.

Compound vs Atomic Propositions

- Propositional logic allows constructing more complex propositions from atomic ones.
- More complex propositions formed using logical connectives (also called boolean connectives or logical operators).
- The three basic logical connectives:

Connective	Symbol	Python
conjunction (AND)	$\wedge$	`and`
disjunction (OR)	$\vee$	`or`
negation (NOT)	$\neg$	`not`

- Propositions formed using these logical connectives called compound propositions; otherwise called atomic propositions.

Today is wet and I am hungry

Compound vs Atomic Propositions

- Propositional logic allows constructing more complex propositions from atomic ones.
- More complex propositions formed using logical connectives (also called boolean connectives or logical operators).
- The three basic logical connectives:

Connective	Symbol	Python
conjunction (AND)	$\wedge$	`and`
disjunction (OR)	$\vee$	`or`
negation (NOT)	$\neg$	`not`

- Propositions formed using these logical connectives called compound propositions; otherwise called atomic propositions.



Exercise

Classify each of the sentences below as an atomic statement, a compound statement, or not a statement at all.

1. The sum of the first 100 odd positive integers.
2. Everybody needs somebody sometime.
3. Waterford will win the All-Ireland or I'll eat my hat.
4. Go to your room!
5. Every natural number greater than 1 is either prime or composite.
6. This sentence is false.

Exercise

Classify each of the sentences below as an atomic statement, a compound statement, or not a statement at all.

1. The sum of the first 100 odd positive integers.

   —*This is not even a sentence (no verb).*

2. Everybody needs somebody sometime.

   —*This is an atomic statement.*

3. Waterford will win the All-Ireland or I'll eat my hat.

   —*This is a compound statement.*

4. Go to your room!

   —*This is an order, not a statement*

5. Every natural number greater than 1 is either prime or composite.

   —*This is a compound statement.*

6. This sentence is false.

   —*This is sentence but is not a statement.*

Conjunction (AND)

- Conjunction of two propositions, p and q, written as $p \wedge q$, is the proposition:
  "*p and q*"
- What is the relationship between the truth value of p and of q and the truth value of $p \wedge q$?

$$p \wedge q = \begin{cases} \mathbf{T} & \text{if both } p \text{ is } \mathbf{T} \text{ and } q \text{ is } \mathbf{T} \\ \mathbf{F} & \text{otherwise} \end{cases}$$

Example

What is the conjunction and the truth value of $p \wedge q$ for ...

- $p =$ "*It is a autumn semester*", $q =$ "*Today is Thursday*"
- $p =$ "*It is Tuesday*", $q =$ "*It is morning*"

Disjunction (OR)

- Disjunction of two propositions, p and q, written as $p \vee q$, is the proposition
  "*p or q*"
- What is the relationship between the truth value of p and of q and the truth value of $p \vee q$?

$$p \vee q = \begin{cases} \mathbf{T} & \text{if either } p \text{ is } \mathbf{T} \text{ or } q \text{ is } \mathbf{T}, \text{ or both are } \mathbf{T} \\ \mathbf{F} & \text{otherwise} \end{cases}$$

Example

What is the disjunction and the truth value of $p \vee q$ for ...

- $p =$ "*It is a autumn semester*", $q =$ "*Today is Thursday*"
- $p =$ "*It is Friday*", $q =$ "*It is morning*"

Negation (NOT)

- Negation of a proposition, p, written, $\neg p$, represents the proposition:
  "It is not the case that p."
- What is the relationship between the truth value of p and $\neg p$?

  If p is **T**, then $\neg p$ is **F** and vice versa.

- In simple English, what is $\neg p$ if p stands for ...

p	$\neg p$
"Today is Tuesday."	*"Today is not Tuesday."*
"$1 + 1 = 2$"	"$1 + 1 \neq 2$"

- Properties of NOT
  - $\neg \neg p = p$

Outline

1. Introduction 3
   - Propositional logic is concerned with analysing propositions (true or false statements).
   - A proposition may be atomic or compound (build up using logical connectives).
   - Constructing compound propositions using *And*, *Or* and *Not*.

2. Truth tables 12
   - Evaluating an expression for all possible input combinations.

3. Tautologies and Contradictions 20
   - Statements that are always true or always false.

Propositional Formulas and Truth Tables

- A propositional formula is logical expression constructed from atomic and compound propositions and logical connectives.
- A truth table for a propositional formula, A, shows the truth value of A for every possible value of its constituent atomic propositions.

Not / Negation

p	$\neg p$
F	**T**
T	**F**

NOT

And / Conjunction

p	q	$p \wedge q$
F	**F**	**F**
F	**T**	**F**
T	**F**	**F**
T	**T**	**T**

AND

Or / Disjunction

p	q	$p \vee q$
F	**F**	**F**
F	**T**	**T**
T	**F**	**T**
T	**T**	**T**

OR

Truth tables and Logic Gates



Truth tables and Logic Gates

AND

p	q	$p \wedge q$

NOT

p	$\neg p$
F	**T**



OR

p	q	$p \vee q$

Truth tables and Logic Gates

AND

p	q	$p \wedge q$

NOT

p	$\neg p$
F	**T**
T	**F**



OR

p	q	$p \vee q$

Truth tables and Logic Gates



Truth tables and Logic Gates



Truth tables and Logic Gates



Truth tables and Logic Gates



p	q	$p \wedge q$
F	F	F
F	T	F
T	F	F
T	T	T

p	q	$p \vee q$
F	F	F
F	T	T
T	F	T
T	T	T

Other Resources

iPad/iPhone Apps (assume similar on Android)

Circuit Coder



Boolean Master



Videos

- https://class.coursera.org/cs101/lecture/17
  Part of the Computer Science 101 by Nick Parlante on coursera.

Constructing Truth Tables

Useful strategy for constructing truth tables for a formula:

STEP 1 Identify the constituent atomic propositions of the formula.

STEP 2 Identify compound propositions in within the formula in increasing order of complexity, including the formula itself.

STEP 3 Construct a table enumerating all combinations of truth values for atomic propositions.

STEP 4 Fill in values of compound propositions for each row.

Examples

Construct truth tables for the following formulas:

1. $(p \vee q) \wedge \neg p$
2. $(p \wedge q) \vee (\neg p \wedge \neg q)$
3. $(p \vee q \vee \neg r) \wedge r$

Example 1: $(p \vee q) \wedge \neg p$

STEP 1 Identify the constituent atomic propositions ... p and q

STEP 2 Identify compound propositions ...

STEP 3 Enumerate all combinations of truth values for atomic propositions ...

STEP 4 Fill in values of compound propositions for each row ...

Example 1: $(p \vee q) \wedge \neg p$

STEP 1 Identify the constituent atomic propositions ... p and q

STEP 2 Identify compound propositions ...

STEP 3 Enumerate all combinations of truth values for atomic propositions ...

STEP 4 Fill in values of compound propositions for each row ...

p	q

Example 1: $(p \vee q) \wedge \neg p$

STEP 1 Identify the constituent atomic propositions … p and q

STEP 2 Identify compound propositions …

STEP 3 Enumerate all combinations of truth values for atomic propositions …

STEP 4 Fill in values of compound propositions for each row …

p	q	$p \vee q$	$\neg p$	$(p \vee q) \wedge \neg p$

Example 1: $(p \vee q) \wedge \neg p$

STEP 1 Identify the constituent atomic propositions … p and q

STEP 2 Identify compound propositions …

STEP 3 Enumerate all combinations of truth values for atomic propositions …

STEP 4 Fill in values of compound propositions for each row …

p	q	$p \vee q$	$\neg p$	$(p \vee q) \wedge \neg p$
F	**F**			
F	**T**			
T	**F**			
T	**T**			

Example 1: $(p \vee q) \wedge \neg p$

STEP 1 Identify the constituent atomic propositions … p and q

STEP 2 Identify compound propositions …

STEP 3 Enumerate all combinations of truth values for atomic propositions …

STEP 4 Fill in values of compound propositions for each row …

p	q	$p \vee q$	$\neg p$	$(p \vee q) \wedge \neg p$
F	**F**	**F**	**T**	**F**
F	**T**			
T	**F**			
T	**T**			

Example 1: $(p \vee q) \wedge \neg p$

STEP 1 Identify the constituent atomic propositions … p and q

STEP 2 Identify compound propositions …

STEP 3 Enumerate all combinations of truth values for atomic propositions …

STEP 4 Fill in values of compound propositions for each row …

p	q	$p \vee q$	$\neg p$	$(p \vee q) \wedge \neg p$
F	**F**	**F**	**T**	**F**
F	**T**	**T**	**T**	**T**
T	**F**			
T	**T**			

Example 1: $(p \vee q) \wedge \neg p$

STEP 1 Identify the constituent atomic propositions ... p and q

STEP 2 Identify compound propositions ...

STEP 3 Enumerate all combinations of truth values for atomic propositions ...

STEP 4 Fill in values of compound propositions for each row ...

p	q	$p \vee q$	$\neg p$	$(p \vee q) \wedge \neg p$
F	**F**	**F**	**T**	**F**
F	**T**	**T**	**T**	**T**
T	**F**	**T**	**F**	**F**
T	**T**			

Example 1: $(p \vee q) \wedge \neg p$

STEP 1 Identify the constituent atomic propositions ... p and q

STEP 2 Identify compound propositions ...

STEP 3 Enumerate all combinations of truth values for atomic propositions ...

STEP 4 Fill in values of compound propositions for each row ...

p	q	$p \vee q$	$\neg p$	$(p \vee q) \wedge \neg p$
F	**F**	**F**	**T**	**F**
F	**T**	**T**	**T**	**T**
T	**F**	**T**	**F**	**F**
T	**T**	**T**	**F**	**F**

Example 1: $(p \vee q) \wedge \neg p$

STEP 1 Identify the constituent atomic propositions ... p and q

STEP 2 Identify compound propositions ...

STEP 3 Enumerate all combinations of truth values for atomic propositions ...

STEP 4 Fill in values of compound propositions for each row ...

p	q	$p \vee q$	$\neg p$	$(p \vee q) \wedge \neg p$
F	**F**	**F**	**T**	**F**
F	**T**	**T**	**T**	**T**
T	**F**	**T**	**F**	**F**
T	**T**	**T**	**F**	**F**

Example 2: $(p \wedge q) \vee (\neg p \wedge \neg q)$

STEP 1 Identify the constituent atomic propositions ... p and q

STEP 2 Identify compound propositions ...

STEP 3 Enumerate all combinations of truth values for atomic propositions ...

STEP 4 Fill in values of compound propositions for each row ...

Example 2: $(p \wedge q) \vee (\neg p \wedge \neg q)$

STEP 1 Identify the constituent atomic propositions ... p and q

STEP 2 Identify compound propositions ...

STEP 3 Enumerate all combinations of truth values for atomic propositions ...

STEP 4 Fill in values of compound propositions for each row ...

p	q

Example 2: $(p \wedge q) \vee (\neg p \wedge \neg q)$

STEP 1 Identify the constituent atomic propositions … p and q

STEP 2 Identify compound propositions …

STEP 3 Enumerate all combinations of truth values for atomic propositions …

STEP 4 Fill in values of compound propositions for each row …

p	q	$(p \wedge q)$	$\neg p$	$\neg q$	$(\neg p \wedge \neg q)$	$(p \wedge q) \vee (\neg p \wedge \neg q)$

Example 2: $(p \wedge q) \vee (\neg p \wedge \neg q)$

STEP 1 Identify the constituent atomic propositions … p and q

STEP 2 Identify compound propositions …

STEP 3 Enumerate all combinations of truth values for atomic propositions …

STEP 4 Fill in values of compound propositions for each row …

p	q	$(p \wedge q)$	$\neg p$	$\neg q$	$(\neg p \wedge \neg q)$	$(p \wedge q) \vee (\neg p \wedge \neg q)$
F	**F**					
F	**T**					
T	**F**					
T	**T**					

Example 2: $(p \wedge q) \vee (\neg p \wedge \neg q)$

STEP 1 Identify the constituent atomic propositions … p and q

STEP 2 Identify compound propositions …

STEP 3 Enumerate all combinations of truth values for atomic propositions …

STEP 4 Fill in values of compound propositions for each row …

p	q	$(p \wedge q)$	$\neg p$	$\neg q$	$(\neg p \wedge \neg q)$	$(p \wedge q) \vee (\neg p \wedge \neg q)$
F	**F**	**F**	**T**	**T**	**T**	**T**
F	**T**					
T	**F**					
T	**T**					

Example 2: $(p \wedge q) \vee (\neg p \wedge \neg q)$

STEP 1 Identify the constituent atomic propositions … p and q

STEP 2 Identify compound propositions …

STEP 3 Enumerate all combinations of truth values for atomic propositions …

STEP 4 Fill in values of compound propositions for each row …

p	q	$(p \wedge q)$	$\neg p$	$\neg q$	$(\neg p \wedge \neg q)$	$(p \wedge q) \vee (\neg p \wedge \neg q)$
F	**F**	**F**	**T**	**T**	**T**	**T**
F	**T**	**F**	**T**	**F**	**F**	**F**
T	**F**					
T	**T**					

Example 2: $(p \wedge q) \vee (\neg p \wedge \neg q)$

STEP 1 Identify the constituent atomic propositions … p and q

STEP 2 Identify compound propositions …

STEP 3 Enumerate all combinations of truth values for atomic propositions …

STEP 4 Fill in values of compound propositions for each row …

p	q	$(p \wedge q)$	$\neg p$	$\neg q$	$(\neg p \wedge \neg q)$	$(p \wedge q) \vee (\neg p \wedge \neg q)$
F	**F**	**F**	**T**	**T**	**T**	**T**
F	**T**	**F**	**T**	**F**	**F**	**F**
T	**F**	**F**	**F**	**T**	**F**	**F**
T	**T**					

Example 2: $(p \wedge q) \vee (\neg p \wedge \neg q)$

STEP 1 Identify the constituent atomic propositions … p and q

STEP 2 Identify compound propositions …

STEP 3 Enumerate all combinations of truth values for atomic propositions …

STEP 4 Fill in values of compound propositions for each row …

p	q	$(p \wedge q)$	$\neg p$	$\neg q$	$(\neg p \wedge \neg q)$	$(p \wedge q) \vee (\neg p \wedge \neg q)$
F	**F**	**F**	**T**	**T**	**T**	**T**
F	**T**	**F**	**T**	**F**	**F**	**F**
T	**F**	**F**	**F**	**T**	**F**	**F**
T	**T**	**T**	**F**	**F**	**F**	**T**

Example 2: $(p \wedge q) \vee (\neg p \wedge \neg q)$

STEP 1 Identify the constituent atomic propositions … p and q

STEP 2 Identify compound propositions …

STEP 3 Enumerate all combinations of truth values for atomic propositions …

STEP 4 Fill in values of compound propositions for each row …

p	q	$(p \wedge q)$	$\neg p$	$\neg q$	$(\neg p \wedge \neg q)$	$(p \wedge q) \vee (\neg p \wedge \neg q)$
F	**F**	**F**	**T**	**T**	**T**	**T**
F	**T**	**F**	**T**	**F**	**F**	**F**
T	**F**	**F**	**F**	**T**	**F**	**F**
T	**T**	**T**	**F**	**F**	**F**	**T**

Example 3: $(p \vee q \vee \neg r) \wedge r$

STEP 1 Identify the constituent atomic propositions ... p, q, and r

STEP 2 Identify compound propositions ...

STEP 3 Enumerate all combinations of truth values for atomic propositions ...

STEP 4 Fill in values of compound propositions for each row ...

Example 3: $(p \vee q \vee \neg r) \wedge r$

STEP 1 Identify the constituent atomic propositions … p, q, and r

STEP 2 Identify compound propositions …

STEP 3 Enumerate all combinations of truth values for atomic propositions …

STEP 4 Fill in values of compound propositions for each row …

p	q	r

Example 3: $(p \vee q \vee \neg r) \wedge r$

STEP 1 Identify the constituent atomic propositions ... p, q, and r

STEP 2 Identify compound propositions ...

STEP 3 Enumerate all combinations of truth values for atomic propositions ...

STEP 4 Fill in values of compound propositions for each row ...

p	q	r	$\neg r$	$(p \vee q \vee \neg r)$	$(p \vee q \vee \neg r) \wedge r$

Example 3: $(p \vee q \vee \neg r) \wedge r$

STEP 1 Identify the constituent atomic propositions ... p, q, and r

STEP 2 Identify compound propositions ...

STEP 3 Enumerate all combinations of truth values for atomic propositions ...

STEP 4 Fill in values of compound propositions for each row ...

p	q	r	$\neg r$	$(p \vee q \vee \neg r)$	$(p \vee q \vee \neg r) \wedge r$
F	**F**	**F**			
F	**F**	**T**			
F	**T**	**F**			
F	**T**	**T**			
T	**F**	**F**			
T	**F**	**T**			
T	**T**	**F**			
T	**T**	**T**			

Example 3: $(p \vee q \vee \neg r) \wedge r$

STEP 1 Identify the constituent atomic propositions ... p, q, and r

STEP 2 Identify compound propositions ...

STEP 3 Enumerate all combinations of truth values for atomic propositions ...

STEP 4 Fill in values of compound propositions for each row ...

p	q	r	$\neg r$	$(p \vee q \vee \neg r)$	$(p \vee q \vee \neg r) \wedge r$
F	**F**	**F**	**T**	**T**	**F**
F	**F**	**T**			
F	**T**	**F**			
F	**T**	**T**			
T	**F**	**F**			
T	**F**	**T**			
T	**T**	**F**			
T	**T**	**T**			

Example 3: $(p \vee q \vee \neg r) \wedge r$

STEP 1 Identify the constituent atomic propositions ... p, q, and r

STEP 2 Identify compound propositions ...

STEP 3 Enumerate all combinations of truth values for atomic propositions ...

STEP 4 Fill in values of compound propositions for each row ...

p	q	r	$\neg r$	$(p \vee q \vee \neg r)$	$(p \vee q \vee \neg r) \wedge r$
F	F	F	T	T	F
F	F	T	F	F	F
F	T	F			
F	T	T			
T	F	F			
T	F	T			
T	T	F			
T	T	T			

Example 3: $(p \vee q \vee \neg r) \wedge r$

STEP 1 Identify the constituent atomic propositions ... p, q, and r

STEP 2 Identify compound propositions ...

STEP 3 Enumerate all combinations of truth values for atomic propositions ...

STEP 4 Fill in values of compound propositions for each row ...

p	q	r	$\neg r$	$(p \vee q \vee \neg r)$	$(p \vee q \vee \neg r) \wedge r$
F	**F**	**F**	**T**	**T**	**F**
F	**F**	**T**	**F**	**F**	**F**
F	**T**	**F**	**T**	**T**	**F**
F	**T**	**T**			
T	**F**	**F**			
T	**F**	**T**			
T	**T**	**F**			
T	**T**	**T**			

Example 3: $(p \vee q \vee \neg r) \wedge r$

STEP 1 Identify the constituent atomic propositions ... p, q, and r

STEP 2 Identify compound propositions ...

STEP 3 Enumerate all combinations of truth values for atomic propositions ...

STEP 4 Fill in values of compound propositions for each row ...

p	q	r	$\neg r$	$(p \vee q \vee \neg r)$	$(p \vee q \vee \neg r) \wedge r$
F	**F**	**F**	**T**	**T**	**F**
F	**F**	**T**	**F**	**F**	**F**
F	**T**	**F**	**T**	**T**	**F**
F	**T**	**T**	**F**	**T**	**T**
T	**F**	**F**			
T	**F**	**T**			
T	**T**	**F**			
T	**T**	**T**			

Example 3: $(p \vee q \vee \neg r) \wedge r$

STEP 1 Identify the constituent atomic propositions ... p, q, and r

STEP 2 Identify compound propositions ...

STEP 3 Enumerate all combinations of truth values for atomic propositions ...

STEP 4 Fill in values of compound propositions for each row ...

p	q	r	$\neg r$	$(p \vee q \vee \neg r)$	$(p \vee q \vee \neg r) \wedge r$
F	**F**	**F**	**T**	**T**	**F**
F	**F**	**T**	**F**	**F**	**F**
F	**T**	**F**	**T**	**T**	**F**
F	**T**	**T**	**F**	**T**	**T**
T	**F**	**F**	**T**	**T**	**F**
T	**F**	**T**			
T	**T**	**F**			
T	**T**	**T**			

Example 3: $(p \vee q \vee \neg r) \wedge r$

STEP 1 Identify the constituent atomic propositions ... p, q, and r

STEP 2 Identify compound propositions ...

STEP 3 Enumerate all combinations of truth values for atomic propositions ...

STEP 4 Fill in values of compound propositions for each row ...

p	q	r	$\neg r$	$(p \vee q \vee \neg r)$	$(p \vee q \vee \neg r) \wedge r$
F	**F**	**F**	**T**	**T**	**F**
F	**F**	**T**	**F**	**F**	**F**
F	**T**	**F**	**T**	**T**	**F**
F	**T**	**T**	**F**	**T**	**T**
T	**F**	**F**	**T**	**T**	**F**
T	**F**	**T**	**F**	**T**	**T**
T	**T**	**F**			
T	**T**	**T**			

Example 3: $(p \vee q \vee \neg r) \wedge r$

STEP 1 Identify the constituent atomic propositions ... p, q, and r

STEP 2 Identify compound propositions ...

STEP 3 Enumerate all combinations of truth values for atomic propositions ...

STEP 4 Fill in values of compound propositions for each row ...

p	q	r	$\neg r$	$(p \vee q \vee \neg r)$	$(p \vee q \vee \neg r) \wedge r$
F	F	F	T	T	F
F	F	T	F	F	F
F	T	F	T	T	F
F	T	T	F	T	T
T	F	F	T	T	F
T	F	T	F	T	T
T	T	F	T	T	F
T	T	T			

Example 3: $(p \vee q \vee \neg r) \wedge r$

STEP 1 Identify the constituent atomic propositions ... p, q, and r

STEP 2 Identify compound propositions ...

STEP 3 Enumerate all combinations of truth values for atomic propositions ...

STEP 4 Fill in values of compound propositions for each row ...

p	q	r	$\neg r$	$(p \vee q \vee \neg r)$	$(p \vee q \vee \neg r) \wedge r$
F	F	F	T	T	F
F	F	T	F	F	F
F	T	F	T	T	F
F	T	T	F	T	T
T	F	F	T	T	F
T	F	T	F	T	T
T	T	F	T	T	F
T	T	T	F	T	T

Example 3: $(p \vee q \vee \neg r) \wedge r$

STEP 1 Identify the constituent atomic propositions ... p, q, and r

STEP 2 Identify compound propositions ...

STEP 3 Enumerate all combinations of truth values for atomic propositions ...

STEP 4 Fill in values of compound propositions for each row ...

p	q	r	$\neg r$	$(p \vee q \vee \neg r)$	$(p \vee q \vee \neg r) \wedge r$
F	**F**	**F**	**T**	**T**	**F**
F	**F**	**T**	**F**	**F**	**F**
F	**T**	**F**	**T**	**T**	**F**
F	**T**	**T**	**F**	**T**	**T**
T	**F**	**F**	**T**	**T**	**F**
T	**F**	**T**	**F**	**T**	**T**
T	**T**	**F**	**T**	**T**	**F**
T	**T**	**T**	**F**	**T**	**T**

Outline

1. Introduction 3
   - Propositional logic is concerned with analysing propositions (true or false statements).
   - A proposition may be atomic or compound (build up using logical connectives).
   - Constructing compound propositions using *And*, *Or* and *Not*.

2. Truth tables 12
   - Evaluating an expression for all possible input combinations.

3. Tautologies and Contradictions 20
   - Statements that are always true or always false.

Introduction to Propositional Logic — Summary

1. Introduction 3
   - Propositional logic is concerned with analysing propositions (true or false statements).
   - A proposition may be atomic or compound (build up using logical connectives).
   - Constructing compound propositions using *And*, *Or* and *Not*.

2. Truth tables 12
   - Evaluating an expression for all possible input combinations.

3. Tautologies and Contradictions 20
   - Statements that are always true or always false.

Satisfiable, Tautologies and Contradictions

Satisfiable

A proposition is satisfiable if it is **True** for at least one set of inputs (case).

Tautology

A tautology is an expression involving logical variables that is **True** in all cases.

- Examples
  - $p \vee \neg p$ "*Tomorrow, I will be dead or I will be alive*"
  - $(p \wedge q) \vee (p \wedge \neg q) \vee \neg p$

Contradiction

A contradiction is an expression involving logical variables that is **False** in all cases.

- Examples
  - $p \wedge \neg p$ "*On Friday, I will win the lottery and not win the lottery.*"