

GA4 IVU Computación

Juan Ignacio Arévalo Toc

IV Bach. "C" Clave: 3

GA4 IVU Ej. 1

• Botón Imprimir

```
private void btnImprimirActionPerformed(java.awt.event.ActionEvent  
e) {
```

```
    MessageFormat Header = new MessageFormat("Planilla 2024");
```

```
    MessageFormat Footer = new MessageFormat("Página {0}");
```

```
    try {
```

```
        PrintRequestAttributeSet set = new HashPrintRequestAttributeSet();
```

```
        set.add(OrientationRequested, LANDSCAPE);
```

```
        JTable.print(JTable.PrintMode.FIT_WIDTH, Header,  
Footer, true, set, true);
```

```
        JOptionPane.showMessageDialog(null, "¡Impreso  
con éxito!", "Completado", JOptionPane.  
INFORMATION_MESSAGE);
```

```
    }
```

```
    catch (java.awt.print.PrinterException e) {
```



```
        JOptionPane.showMessageDialog(null, "¡Fallido!",
```

```
        "Error", JOptionPane.ERROR_MESSAGE);
```

```
    }
```

```
}
```

• Ejecución



GA4 IIVU Ej. 2

```
DefaultTableModel modelo = new DefaultTableModel();  
String [] columnas = {"ID", "Descripción", "Dirección",  
"Teléfono", "AUC"};
```

```
public JfrmClientes() {  
    initComponents();  
    this.setTitle("Formulario de Clientes");  
    this.setSize(632, 400);  
    this.setLocationRelativeTo(null);  
    this.setResizable(false);  
    modelo.setColumnIdentifiers(columnas);  
    jTableDatos.setModel(modelo);  
}
```

```
public void limpiarCajas() {  
    jtxtID.setText("");  
    jtxtDes.setText("");  
    jtxtDir.setText("");  
    jtxtTel.setText("");  
    jtxtRUC.setText("");  
    jtxtID.requestFocus();  
}
```

```
private void btnNuevoActionPerformed (java.awt.event.ActionEvent  
e) {
```

```
int op == JOptionPane.showConfirmDialog (null, "¿Seguro  
que quieres eliminar tu tabla y crear una nueva  
?", "Nuevo", JOptionPane.YES_NO_OPTION,  
JOptionPane.QUESTION_MESSAGE);
```

```
if (op == JOptionPane.YES_OPTION) {
```

```
limpiarCajas();
```

```
modelo.setRowCount(0);
```

```
}
```

```
}
```

```
private void btnGuardarActionPerformed (java.awt.event.ActionEvent  
e) {
```

```
modelo.addRow (new Object [] {
```

```
{
```

```
txtID.getText(),
```

```
txtDes.getText(),
```

```
txtDir.getText(),
```

```
txtTel.getText(),
```

```
txtRUC.getText() }
```

```
}
```

```
);
```

```
limpiarCajas();
```

```
tablaDatos.clearSelection();
```

```
JOptionPane.showMessageDialog (null, "¡Registro  
guardado con éxito!", "Guardar",
```

```
JOptionPane.INFORMATION_MESSAGE);
```

}

```
private void jTableDatosMouseClicked (java.awt.event.MouseEvent evt) {
```

```
    int fila = jTableDatos.getSelectedRow();
```

```
    if (fila >= 0)
```

```
    {
```

```
        jtxtID.setText(jTableDatos.getValueAt(fila, 0).toString());
```

```
        jtxtDes.setText(jTableDatos.getValueAt(fila, 1).toString());
```

```
        jtxtDir.setText(jTableDatos.getValueAt(fila, 2).toString());
```

```
        jtxtTel.setText(jTableDatos.getValueAt(fila, 3).toString());
```

```
        jtxtRUC.setText(jTableDatos.getValueAt(fila, 4).toString());
```

```
    }
```

```
    else
```

```
    {
```

```
        JOptionPane.showMessageDialog(null, "¡No hay  
registros seleccionados!", "Alerta",
```

```
JOptionPane.WARNING_MESSAGE);
```

```
    }
```

```
}
```

```
private void jButtonEditarActionPerformed (java.awt.event.ActionEvent  
evt) {
```

```
    int fila = jTableDatos.getSelectedRow();
```

```
    if (fila >= 0)
```

```
    {
```

```
        int op = JOptionPane.showConfirmDialog(null,
```

```
"¿Seguro que quieres editar esta fila?",
```

```
"Editar", JOptionPane.YES_NO_OPTION,
```

```

JOptionPane.QUESTION_MESSAGE);
if (op == JOptionPane.YES_OPTION)
{
    modelo.setValueAt(jtxtID.getText(), fila, 0);
    modelo.setValueAt(jtxtDes.getText(), fila, 1);
    modelo.setValueAt(jtxtDir.getText(), fila, 2);
    modelo.setValueAt(jtxtTel.getText(), fila, 3);
    modelo.setValueAt(jtxtRUC.getText(), fila, 4);
    limpiarCampos();
    jtabDatos.clearSelection();
    JOptionPane.showMessageDialog(null, "¡Registro  
editado con éxito!", "Guardar",
    JOptionPane.INFORMATION_MESSAGE);
}
else
{
    JOptionPane.showMessageDialog(null, "¡No hay  
Registros seleccionados!", "Alerta",
    JOptionPane.WARNING_MESSAGE);
}
}
}

```

```

private void jButtonEliminarActionPerformed ( java.awt.event.ActionEvent evt) {
    int fila = jtabDatos.getSelectedRow();
    if (fila >= 0)
    {

```

```

int op = JOptionPane.showConfirmDialog(null,
    "¿Seguro que quieres eliminar esta fila?",
    "Eliminar", JOptionPane.YES_NO_OPTION,
    JOptionPane.QUESTION_MESSAGE);
if (op == JOptionPane.YES_OPTION)
{
    modelo.removeRow(fila);
    limpiarCajas();
    JOptionPane.showMessageDialog(null,
        "¡Registro Eliminado!", "Eliminar",
        JOptionPane.INFORMATION_MESSAGE);
}
}
else
{
    JOptionPane.showMessageDialog(null, "No hay
    registros seleccionados!", "Alerta",
    JOptionPane.WARNING_MESSAGE);
}
}

```

```

private void jButton1ActionPerformed(java.awt.event.ActionEvent
    eut) {
    if (jtabDatos.getRowCount() > 0)
    {
        MessageFormat Header = new MessageFormat("Formular
        io de clientes");
        MessageFormat Footer = new MessageFormat("Pagina
        {0}");
    }
}

```

```

try {
    PrintRequestAttributeSet set = new HashPrintRequestAttribute
    Set();
    set.add(OrientationRequested, LANDSCAPE);
    boolean impreso = jtabDatos.print(JTable.PrintMode.
    FIT_WIDTH, Header, Footer, true, set, true);
    if (impreso) {
        JOptionPane.showMessageDialog(null, "\n
        impreso con éxito!", "Completado",
        JOptionPane.INFORMATION_MESSAGE);
    }
}
catch (java.awt.print.PrinterException e) {
    JOptionPane.showMessageDialog(null, "\n
    ¡Fallido! \n" + e, "Error", JOptionPane.
    ERROR_MESSAGE);
}
}
else
    JOptionPane.showMessageDialog(null, "¡No hay
    registros!", "Alerta", JOptionPane.WARNING_
    MESSAGE);
}

private void jButtonCancelarActionPerformed(java.awt.event.ActionEvent evt) {
    limpiarCajas();
    jtabDatos.clearSelection();
}

```

Ejecución

