

Persistence

An Introduction to XML and Serialization

Produced Dr. Siobhán Drohan
by: Mairead Meagher



Waterford Institute *of* Technology
INSTITIÚID TEICNEOLAÍOCHTA PHORT LÁIRGE

Department of Computing and Mathematics
<http://www.wit.ie/>

Topic List

- Introduction to XML:
 - XML versus HTML
 - Example of XML
 - XML does not “do” anything
- Object Serialization.

XML versus HTML

- **XML** was designed to **describe** data, with a focus on what the data is. XML is about carrying information.
- **HTML** was designed to **display** data, with a focus on how the data looks. HTML is about displaying information.
- XML is NOT a replacement for HTML.

XML...

...stands for EXtensible Markup Language

...is a markup language much like HTML

...was designed to describe data, not to display data

...tags are not predefined. You must define your
own tags

...is designed to be self-descriptive.

Example of XML

- The following example is a note to Mairead, from Siobhan, stored as XML:

```
<note>  
  <to>Mairead</to>  
  <from>Siobhan</from>  
  <heading>Reminder</heading>  
  <body>Meeting at 10am today</body>  
</note>
```

- The note above is quite self descriptive. It has sender and receiver information, it also has a heading and a message body.

Shop V4.0

Shop V4.0 has implemented the CRUD process, but when we close down our application, all the entered data is lost.

Shop V5.0 - We will use XML to make our data persistent. We will store our objects to XML files.


XML does not “do” anything

- XML is just information wrapped in tags.
Someone must write a piece of software to send, receive or display it.
- We will write Java code to:
 - send our objects to an XML file on the hard disk.
 - read our objects from an XML file on the hard disk.


Topic List

- Introduction to XML:
 - XML versus HTML
 - Example of XML
 - XML does not “do” anything
- Object Serialization.

Java Serialization




Java De-Serialization




Object serialization

An object can be represented as a sequence of bytes that includes the object's data as well as information about the object's type and the types of data stored in the object.



Serialization process involves Marshalling and unMarshalling

Marshalling...the process of converting the objects & data into a stream.



UnMarshalling is the reverse process of converting the stream back to their original objects & data.

**Any
Questions?**





Except where otherwise noted, this content is licensed under a Creative Commons Attribution-NonCommercial 3.0 License.

For more information, please see <http://creativecommons.org/licenses/by-nc/3.0/>



Waterford Institute of Technology
INSTITIÚID TEICNEOLAÍOCHTA PHORT LÁIRGE

Department of Computing and Mathematics
<http://www.wit.ie/>