## Tables (18)

Name	Туре	Schema
accused		CREATE TABLE "accused" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "name" varchar(500) NOT NULL, "father_name" varchar(500) NOT NULL, "alias" varchar(500) NOT NULL, "address" varchar(100) NOT NULL, "nic" varchar(1000) NOT NULL UNIQUE, "gender" varchar(10) NOT NULL, "dob" date NOT NULL, "status" integer NOT NULL, "contact" varchar(20) NOT NULL, "phone" varchar(20) NOT NULL, "email" varchar(254) NOT NULL, "photo" varchar(200) NOT NULL, "finger_print" varchar(200) NOT NULL)
id	integer	"id" integer NOT NULL
name	varchar(500)	"name" varchar(500) NOT NULL
father _name	varchar(500)	"father _name" varchar(500) NOT NULL
alias	varchar(500)	"alias" varchar(500) NOT NULL
address	varchar(100)	"address" varchar(100) NOT NULL
nic	varchar(1000)	"nic" varchar(1000) NOT NULL UNIQUE
gender	varchar(10)	"gender" varchar(10) NOT NULL

Name	Туре	Schema
dob	date	"dob" date NOT NULL
status	integer	"status" integer NOT NULL
contact	varchar(20)	"contact" varchar(20) NOT NULL
phone	varchar(20)	"phone" varchar(20) NOT NULL
email	varchar(254)	"email" varchar(254) NOT NULL
photo	varchar(200)	"photo" varchar(200) NOT NULL
finger_print	varchar(200)	"finger _print" varchar(200) NOT NULL
auth_group		CREATE TABLE "auth_group" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "name" varchar(150) NOT NULL UNIQUE)
id	integer	"id" integer NOT NULL
name	varchar(150)	"name" varchar(150) NOT NULL UNIQUE
auth_group_per missions		CREATE TABLE "auth_group_permissions " ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "group_id" integer NOT NULL REFERENCES "auth_group" ("id") DEFERRABLE INITIALLY DEFERRED, "permission_id" integer NOT NULL REFERENCES "auth_permission" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL

Name	Туре	Schema
group_id	integer	"group_id" integer NOT NULL
permission_id	ion_id integer "permission_id" integer NULL	
auth_permissio n		CREATE TABLE "auth_permission" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "content_type_id" integer NOT NULL REFERENCES "django_content_type" ("id") DEFERRABLE INITIALLY DEFERRED, "codename" varchar(100) NOT NULL, "name" varchar(255) NOT NULL)
id	integer	"id" integer NOT NULL
content_type_id	integer	"content_type_id" integer NOT NULL
codename	varchar(100)	"codename" varchar(100) NOT NULL
name	varchar(255)	"name" varchar(255) NOT NULL
auth_user		CREATE TABLE "auth_user" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "password" varchar(128) NOT NULL, "last_login" datetime NULL, "is_superuser" bool NOT NULL, "username" varchar(150) NOT NULL UNIQUE, "last_name" varchar(150) NOT NULL, "email" varchar(254) NOT NULL, "is_staff"

Name	Туре	Schema
		bool NOT NULL, "is_active" bool NOT NULL, "date_joined" datetime NOT NULL, "first_name" varchar(150) NOT NULL)
id	integer	"id" integer NOT NULL
password	varchar(128)	"password" varchar(128) NOT NULL
last_login	datetime	"last_login" datetime
is_superuser	bool	"is_superuser" bool NOT NULL
username	varchar(150)	"username" varchar(150) NOT NULL UNIQUE
last_name	varchar(150)	"last_name" varchar(150) NOT NULL
email	varchar(254)	"email" varchar(254) NOT NULL
is_staff	bool	"is_staff" bool NOT NULL
is_active	bool	"is_active" bool NOT NULL
date_joined	datetime	"date_joined" datetime NOT NULL
first_name	varchar(150)	"first_name" varchar(150) NOT NULL
auth_user _gro ups		CREATE TABLE "auth_user_groups" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "user_id" integer NOT NULL REFERENCES "auth_user" ("id") DEFERRABLE INITIALLY DEFERRED, "group_id" integer NOT NULL REFERENCES "auth_group" ("id") DEFERRABLE INITIALLY DEFERRED)

Name	Туре	Schema
id	integer	"id" integer NOT NULL
user_id	integer	"user_id" integer NOT NULL
group_id	integer	"group_id" integer NOT NULL
auth_user _use r_permissions		CREATE TABLE "auth_user_user_permiss ions" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "user_id" integer NOT NULL REFERENCES "auth_user" ("id") DEFERRABLE INITIALLY DEFERRED, "permission_id" integer NOT NULL REFERENCES "auth_permission" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
user_id	integer	"user_id" integer NOT NULL
permission_id	integer	"permission_id" integer NOT NULL
case		CREATE TABLE "case" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "law_section" text NOT NULL, "case_status" varchar(100) NOT NULL, "case_detail" text NOT NULL, "FIR_id" bigint NOT NULL REFERENCES "fir" ("id") DEFERRABLE INITIALLY DEFERRED, "investigation_officer_ id" bigint NULL REFERENCES "investigation-officer" ("id") DEFERRABLE

Name	Туре	Schema	
		INITIALLY DEFERRED)	
id	integer	"id" integer NOT NULL	
law_section	text	"law_section" text NOT NULL	
case_status	varchar(100)	"case_status" varchar(100) NOT NULL	
case_detail	text	"case_detail" text NOT NULL	
FIR_id	bigint	"FIR_id" bigint NOT NULL	
investigation_officer_id	bigint	"investigation_officer_id" bigint	
django_admin_l og		CREATE TABLE  "django_admin_log" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT,  "action_time" datetime NOT NULL, "object_id" text NULL,  "object_repr" varchar(200) NOT NULL,  "change_message" text NOT NULL,  "content_type_id" integer NULL REFERENCES  "django_content_type" ("id") DEFERRABLE INITIALLY DEFERRED,  "user_id" integer NOT NULL REFERENCES  "auth_user" ("id") DEFERRABLE INITIALLY DEFERRED, "action_flag" smallint unsigned NOT NULL CHECK ("action_flag" >= 0))	
id	integer	"id" integer NOT NULL	
action_time	datetime	"action_time" datetime NOT NULL	
object_id	text	"object_id" text	

Name	Туре	Schema	
object_repr	varchar(200)	"object_repr" varchar(200) NOT NULL	
change_message	text	"change_message" text NOT NULL	
content_type_id	integer	"content_type_id" integer	
user_id	integer	"user_id" integer NOT NULL	
action_flag	smallint unsigned	"action_flag" smallint unsigned NOT NULL CHECK("action_flag" >= 0)	
django_content _type		CREATE TABLE "django_content_type" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "app_label" varchar(100) NOT NULL, "model" varchar(100) NOT NULL)	
id	integer	"id" integer NOT NULL	
app_label	varchar(100)	"app_label" varchar(100) NOT NULL	
model	varchar(100)	"model" varchar(100) NOT NULL	
django_migrati ons		CREATE TABLE "django_migrations" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "app" varchar(255) NOT NULL, "name" varchar(255) NOT NULL, "applied" datetime NOT NULL)	
id	integer	"id" integer NOT NULL	
арр	varchar(255)	"app" varchar(255) NOT NULL	
name	varchar(255)	"name" varchar(255) NOT NULL	
applied	datetime	"applied" datetime NOT NULL	

Name	Туре	Schema
django_session		CREATE TABLE "django_session" ("session_key" varchar(40) NOT NULL PRIMARY KEY, "session_data" text NOT NULL, "expire_date" datetime NOT NULL)
session_key	varchar(40)	"session_key" varchar(40) NOT NULL
session_data	text	"session_data" text NOT NULL
expire_date	datetime	"expire_date" datetime NOT NULL
fir		CREATE TABLE "fir" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "date_lodged" datetime NOT NULL, "complaint" text NOT NULL, "accused_id" bigint NULL REFERENCES "accused" ("id") DEFERRABLE INITIALLY DEFERRED, "incident_id" bigint NULL REFERENCES "incident" ("id") DEFERRABLE INITIALLY DEFERRED, "petitioner_id" bigint NULL REFERENCES "petitioner" ("id") DEFERRABLE INITIALLY DEFERRED, "petitioner" ("id") DEFERRABLE INITIALLY DEFERRABLE INITIALLY DEFERRABLE INITIALLY DEFERRABLE INITIALLY
id	integer	"id" integer NOT NULL
date_lodged	datetime	"date_lodged" datetime NOT NULL
complaint	text	"complaint" text NOT NULL

Name	Туре	Schema
accused_id	bigint	"accused_id" bigint
incident_id	bigint	"incident_id" bigint
petitioner_id	bigint	"petitioner_id" bigint
incident		CREATE TABLE "incident" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "place" text NOT NULL, "date" datetime NOT NULL)
id	integer	"id" integer NOT NULL
place	text	"place" text NOT NULL
date	datetime	"date" datetime NOT NULL
investigation- officer		CREATE TABLE "investigation-officer" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "name" varchar(500) NOT NULL, "dob" date NOT NULL, "rank" integer NOT NULL, "contacts" varchar(30) NOT NULL)
id	integer	"id" integer NOT NULL
name	varchar(500)	"name" varchar(500) NOT NULL
dob	date	"dob" date NOT NULL
rank	integer	"rank" integer NOT NULL
contacts	varchar(30)	"contacts" varchar(30) NOT NULL
petitioner		CREATE TABLE "petitioner" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "name" varchar(500) NOT NULL, "father_name" varchar(500) NOT NULL,

Name	Туре	Schema
		"address" text NOT NULL, "contact" varchar(20) NOT NULL, "nic" varchar(50) NOT NULL UNIQUE)
id	integer	"id" integer NOT NULL
name	varchar(500)	"name" varchar(500) NOT NULL
father _name	varchar(500)	"father _name" varchar(500) NOT NULL
address	text	"address" text NOT NULL
contact	varchar(20)	"contact" varchar(20) NOT NULL
nic	varchar(50)	"nic" varchar(50) NOT NULL UNIQUE
sqlite_sequenc e		CREATE TABLE sqlite_sequence(name, se q)
name		"name"
seq		"seq"
victim		CREATE TABLE "victim" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "name" varchar(500) NOT NULL, "father_name" varchar(500) NOT NULL, "address" varchar(500) NOT NULL, "contact" varchar(30) NOT NULL, "nic" varchar(50) NOT NULL UNIQUE)
id	integer	"id" integer NOT NULL
name	varchar(500)	"name" varchar(500) NOT NULL
father _name	varchar(500)	"father _name" varchar(500) NOT NULL

Name	Туре	Schema
address	varchar(500)	"address" varchar(500) NOT NULL
contact	varchar(30)	"contact" varchar(30) NOT NULL
nic	varchar(50)	"nic" varchar(50) NOT NULL UNIQUE

## Indices (20)

Name	Туре	Schema
auth_group_per missions_group _id_b120cbf9		CREATE INDEX "auth_group_permissions_group_id _b120cbf9" ON "auth_group_permissions" ("group_id")
group_id		"group_id"
auth_group_per missions_group _id_permission _id_0cd325b0 _uniq		CREATE UNIQUE INDEX "auth_group_permissions_group_id _permission_id_0cd325b0_uniq" ON "auth_group_permissions" ("group_id", "permission_id")
group_id		"group_id"
permission_id		"permission_id"
auth_group_per missions_permi ssion_id_84c5 c92e		CREATE INDEX "auth_group_permissions_permission_id_84c5c92e" ON "auth_group_permissions" ("permission_id")
permission_id		"permission_id"
auth_permissio n_content_type _id_2f476e4b		CREATE INDEX "auth_permission_content_type_id _2f476e4b" ON "auth_permission" ("content_type_id")

Name	Туре	Schema
content_type_id		"content_type_id"
auth_permissio n_content_type _id_codename _01ab375a_uni q		CREATE UNIQUE INDEX "auth_permission_content_type_id _codename_01ab375a_uniq" ON "auth_permission" ("content_type_id", "codename")
content_type_id		"content_type_id"
codename		"codename"
auth_user _gro ups_group_id_ 97559544		CREATE INDEX "auth_user_groups_group_id_97559 544" ON "auth_user_groups" ("group_id")
group_id		"group_id"
auth_user _gro ups_user _id_6 a12ed8b		CREATE INDEX "auth_user_groups_user_id_6a12ed 8b" ON "auth_user_groups" ("user_id")
user_id		"user_id"
auth_user_gro ups_user_id_gr oup_id_94350 c0c_uniq		CREATE UNIQUE INDEX "auth_user_groups_user_id_group_ id_94350c0c_uniq" ON "auth_user_groups" ("user_id", "group_id")
user_id		"user_id"
group_id		"group_id"
auth_user _use r_permissions_ permission_id_ 1fbb5f2c		CREATE INDEX "auth_user_user_permissions_permission_id_1fbb5f2c" ON "auth_user_user_permissions" ("permission_id")
permission_id		"permission_id"
		CREATE INDEX

Name	Туре	Schema
auth_user _use r _permissions_ user _id_a95ea d1b		<pre>"auth_user_user_permissions_user _id_a95ead1b" ON "auth_user_user_permissions" ("user_id")</pre>
user_id		"user_id"
auth_user _use r_permissions_ user_id_permis sion_id_14a6b6 32_uniq		CREATE UNIQUE INDEX "auth_user_user_permissions_user _id_permission_id_14a6b632_uniq" ON "auth_user_user_permissions" ("user_id", "permission_id")
user_id		"user_id"
permission_id		"permission_id"
case_FIR_id_0 c3a87c4		CREATE INDEX "case_FIR_id_0c3a87c4" ON "case" ("FIR_id")
FIR_id		"FIR_id"
case_investigat ion_officer_id_ e05d4c3e		CREATE INDEX "case_investigation_officer_id_e 05d4c3e" ON "case" ("investigation_officer_id")
investigation_officer_id		"investigation_officer_id"
django_admin_I og_content_ty pe_id_c4bce8e b		CREATE INDEX "django_admin_log_content_type_i d_c4bce8eb" ON "django_admin_log" ("content_type_id")
content_type_id		"content_type_id"
django_admin_I og_user _id_c5 64eba6		CREATE INDEX "django_admin_log_user_id_c564eb a6" ON "django_admin_log" ("user_id")

Name	Туре	Schema
user_id		"user_id"
django_content _type_app_lab el_model_76bd 3d3b_uniq		CREATE UNIQUE INDEX "django_content_type_app_label_m odel_76bd3d3b_uniq" ON "django_content_type" ("app_label", "model")
app_label		"app_label"
model		"model"
django_session _expire_date_a 5c62663		CREATE INDEX "django_session_expire_date_a5c6 2663" ON "django_session" ("expire_date")
expire_date		"expire_date"
fir _accused_id _1fd <i>7</i> eee6		CREATE INDEX "fir_accused_id_1fd7eee6" ON "fir" ("accused_id")
accused_id		"accused_id"
fir _incident_id _19ea682c		CREATE INDEX "fir_incident_id_19ea682c" ON "fir" ("incident_id")
incident_id		"incident_id"
fir _petitioner _i d_ae466536		CREATE INDEX "fir_petitioner_id_ae466536" ON "fir" ("petitioner_id")
petitioner_id		"petitioner_id"

## Views (0)

Name Type Schema

## Triggers (0)

Name Type Schema