Codebook for Pakistan data

Miriam Golden

2021-01-11

clean id

- Unique respondent id

pa_id

- Constituency id

ps_name

- Polling station id

$w1_s1_treat$

- Stage 1 treatment (HO, H1, H2 in Fig. 1)

w1 s2 treat

- Stage 2 treatment (H1C, H1Q, H2C, H2G, H2R in Fig. 1)

s1_phone_answer

- Dummy variable indicating respondent answered the phone call in Stage 1

$s1_answered_question$

- Dummy variable indicating respondent answered the question in Stage 1

$s2_phone_answer$

- Dummy variable indicating respondent answered phone call in Stage 2

s2 answered question

- Dummy variable indicating respondent answered the question in Stage 2

pmln_kp_govt

- Baseline survey, does respondent know PMIN is not in the provincial government (1 == accurate answer; 0 == wrong answer/DK)

knows_president

- Baseline survey, does respondent know who the president is? (1 == yes, 0 == no/DK)

mpa therm

- Baseline survey, feeling thermometer, MPA

mpa_party_therm

- Baseline survey, feeling thermometer, MPA's party

voted

- Baseline survey, voted in the last general election

mpa party

- Baseline survey, party indicator for the MPA

mpa_therm_end

- Endline survey, feeling thermomter, MPA

voted end

- Endline survey, voted in the 2018 general election

party_vote_end

- Endline survey, party respondent voted for (code matches 'mpa_party')

mpa_party_therm_end

- Endline survey, feeling thermometer, MPA's party

$accountability_prospects_index_std_end$

- Endline survey, index of prospects for political accountability

$incumbent_evaluations_index_std_end$

- Endline survey, index of evaluation of the incumbent

$participation_index_std_end$

- Endlind survey, index of political participation