### Employee

-employeeName: String

-age: Integer -gender: ENUM -dateOfBirth: String -passportNumber: String -employeeIDNumber: String

-department: ENUM -jobTitle: ENUM -basicSalary: Float

+setEmployeeName(employeeName: String)

+ getEmployeeName():String

+ setAge(age: Integer) + getAge():Integer

+ setGender(gender: ENUM)

+ getGender():ENUM

+ setDateOfBirth(dateOfBirth: String)

+ getDateOfBirth():String

+ setPassportNumber(passportNumber: String)

+ getPassportNumber():String

+ setEmployeeIdNumber(employeeIDNumber:

String)

+ getEmployeeIdNumber():String

+setDepartment(department: ENUM)

+ getDepartment():ENUM

+ setJobTitle(jobTitle: ENUM)

+ getJobTitle():ENUM

+ setBasicSalary(basicSalary: Float)

+ getBasicSalary():Float

+displayInfo()

# -sales: List + setSales (sales: List) + getSales():List +displayInfo() + calculate\_salary(car, salePrice)

## Manager

-salespersons: List -company: Company

- + setSalespersons(salespersons: List)
- + getSalespersons():List
- + setCompany(company: Company)
- + getCompany():Company
- +displayInfo()

```
Company
-companyName: String
-employees: List
-cars: List
-sales: List
- revenue: Float
+ setCompanyName companyName: String)
+ getCompanyName():String
+ setEmployees (employees: List)
+ getEmployees():List
+ setCars(cars: List)
+ getCars():List
+ setSales (sales: List)
+ getSales():List
+ setRevenue(revenue: Float)
+ getRevenue():Float
+displayInfo()
+getEmployeeDetails(employeeIDNumber)
+getCarDetails(carIDNumber)
+displaySalesDetails(employeeIDNumber)
+save data()
```

+load data()

### Customer

-firstName: String -lastName: String

-customerIdNumber: String

-gender: ENUM

-phoneNumber: String

+ setFirstName(firstName: String)

+ getFirstName():String

+ setLastName(lastName: String)

+ getLastName():String

+ setCustomerIdNumber(customerIdNumber: String)

+ getCustomerIdNumber():String

+ setGender(gender: ENUM)

+ getGender():ENUM

+ setPhoneNumber(phoneNumber: String)

+ getPhoneNumber():String

+displayInfo()

# Car -carName: String -carIdNumber: String -price: Float - carType: ENUM -fuelCapacity: Float -year: Integer -maxSpeed: Float - color: ENUM + setCarName(carName: String) + getCarName():String + setCarIdNumber(carIdNumber: String) + getCarIdNumber():String + setPrice(price: Float) + getPrice():Float + setCarType(carType: ENUM) + getCarType():ENUM + setFuelCapacity(fuelCapacity: Float) + getFuelCapacity():Float + setYear(year: Integer) + getYear():Integer + setMaxSpeed(maxSpeed: Float) + getMaxSpeed():Float + setColor(color: ENUM) + getColor():ENUM +displayInfo()

### Sales

-salesperson: Salesperson

-car: String
-salePrice: Float
- customer: Customer
- salespersonAmount: Float

- + setSalesPerson(salesperson: Salesperson)
- + getSalesPerson():Salesperson
- + setCar(car: String) + getCar():String
- + setSalePrice(salePrice: Float)
- + getSalePrice():Float
- + setCustomer(customer: Customer)
- + setCustomer():Customer
- + setSalespersonAmount(salespersonAmount: Float)
- + getSalespersonAmount():Float
- +displayInfo()



