```
MINGW64:/c/OSS/git/03w/repo-test
```

```
주 현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w
$ git config --global --list
user.name=jxh61431
user.email=iii00h3@gmail.com
core.autocrlf=true
core.safecrlf=false
core.editor=code --wait
core.initdefaultbranch=main
init.defaultbranch=main
기주 현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w
$ git init adv
Initialized empty Git repository in C:/OSS/git/03W/adv/.git/
주 현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w
$ cd adv
두 현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w/adv (main)
$ code hello.py
 주 현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w/adv (main)
$ python hello.py
['p', 'y', 't', 'h', 'o', 'n']
기주 현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w/adv (main)
$ git config --global alias.st status
주 현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w/adv (main)
$ git st
On branch main
No commits yet
Untracked files:
 (use "git add <file>..." to include in what will be committed)
nothing added to commit but untracked files present (use "git add" to track)
주현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w/adv (main)
$ rm hello.py
이 주 현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w/adv (main)
$ 75
이 주 현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w/adv (main)
$ git st
On branch main
No commits yet
nothing to commit (create/copy files and use "git add" to track)
```

```
MINGW64:/c/OSS/ait/03w/repo-test
     현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w/adv (main)
$ code basic.py
 기주 현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w/adv (main)
$ python basic.py
[0, 1, 2, 3, 4, 5, 6, 7, 8, 9]
 주 현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w/adv (main)
$ git st
On branch main
No commits yet
Untracked files:
  (use "git add <file>..." to include in what will be committed)
nothing added to commit but untracked files present (use "git add" to track)
 주현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w/adv (main)
$ git add basic.py
 이 주 현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w/adv (main)
$ git st
On branch main
No commits yet
Changes to be committed:
(use "git rm --cached <file>..." to unstage)
         new file: basic.py
 이 주 현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w/adv (main)
$ code basic.py
 기주 현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w/adv (main)
$ python basic.py
[0, 1, 2, 3, 4, 5, 6, 7, 8, 9]
[1, 4, 7, 10, 13, 16, 19]
 이 주 현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w/adv (main)
$ git st
On branch main
No commits yet
Changes to be committed:
(use "git rm --cached <file>..." to unstage)
Changes not staged for commit:

(use "git add <file>..." to update what will be committed)

(use "git restore <file>..." to discard changes in working directory)

modified: basic.py
```

```
MINGW64:/c/OSS/git/03w/repo-test
    현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w/adv (main)
$ git rm --cached basic.py
error: the following file has staged content different from both the
file and the HEAD:
basic.py
(use -f to force removal)
 주 현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w/adv (main)
$ git rm --cached -f basic.py
rm 'basic.py'
기주 현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w/adv (main)
$ git st
On branch main
No commits yet
Untracked files:
 (use "git add <file>..." to include in what will be committed)
nothing added to commit but untracked files present (use "git add" to track)
 주 현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w/adv (main)
$ cat basic.py
print(list(range(10)))
print(list(range(1, 20, 3)))
무현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w/adv (main)
$ git add basic.py
부주현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w/adv (main)
$ git st
On branch main
No commits yet
Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
기주 현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w/adv (main)
$ git rm --cached basic.py
rm 'basic.py'
```

```
MINGW64:/c/OSS/git/03w/repo-test
```

```
주 현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w/adv (main)
$ git st
On branch main
No commits yet
Untracked files:
  (use "git add <file>..." to include in what will be committed)
nothing added to commit but untracked files present (use "git add" to track)
 주 현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w/adv (main)
$ git config --global alias.sts 'status -s'
 주 현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w/adv (main)
$ git sts
  basic.py
 주 현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w/adv (main)
 git add basic.py
 주 현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w/adv (main) git commit -m'create basic.py'
[main (root-commit) 07e03d3] create basic.py
1 file changed, 2 insertions(+)
create mode 100644 basic.py
 | 주 현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w/adv (main)
commit 07e03d30cb7b2a212abd0d448afe44915b986154 (HEAD -> main)
Author: jxh61431 <iiii00h3@gmail.com>
         Sun Nov 20 23:27:45 2022 +0900
Date:
    create basic.py
 | 주 현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w/adv (main)
$ git st
On branch main
nothing to commit, working tree clean
 주 현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w/adv (main)
$ git rm --cached basic.py
rm 'basic.py'
 주현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w/adv (main)
$ git st
On branch main
Changes to be committed:

(use "git restore --staged <file>..." to unstage)
                     basic.py
Untracked files:
  (use "git add <file>..." to include in what will be committed)
```

```
MINGW64:/c/OSS/ait/03w/repa-test
기주 현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w/adv (main)
$ git sts
  basic.py
  basic.py
기주 현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w/adv (main)
$ git restore --staged basic.py
 무현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w/adv (main)
$ git st
On branch main
nothing to commit, working tree clean
기주 현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w/adv (main)
$ cat basic.py
print(list(range(10)))
print(list(range(1, 20, 3)))
 부주현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w/adv (main)
$ code basic.py
이 주 현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w/adv (main)
$ git st
On branch main
Changes not staged for commit:

(use "git add <file>..." to update what will be committed)

(use "git restore <file>..." to discard changes in working directory)
         modified:
no changes added to commit (use "git add" and/or "git commit -a")
이 주 현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w/adv (main)
$ git commit -am 'add comp list to basic.py'
[main ff1594a] add comp list to basic.py
 1 file changed, 1 insertion(+)
기주 현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w/adv (main)
$ git st
On branch main
nothing to commit, working tree clean
 무현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w/adv (main)
$ git log --oneline --graph
  ff1594a (HEAD -> main) add comp list to basic.py
  07e03d3 create basic.py
기주현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w/adv (main)
$ code basic.py
  주 현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w/adv (main)
$ python basic.py
[0, 1, 2, 3, 4, 5, 6, 7, 8, 9]
[1, 4, 7, 10, 13, 16, 19]
[0, 1, 2, 3, 4, 5, 6, 7, 8, 9]
{0: 0, 1: 1, 2: 4, 3: 9, 4: 16, 5: 25, 6: 36, 7: 49, 8: 64, 9: 81}
```

```
MINGW64:/c/OSS/ait/03w/repa-test
```

```
구 현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w/adv (main)
$ git commit -am'add comp dict to basic.pv'
[main 144853a] add comp dict to basic.py
1 file changed, 1 insertion(+)
이 주 현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w/adv (main)
commit 144853a911351302fb374217402cc654997e4158 (HEAD -> main)
Author: jxh61431 <iii00h3@gmail.com>
        Sun Nov 20 23:32:59 2022 +0900
Date:
    add comp dict to basic.py
commit ff1594a2a56365991392500e88ba47ed5b39fdef
Author: jxh61431 <iii00h3@gmail.com>
       Sun Nov 20 23:30:42 2022 +0900
Date:
    add comp list to basic.py
commit 07e03d30cb7b2a212abd0d448afe44915b986154
Author: jxh61431 <iii00h3@gmail.com>
        Sun Nov 20 23:27:45 2022 +0900
Date:
   create basic.py
이 주 현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w/adv (main)
$ git log basic.pv
commit 144853a911351302fb374217402cc654997e4158 (HEAD -> main)
Author: jxh61431 <iii00h3@gmail.com>
        Sun Nov 20 23:32:59 2022 +0900
Date:
    add comp dict to basic.py
commit ff1594a2a56365991392500e88ba47ed5b39fdef
Author: jxh61431 <iii00h3@gmail.com>
Date: Sun Nov 20 23:30:42 2022 +0900
    add comp list to basic.py
commit 07e03d30cb7b2a212abd0d448afe44915b986154
Author: jxh61431 <iii00h3@gmail.com>
Date:
        Sun Nov 20 23:27:45 2022 +0900
    create basic.py
이 주 현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w/adv (main)
 git log --oneline --graph
  144853a (HEAD -> main) add comp dict to basic.py
 ff1594a add comp list to basic.py
 07e03d3 create basic.py
```

```
MINGW64:/c/OSS/qit/03w/repa-test.
  주 현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w/adv (main)
$ git log
commit 144853a911351302fb374217402cc654997e4158 (HEAD -> main)
Author: jxh61431 <iii00h3@gmail.com>
        Sun Nov 20 23:32:59 2022 +0900
Date:
    add comp dict to basic.py
commit ff1594a2a56365991392500e88ba47ed5b39fdef
Author: jxh61431 <iii00h3@gmail.com>
        Sun Nov 20 23:30:42 2022 +0900
Date:
    add comp list to basic.py
commit 07e03d30cb7b2a212abd0d448afe44915b986154
Author: jxh61431 <iii00h3@gmail.com>
        Sun Nov 20 23:27:45 2022 +0900
Date:
    create basic.py
미주현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w/adv (main)
$ git log --pretty=short
commit 144853a911351302fb374217402cc654997e4158 (HEAD -> main)
Author: jxh61431 <iii00h3@gmail.com>
    add comp dict to basic.pv
commit ff1594a2a56365991392500e88ba47ed5b39fdef
Author: ixh61431 <iii00h3@gmail.com>
    add comp list to basic.py
commit 07e03d30cb7b2a212abd0d448afe44915b986154
Author: jxh61431 <iii00h3@gmail.com>
    create basic.py
기주현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w/adv (main)
$ git show head
commit 144853a911351302fb374217402cc654997e4158 (HEAD -> main)
Author: jxh61431 <iii00h3@gmail.com>
        Sun Nov 20 23:32:59 2022 +0900
Date:
    add comp dict to basic.py
diff --git a/basic.py b/basic.py
index c389246..be11630 100644
--- a/basic.py
+++ b/basic.py
@@ -1,3 +1,4 @@
 print(list(range(10)))
 print(list(range(1, 20, 3)))
print([i for i in range(10)])
print({i:i*i for i in range(10)})
```

```
MINGW64:/c/OSS/ait/03w/repa-test
   주 현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w/adv (main)
$ git show 1448
commit 144853a911351302fb374217402cc654997e4158 (HEAD -> main)
Author: jxh61431 <iii00h3@gmail.com>
Date: Sun Nov 20 23:32:59 2022 +0900
      add comp dict to basic.py
diff --git a/basic.py b/basic.py
index c389246..be11630 100644
--- a/basic.py
+++ b/basic.py
 QQ -1,3 +1,4 QQ
 print(list(range(10)))
 print(list(range(1, 20, 3)))
print([i for i in range(10)])
print({i:i*i for i in range(10)})
 주 현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w/adv (main)
$ git log --oneline
144853a (HEAD -> main) add comp dict to basic.py
ff1594a add comp list to basic.py
07e03d3 create basic.py
   주 현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w/adv (main)
$ git log --pretty=oneline
144853a911351302fb374217402cc654997e4158 (HEAD -> main) add comp dict to basic.py
ff1594a2a56365991392500e88ba47ed5b39fdef add comp list to basic.py
07e03d30cb7b2a212abd0d448afe44915b986154 create basic.py
  주 현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w/adv (main)
$ git log -p
commit 144853a911351302fb374217402cc654997e4158 (HEAD -> main)
Author: jxh61431 <iii00h3@gmail.com>
Date: Sun Nov 20 23:32:59 2022 +0900
      add comp dict to basic.py
diff --git a/basic.py b/basic.py
index c389246..be11630 100644
--- a/basic.py
+++ b/basic.py
    -1,3 +1,4 @@
 print(list(range(10)))
print(list(range(1, 20, 3)))
 print([i for i in range(10)])
print({i:i*i for i in range(10)})
commit ff1594a2a56365991392500e88ba47ed5b39fdef
Author: jxh61431 <iii00h3@gmai1.com>
Date: Sun Nov 20 23:30:42 2022 +0900
      add comp list to basic.py
diff --git a/basic.py b/basic.py
index 68315fc..c389246 100644
--- a/basic.py
+++ b/basic.py
@@ -1,2 +1,3 @@
 print(list(range(10)))
 print(list(range(1, 20, 3)))
-print([i for i in range(10)])
```

```
commit 07e03d30cb7b2a212abd0d448afe44915b986154
Author: jxh61431 <iii00h3@gmail.com>
       Sun Nov 20 23:27:45 2022 +0900
Date:
    create basic.py
diff --git a/basic.py b/basic.py
new file mode 100644
index 0000000..68315fc
--- /dev/null
+++ b/basic.py
@@ -0,0 +1,2 @@
+print(list(range(10)))
+print(list(range(1, 20, 3)))
이 주 현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w/adv (main)
$ git log --stat
commit 144853a911351302fb374217402cc654997e4158 (HEAD -> main)
Author: jxh61431 <iii00h3@gmail.com>
       Sun Nov 20 23:32:59 2022 +0900
Date:
   add comp dict to basic.py
basic.py | 1 +
1 file changed, 1 insertion(+)
commit ff1594a2a56365991392500e88ba47ed5b39fdef
Author: jxh61431 <iii00h3@gmail.com>
       Sun Nov 20 23:30:42 2022 +0900
Date:
    add comp list to basic.py
basic.py | 1 +
1 file changed, 1 insertion(+)
commit 07e03d30cb7b2a212abd0d448afe44915b986154
Author: jxh61431 <iii00h3@gmail.com>
       Sun Nov 20 23:27:45 2022 +0900
Date:
   create basic.py
basic.py | 2 ++
1 file changed, 2 insertions(+)
이 주 현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w/adv (main)
$ git log --stat -2
commit 144853a911351302fb374217402cc654997e4158 (HEAD -> main)
Author: jxh61431 <iii00h3@gmail.com>
        Sun Nov 20 23:32:59 2022 +0900
   add comp dict to basic.py
basic.py | 1 +
 1 file changed, 1 insertion(+)
```

```
MINGW64:/c/OSS/qit/03w/repo-test
commit ff1594a2a56365991392500e88ba47ed5b39fdef
Author: jxh61431 <iii00h3@gmail.com>
         Sun Nov 20 23:30:42 2022 +0900
Date:
     add comp list to basic.py
 basic.py | 1 +
 1 file changed, 1 insertion(+)
 기주 현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w/adv (main)
$ cd ...
이 주 현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w
$ git clone https://github.com/jxh61431/repo-test.git
Cloning into 'repo-test'...
remote: Enumerating objects: 16, done.
remote: Counting objects: 100% (16/16), done.
remote: Compressing objects: 100% (10/10), done.
remote: Total 16 (delta 1), reused 2 (delta 0), pack-reused 0 Receiving objects: 100% (16/16), done.
Resolving deltas: 100% (1/1), done.
이 주 현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w
$ cd repo-test
이 주 현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w/repo-test (main)
$ git remote
origin
이 주 현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w/repo-test (main)
$ git remote -v
origin https://github.com/jxh61431/repo-test.git (fetch)
origin https://github.com/jxh61431/repo-test.git (push)
이 주 현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w/repo-test (main)
$ git pull
Already up to date.
이 주 현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w/repo-test (main)
$ git pull
remote: Enumerating objects: 6, done.
remote: Counting objects: 100% (6/6), done.
remote: Compressing objects: 100% (4/4), done.
remote: Total 5 (delta 2), reused 0 (delta 0), pack-reused 0
Unpacking objects: 100% (5/5), 1.23 KiB | 27.00 KiB/s, done.
From https://github.com/jxh61431/repo-test
   a4eae4b..6077a71 main
                                      -> origin/main
Updating a4eae4b..6077a71
Fast-forward
 basic.py => happy.py | 0
                           11+
 hello.md
 2 files changed, 1 insertion(+)
 rename basic.py => happy.py (100%)
 create mode 100644 hello.md
```

```
이 주 현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w/repo-test (main)
$ git push
Everything up-to-date
이 주 현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w/repo-test (main)
$ git push -u
Everything up-to-date
branch 'main' set up to track 'origin/main'.
이 주 현 @DESKTOP-5AUTIF4 MINGW64 /c/OSS/git/03w/repo-test (main)
$ |
```