

Name: Harvey F. Sierra
Course, Year & Section: BSIT 4-1

Student Number: 202204899
Date: _____

ONLINE ACTIVITY #2
Personalized Linux, and Git Cheat Sheet

Using any available resources (official Git documentation, online tutorials, or the built-in git --help command), research the following topics and create a personalized 1-page (A4) cheat sheet:

1. Basic Linux commands (command, sample usage) (at least 10)
2. Basic Git commands (command, sample usage, description (use your own wordings), common options/flags

git init	git restore
git status	git branch
git add	git checkout / git switch
git commit	git merge
git log	git tag
git diff	git clone

3. the three-tree architecture of Git

You are free to use any design or color scheme, just make sure it is readable.

Submission:

1. Use PDF as the file format for your cheat sheet.
2. Upload it to your GitHub repository
3. Submit the link here: <https://drive.google.com/drive/folders/1-Y6e6E6PoLyGgB0WZ8prRCNfolpV3cj0?usp=sharing>

Reminders:

Please put a "Reference" section in the cheat sheet for the materials you cited.

I DO NOT PROHIBIT the use of AI for this activity, but please declare the extent of the use.


Sample:

"The author used [Tool Name, Version] to [specific task] during assignment preparation. The author reviewed and edited the content as needed and takes full responsibility for the final content of the work."

Or

"I have not used any AI or AI-assisted technologies to prepare this work."

Linux Command	Sample Usage	Description
ls	ls	List all directories and files present in the current directory the system is in.
pwd	pwd	Command that allows to display the current path of the current directory the system is in.
mkdir	mkdir Harvey	Command means to make directory, meaning making a folder in the system.
cd	cd /home/Harvey	Command to change the directory the system is in.
rmdir	rmdir Harvey	Command to remove a specific directory or folder that has been made in the system.
cat	cat Harvey	Command to display the contents of the or a file.
cp	cp Harvey.txt HarveyCopy.txt, cp Harvey.txt /home/Harvey	Command used to copy a file for backups or to another directory.
mv	mv Harvey.txt Sierra.txt, mv Sierra.txt /Home/Harvey	Command used to move or rename files.
rm	rm Sierra.txt	Command used to remove a file.
uname	uname, uname -a	Command used to display information of the system.
Git Command	Sample Usage	Description
git init	git init	Initiate a new repository
git add	git add.	Adds file/s to the staging to be included in the next commit
git commit	git commit -m "Harvey Handsome"	Saves staged files to the repository
git status	git status	Shows the state of the current working files
git log	git log	View commit history made
git diff	git diff	Display difference between committed versions
git branch	git branch	Shows all existing branches in the repository
git clone	git clone https://github.com/202204899.github.io	Download local copy from git based on the link.
git switch	git switch main	Moves current working environment branch.
git push	git push origin main	Uploads committed changes to the repository



References:

Biler, D. (2014, February 1). *Understanding the 3-tree architecture of git*. Understanding the 3-Tree Architecture of Git. <https://www.darwinbiler.com/understanding-the-3-tree-architecture-of-git/>

Git. *Git cheat sheet*. Git Cheat Sheet. <https://git-scm.com/cheat-sheet>

Greeks, G. (2026, September 3). *Basic linux commands*. GeeksforGeeks. <https://www.geeksforgeeks.org/linux-unix/basic-linux-commands/>

"I have not used any AI or AI-assisted technologies to prepare this work."