



Hurb Antecipações

Login

GET Login Validation

```
http://127.0.0.1:5555/checkLogin/:email
```

Validating users credentials to login

PATH VARIABLES

email

pousadamar@gmail.com

Example Request

Success

```
curl --location --request GET 'http://127.0.0.1:5555/checkLogin/pousadamar@gmail.com'
```



Example Response

200 OK

Body Header (8)

```
[
  {
    "id": 1,
    "Estabelecimento_id": 1,
    "Email": "pousadamar@gmail.com"
  }
]
```



Admin mains screen vision.

GET General Vision

http://127.0.0.1:5555/getGeneralVision

Getting admin main screen general information.

Example Request

Success

```
curl --location --request GET 'http://127.0.0.1:5555/getGeneralVision'
```

Example Response

200 OK

Body

Header (8)

```
[
  {
    "TotalDeAntecipações": 10,
    "ValorTotalAntecipado": 187800,
    "ValorTotalTaxado": 13200,
    "TipoMaisAntecipado": "D+2"
  }
]
```

GET Ranking

http://127.0.0.1:5555/getRanking

Getting admin mains screen ranking of principal partners.

Example Request

Success

Example Response

200 OK

Body

Header (8)

```
[
  {
    "id": 2,
    "RazaoSocial": "Hotel Ribeirinho",
    "QuantidadeAntecipacao": 3,
    "ValorAntecipado": 47980
  },
  {
    "id": 3,
    "RazaoSocial": "Hotel Pousada Mar",
    "QuantidadeAntecipacao": 2,
    "ValorAntecipado": 12991
  }
]
```

View More

GET Partner Data

http://127.0.0.1:5555/getPartnerData

Getting all partners datas.

Example Request

Success

```
curl --location --request GET 'http://127.0.0.1:5555/getPartnerData' \
--data-raw ''
```

Example Response

200 OK

Body

Header (8)

```
[
  {
    "id": 1,
    "RazaoSocial": "Pousada Mar",
    "CNPJ": "42.572.271/000-1",
    "Celular": 12991377946,
    "QuantidadeAntecipação": 2,
    "Email": "pousadamar@gmail.com",
    "ValorAntecipado": 12991
  }
]
```

View More

http://127.0.0.1:5555/getInvoiceData

Getting all invoice data.

Example Request

Pending Invoice Data

```
curl --location --request GET 'http://127.0.0.1:5555/getInvoiceData'
```

GET Past Invoice Data

http://127.0.0.1:5555/getPaidInvoiceData

Example Request

Success

```
curl --location --request GET 'http://127.0.0.1:5555/getPaidInvoiceData'
```

Example Response

200 OK

BodyHeader (8)

```
[
  {
    "id": 1,
    "IDdoParceiro": 1,
    "NomeDoParceiro": "Pousada Mar",
    "TipoAntecipação": "D+2",
    "NotaFiscal": 567890,
    "ValorRecebido": 17600,
    "ValorTotal": 2400
  }
]
```

View More

GET Pending Invoice Data By NF

http://127.0.0.1:5555/getInvoiceDataByNf:nf

PATH VARIABLES

nf
234567

Example Request

Pending Invoice Data By NF

```
curl --location --request GET 'http://127.0.0.1:5555/getInvoiceDataByNf/234567'
```

GET Past Invoice Data By NF

http://127.0.0.1:5555/getPaidInvoiceDataByNf:nf

StartFragment
Getting paid invoice data based in NF that was typed.
EndFragment

PATH VARIABLES

nf
234567

Example Request

Success

```
curl --location --request GET 'http://127.0.0.1:5555/getPaidInvoiceDataByNf/234567'
```

Example Response

200 OK

Body

Header (8)

```
[
  {
    "id": 3,
    "IDdoParceiro": 2,
    "NomeDoParceiro": "Hotel Ribeirinho"
```

View More

Invoicing

GET Reservation Uninvoiced

http://127.0.0.1:5555/getReservasNaoFaturadas/:id

Getting all reservations that aren't invoiced from one partner.

PATH VARIABLES

id

2

Example Request

Success

```
curl --location --request GET 'http://127.0.0.1:5555/getReservasNaoFaturadas/2'
```

Example Response

200 OK

Body

Header (8)

```
[
  {
    "ID": 52,
    "IDFatura": null,
    "Valor": 2000
  },
  {
    "ID": 54,
    "IDFatura": null
  }
]
```

View More

GET Total Value to Invoice



Getting total value to be invoiced from one partner.

PATH VARIABLES

id

2

Example Request

Success

```
curl --location --request GET 'http://127.0.0.1:5555/getValorReservasNaoFaturadas/2'
```

Example Response

200 OK

Body Header (8)

```
[
  {
    "Valor": 20500
  }
]
```

POST Update Reservation Data

http://127.0.0.1:5555/postReservationData

Inserting invoice key in recently invoiced reservations.

BODY raw

```
{
  "Fatura_ID": 10,
  "ReservaID": 50
}
```

Example Request

Success

```
"Fatura_ID": 10,
"ReservaID": 50
}'
```

Example Response

200 OK

Body

Header (8)

```
[]
```

POST Insert Invoice Data

http://127.0.0.1:5555/postInvoiceData

Creating a new invoice data.

BODY raw

```
{
  "EstabelecimentoID": 2,
  "TipoAntecipacaoID": 4,
  "NotaFiscal": 231521,
  "ValorRecebido": 10000,
  "ValorTaxado": 0,
  "Data": "10/06/22",
  "Status": "A Pagar"
}
```

Example Request

Success

```
curl --location --request POST 'http://127.0.0.1:5555/postInvoiceData' \
--data-raw '{
  "EstabelecimentoID": 2,
  "TipoAntecipacaoID": 4,
  "NotaFiscal": 231521,
  "ValorRecebido": 10000,
  "ValorTaxado": 0,
  "Data": "10/06/22",
  "Status": "A Pagar"
}'
```

View More

Example Response

200 OK



[]

POST Update Partner Data

```
http://127.0.0.1:5555/postPartnerData
```

Increasing amount of invoice from one partner.

BODY raw

```
{
  "id": 1
}
```

Example Request

Success

```
curl --location --request POST 'http://127.0.0.1:5555/postPartnerData' \
--data-raw '{
  "id": 1
}'
```

Example Response

200 OK

Body Header (8)

[]

POST Update Type Invoicing Data

```
http://127.0.0.1:5555/postTypeData
```

StartFragment

Increasing amount of invoice from a type of invoice.

EndFragmen



```
{
  "TipoAntecipacaoID": 1
}
```

Example Request

Success

```
curl --location --request POST 'http://127.0.0.1:5555/postTypeData' \
--data-raw '{
  "TipoAntecipacaoID": 1
}'
```

Example Response

200 OK

Body

Header (8)

```
[]
```

History

GET Past Invoice Data By ID

```
http://127.0.0.1:5555/getPaidInvoiceDataForPartner/:id
```

Getting all past invoices from one partner.

PATH VARIABLES

id
3

Example Request

Success

```
curl --location --request GET 'http://127.0.0.1:5555/getPaidInvoiceDataForPartner/3'
```

Body

Header (8)

```
[
  {
    "TipoAntecipação": "D+7",
    "NotaFiscal": 987654,
    "ValorRecebido": 10920,
    "ValorTaxado": 1080,
    "Data": "15/04/22",
    "Status": "Finalizado"
  }
]
```

View More

GET Pending Invoice Data By ID

http://127.0.0.1:5555/getInvoiceDataForPartner/:id

Getting all pending invoices from one partner.

PATH VARIABLES

id

4

Example Request

Pending Invoice Data By ID

```
curl --location --request GET 'http://127.0.0.1:5555/getInvoiceDataForPartner/4'
```

Profile

GET Partner Data By ID

http://127.0.0.1:5555/getPartnerDataByID/:id

Getting all partner information from one partner.



PATH VARIABLES

id
3

Example Request Success

```
curl --location --request GET 'http://127.0.0.1:5555/getPartnerDataByID/3'
```

Example Response 200 OK

Body Header (8)

```
[
  {
    "id": 3,
    "RazaoSocial": "Pousada Rio Alegre",
    "CNPJ": "56.807.457/000-1",
    "Celular": 31985542257,
    "QuantidadeAntecipação": 3,
    "Email": "pousadarioalegre@gmail.com",
```