info	_p	ostman_id	330f03f2-4f	a8-48d6-8	8557-fc27	bb52	2adba					
	na	ame	Plataforma	Hurb Para	a Parceiro	S						
	de	escription		I tem alt	o potencia	al de	fatur	amento p	ara a	antecipa��es da HURB, esta a HURB. A plataforma possui a��es.		
	sc	chema	https://sche	ma.getpo	stman.co	m/js	on/co	llection/v2	2.1.0/	collection.json		
	_e	exporter_id	21121120									
item	0	name	login									
		request	method	POST								
			header	(Empty List	t)							
			body	mode	raw							
				raw		:"huı	rb@hu	ırb.com".	"pass	sword":"hurb123" }		
				options	{ "email":"hurb@hurb.com", "password":"hurb123" } raw language json							
			url	raw	http://12	7.0.0	0.1:30	31/login				
				protocol			0.11.00	, i e g				
				host	0 127							
					1 0							
					2 0							
					3 1							
				port 3031								
				path	0 login							
			description		point veril				data	base and grants or denies entry		
		response	0 name			exa	mple	error				
			originalRe	equest		method POST						
							ader dy	(Empty List	:)			
								mode	node raw			
									nail":"hurb@hurb.com", sword":"hurb123" }			
							options	raw	language json			
						url		raw	http	://127.0.0.1:3031/login		
								protocol	http			
								host	0 12	27		
									1 0			
									2 0			
									3 1			
								port	3031	L		
								path	0 10	gin		
			status			OK						
			code			200						
			_postmar	_preview	language	age html						
			header			0	key	X-Powere	ed-By			
						value Express						
					1		-					

	ke	еу	Access-Control-Allow-Origin				
	Vā	alue	*				
	2 ke	ey	Content-Type				
	Vā	alue	text/html; charset=utf-8				
	3 ke	еу	Content-Length				
	Vā	alue	42				
	4 ke	еу	ЕТад				
	Vā	alue	W/"2a-Q56lGg/3sqgKfkBVb3SNj9DrPAU"				
	5 ke	еу	Date				
	Vā	alue	Tue, 31 May 2022 18:25:06 GMT				
	6 ke	еу	Connection				
	Vā	alue	keep-alive				
	7 ke	еу	Keep-Alive				
	Vā	alue	timeout=5				
cookie	(Empty List)						
body	Email ou senha incorreta, tente novamente!						

1	name	ed	litarDados									
	request	m	ethod	POST								
		he	eader	(Empty List)							
		uı	rl	raw	http://12	7.0.0.1:30)31/editDa	ata				
				protocol	http							
				host	0 127							
					1 0							
					2 0							
					3 1							
				port	3031							
				path	⁰ editDa	ditData						
		de	escription	StartFrag EndFragm		s endpoint creates a new user in the database						
	response	0	name			example success						
			originalRe	equest		method POST						
					header	(Empty List)					
						url	raw	http://127.0.0.1:3031/editData				
							protocol	http				
							host	0 127				
								1 0				
								2 0				
								3 1				
							port	3031				
							path	⁰ editData				
			_postmar	_previewl	anguage	Text						
			header			null						
			cookie			(Empty List	t)					
			body			Dado edi	tado com	sucesso				

2	name	ma	andarAnet	cipa��o									
	request	m	ethod	POST									
		he	eader	(Empty List	.)								
		uı	1	raw	http://12	7.0.0.1:30	031/sendA	nt	ecipation				
				protocol	-	, 10101210	<i>55</i> =, <i>5</i> 6 11 62 1						
				host	0 127								
					1 0								
					2 0								
					3 1								
				port	3031								
				path									
				patn	sendA	ntecipatio	on						
		de	escription	StartFrag request E			nt places i	n t	he database the antecipation				
	response	0	name			mandarA	netcipa�	Ŷ٥					
			originalR	equest		method	POST						
						header	(Empty List)					
						url	raw		ttp://127.0.0.1:3031/sendAntecipa				
							nuctocal	tion					
							protocol						
							liost		0				
									0				
									1				
							port		031				
							path	0	sendAntecipation				
			_postmar	_previewl	anguage	Text							
			header			null							
			cookie			(Empty List)							
			body			Sua antecipa��o foi enviada com sucesso							
3	name	va	lorReserva	a									
	request	m	ethod	GET									
		he	eader	(Empty List	·)								
		uı	1	raw	http://12	27.0.0.1:3031/value1							
				protocol	-								
				host	0 127								
					1 0								
					2 0								
					3 1								
				port	3031								
				path	0 value	L							
		de	escription	This end			possible	val	lue that may be anticipated.				
	response		name	•		exemple success							
			originalR	equest		method							
			3	-1			(Empty List	.)					
						url	,						

		raw http:		ht	tp://127.0.0.1:3031/value1				
			protocol	ht	tp				
			host	0	127				
				1	0				
				2	0				
				3	1				
			port	30	31				
			path	0	value1				
status	ОК								
code	20	0							
_postman_previewlanguage	jso	n							
header	0	key	X-Powere	d-	Ву				
		value	Express						
	1	key	Access-Control-Allow-Origin						
		value	*						
	2	key	Content-1	Content-Type					
		value	application/json; charset=utf-8						
	3	key	Content-Length						
		value							
	4	key	ETag						
		-	W/"13-qDUHLOe8X9Vor8nCDrjuQKDxRx4						
	5	key	Date						
		value	Mon, 13 J	un	2022 17:49:31 GMT				
	6	key	Connection	n					
		value	keep-aliv	е					
	7	key	Keep-Aliv	e					
		-	timeout=5						
cookie	(En	npty List	:)						
body	{ "SUM(valor)": 1727 }								

4	name	va	lorMontan	te							
	request	m	ethod	GET							
		he	eader	(Empty List	:)						
		ur	1	raw http://127.0.0.1:3031/value2							
				protocol	http						
				host	0 127						
					1 0						
					2 0						
					3 1						
				port	3031						
				path	0 value2	2					
		de	scription	this endp	oint will s	show the	value that has	s been anticipated by	the partner		
	response	0	name			example	success				
			originalRe	equest		method	GET				

url		he	header (Empty List)							
host		uı	1	raw	ht	tp://127.0.0.1:3031/value2				
status code postman_previewlanguage header OK code postman_previewlanguage header Okey value Status OK code postman_previewlanguage header Okey value Express key Access-Control-Allow-Origin value key content-Type value application/json; charset=utf-8 key value Content-Length value Li key ETag value W/"15-ILC9cpdmlhVy0xs+4WkB6XZVLV0" key value Mon, 13 Jun 2022 17:51:12 GMT key connection value keep-alive key value timeout=5 cookie				protocol	ht	tp				
status Code postman_previewlanguage header Ok Status OK Stat				host	0	127				
status codepostman_previewlanguage header Okey					1	0				
port 3031 path 0 value2 status code 200 postman_previewlanguage header O key X-Powered-By value Express key Access-Control-Allow-Origin value * 2 key Content-Type value application/json; charset=utf-8 3 key Content-Length value 21 4 key ETag value W/"15-ILC9cpdmlhVy0xs+4WkB6XZVLV0" 5 key Date value Mon, 13 Jun 2022 17:51:12 GMT 6 key Connection value keep-alive value timeout=5 cookie (Empty List)					2	0				
status codepostman_previewlanguage header O					3	1				
status codepostman_previewlanguage header O				port	30	031				
code _postman_previewlanguage header Value Express				path	0	value2				
postman_previewlanguage json	status	Ok	<							
header New X-Powered-By Express										
key x-Powered-By value Express key Access-Control-Allow-Origin value * key Content-Type value application/json; charset=utf-8 key Content-Length value 21 key ETag value W/"15-ILC9cpdmlhVy0xs+4WkB6XZVLV0" key Date value Mon, 13 Jun 2022 17:51:12 GMT key Connection value keep-alive key Keep-Alive value timeout=5 cookie		jsc	on							
1 key Access-Control-Allow-Origin value * 2 key Content-Type value application/json; charset=utf-8 3 key Content-Length value 21 4 key ETag value W/"15-ILC9cpdmlhVy0xs+4WkB6XZVLV0" 5 key Date value Mon, 13 Jun 2022 17:51:12 GMT 6 key Connection value keep-alive 7 key Keep-Alive value timeout=5 cookie	neader	0	key	X-Powere	d-	Ву				
value x x x x x x x x x			value	Express						
2 key Content-Type value application/json; charset=utf-8 3 key Content-Length value 21 4 key ETag value W/"15-ILC9cpdmlhVy0xs+4WkB6XZVLV0" 5 key Date value Mon, 13 Jun 2022 17:51:12 GMT 6 key Connection value keep-alive 7 key Keep-Alive value timeout=5 cookie (Empty List)		1	key	Access-Control-Allow-Origin						
value application/json; charset=utf-8 key Content-Length value 21 key ETag value W/"15-ILC9cpdmlhVy0xs+4WkB6XZVLV0" key Date value Mon, 13 Jun 2022 17:51:12 GMT key Connection value keep-alive key Keep-Alive value timeout=5 cookie			value	*						
key Content-Length value 21 key ETag value W/"15-ILC9cpdmlhVy0xs+4WkB6XZVLV0" key Date value Mon, 13 Jun 2022 17:51:12 GMT key Connection value keep-alive key Keep-Alive value timeout=5 cookie		2	key	Content-1	- ур	e				
key Content-Length value 21 4 key ETag value W/"15-ILC9cpdmlhVy0xs+4WkB6XZVLV0" 5 key Date value Mon, 13 Jun 2022 17:51:12 GMT 6 key Connection value keep-alive 7 key Keep-Alive value timeout=5 cookie (Empty List)			value	application/json; charset=utf-8						
value 21 4		3	key	Content-Length						
value W/"15-ILC9cpdmlhVy0xs+4WkB6XZVLV0" key Date value Mon, 13 Jun 2022 17:51:12 GMT key Connection value keep-alive key Keep-Alive value timeout=5 cookie (Empty List)			-	-						
key Date value Mon, 13 Jun 2022 17:51:12 GMT key Connection value keep-alive key Keep-Alive value timeout=5 cookie (Empty List)		4	key	ETag						
value Mon, 13 Jun 2022 17:51:12 GMT key Connection value keep-alive key Keep-Alive value timeout=5 cookie (Empty List)			value							
key Connection value keep-alive key Keep-Alive value timeout=5 cookie (Empty List)		5	key	Date						
value keep-alive 7 key Keep-Alive value timeout=5 cookie (Empty List)			value	Mon, 13 J	un	2022 17:51:12 GMT				
key Keep-Alive value timeout=5 cookie (Empty List)		6	key	Connection	n					
value timeout=5 cookie (Empty List)			value	keep-aliv	е					
value timeout=5 cookie (Empty List)		7	key	Keep-Aliv	e					
			value	timeout=	5					
	cookie	(Er	npty List	t)						
	body				": 3	324 }				
	lorMontanteMes1									

5	name	valorMontan	teMes1							
	request	method	GET							
		header	(Empty List							
		url	raw http://127.0.0.1:3031/month1							
			protocol	http						
			host	0 127						
				1 0						
				2 0						
				3 1						
			port	3031						
			path	0 month1						
		description	This endpoint will grab all the information regarding the 1st month of a partner and make it into a graph							
	response	0 name		example success						

originalRequest	m	ethod	GET						
	he	eader	(Empty List)					
	ur	1	raw protocol		tp://127.0.0.1:3031/month1				
			host	0	127				
					0				
					0				
					1				
			port path		31				
			patii	U	month1				
status	Ok								
code	20								
_postman_previewlanguage header		on							
neader	0	-	X-Powere Express	d-	Ву				
	1	key value		trol-Allow-Origin					
	2	-		Content-Type application/json; charset=utf-8					
	3	key	Content-l	Content-Length					
		value		_					
	4	_	ETag						
	5			154	IzgaiyGK8i5tAt17XVonRad0"				
		key value	Date Mon, 13 J	un	2022 17:53:51 GMT				
	6	key	Connection	on					
		value	keep-aliv	е					
	7	key	Keep-Aliv	е					
		value	timeout=	5					
cookie	(Empty List)								
body	{ '	'SUM(r	nontante)	": 2	295 }				

6	name	valorMontan	teMes2								
	request	method	GET								
		header	(Empty List	:)							
		url	raw	http://127.0.0.1:3031/month2							
			protocol	http							
			host	0 127							
				1 0							
				2 0							
				3 1							
			port	3031							
			path	0 month2							
		description	StartFragment This endpoint will grab all the information regarding the 2nd month of a partner and make it into a graph EndFragment								
٠.				D C/O							

	response	0									
		J	name		-	success					
			originalRequest		ethod						
					eader	(Empty List					
				uı	rl	raw		tp://127.0.0.1:3031/month2			
						protocol					
						host		127			
							1				
							2				
						port		031			
						path	0	month2			
			status	Ok	K						
			code	20	0						
			_postman_previewlanguage		on						
			header	0	key	X-Powered-By					
					value	Express					
					key	Access-Co	ont	trol-Allow-Origin			
					value	*					
					key	Content-1	Τур	e			
					value	application/json; charset=utf-8					
					key	Content-Length					
					value						
				4	key	ETag					
					-	_	ΣT	mfNFJJzF2DbtTZ09WAJBPo"			
				5	key	Date					
							un	2022 17:55:04 GMT			
				6		Connection					
					-	keep-aliv					
				7		-					
					-	Keep-Aliv					
							_				
			cookie	(Empty List) { "SUM(montante)": 29 }							
			body	1	SUM(N	nontante)	1 4	29 }			
7	name	da	dosReserva								

1	name										
	request	method	GET								
		header	(Empty List)								
		url	raw	http://127.0.0.1:3031/hotelReservation							
			protocol http								
			host	0 127							
				1 0							
				2 0							
				3 1							
			port	3031							
			path	0 hotelReservation							

description This endpoint verifies the needed values to show the possible anticipations by the hotel owner shown in the anticipation screen.

rechance							
response	0	name example success					
		originalRequest	m	method GET			
			he	eader	(Empty List)	
			url		raw	http://127.0.0.1:3031/hotelReserva tion	
					protocol	http	
					host	0 127	
						1 0	
						2 0	
						3 1	
					port	3031	
					path	0 hotelReservation	
		status		ок			
		code	200				
		_postman_previewlanguage					
		header	1	key	X-Powere	ed-By	
				value	Express		
				key	Access-C	ontrol-Allow-Origin	
				value	*		
			3	key	Content-Type		
				value	application	on/json; charset=utf-8	
				key	Content-	Length	
				value	610		
				key	ETag		
				value	W/"262-Q	QIHJ1iisutA4RGdIfDQ0IC6gLeY"	
			6	key	Date		
				value	Mon, 13 Jun 2022 17:56:53 GMT		
				key	Connection		
				value	keep-aliv	e	
				key	Keep-Aliv	re	
				-	timeout=		
		cookie	(En	(Empty List)			
		body				', "code": 1, "data_checkout":	
			"01/02/2022", "valor": 100 }, { "nome": "Inteli", "code": 8, "data_checkout": "21/03/2022", "valor": 121 }, { "nome": "Recanto", "code": 2, "data_checkout": "03/03/2022", "valor": 234 }, { "nome": "Pousada Central Estudantil", "code": 3, "data_checkout": "02/03/2022", "valor": 392 }, { "nome": "Pousada Bela Vista", "code": 4, "data_checkout": "23/02/2022", "valor": 134 }, { "nome": "Pousada Mar Verde", "code": 5, "data_checkout": "07/03/2022", "valor": 197 }, { "nome": "Pousada Chale da Tia", "code": 6, "data_checkout": "17/03/2022", "valor": 300 }, { "nome": "Montes Verdes", "code": 7, "data_checkout": "12/04/2022", "valor": 249 }]				