Name: Paul Aljon B. Locsin

Basic git commands:

1. init - Create an empty Git repository or reinitialize an existing one
2. status – show the working tree status
3. add – add a file to be commited to the repository
4. commit – record changes to the repository
5. log – show commit logs present
6. diff – show changes/differences between commits, commit and working tree, etc.
7. Restore – restore working tree files
8. branch – list, create, or delete branches
9. checkout/switch – switch between branches.
10. merge – join two or more development histories together
11. tag – create, list, delete, or verify a tag object signed with GPG
12. clone – copy/duplicate a repository to a new directory

Reference – Git help command (v2.50.0.windows.1)

Basic Linux commands:

1. ls (list) – display all contents inside a given directory
2. cp (copy) – copy a file to another/same directory
3. rm (remove) – remove/delete a file from a directory
4. rmdir (remove directory) – remove/delete a directory, ensure that the directory is empty first
5. touch – create a new file
6. echo – display an input text in the command line
7. cat (concatenate) – outputs file contents, or links multiple files together
8. mkdir (make directory) – create a new, empty directory
9. mv (move) – move a file to another directory, or rename a file to a new name
10. pwd – present the current working directory of the terminal

Reference – git bash command line help (v2.50.0.windows.1)

The three-tree architecture – a fundamental version control framework that manages files and its history across three distinct zones. It ensure granular control over the changes written in all files/projects

1. Working Directory – the actual file location in the device's storage area.
2. Staging Area – a hidden binary file that serves as preparation zones between the workspace and its history
3. Repository – the permanent Git database that safely stores all project history as immutable cryptographic snapshots