Build diff

FirmwareSight 0.6.0 · `urn:firmwaresight:schema:diff:1` schema version 1

Builds compared


Base (old)

Artifact	firmware.elf
SHA-256	`3f615b6247179d930f59b76dcdbaea1a5eca8c835ab6d410feb20a062f33f21f`
Size	16820 bytes
Snapshot	`snap-3f615b6247179d930f59b76dcdbaea1a5eca8c835ab6d410feb20a062f33f21f-p0-normalize-1`
Layout	none · ElfAddressAndFlags
MAP	no MAP stored for this build

Target (new)

Artifact	firmware.elf
SHA-256	`4b4087e1407ceddcb1e1cfcd978eedbc8906cf88083ba3b4672c7c225ddd8374`
Size	17464 bytes
Snapshot	`snap-4b4087e1407ceddcb1e1cfcd978eedbc8906cf88083ba3b4672c7c225ddd8374-p0-normalize-1`
Layout	none · ElfAddressAndFlags
MAP	no MAP stored for this build

Compare visual overview



Changed symbols 5. Added 38. Removed 33. Ambiguous 67.
Core symbol ranking is not FLASH/RAM attribution. Unknown is not zero.
Core comparability: exact. A -> B; delta = B minus A.

Visual summary only. Detailed evidence follows. Browser Print / Save as PDF; native PDF export is unavailable.

Memory totals

Comparability: exact — the weaker side caps both budgets.
Delta = target − base. A dash is an absence, not a zero.

Budget	Base	Target	Delta	Reading
Nonvolatile / load image	256	376	+120	exact on both sides
Runtime RAM	8	76	+68	exact on both sides

Base side: nonvolatile 256 bytes (exact) · runtime RAM 8 bytes (exact)
Target side: nonvolatile 376 bytes (exact) · runtime RAM 76 bytes (exact)

Read this before the tables

- `MAP-EVIDENCE` — memory change is based on weaker layout evidence for one or both snapshots: neither build has a stored GNU ld MAP, so the weaker side is charged from ELF section address and flags rather than from a linker region table
- `SYMBOL-AMBIGUOUS` — 67 symbol row(s) repeat a name, kind and binding combination on one or both sides and were left unpaired; a row position is not an identity

What moved

Sections: 1 added, 1 removed, 16 changed, 0 left unpaired because the name repeats. Symbols: 38 added, 33 removed, 5 changed, 67 left unpaired because the key repeats.
Found identical and left out of the tables: 2 section(s), 9 symbol(s).

Section changes

Every changed row, not a truncated top list.

Change	Section	Base size	Target size	Delta	Fields	Where to check
~ Changed	.ARM.attributes	46	46	0	differs: file_offset	base row 15 / target row 15
~ Changed	.bss	0	0	0	differs: memory_size	base row 5 / target row 5
− Removed	.calib	32	—	—	no recorded field differs	base row 6
~ Changed	.comment	70	70	0	differs: file_offset	base row 14 / target row 14
~ Changed	.debug_abbrev	470	518	+48	differs: file_offset, file_size, memory_size	base row 8 / target row 8
~ Changed	.debug_aranges	72	72	0	differs: file_offset	base row 10 / target row 10
~ Changed	.debug_frame	156	180	+24	differs: file_offset, file_size, memory_size	base row 16 / target row 16

Change	Section	Base size	Target size	Delta	Fields	Where to check
~ Changed	.debug_info	798	910	+112	differs: file_offset, file_size, memory_size	base row 7 / target row 7
~ Changed	.debug_line	314	421	+107	differs: file_offset, file_size, memory_size	base row 12 / target row 12
~ Changed	.debug_loclists	193	414	+221	differs: file_offset, file_size, memory_size	base row 9 / target row 9
~ Changed	.debug_rnglists	25	25	0	differs: file_offset	base row 11 / target row 11
~ Changed	.debug_str	350	389	+39	differs: file_offset, file_size, memory_size	base row 13 / target row 13
+ Added	.ota	—	64	—	no recorded field differs	target row 6
~ Changed	.rodata	32	32	0	differs: virtual_address, file_offset	base row 2 / target row 2
~ Changed	.shstrtab	203	201	-2	differs: file_offset, file_size, memory_size	base row 19 / target row 19

Change	Section	Base size	Target size	Delta	Fields	Where to check
~ Changed	.strtab	163	200	+37	differs: file_offset, file_size, memory_size	base row 18 / target row 18
~ Changed	.symtab	768	848	+80	differs: file_offset, file_size, memory_size	base row 17 / target row 17
~ Changed	.text	124	212	+88	differs: file_size, memory_size	base row 1 / target row 1

Symbol changes

Every changed row. Growth ranking never replaces this list.

Change	Symbol	Base size	Target size	Delta	Fields	Where to check
+ Added	$d (name repeats on one or both sides)	–	–	–	no recorded field differs	target row 18
+ Added	$d (name repeats on one or both sides)	–	–	–	no recorded field differs	target row 20
+ Added	$d (name repeats on one or both sides)	–	–	–	no recorded field differs	target row 22
+ Added	$d (name repeats on one or both sides)	–	–	–	no recorded field differs	target row 23

Change	Symbol	Base size	Target size	Delta	Fields	Where to check
+ Added	`$d (name repeats on one or both sides)`	—	—	—	no recorded field differs	target row 24
+ Added	`$d (name repeats on one or both sides)`	—	—	—	no recorded field differs	target row 25
+ Added	`$d (name repeats on one or both sides)`	—	—	—	no recorded field differs	target row 28
+ Added	`$d (name repeats on one or both sides)`	—	—	—	no recorded field differs	target row 30
+ Added	`$d (name repeats on one or both sides)`	—	—	—	no recorded field differs	target row 32
+ Added	`$d (name repeats on one or both sides)`	—	—	—	no recorded field differs	target row 34
+ Added	`$d (name repeats on one or both sides)`	—	—	—	no recorded field differs	target row 35
+ Added	`$d (name repeats on one or both sides)`	—	—	—	no recorded field differs	target row 36

Change	Symbol	Base size	Target size	Delta	Fields	Where to check
− Removed	`$d (name repeats on one or both sides)`	—	—	—	no recorded field differs	base row 18
− Removed	`$d (name repeats on one or both sides)`	—	—	—	no recorded field differs	base row 20
− Removed	`$d (name repeats on one or both sides)`	—	—	—	no recorded field differs	base row 22
− Removed	`$d (name repeats on one or both sides)`	—	—	—	no recorded field differs	base row 23
− Removed	`$d (name repeats on one or both sides)`	—	—	—	no recorded field differs	base row 24
− Removed	`$d (name repeats on one or both sides)`	—	—	—	no recorded field differs	base row 25
− Removed	`$d (name repeats on one or both sides)`	—	—	—	no recorded field differs	base row 28
− Removed	`$d (name repeats on one or both sides)`	—	—	—	no recorded field differs	base row 30

Change	Symbol	Base size	Target size	Delta	Fields	Where to check
− Removed	`$d (name repeats on one or both sides)`	—	—	—	no recorded field differs	base row 32
− Removed	`$d (name repeats on one or both sides)`	—	—	—	no recorded field differs	base row 33
+ Added	`$t (name repeats on one or both sides)`	—	—	—	no recorded field differs	target row 17
+ Added	`$t (name repeats on one or both sides)`	—	—	—	no recorded field differs	target row 19
+ Added	`$t (name repeats on one or both sides)`	—	—	—	no recorded field differs	target row 21
+ Added	`$t (name repeats on one or both sides)`	—	—	—	no recorded field differs	target row 27
+ Added	`$t (name repeats on one or both sides)`	—	—	—	no recorded field differs	target row 29
+ Added	`$t (name repeats on one or both sides)`	—	—	—	no recorded field differs	target row 31

Change	Symbol	Base size	Target size	Delta	Fields	Where to check
+ Added	`$t (name repeats on one or both sides)`	—	—	—	no recorded field differs	target row 33
− Removed	`$t (name repeats on one or both sides)`	—	—	—	no recorded field differs	base row 17
− Removed	`$t (name repeats on one or both sides)`	—	—	—	no recorded field differs	base row 19
− Removed	`$t (name repeats on one or both sides)`	—	—	—	no recorded field differs	base row 21
− Removed	`$t (name repeats on one or both sides)`	—	—	—	no recorded field differs	base row 27
− Removed	`$t (name repeats on one or both sides)`	—	—	—	no recorded field differs	base row 29
− Removed	`$t (name repeats on one or both sides)`	—	—	—	no recorded field differs	base row 31
− Removed	`calib`	32	—	—	no recorded field differs	base row 34

Change	Symbol	Base size	Target size	Delta	Fields	Where to check
~ Changed	calib_apply	16	2	-14	differs: size	base row 39 / target row 43
~ Changed	cfg_table	32	32	0	differs: address	base row 43 / target row 48
+ Added	g_frame_counter	—	4	—	no recorded field differs	target row 45
~ Changed	mqtt_task	4	46	+42	differs: address, size	base row 38 / target row 41
+ Added	packet_router	—	44	—	no recorded field differs	target row 42
~ Changed	payload_extra	4	20	+16	differs: address, size	base row 42 / target row 47
+ Added	staging_area	—	64	—	no recorded field differs	target row 37
~ Changed	tls_handshake	16	16	0	differs: address	base row 35 / target row 38
+ Added	unnamed symbol 0 (name repeats on one or both sides)	—	—	—	no recorded field differs	target row 0

Change	Symbol	Base size	Target size	Delta	Fields	Where to check
− Removed	unnamed symbol 0 (name repeats on one or both sides)	—	—	—	no recorded field differs	base row 0
+ Added	unnamed symbol 1 (name repeats on one or both sides)	—	—	—	no recorded field differs	target row 1
− Removed	unnamed symbol 1 (name repeats on one or both sides)	—	—	—	no recorded field differs	base row 1
+ Added	unnamed symbol 10 (name repeats on one or both sides)	—	—	—	no recorded field differs	target row 10
− Removed	unnamed symbol 10 (name repeats on one or both sides)	—	—	—	no recorded field differs	base row 10
+ Added	unnamed symbol 11 (name repeats on one or both sides)	—	—	—	no recorded field differs	target row 11

Change	Symbol	Base size	Target size	Delta	Fields	Where to check
− Removed	unnamed symbol 11 (name repeats on one or both sides)	—	—	—	no recorded field differs	base row 11
+ Added	unnamed symbol 12 (name repeats on one or both sides)	—	—	—	no recorded field differs	target row 12
− Removed	unnamed symbol 12 (name repeats on one or both sides)	—	—	—	no recorded field differs	base row 12
+ Added	unnamed symbol 13 (name repeats on one or both sides)	—	—	—	no recorded field differs	target row 13
− Removed	unnamed symbol 13 (name repeats on one or both sides)	—	—	—	no recorded field differs	base row 13
+ Added	unnamed symbol 14 (name repeats on one or both sides)	—	—	—	no recorded field differs	target row 14

Change	Symbol	Base size	Target size	Delta	Fields	Where to check
− Removed	unnamed symbol 14 (name repeats on one or both sides)	—	—	—	no recorded field differs	base row 14
+ Added	unnamed symbol 15 (name repeats on one or both sides)	—	—	—	no recorded field differs	target row 15
− Removed	unnamed symbol 15 (name repeats on one or both sides)	—	—	—	no recorded field differs	base row 15
+ Added	unnamed symbol 2 (name repeats on one or both sides)	—	—	—	no recorded field differs	target row 2
− Removed	unnamed symbol 2 (name repeats on one or both sides)	—	—	—	no recorded field differs	base row 2
+ Added	unnamed symbol 3 (name repeats on one or both sides)	—	—	—	no recorded field differs	target row 3

Change	Symbol	Base size	Target size	Delta	Fields	Where to check
− Removed	unnamed symbol 3 (name repeats on one or both sides)	—	—	—	no recorded field differs	base row 3
+ Added	unnamed symbol 4 (name repeats on one or both sides)	—	—	—	no recorded field differs	target row 4
− Removed	unnamed symbol 4 (name repeats on one or both sides)	—	—	—	no recorded field differs	base row 4
+ Added	unnamed symbol 5 (name repeats on one or both sides)	—	—	—	no recorded field differs	target row 5
− Removed	unnamed symbol 5 (name repeats on one or both sides)	—	—	—	no recorded field differs	base row 5
+ Added	unnamed symbol 6 (name repeats on one or both sides)	—	—	—	no recorded field differs	target row 6

Change	Symbol	Base size	Target size	Delta	Fields	Where to check
− Removed	unnamed symbol 6 (name repeats on one or both sides)	—	—	—	no recorded field differs	base row 6
+ Added	unnamed symbol 7 (name repeats on one or both sides)	—	—	—	no recorded field differs	target row 7
− Removed	unnamed symbol 7 (name repeats on one or both sides)	—	—	—	no recorded field differs	base row 7
+ Added	unnamed symbol 8 (name repeats on one or both sides)	—	—	—	no recorded field differs	target row 8
− Removed	unnamed symbol 8 (name repeats on one or both sides)	—	—	—	no recorded field differs	base row 8
+ Added	unnamed symbol 9 (name repeats on one or both sides)	—	—	—	no recorded field differs	target row 9

Change	Symbol	Base size	Target size	Delta	Fields	Where to check
− Removed	unnamed symbol 9 (name repeats on one or both sides)	—	—	—	no recorded field differs	base row 9

Object and module changes

Not claimable here: the persisted symbol and section records carry no object-file or module attribution, so no object or module delta is claimable for either build

Deterministic export: no timestamp, no scripts, no network requests. FirmwareSight 0.6.0.