# 2026 PRICE LIST

DEDAR

MILANO

# 2026 PRICE LIST

customerservice@dedar.com

# INDEX


PRODUCT INFORMATION 6

GENERAL TERMS AND SALES CONDITIONS 10

**JANUARY 2026 COLLECTION 15**

**CORE COLLECTION 23**

**VERSI LIBERI 77**

## IMPORTANT

The following conditions annul and replace any previous information issued regarding prices, discounts and sales conditions.

It's recommended to take knowledge of the following information and conditions which are understood to be fully accepted by the purchaser with the transfer of the order to the seller.

## PRODUCT INFORMATION

### COMPOSITION

| | | | | | |
|---|---|---|---|---|---|
| AB | Abaca | LI | Linen | RA | Ramie |
| AF | Other fibers | LY | Lycra | RY | Rayon |
| CA | Acetate | MTF | Metal fibre | SE | Silk |
| CE | Cellulose | PVC | Polyvinyl chloride | TNT | Non-woven |
| CMD | Modal | PA | Polyamide / Nylon | WM | Wool Mohair |
| CO | Cotton | PAN | Acrylic | WO | Wool |
| CU | Cupro | PES | Polyester | WP | Alpaca |
| CV | Viscose | PM | Metallic Polyester | WS | Cashmere wool |
| EA | Elastane | PN | Retractable Polyester Fibre | WV | Virgin wool |
| HA | Hemp | PP | Polypropylene fibre | | |
| JU | Juta | PU | Polyurethane | | |

In the case of velvet fabrics, the composition of the pile is indicated in brackets.

### USE OF FABRICS FOR UPHOLSTERY APPLICATIONS ON SOFAS AND SEATING

Unclassified fabrics as per the legend below are intended for decoration purposes. Some of these may however also be used for upholstery if judged suitable by the upholsterer and final customer.

Please bear in mind that these recommendations are to be considered as purely indicative and, as such, may not be considered the object of any claim. Fabric life is greatly influenced by the following factors: the type of filling; the quality of workmanship; intensity of use; adequate after-care. Therefore, we advise to apply professional expertise and experience of the buyer, alongside that of the upholsterer, in following our indications, while taking into account the requirements of the final customer.

Upholstery fabric suitable for light domestic use.

Upholstery fabric suitable for intense domestic use.

Upholstery fabric suitable for normal domestic use.

### CARE INSTRUCTIONS

Machine wash at a maximum temperature of 30°C with special care: drum half full; short gentle spin.

Hand wash. Dissolve detergent thoroughly in hand-hot water (30°C). Special care should be taken (do not rub, pull, stretch or wring out). Hang up to dry immediately.

Customers are advised to wash the fabric according to care instructions before having it made up. Delicate hand-washing detergents are recommended for water washable fabrics. Do not use softeners. Do not tumble dry. The fabric may be washed in a net bag to avoid possible damage.

- Do not wash
- Do not chlorinate
- Do not spin
- Do not tumble dry
- Hang to dry
- Do not iron
- Cool iron
- Warm iron
- Hot iron
- Iron on reverse side
- Iron with protective cloth
- Iron on reverse side with protective cloth
- Iron without using steam
- Iron on reverse side without using steam
- Iron on reverse side with protective cloth without using steam
- Press with steam, holding iron away from fabric
- Dry clean using perchloroethylene and trichloroethyline, without adding water; reduced mechanical action and low temperatures required
- Do not dry clean
- Surface clean using a damp sponge and mild detergent
- Machine wash professionally

## ADDITIONAL SYMBOLS

- Fire-retardant fabric. Certifications vary according to the Country. For further information please contact the agent or customer service
- * Article due to be discontinued. We recommend inquiring into availability before accepting customers' orders
- Order by repeat
- Order by half repeat
- CE This wallpaper is in conformity with requirement N° 2 of the harmonized European Norm EN 15102:2007 with Class C s2 d0
- WR Water repellent
- Direction of selvedge indicated by arrow
- Arrow next to repeat indicates whether repeat is vertical or horizontal
- Double seam reinforced with seam-tape required on reverse side
- Since handcrafted techniques are used in the manufacturing of this fabric, it may present irregularities in its colour and weave
- CFA Impossible to supply a CFA (cutting for approval)
- Dropped repeat
- All fabric 100% PES TREVIRA CS and 100% PES FR have obtained IMO-MED certification
- Article for outdoor use
- During washing, the use of a delicates bag is recommended
- Lining is recommended
- The use of a fabric conditioner is recommended when washing
- Before making up panel or Roman blinds, the fabric weave must be straightened
- Only at time of hanging it is possible to dab with a damp cloth, drying immediately afterwards
- Washable: it is possible to dab with a damp cloth, drying immediately afterwards
- Excellent washability: it is possible to dab with a damp cloth and a neutral soap solution in case of stubborn stains, drying immediately afterwards
- Transpirant
- Light resistant
- Do not expose to direct sunlight
- Aligned repeat
- Dropped repeat
- No need to align repeat
- Strippable – leaves no residual traces on the wall
- Apply paste directly to wall

## GENERAL INFORMATION

### – VARIATIONS IN COLOUR

For technical reasons it is impossible to guarantee a perfect colour match between samples and stocked articles, or between different fabric lots and coordinated articles. Whenever a perfect match is required, it is recommended to ask for a stock cutting before confirming an order. It will not be possible to supply a stock sample for wallpapers and for some other items listed in the price list.

### – VARIATIONS IN WIDTH

From one fabric lot to another, width measurement and repeat may differ slightly from those indicated in our price lists and on our samples. Any such fluctuation, if within a limit of 3%, will not be considered a valid cause for a claim. It is advised to specify the number of repeats required whenever there is a close relationship between the meters ordered and the fabric repeat. Concerning printed, embroidered or flocked fabrics, the width shown on our price list refers to that of the print (useable width) and not that of the fabric ground which can vary without giving rise to disputes.

### – DIMENSIONAL STABILITY

In the course of their use, fabrics may be subject to dimensional variations due to environmental factors (moisture, light exposure etc.), or to cleaning (water washing or dry cleaning, drying, ironing). It is impossible to give precise information with regards to the extent of such variations, in view of the enormous number of different fabric compositions, weaving techniques, applications and after-care operations.

The following values are merely indicative:

| | |
|---|---|
| synthetic fabrics | 1–2% |
| silk | 1–3% |
| wool | 1–3% |
| cotton | 1–4% |
| viscose | 3–5% |
| hemp | 5–7% |
| linen | 5–7% |

With regards to moiré fabrics, dimensional variations of up to 5% can be considered normal.
Within these limits no claim can be acknowledged. It is advised to bear these indications and margins in mind when calculating the measurements of finished curtains and hems, in order to avoid subsequent claims. For water washable fabrics please see the dedicated paragraph "Care Instructions".

### – COLOUR FASTNESS

Dedar's fabrics, trimmings and wallpapers are produced according to state-of-the-art manufacturing techniques which fully comply with requirements of light-fastness as well as current environmental and health regulations. However, fading may occur in particular atmospheric conditions or in the case of excessive exposure to sunlight or halogen lamps. A slight loss of colour may be caused by rubbing in the case of dark-coloured fabrics. Lining is recommended, particularly when making up silk fabrics intended for exposure to direct sunlight.

### – PATTERN REPEATS

Variations on fabric pattern repeats may occur.
While estimating the pattern repeats and before upholstering, it is recommended to be sure that repeats and alignments are commensurate to the expected output. Since it is technically impossible to guarantee a perfect horizontal alignment in fabrics with a pattern repeat, it is recommended to take this into account when making up blinds and panels or in wall covering applications.

### – VELVET AND CHENILLE FABRICS

When used for seating upholstery, the pile of velvet or chenille fabrics tends to flatten slightly, causing the finish to reflect the light differently and produce a so-called "shading" effect. This is a typical characteristic of such fabrics and does not depend on any manufacturing defect, neither can it be considered the object of any claim. Particular care should be taken in storing velvet fabrics, making sure these are hung and kept in a horizontal position.

### – REVERSIBLE FABRICS

It is entirely up to the customer to indicate the right side to the upholsterer on having reversible fabrics made up.

### – FABRIC USED AS WALL COVERING

It is recommended that the fabric be stretched in the direction of the warp. Particularly in the case of natural fibers such as cotton and linen, if the fabric is not sufficiently smoothed out in the direction of the warp, it may in fact swell up in certain weather conditions. Any responsibility will be declined in the event of swelling or creases in the fabric caused by negligence in following the above instructions.

## – EXTRA-WIDE FABRICS 300 - 330 CM

### SPECIFIC INFORMATION

Most extra-wide fabrics may be used in either direction. It is recommended to check the direction required beforehand and calculate the resulting meters needed for the project, bearing in mind the pattern direction and repeat.

### STANDARD SHIPPING

Apart from rare occasions, in which the customer is warned beforehand, for shipping purposes the fabric is folded in layers to prevent permanent creases forming at the centre of the fabric length. This procedure has been specially devised for each individual fabric type in order to reduce the risk of damage to an absolute minimum.

### ON REQUEST SHIPPING

For fabric lengths exceeding 10 m and for some destinations, it is possible to ship the fabric rolled on full-width bales. Such solution, however, entails higher transport costs and longer delivery times.

### EXTRA-WIDE STRIPES

For technical reasons, extra-wide stripes tend to curve at the centre. This effect is due to yarn tension and cannot be avoided. It is recommended the maximum caution, therefore, when making up Roman blinds or curtain panels.

## – SPECIALLY TREATED FABRICS

### FIRE-RETARDANT FABRICS AND CONTRACT COLLECTIONS

Indications are given in our price lists of the following fabrics and wallpapers:

- Permanently fire retardant fabrics.
- Permanently fire retardant wallpapers.

On request, it is possible to effect fire retardancy and non-soil treatments on most of our fabrics. The company cannot accept any liability with regards to the result of any such treatment or for any alteration in the fabric hand and appearance once the fabric has been treated, which must be considered quite normal. Please contact the Dedar commercial offices (contract@dedar.com) for further information on fire retardancy treatments and the development of special products.

## – WALLPAPERS

### INFORMATION AND HINTS

Dedar's wallpaper collections have an excellent chromatic rendering and offer a pleasing tactile sensation. Complete hanging instructions are given on the back of the label inside the wallpaper roll. Before using the wallpaper, make sure the rolls bear the same colour batch or serial number and that the decorator reads the attached instructions. The company declines all liability for any defects that are visible before hanging, and in any case, will not accept claims once more than one roll of paper is hung.

Patterns are printed on three different types of substrate:

#### 100% NON-WOVEN

The use and application of these wallpapers present numerous advantages: they are easy to hang – just paste the wall and not the paper; they are easy to strip off and leave no residual traces on the wall; they are spongeable, light resistant and fire retardant – therefore highly suited to residential and contract use; they also "breathe" – thus preventing the formation of mould and damp.

#### 90% NON-WOVEN + 10% PAPER

Our special gold and silver effects have been achieved thanks to this composite quality. This quality has the same technical characteristics as 100% non-woven wallpaper but requires a slightly different hanging method: when using this quality, it's suggested to paste the back of the paper instead of the walls.

#### VINYL ON NON-WOVEN

The use and application of these wallpapers present numerous advantages: they are easy to hang – just paste the wall and not the paper; they are easy to strip off and leave no residual traces on the wall; they are spongeable, light resistant and fire-retardant – and therefore ideal for residential and contract applications. They are in conformity with requirements of the harmonized European Norm EN 1 5 102 : 2 0 07 with Class C s2 d0.

We recommend using a professional grade, ready mixed paste such as Bartoline Extra Strong Professional wallcovering adhesive.

## GENERAL TERMS AND SALES CONDITIONS

All prices indicated in our price list exclude VAT.

## ORDERS

The customer undertakes to confirm all orders in writing to Dedar. The order can be sent indicating the item and color code. Any request for delivery date will be subject to confirmation of the order.

To be accepted, the order must be at least:

### FABRICS

1 meter, or 1 repeat for those fabrics ordered by repeat. When ordering meters of fabric strictly related to the repeat, it is necessary to state the number of repeats required.

### TRIMMINGS

1 meter, or 1 unit in the case of tie-backs.

### WALLPAPER

1 roll (when it is sold by roll) or 1 meter (when it is sold by meter).

Standard order reservations, that is, without a counter sample, are valid for a maximum of 10 working days. Reserved orders will be released automatically at the end of the validity period.

The acceptance of orders by Dedar can be considered definitive only after written confirmation from Dedar to the customer within a period of 5 working days from the receipt of the order.

All articles included in our price list are normally available from stock. In the event of any fabric not being immediately available, the customer will be informed by means of an order confirmation with the relative lead-time and estimated shipping date (ex-works). Such a date is to be considered indicative and unbinding. Dedar reserves the right, at its discretion, to refuse and therefore not to execute the orders of the buyers. It's also reserved the right not to provide a reference indicated on Dedar's price lists, without the possibility of a complaint. All articles and colours marked with an asterisk are gradually being phased out. It is possible however that the occasional article may be phased out in the course of the year, even though it is not marked with an asterisk. Should this occur, the customer will be immediately informed on receipt of the order.

For bespoke productions (such as special items or made-to-order quantities), a production tolerance of ±5% applies between the quantity ordered and the actual meters produced, in line with textile industry standards. Customers are advised to take this tolerance into account when placing their orders, as any additional meters produced within this tolerance will in any case have to be accepted and collected by the customer.

Any changes to the order — such as, but not limited to, changes to quantities, patterns, or the final use of the products — must be communicated within 4 hours of the order being submitted. Such changes will only be accepted if the order has not yet been cut and/or dispatched.

Once dedicated production has commenced or the goods have been shipped, the order shall become irrevocable, and no cancellation or modification will be permitted. All details must therefore be verified with utmost care prior to final confirmation.

## COMPLIANCE OF DELIVERED GOODS

In the event of any unavoidable technical defect being found in the product supplied, it will be considered over and above the ordered meters and it will be offset by a small allowance in goods. Dedar must be informed in writing by the client about eventual hidden defects as soon as they appear. Variations in the texture, hand or colour of the delivered goods, compared with the sample: the margins of tolerance normally considered acceptable differ according to the material or manufacturing techniques in question. In particular, velvet, chenille and hand-woven fabrics are allowed greater tolerances.

## GENERAL COMPLIANCE WARRANTIES

It is very important to recommend that the end users carefully follow the after-care instructions. No claims will be accepted for any problems arising from inappropriate cleaning operations.

The trade customer is the sole judge regarding the appropriate use to be made of a product, and the sole party responsible for the consequences deriving from any such use. It is quite normal for fabrics to undergo variations in size, which depend on climatic and environmental factors or the composition of the fabric itself. Variations of repeats and widths in the range of 3% are to be considered acceptable. In the same way, it is impossible to avoid a loss of colour in dark or deeply coloured fabric, due to the rubbing of its fibres. Such variations may not be subject of claims. Please see the "General Information" paragraph to verify all these indications.

## CLAIMS AND RETURNED GOODS

Upon receipt of the goods, customers are strongly advised to carefully check the state of the packaging. Should the packaging appear to be damaged, any damages must be detailed on the delivery note and countersigned by the driver. Upon receipt, it is strongly recommended to carefully inspect the goods with regard to colour, quantity and possible defects. Any discrepancy must be reported within 8 days of delivery, complemented by photographic material. If the customer requests delivery to an address different from their own (for example, to an upholsterer or any other location), the customer is responsible for checking — or having checked on their behalf — that the article, colour and quantity match the order. No claims will be accepted for any article that has already been cut, sewn or made up.

In the case Dedar requires the claimed goods to be returned in order to carry out the necessary inspections, any credit will be issued only after verification of the returned product. Dedar's responsibility will be limited to the value of the returned quantities and be in no way extended to cover the cost of making up or transforming the goods in question.

Requests to return goods for reasons other than Dedar's proven responsibility (e.g. quantities ordered in excess and not used, wrong items ordered by the customer, requests to change colour or item, etc.) will not be accepted.

If, under exceptional circumstances, the return is authorized by Dedar, goods should be shipped at expense of the customer (including transport costs and customs charges), perfectly packaged, intact and complete with relative control stamps, and sent back within ten working days from the approval given by Dedar in writing. Any return of goods shipped at Dedar's expense will be rejected.

In no event will returns be accepted for fabric/wallcovering lengths measuring less than 5 m. For trimmings, returned goods will not be accepted unless they consist of complete rolls or pieces. Regarding the wallpapers, the return of partial orders will not be accepted and, in any case, such returns may not be of a quantity less than 3 rolls, perfectly intact in their original packaging.

Orders of items manufactured upon Customer request, as well as orders of "on demand" items, are non-returnable under any circumstances.

Due to handling costs, reconditioning fees and losses from cutting, the credit will be subject to a 20% reduction.

Delivery must take place at the following address, unless otherwise specified by Dedar:

DEDAR Spa — Via della Resistenza 3, 22070 Appiano Gentile — Como

For tax reasons, Dedar does not accept returns of goods supplied free of charge.

## RIGHT OF OWNERSHIP

The goods will remain the property of Dedar, until their payment has been completely settled by the purchaser. Goods supplied on loan (samples or fabrics) remain property of Dedar and must be returned free at destination within 4 weeks and in perfect condition. Otherwise these items will be regularly invoiced to the customer and there will be no possibility of issuing a subsequent credit note.

## INTELLECTUAL PROPERTY RIGHTS

The customer acknowledges and agrees that the seller is and always will be, at any time, the sole and exclusive owner of all intellectual and industrial property rights of any kind and nature covering purchased products, products received for evaluation or customized goods as well as on any creative processes effected by the seller to satisfy a specific customer request, even in the event of the purchase not being completed. The customer undertakes not to dispute the seller's ownership and entitlement to intellectual property rights on products which are purchased or received for evaluation and/or on creative processes effected by the seller to satisfy a specific customer request, and not to register any form of ownership right with regard to such products. The parties agree that the provisions of this clause shall be valid and effective both in the event of the goods being purchased (whether in the standard version presented in the product catalogue or fruit of any special request for customization) and in the event of the purchase not being completed.

## INDUSTRIAL COPYRIGHTS

Any use whatsoever (press, public and private TV channels, Internet, cinema, brochures, yellow pages, letter headed paper, electronic or any other form of data collection) of the Industrial and Intellectual Copyrights belonging to Dedar is forbidden without the prior written approval of the latter. Dedar reserves the right to refuse orders for articles not already supplied to the customer in the form of samples.

## ONLINE PRODUCT SALES

Any customer wishing to sell Dedar products online must ensure that:

- the website used by the customer, the images and texts it contains, and any other products advertised on it do not harm the image and reputation of Dedar in any way;
- the use of images owned by Dedar, images that reproduce Dedar products or which refer to the Company in any way, have been expressly authorized in writing by Dedar;
- the images owned by Dedar are used to integrate the customer's own marketing material and not to create a product image archive for use on the website; the link or hyperlink to the Dedar website is clearly visible and has not been omitted. This link shall be the only one authorized by Dedar;
- the prices applied to the products by the seller may not be manifestly indicated as reduced or discounted prices.

In any case, the Customer must give prior notice to Dedar in writing and must allow Dedar a sufficient period of time to approve the way in which Dedar is represented on the website (with reference to text, images, links, logos etc.) no matter whether the website is a new one or a pre-existing website that has been integrated and/or modified.

We reserve the right to refuse orders for articles not already supplied to the customer in the form of samples.

## CHANGES IN CUSTOMER LOCATION

In the event the customer would change the address of his/her store, he/she will have to ask Dedar for confirmation about the possibility of continuing to offer purchased samples in the new store, allowing Dedar to evaluate the coexistence with the distribution already existing in the area.

## PAYMENT TERMS

BANCA INTESA SANPAOLO

IBAN CODE: IT 91 I 03069 50870 625023791912

BIC CODE: BCITITMM

Payment terms and any applicable credit limit are established following a financial assessment. In the event the credit limit is exceeded, Dedar reserves the right to revise the payment terms and require advance payment.
Please contact Dedar's Customer Service for further details.

Any collection costs may be charged according to the rules in force at the banking institutions. Discounts applied during payment will not be accepted if not previously agreed with Dedar.

For any special supplies, an advance payment will be requested upon confirmation of the order.

An advance payment of 50% may be required for all orders whose value exceeds €2.500.

For all new customers the conditions of supply are in advance payment.

## PAYMENT DELAYS

Late payments will suspend the shipment of any order in progress, even if already confirmed, which will only be processed once the payment will be made.

## PENALTIES FOR PAYMENT DELAYS

Failure to comply with any of the due dates arising from the aforementioned provisions shall, automatically and without official notice, lead to the application of late payment interest at the legal rate of interest from the day after the due date of the outstanding sums, until full payment; partial payments will be allocated first to interest payments.

## PENALTIES FOR LEGAL DISPUTES

In the event of legal disputes, the total amount of the sums to pay will be increased by 20% for legal costs and legal interests.

## OTHER CONSEQUENCES

These instructions do not preclude the possibility that Dedar imposes advance payment for all shipments following to the first non-payment. Furthermore, if a single payment is not honored at maturity, the other invoices for Dedar will become immediately payable, regardless of the payment methods used by the Customer.

## DELIVERY TERMS

Transaction regulated by Incoterm 2020 conditions.
Shipments are made by courier agreement, according to standard packaging used by Dedar.
Dedar cannot accept any claims for delays caused by forces beyond the company's control or through fault of forwarders.

Transport and insurance charges are not included.

## LEGAL FORUM FOR DISPUTES

These terms and conditions and any matters arising out of them shall be governed by and construed in accordance with the laws of England and Wales. Any dispute arising out of or in connection with these terms and conditions, shall be referred to and finally resolved by arbitration under the London Court of International Arbitration.

# JANUARY 2026 COLLECTION

| Code | Description and available colours | Price | U.M. | Width | Repeat VERTICAL | Repeat HORIZONTAL | Weight | Use | Colours | Composition | Care symbols | Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | € | | cm | cm | cm | g/ml | | | | | |
| 00T2602800 | A ROSE IS<br>col. 1<br>Coord: Salisgrano | **175,00** | m | 137 | ↕ 48 | ↔ 137 | 781 | | 1 | 46%PEST 43%PESF<br>11%PEFR | | |
| 00T2603900 | ADAMANTINE<br>col. 1<br>Coord: Gabor | **140,00** | m | 132 | ↕ 63 | ↔ 66 | 371 | | 1 | 100%SE | | |
| 00T2601200 | ANNODO ARCOBALENI [8]<br>All | **160,00** | m | 133 | ↕ 69 | ↔ 65,5 | 655 | | 4 | 34%CV 30%CO 29%PES<br>7%PAN | | |
| 00T2600400 | ATLAS NOVUS [8, 91, 92]<br>All | **275,00** | m | 138 | | | 1.166 | | 22 | 70%WM 30%CO | | |
| 00T2602600 | BOMARZO [64]<br>All | **192,50** | m | 133 | | | 1.021 | | 3 | 100%CO | | |
| 00T2603300 | CRYSTAL CASTLE<br>All<br>Coord: Guardiagrele, Rhyme | **119,00** | m | 140 | ↕ 4 | ↔ 7,5 | 798 | | 2 | 59%PESF 41%PETR | | |
| 00T2601900 | DARWINISTA [92]<br>All | **144,50** | m | 137 | ↕ 104 | ↔ 68 | 760 | | 7 | 69%CV 27%CO 4%PES | | |
| 00T2600500 | ENTEN-ELLER [89, 90]<br>col. 1 | **89,00** | m | 130 | | | 338 | | 1 | 43%CO 39%LI 18%SE | | |
| 00T2601100 | ENTENTE CORDIALE [27, 71]<br>All | **107,50** | m | 142 | | | 544 | | 29 | 92%CV 8%SE | | |
| 00T2602700 | GOINDOL<br>col. 1<br>Coord: Gabor | **140,00** | m | 128 | ↕ 91 | ↔ 128 | 396 | | 1 | 100%SE | | |
| 00T2604100 | GRAMMELOT<br>All<br>Coord: Aristotele | **185,00** | m | 140 | ↕ 68 | ↔ 70 | 989 | | 3 | 47%CV 20%CO 15%PES<br>14%LI 2%PA 2%WO | | |
| 00T2603200 | GUARDIAGRELE<br>All<br>Coord: Crystal Castle, Rhyme | **110,00** | m | 140 | ↕ 4 | ↔ 7,2 | 537 | | 2 | 79%PESF 21%PETR | | |
| 00T2601800 | HARBORE [8, 64]<br>col. 1 | **147,50** | m | 135 | ↕ 27 | ↔ 7,3 | 1.108 | | 2 | 68%CO 22%PES 4%CV<br>4%AF 2%LI | | |
| 00T2601801 | col. 1 | | | 136 | ↕ 26 | ↔ 19 | 1.197 | | | 58%CO 19%PES 13%CV<br>6%LI 4%AF | | |
| 00T2604200 | HELLO, GOODBYE<br>All<br>Coord: Sparks | **115,00** | m | 136 | | | 896 | | 2 | 43%PES 38%CV 9%LI<br>7%CO 2%PAN 1%AF **WR** | | |
| 00T2600600 | HEY RUSTY [89, 90]<br>col. 1 | **105,00** | m | 134 | | | 397 | | 1 | 55%SE 25%LI 20%CO | | |

8 Overlock before making up.

27 In conditions of elevated humidity, the fabric may undergo dimensional variations of up to 5%; it is therefore advisable to bear this in mind when calculating the amount of fabric needed for each project and to have the fabric dry cleaned professionally before it is made up. It is also recommendable to wait some days before hemming the finished curtains, allowing the fabric enough time to become dimensionally stable. As humidity levels can change significantly from one location to another, it is recommended to carry out the hemming at the final place of use.

64 When used for seating upholstery, a double seam reinforced with seam-tape on reverse side is required.

71 It is advisable to make up the fabric so that it leans on the floor.

89 The precious raw silk yarns of artisanal production are characterized by inevitable colour and texture irregularities, which in some cases may be more evident when the fabric is hung against the light. For this reason, we recommend checking the fabric carefully before cutting and sewing.

90 Lining is recommended.

91 The fine undyed natural yarns create a fabric that may show inevitable color variations, which indicates the uniqueness of this product. In lighter shades, slightly darker threads may be visible.

92 With use and in the course of time and during storage and rolling, velvet pile may crush. To restore its original appearance, it is advisable to vaporize slightly at a distance of 20 cm, and then to brush the fabric.

Fire-retardant fabric. Certifications vary according to the Country. For further information please contact the agent or customer service.

| Code | Description and available colours | Price | U.M. | Width | Repeat VERTICAL | Repeat HORIZONTAL | Weight | Use | Colours | Composition | Care symbols | Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | € | | cm | cm | cm | g/ml | | | | | |
| 00T2600900 | IDLEWILDE [89, 90]<br>col. 1<br>Coord: Idlewilde Wall | **107,50** | m | 134 | | | 238 | | 1 | 100%SE | | |
| 00T2600200 | INVERARAY [8]<br>All | **145,00** | m | 135 | | | 1.078 | | 7 | 39%CV 25%CO 17%LI 16%PES 3%AF | | |
| 00T2600800 | LETNÍ LETNÁ [89, 90]<br>col. 1<br>Coord: Letní Letná Wall | **107,50** | m | 134 | | | 343 | | 1 | 100%SE | | |
| 00T2601500 | LYN [64]<br>All<br>Coord: Lyn Wall | **80,00** | m | 145 | | | 272 | | 2 | 100%PEST | | |
| 00T2602900 | MAPPAMUNDI<br>All<br>Coord: Millais | **152,50** | m | 134 | | | 850 | | 3 | 66%WV 21%LI 13%PA **WR** | | |
| 00T2601300 | MÉTRO BEAUBOURG [8]<br>All | **160,00** | m | 138 | ↕ 53 | ↔ 69 | 1.126 | | 4 | 66%CO 17%PAN 17%PES | | |
| 00T2602200 | MILLICENT [64]<br>All | **95,00** | m | 138 | | | 689 | | 6 | 100%PESF | | |
| 00T2602300 | MOLTO INCLINE<br>col. 1<br>Coord: Twillman | **192,50** | m | 130 | ↕ 47 | ↔ 65 | 994 | | 1 | 69%PESF 17%PEFR 14%PETR | | |
| 00T2600100 | MUSIC<br>All | **115,00** | m | 140 | | | 551 | | 23 | 100%WV | | |
| 00T2600700 | NEVIO [89, 90]<br>col. 1 | **119,50** | m | 134 | | | 658 | | 1 | 100%SE | | |
| 00T2601400 | NISH [64]<br>All<br>Coord: Nish Wall | **80,00** | m | 148 | | | 251 | | 4 | 100%PEST | | |
| 00T18011 | NOUVELLES VAGUES [92]<br>All<br>New colour range: 7-12 | **134,50** | m | 138 | ↕ 9 | ↔ 11,5 | 765 | | 12 | 55%CV 45%CO | | |
| 00T2600300 | NUVOLARI [62]<br>All | **92,50** | m | 137 | | | 938 | | 31 | 83%PES 17%CO | | |
| 00T2604300 | PÁVÍ PLES<br>col. 1<br>Coord: Salisgrano | **175,00** | m | 128 | ↕ 64 | ↔ 128 | 916 | | 1 | 46%PETR 43%PESF 11%PEFR | | |
| 00T2603800 | PHI [94]<br>All<br>Coord: Picolit | **197,50** | m | 130 | ↕ 75 | | 587 | | 3 | 100%WV | | |
| 00T2601000 | PICOLIT [89, 90]<br>All<br>Coord: Picolit Wall | **72,50** | m | 134 | | | 195 | | 17 | 53%SE 32%PES 15%CV | | |

8 Overlock before making up.

62 Due to the sophisticated manufacturing process, giving a characteristic iridescence and marbling to the velvet, each colourway presents unique variations in the appearance. With use and in the course of time, velvet pile may crush. To restore its original appearance, it is advisable to vaporize slightly, at a distance of 20 cm, and then to brush the fabric.

64 When used for seating upholstery, a double seam reinforced with seam-tape on reverse side is required.

89 The precious raw silk yarns of artisanal production are characterized by inevitable colour and texture irregularities, which in some cases may be more evident when the fabric is hung against the light. For this reason, we recommend checking the fabric carefully before cutting and sewing.

90 Lining is recommended.

92 With use and in the course of time and during storage and rolling, velvet pile may crush. To restore its original appearance, it is advisable to vaporize slightly at a distance of 20 cm, and then to brush the fabric.

94 During storage and rolling, the pattern may leave a slight impression on the smooth surface of the fabric. To remove the marks and restore the original appearance, vaporize slightly at a distance of 20 cm.

Fire-retardant fabric. Certifications vary according to the Country. For further information please contact the agent or customer service.

| Code | Description and available colours | Price | U.M. | Width | Repeat VERTICAL | Repeat HORIZONTAL | Weight | Use | Colours | Composition | Care symbols | Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | € | | cm | cm | cm | g/ml | | | | | |
| 00T2602100 | PIXL<br>All | **145,00** | m | 146 | ↕ 144 | ↔ 73 | 401 | | 6 | 32%CO 32%CV 22%PES 14%LI | | |
| 00T2602400 | POUR PARLER<br>All<br>Coord: Lupo | **179,50** | m | 128 | | | 994 | | 2 | 74%PEST 26%PESF | | |
| 00T2603400 | RHYME<br>All<br>Coord: Guardiagrele, Crystal Castle | **117,50** | m | 142 | | ↔ 3,7 | 754 | | 2 | 52%PESF 48%PEFR | | |
| 00T2603100 | RODODENDRO<br>All<br>Coord: Vézac | **107,50** | m | 142 | | | 783 | | 19 | 53%PESF 47%PETR | | |
| 00T2604000 | RUN AMOK<br>All<br>Coord: Picolit | **175,00** | m | 130 | ↕ 99 | ↔ 130 | 590 | | 2 | 100%WV | | |
| 00T2603600 | SASSONGHER [8, 64]<br>All | **195,00** | m | 145 | ↕ 88 | ↔ 145 | 395 | | 3 | 68%CO 21%PES 7%LI 4%PA | | |
| 00T2601600 | TAL [64]<br>All<br>Coord: Tal Wall | **80,00** | m | 152 | | | 279 | | 2 | 100%PEST | | |
| 00T2601700 | THERE [91]<br>col. 1 | **175,00** | m | 136 | ↕ 66 | ↔ 67 | 711 | | 2 | 69%CV 20%CO 4%SE 4%PAN 3%PES | | |
| 00T2601701 | col. 1 | | | 138 | ↕ 59 | ↔ 69 | 731 | | | 50%CV 21%LI 21%CO 4%PES 4%PAN | | |
| 00T2603500 | TUTTO TONDO [8, 64]<br>All | **150,00** | m | 140 | | | 1.102 | | 2 | 32%PAN 26%CO 25%CV 17%WO | | |
| 00T2602000 | VERRAY PARFIT GENTIL KNYGHT<br>All | **119,00** | m | 140 | | | 682 | | 6 | 94%PESF 4%PM 2%PA | | |
| 00T2603700 | VESNA<br>col. 1<br>Coord: Tatin | **160,00** | m | 145 | ↕ 48 | ↔ 145 | 601 | | 1 | 100%PEST | | |
| 00T2603000 | VÉZAC [8, 64]<br>All<br>Coord: Rododendro | **110,00** | m | 140 | | | 965 | | 6 | 66%PESF 34%PEST | | |

8 Overlock before making up.

64 When used for seating upholstery, a double seam reinforced with seam-tape on reverse side is required.

91 The fine undyed natural yarns create a fabric that may show inevitable color variations, which indicates the uniqueness of this product. In lighter shades, slightly darker threads may be visible.

Fire-retardant fabric. Certifications vary according to the Country. For further information please contact the agent or customer service.

| Code | Description and available colours | Price | U.M. | Weight | Width | Repeat | Technical characteristics | Notes | Composition |
|---|---|---|---|---|---|---|---|---|---|
| | | € | | gr/m² | cm | cm | | | |
| 02D2600200 | DAYS LIKE NOW WALL [OD, 33]<br>All<br>Coord: Days Like Now | **145,00** | m | 340 | 130 | | | | 100%SE / Backing 100%TNT Non-Woven |
| 02D2600400 | IDLEWILDE WALL [33]<br>col. 1<br>Coord: Idlewilde | **142,50** | m | 340 | 128 | | | | 100%SE / Backing 100%TNT Non-Woven |
| 02D2600300 | LETNÍ LETNÁ WALL [OD, 33]<br>col. 1<br>Coord: Letní Letná | **142,50** | m | 425 | 130 | | | | 100%SE / Backing 100%TNT Non-Woven |
| 02D2600600 | LYN WALL [OD, 33]<br>All<br>Coord: Lyn | **97,50** | m | 356 | 140 | | | | 100%PEST / Backing 100%TNT Non-Woven |
| 02D2600500 | NISH WALL [OD, 33]<br>All<br>Coord: Nish | **97,50** | m | 347 | 140 | | | | 100%PEST / Backing 100%TNT Non-Woven |
| 02D2600100 | PICOLIT WALL [OD, 33]<br>All<br>Coord: Picolit | **107,50** | m | 300 | 130 | | | | 53%SE 32%PES 15%CV / Backing 100%TNT Non-Woven |
| 02D2600700 | TAL WALL [OD, 33]<br>All<br>Coord: Tal | **97,50** | m | 353 | 140 | | | | 100%PEST / Backing 100%TNT Non-Woven |

OD On demand article. For lead times and Minimum Order Quantity, please refer to the table at the end of this price list.

33 This textile wallcovering, the result of a handcrafted process, displays variations and irregularities of colour and orthogonality between warp and weft. These intrinsic characteristics are part of the preciousness of the product and may not allow for a perfect match between the streaks of the different lengths when aligned.

## FABRICS (MARTINDALE)

| Code | Description | Martindale |
|---|---|---|
| | | |
| 00T2602800 | A ROSE IS | 9.000 |
| 00T2601200 | ANNODO ARCOBALENI | 10.000 |
| 00T2600400 | ATLAS NOVUS | 50.000 |
| 00T2602600 | BOMARZO | 9.000 |
| 00T2603300 | CRYSTAL CASTLE | 35.000 |
| 00T2601900 | DARWINISTA | 25.000 |
| 00T2601100 | ENTENTE CORDIALE | 55.000 |
| 00T2604100 | GRAMMELOT | 18.000 |
| 00T2603200 | GUARDIAGRELE | 14.000 |
| 00T2601800 | HARBORE | 45.000 |
| 00T2601801 | HARBORE | 45.000 |
| 00T2604200 | HELLO, GOODBYE | 25.000 |
| 00T2600200 | INVERARAY | 80.000 |
| 00T2602900 | MAPPAMUNDI | 30.000 |
| 00T2601300 | METRO BEAUBOURG | 10.000 |
| 00T2602300 | MOLTO INCLINE | 9.000 |
| 00T2600100 | MUSIC | 20.000 |
| 00T2600300 | NUVOLARI | 80.000 |
| 00T2604300 | PAVI PLES | 9.000 |
| 00T2602400 | POUR PARLER | 50.000 |
| 00T2603400 | RHYME | 35.000 |
| 00T2603100 | RODODENDRO | >80.000 |
| 00T2601700 | THERE | 18.000 |
| 00T2601701 | THERE | 10.000 |
| 00T2603500 | TUTTO TONDO | 25.000 |
| 00T2602000 | VERRAY PARFIT GENTIL KNYGHT | 30.000 |
| 00T2603000 | VEZAC | 50.000 |

## WALLCOVERINGS

| Code | Description | Lead time | Minimum Order Quantity |
|---|---|---|---|
| 02D2600200 | DAYS LIKE NOW WALL | 2 weeks | 6 mt |
| 02D2600300 | LETNÍ LETNÁ WALL | 2 weeks | 6 mt |
| 02D2600600 | LYN WALL | 2 weeks | 6 mt |
| 02D2600500 | NISH WALL | 2 weeks | 6 mt |
| 02D2600100 | PICOLIT WALL | 2 weeks | 6 mt |
| 02D2600700 | TAL WALL | 2 weeks | 6 mt |

# CORE COLLECTION

# FABRICS

| Code | Description and available colours | Price | U.M. | Width | Repeat VERTICAL | Repeat HORIZONTAL | Weight | Use | Colours | Composition | Care symbols | Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | € | | cm | cm | cm | g/ml | | | | | |
| 00T1702800 | À CONTRE-JOUR* col. 1*, 2*, 3* | **185,00** | m | 147 | ↕ 82 | | 500 | | 3 | 70%CO 30%SE | | |
| 00T2505800 | A FOREST [71, 89] col. 1 | **185,00** | m | 195 | | | 295 | | 1 | 69%SE 31%LI | | |
| 00T2000600 | A JOY All | **166,00** | m | 140 | | | 1.560 | | 2 | 53%CV 37%WO 8%LI 2%PA | | |
| 00T2504300 | A LOVE SUPREME [95] All<br>Coord: Aplomb | **182,50** | m | 140 | ↕ 50 | ↔ 70 | 539 | | 3 | 100%WV | | |
| 00T2200800 | A PERFECT FLOWER All | **107,50** | m | 140 | | | 952 | | 27 | 65%WO 32%CO 3%PA | | |
| 00T2000200 | A SOFT PLACE [92] col. 1, 2, 3*, 4 | **223,00** | m | 135 | | | 1.242 | | 4 | GROUND 57%CV 25%WV 18%CO (PILE 69%CV 31%WV) | | |
| 00T2403800 | A TIGER IN THE ORANGERIE [92] col. 1 | **130,00** | m | 140 | ↕ 80 | ↔ 69 | 738 | | 1 | 100%CO | | |
| 00T1502900 | ABACUS col. 1, 3-6 | **129,00** | m | 138 | | | 700 | | 5 | 100%PES FR | | |
| 00ABOUT_00 | ABOUT FLOWERS col. 1, 2* | **152,50** | m | 140 | ↕ 93 | | 570 | | 2 | 58%JU 42%LI | | |
| 00T2201400 | ACACIA [8] col. 1, 2, 3*, 4, 6, 7*, 8, 9, 10*, 11, 12*, 13-15, 16*, 18*, 19*, 20, 21, 22* | **74,00** | m | 150 | | | 1.049 | | 20 | 100%CO RECYCLED | | |
| 00T1705600 | ACQUERELLO All | **60,50** | m | ↕ 288 | | | 271 | | 13 | 70%LI 30%PES | | |
| 00T2301900 | ACQUERELLO AJOUR col. 1 | **64,50** | m | ↕ 290 | | ↔ 3,5 | 253 | | 1 | 70%LI 30%PES | | |
| 00T2301600 | ACQUERELLO CHEVRON [69, 70, 71] All | **66,00** | m | ↕ 290 | | | 352 | | 4 | 76%LI 24%PES | | |
| 00ADAMO_00 | ADAMO & EVA [92] col. 102, 103, 104, 106-109, 111, 113-122, 125, 126, 128-145, 149, 150, 154, 155, 157, 159, 161, 162, 164, 165, 167-178, 179-185, 186*, 187, 188*, 189-191, 192*, 193-199<br>Coord: Aplomb, Mademoiselle | **81,00** | m | 140 | | | 639 | | 81 | 100%CO **WR** | | |
| 00T2101600 | ADELPHI All | **154,50** | m | ↕ 300 | | | 660 | | 12 | 70%LI 30%WO | | |

* Articles and colours to be phased out, check availability before ordering.

8 Overlock before making up.

69 A special handcrafted finish may result in variations in the fabric width.

70 An artisanal manufacturing process gives this fabric a distinctive rippled and irregular appearance, which is to be considered an intrinsic part of its precious nature.

71 It is advisable to make up the fabric so that it leans on the floor.

89 The precious raw silk yarns of artisanal production are characterized by inevitable colour and texture irregularities, which in some cases may be more evident when the fabric is hung against the light. For this reason, we recommend checking the fabric carefully before cutting and sewing.

92 With use and in the course of time and during storage and rolling, velvet pile may crush. To restore its original appearance, it is advisable to vaporize slightly at a distance of 20 cm, and then to brush the fabric.

95 Due to its sophisticated manufacturing process, it is recommended to wash the item separately and inside a protective bag.

Fire-retardant fabric. Certifications vary according to the Country. For further information please contact the agent or customer service.

| Code | Description and available colours | Price | U.M. | Width | Repeat VERTICAL | Repeat HORIZONTAL | Weight | Use | Colours | Composition | Care symbols | Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | € | | cm | cm | cm | g/ml | | | | | |
| 00T2302100 | ADORABILE ALPACA<br>All<br>Coord: Mademoiselle | **156,00** | m | 145 | | | 548 | | 17 | 75%WP 25%WO | | |
| 00T2104100 | ADORAI<br>col. 1 | **136,00** | m | 135 | ↕ 10 | ↔ 2,1 | 616 | | 1 | 72%CO 25%PES 3%PA | | |
| 00T2406400 | AEOLIAN<br>col. 1, 2, 3 | **62,50** | m | ↕ 320 | | | 421 | | 3 | 70%PES 30%LI | | |
| 00T1806500 | AGATA<br>col. 1 | **97,50** | m | 145 | | | 240 | | 1 | 94%LI 4%PAN 2%PES | | |
| 00T2504400 | AKHLAT<br>col. 1 | **185,00** | m | 132 | 65 | 132 | 1.156 | | 1 | 52%CO 25%CV 12%PES 9%PA 2%CO RECYCLED | | |
| 00T2400600 | AKUREYRI [71]<br>All | **142,50** | m | 135 | ↕ 24 | | 979 | | 2 | 56%LI 39%CO 5%PA | | |
| 00ALABAS00 | ALABASTRO<br>col. 2, 4 | **216,00** | m | 144 | ↕ 320 | ↔ 144 | 314 | | 2 | 68%PES 32%SE | | |
| 00T2204300 | ALAIN*<br>col. 1*<br>Coord: Cécile | **102,00** | m | 138 | | | 490 | | 1 | 28%CO 27%LI 27%CV 13%PES 5%PAN | | |
| 00T2302200 | ALASKA [21]<br>All | **156,00** | m | 147 | ↕ 104 | ↔ 21 | 360 | | 5 | 100%CO | | |
| 00T1502400 | ALAYA<br>All | **139,50** | m | 150 | ↕ 5,3 | ↔ 9 | 415 | | 5 | 34%CA 18%PES 18%PAN 18%CO 12%SE | | |
| 00T1807900 | ALBORE<br>col. 1 | **86,00** | m | 148 | | | 317 | | 1 | 76%LI 8%CV 7%PES 6%CO 3%PA | | |
| 00T2303400 | ALCYONE<br>All | **140,00** | m | 138 | | | 1.220 | | 3 | 72%LI 22%CV 6%PA | | |
| 00ALEXAN01 | ALEXANDER [92]<br>All<br>Coord: Aplomb, Aplomb Melange, Mademoiselle | **161,00** | m | 140 | | | 503 | | 26 | 54%WV 34%CO 12%PES (PILE 100%WV) **WR** | | |
| 00T1800100 | ALEXANDER MELANGE [92]<br>col. 1-5, 7-10 | **166,00** | m | 138 | | | 800 | | 9 | 62%WV 27%CO 7%PES 4%CV (PILE 100%WV) | | |
| 00T2302800 | ALOUETTE<br>All | **89,50** | m | 135 | | | 897 | | 5 | 65%PES 35%PP | | |
| 00T2403600 | ALPACA ALTO [92]<br>All | **162,50** | m | 140 | | | 887 | | 24 | 41%WO 28%WP 16%CO 11%PES 4%CV (PILE 60%WO 40%WP) | | |
| 00T2404200 | ALPAKHAN [92]<br>All | **177,50** | m | 132 | | | 699 | | 5 | 37%WV 25%WP 20%CO 18%PA (PILE 60%WV 40%WP) **WR** | | |
| 00T1704200 | ALTER EGO<br>All<br>Coord: Alter Ego Wall, Alter Ego Metallo Wall | **75,00** | m | 155 | | | 283 | | 28 | 100%PES TREVIRA CS | | |

* Articles and colours to be phased out, check availability before ordering.

21 When making up this fabric the use of a thin needle is advised to avoid fraying of the yarn.

71 It is advisable to make up the fabric so that it leans on the floor.

92 With use and in the course of time and during storage and rolling, velvet pile may crush. To restore its original appearance, it is advisable to vaporize slightly at a distance of 20 cm, and then to brush the fabric.

Fire-retardant fabric. Certifications vary according to the Country. For further information please contact the agent or customer service.

| Code | Description and available colours | Price | U.M. | Width | Repeat VERTICAL | Repeat HORIZONTAL | Weight | Use | Colours | Composition | Care symbols | Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | € | | cm | cm | cm | g/ml | | | | | |
| 00T1804000 | ALUMNUS [21]<br>col. 1-6, 8*, 9*, 10, 11*, 12, 13<br>Coord: Microgramma | **148,00** | m | ↕ 315 | | ↔ 3 | 532 | | 12 | 100%PES TREVIRA CS | | |
| 00T1904500 | AMARAL [24]<br>col. 1*, 2*, 3*, 4-6, 7*, 8*, 10, 11*, 12-14, 15*, 16, 17*, 18, 20, 21<br>Coord: Campus, Young And Lovely | **74,00** | m | 140 | | | 360 | | 19 | 100%PP | | |
| 00T2200700 | AMARETTO<br>All | **97,50** | m | 140 | | | 677 | | 25 | 45%PES TREVIRA CS RECYCLED 45%PES FR 10%PES FR RECYCLED | | |
| 00T2101900 | AMICITIA<br>All | **105,00** | m | ↕ 315 | | | 1.700 | | 2 | 67%CV 33%LI | | |
| 00T2000700 | AMOIR FOU [23]<br>All | **98,00** | m | 145 | | | 285 | | 30 | 100%PES TREVIRA CS | | |
| 00AMOIR_00 | AMOIR LIBRE [23, 27]<br>col. 1, 3, 10, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22, 23, 28-50<br>Coord: Amoir Libre Wall | **102,00** | m | 150 | | | 360 | | 37 | 65%CO 35%CV | | |
| 00T2305800 | AMULETO [92]<br>All | **129,00** | m | 135 | ↕ 5,6 | ↔ 2,8 | 848 | | 10 | 53%CV 35%CO 12%PES | | |
| | ANCIENT WRITING 1936 | **210,00** | m | | ↕ 113 | | 534 | | 2 | | | |
| 00T2504800 | col. 1 | | | 132 | | ↔ 132 | | | | 79%CO 7%SE 6%PEST 6%WO 2%PM | | |
| 00T2504801 | col. 2 | | | 133 | | ↔ 133 | | | | 78%CO 10%PEST 6%WO 4%PES 2%CV | | |
| 00T2305200 | ANDATURA [24]<br>All | **97,50** | m | 143 | | ↔ 10,9 | 613 | | 4 | 56%PES FR 44% PES TREVIRA CS RECYCLED | | |
| 00T2202900 | ANDIRIVIENI<br>col. 1, 3, 5, 6<br>Double-face | **115,00** | m | 146 | ↕ 33,5 | ↔ 36,5 | 405 | | 4 | 61%CO 39%PES | | |
| 00ANNA__00 | ANNA<br>col. 102, 103, 104, 106, 107<br>Coord: Annalena | **67,50** | m | ↕ 325 | | | 166 | | 5 | 100%PES TREVIRA CS | | |
| 00T1906100 | ANNALENA<br>All<br>Coord: Anna | **95,00** | m | ↕ 325 | | | 318 | | 2 | 100%PES TREVIRA CS | | |
| 00T2203600 | ANTILOPE<br>All | **97,50** | m | 173 | | | 425 | | 2 | 35%WV 35%PAN 26%LI 4%PES | | |
| 00T2505300 | ANVERSA<br>All | **82,50** | m | ↕ 295 | | | 1.272 | | 5 | 60%PES RECYCLED 40%LI | | |

* Articles and colours to be phased out, check availability before ordering.

21 When making up this fabric the use of a thin needle is advised to avoid fraying of the yarn.

23 The technique used is carried out entirely by hand. It's not possible to guarantee the alignment of the fabric's repeat.

24 When making up this fabric as upholstery covers for outdoor use, a self-draining dry-feel pad is recommended.

27 In conditions of elevated humidity, the fabric may undergo dimensional variations of up to 5%; it is therefore advisable to bear this in mind when calculating the amount of fabric needed for each project and to have the fabric dry cleaned professionally before it is made up. It is also recommendable to wait some days before hemming the finished curtains, allowing the fabric enough time to become dimensionally stable. As humidity levels can change significantly from one location to another, it is recommended to carry out the hemming at the final place of use.

92 With use and in the course of time and during storage and rolling, velvet pile may crush. To restore its original appearance, it is advisable to vaporize slightly at a distance of 20 cm, and then to brush the fabric.

Fire-retardant fabric. Certifications vary according to the Country. For further information please contact the agent or customer service.

| Code | Description and available colours | Price | U.M. | Width | Repeat VERTICAL | Repeat HORIZONTAL | Weight | Use | Colours | Composition | Care symbols | Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | € | | cm | cm | cm | g/ml | | | | | |
| 00T2502200<br>00T2502201 | AOXOMOXOA<br>col. 1-7, 9<br>col. 8<br>Coord: Damaris, Canasta | **99,00** | m | 145 | | | 977<br>992 | | 9 | 70%PEFR 30%PESF<br>58%PEFR 42%PESF | | |
| 00APLOMB00 | APLOMB [15]<br>col. 2-9, 11-16, 18, 29, 31-47<br>Coord: Adamo & Eva, Dante, Romeo & Giulietta, Monsieur Baudelaire | **116,00** | m | 147 | | | 540 | | 33 | 100%WV | | |
| 00T1502200 | APLOMB MELANGE<br>col. 2-5<br>Coord: Alexander | **139,00** | m | 140 | | | 470 | | 4 | 100%WV | | |
| 00T2204800 | ARAARI [50]<br>All<br>Coord: Ariel, Aramis | **105,00** | m | 150 | ↕ 25,5 | | 520 | | 2 | 54%PES 25%PAN 16%CO 5%CV | | |
| 00T2104800 | ARAMILLO<br>All | **79,00** | m | ↕ 295 | | | 980 | | 2 | 100%PES | | |
| 00ARAMIS00 | ARAMIS [50]<br>col. 1-3, 4*, 6, 7<br>Coord: Araari | **110,00** | m | 150 | | | 532 | | 6 | 85%PES 11%CO 4%VI | | |
| 00T1602600 | ARBUS<br>col. 1, 13*, 14*, 16*, 17*, 19*, 20, 21* | **104,00** | m | 140 | | | 910 | | 8 | 77%CV 23%LI **WR** | | |
| 00T2505500 | ARC-EN-CIEL [71, 89]<br>All | **115,00** | m | 205 | | | 304 | | 2 | 83%LI 17%SE | | |
| 00T1807500 | ARENA<br>All<br>Coord: Landscape<br>Double-face | **122,50** | m | ↕ 320 | | | 710 | | 3 | 100%PES TREVIRA CS | | |
| 00T2308500 | ARGENTO VIVO<br>All | **117,50** | m | 150 | ↕ 5,5 | ↔ 6,5 | 428 | | 2 | 75%CO 21%CV 4%PES | | |
| 00T2204700 | ARIEL [50]<br>All<br>Coord: Araari | **104,00** | m | 145 | | | 333 | | 2 | 60%PAN 19%CO 15%PES 6%CV | | |
| 00T2303300 | ARISTOTELE<br>All | **104,00** | m | 145 | | | 977 | | 2 | 47%CV 20%CO 15%PES 14%LI 2%PA 2%WO | | |
| 00T2202000 | ARMAND AUGUSTIN [64]<br>All | **149,00** | m | 140 | ↕ 24 | ↔ 23 | 334 | | 2 | 100%WO | | |
| 00T1901500 | ARTEMIDOR [8]<br>col. 1 | **226,00** | m | 140 | | | 859 | | 1 | 41%WP 41%WO 18%CO | | |
| 00T1501300 | ARTEMIS [8]<br>col. 12, 13, 14 | **96,00** | m | 135 | | | 545 | | 3 | 42%PES 29%PA 12%CV 11%CO 6%PAN | | |
| 00T2302500 | ASTROGRAFIA<br>col. 1<br>Double-face | **158,00** | m | 143 | | | 1.287 | | 1 | 66%CO 24%PAN 10%WO | | |

* Articles and colours to be phased out, check availability before ordering.

8 Overlock before making up.

15 Passed: 1IM.

50 When making curtains, to facilitate the alignment and conjuction of the lenghts, it is advisable to joint the fabric pieces with a hemming tape and make up with the double lenght open.

64 When used for seating upholstery, a double seam reinforced with seam-tape on reverse side is required.

71 It is advisable to make up the fabric so that it leans on the floor.

89 The precious raw silk yarns of artisanal production are characterized by inevitable colour and texture irregularities, which in some cases may be more evident when the fabric is hung against the light. For this reason, we recommend checking the fabric carefully before cutting and sewing.

Fire-retardant fabric. Certifications vary according to the Country. For further information please contact the agent or customer service.

| Code | Description and available colours | Price | U.M. | Width | Repeat VERTICAL | Repeat HORIZONTAL | Weight | Use | Colours | Composition | Care symbols | Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | € | | cm | cm | cm | g/ml | | | | | |
| 00T2001500 | ATELIER MODERNE<br>col. 1*, 2-13 | **106,00** | m | 143 | | | 870 | | 13 | 92%LI 8%PA | | |
| 00T2101200 | ATHERINI<br>All | **91,00** | m | 140 | | | 1.022 | | 2 | 59%PES 41%CO | | |
| 00T2104000 | ATHINA<br>All | **135,00** | m | ↕ 320 | | | 380 | | 2 | 70%LI 30%PES | | |
| 00T2305600 | ATLANTICO<br>col. 1 | **160,00** | m | 140 | ↕ 146 | ↔ 46 | 878 | | 1 | 95%CO 2%PES 2%PA 1%AF | | |
| 00T1901400 | ATLAS<br>All | **138,00** | m | 128 | | | 890 | | 2 | 72%WO 27%CO 1%PA | | |
| 00T2304700 | AURALEA [24]<br>col. 1<br>Coord: Sibelius | **129,00** | m | 140 | ↕ 25 | ↔ 35 | 1.207 | | 1 | 72%PES FR 24%PES TREVIRA CS RECYCLED 4%PES FR RECYCLED | | |
| 00T1601800 | AURIGA<br>col. 1, 2 | **127,50** | m | 140 | | | 690 | | 2 | 99%PES FR 1%MTF | | |
| 00AUT___00 | AUT AUT<br>col. 2*, 8*, 9 | **110,50** | m | 140 | | | 970 | | 3 | 65%CV 21%LI 10%CO 4%PAN | | |
| 00T2407100 | AUTREBOIS [71]<br>col. 1, 2 | **142,50** | m | 135 | ↕ 59,5 | | 487 | | 2 | 52%LI 26%CO 8%PES 7%PAN 4%CV 3%WV | | |
| 00T2404800 | AVION [8]<br>col. 3 | **174,50** | m | 140 | | | 936 | | 1 | 73%LI 25%PES 2%PU | | |
| 00T2403900 | AVION ATLANTIQUE [8]<br>All | **187,50** | m | 140 | | ↔ 22 | 1.008 | | 2 | 65%LI 29%PES 6%PU | | |
| 00T2505600 | AZAFRANE [71, 85]<br>All | **94,50** | m | 200 | | | 379 | | 5 | 51%HA 49%LI | | |
| 00T2002100 | BABELIA<br>col. 1-3, 4* | **180,50** | m | 148 | ↕ 115 | ↔ 73 | 532 | | 4 | 56%PES 36%CO 5%CV 3%LI | | |
| 00T2304000 | BACARÀ [92]<br>All | **122,50** | m | 144 | ↕ 25,5 | ↔ 24 | 903 | | 13 | 100%PES FR | | |
| 00T1401300 | BASQUETTE [24]<br>col. 1-5, 6*, 7*, 8*, 9-11<br>Coord: Cabas, Etoile, Pool, Summertime | **95,00** | m | 140 | ↕ 7,5 | ↔ 3 | 850 | | 11 | 100%PP | | |
| 00T1906400 | BATEAU<br>col. 1, 2 | **106,50** | m | ↕ 320 | | | 450 | | 2 | 100%PES FR | | |
| 00T2001700 | BE BOP A LULA<br>All | **139,50** | m | 148 | ↕ 46 | ↔ 36,5 | 426 | | 11 | 50%PES 28%PA 22%CO | | |
| 00T2307100 | BELMONDO<br>All | **79,00** | m | 140 | | ↔ 9,7 | 444 | | 12 | 66%CO 34%LI | | |

* Articles and colours to be phased out, check availability before ordering.

8 Overlock before making up.

24 When making up this fabric as upholstery covers for outdoor use, a self-draining dry-feel pad is recommended.

71 It is advisable to make up the fabric so that it leans on the floor.

85 Hemp yarns reveal natural irregularities in colour, hand and weave.

92 With use and in the course of time and during storage and rolling, velvet pile may crush. To restore its original appearance, it is advisable to vaporize slightly at a distance of 20 cm, and then to brush the fabric.

Fire-retardant fabric. Certifications vary according to the Country. For further information please contact the agent or customer service.

| Code | Description and available colours | Price | U.M. | Width | Repeat VERTICAL | Repeat HORIZONTAL | Weight | Use | Colours | Composition | Care symbols | Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | € | | cm | cm | cm | g/ml | | | | | |
| 00T1404000 | BELSUEDE [58, 60, 61]<br>col. 1-19, 22, 23, 25, 27, 29-41 | **99,00** | m | 140 | | | 810 | | 36 | 55%CV 30%LI 15%CO | | |
| 00T2504200 | BEOWULF<br>All<br>Coord: Sinequanon | **141,00** | m | 136 | ↕ 68,5 | ↔ 134 | 653 | | 2 | 60%CV 16%LI 13%CO 6%PES 5%PAN **WR** | | |
| 00T2505400 | BESEELT [71]<br>All | **142,50** | m | 160 | | | 217 | | 2 | 70%CV 30%PES | | |
| 00T2402200 | BETULLA<br>All | **189,00** | m | 140 | | | 1.058 | | 2 | 58%LI 39%CO 3%PES | | |
| 00T1900100 | BLAZER [21, 39]<br>col. 1*, 2*, 3, 7, 9-14, 18, 19, 23*, 26-28, 29*, 31, 32 | **95,00** | m | 150 | | | 516 | | 19 | 100%LI **WR** | | |
| 00T1501700 | BOGARDINE<br>col. 1, 2, 3, 4, 9 | **101,00** | m | 140 | | | 960 | | 5 | 31%CV 26%CO 24%PAN 10%LI 8%WO 1%PA | | |
| 00T2104600 | BOLINA<br>col. 1*, 2 | **69,00** | m | ↕ 298 | | | 435 | | 2 | 80%PES 20%LI | | |
| 00T1808200 | BONBORI*<br>col. 1* | **130,00** | m | ↕ 320 | | | 442 | | 1 | 96%LI 4%PES | | |
| 00T1600600 | BOURATINO [89, 90]<br>col. 9, 11, 12*, 13, 14, 15*, 20, 21, 25, 26* | **126,00** | m | 140 | | | 570 | | 10 | 86%CV 14%SE | | |
| 00T1806700 | BRIGHTFALL [13]<br>col. 1<br>Coord: Tightfall, Lightfall | **68,00** | m | ↕ 310 | ↕ 3,3 | ↔ 3 | 419 | | 1 | 100%PES | | |
| 00T2306200 | BUCANEVE [8, 24]<br>All | **116,00** | m | 135 | | | 980 | | 4 | 100%PES FR | | |
| 00T2001000 | BUONFRESCO<br>col. 1*, 2*, 4*, 5*, 6, 7*, 9*, 12*<br>Coord: Magnolia, Tiger Snow, Lira | **140,00** | m | 145 | | | 549 | | 8 | 100%WV | | |
| 00T1804200<br>00T1804201 | BUTTERFLY REVIVAL<br>col. 1<br>col. 2 | **207,50** | m | 150 | ↕ 87 | ↔ 73,5 | 480 | | 2 | 60%CV 40%PES<br>46%PES 39%CV 15%PM | | |
| 00T1401400 | CABAS [24]<br>All<br>Coord: Basquette, Etoile, Pool, Summertime | **95,00** | m | 140 | | | 810 | | 3 | 100%PP | | |
| 00T2305700 | CALICANTO<br>col. 1 | **187,50** | m | 148 | ↕ 122,5 | ↔ 74 | 370 | | 1 | 76%CO 21%PES 2%CV 1%LI | | |

* Articles and colours to be phased out, check availability before ordering.

8 Overlock before making up.

13 Fabric with FR treatment.

21 When making up this fabric the use of a thin needle is advised to avoid fraying of the yarn.

24 When making up this fabric as upholstery covers for outdoor use, a self-draining dry-feel pad is recommended.

39 We recommend to iron using steam.

58 The choice of a viscose chenille with linen was specially designed to give the fabric a mélange effect and a distinctive look. In the dark colorways linen's lighter fibers could stand out.

60 With use and in the course of time, chenille tends to crush. To restore its original appearance, it is advisable to vaporize slightly, at a distance of 20 cm, and to brush the fabric.

61 In the case of upholstery applications, it is advisable to use an internal lining to create friction with the chenille and prevent the fabric from slipping.

71 It is advisable to make up the fabric so that it leans on the floor.

89 The precious raw silk yarns of artisanal production are characterized by inevitable colour and texture irregularities, which in some cases may be more evident when the fabric is hung against the light. For this reason, we recommend checking the fabric carefully before cutting and sewing.

90 Lining is recommended.

Fire-retardant fabric. Certifications vary according to the Country. For further information please contact the agent or customer service.

| Code | Description and available colours | Price | U.M. | Width | Repeat VERTICAL | Repeat HORIZONTAL | Weight | Use | Colours | Composition | Care symbols | Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | € | | cm | cm | cm | g/ml | | | | | |
| 00T2407300 | CALICANTO LIEVE<br>col. 1 | **175,00** | m | 141 | ↕ 117,5 | ↔ 70,5 | 206 | | 1 | 68%CO 20%PES 11%PA 1%WO | | |
| 00T1903500 | CAMPUS [24]<br>All<br>Coord: Young And Lovely, Amaral | **95,00** | m | 140 | ↕ 13,5 | ↔ 11,5 | 795 | | 6 | 88%PP 12%PES | | |
| 00T2502400 | CANASTA<br>All<br>Coord: Aoxomoxoa, Damaris | **132,50** | m | 140 | ↕ 1,5 | ↔ 3,5 | 1.244 | | 3 | 100%PESF | | |
| 00T1802100 | CANDICE<br>col. 2 | **86,00** | m | ↕ 290 | | | 170 | | 1 | 100%PES TREVIRA CS | | |
| 00T2300600 | CANDY COTTON [8, 61]<br>All | **99,00** | m | 133 | | | 963 | | 3 | 100%CO | | |
| 00T2100200 | CAOLINO [8]<br>col. 1 | **146,00** | m | 135 | | | 1.360 | | 1 | 52%CV 18%CO 12%WV 11%LI 3%PA 3%PAN 1%PES | | |
| 00T1806800 | CAPANNO<br>col. 1 | **87,50** | m | ↕ 297 | | | 692 | | 1 | 100%PES | | |
| 00T2300400 | CAPUCINE [61]<br>col. 1 | **119,00** | m | 135 | | | 925 | | 1 | 36%LI 27%WO 19%CO 12%CV 6%PA | | |
| 00T2306100 | CASSE-TÊTE<br>All | **117,50** | m | 135 | ↕ 4,5 | ↔ 4,5 | 897 | | 4 | 50%PES 45%CO 5%AF | | |
| 00T2401100 | CATINELLE [8]<br>All | **175,00** | m | 136 | ↕ 2 | ↔ 1,5 | 1.680 | | 2 | 100%PESF | | |
| 00T2401200 | CC-CD1 [8]<br>col. 1 | **190,00** | m | 136 | ↕ 2,5 | ↔ 2 | 1.680 | | 1 | 100%PESF | | |
| 00T2204200 | CÉCILE<br>col. 1<br>Coord: Alain | **100,00** | m | 133 | | | 502 | | 1 | 35%CO 25%CV 16%PES 12%WO 4%LI 4%PA 4%PAN | | |
| 00T2401400 | CESTRUM<br>All | **135,00** | m | 142 | | | 1.168 | | 3 | 57%CO 33%JU 9%PA 1%PES **WR** | | |
| 00T1501100 | CHAMBRAY<br>col. 1, 6, 10, 12*, 21, 23-30, 33, 35, 39 | **82,00** | m | 140 | | | 630 | | 16 | 46%CV 28%LI 11%CO 11%PES 4%PAN **WR** | | |
| 00T1906600 | CHAMPAGNE<br>col. 1<br>Double-face | **102,00** | m | ↕ 305 | | | 148 | | 1 | 65%PES TREVIRA CS 35%PES | | |
| 00T2000900 | CHAPEAU<br>col. 1-4, 6, 7*, 9-11, 13-17<br>Double-face | **130,00** | m | 137 | | | 567 | | 14 | 100%WV | | |
| 00T2307400 | CHATWIN [71]<br>col. 1 | **109,00** | m | 134 | | | 301 | | 1 | 100%SE | | |
| 00T2303200 | CHENILLIER [61]<br>All | **92,50** | m | 145 | | | 926 | | 2 | 61%CV 27%CO 12%LI | | |

* Articles and colours to be phased out, check availability before ordering.

8 Overlock before making up.

24 When making up this fabric as upholstery covers for outdoor use, a self-draining dry-feel pad is recommended.

61 In the case of upholstery applications, it is advisable to use an internal lining to create friction with the chenille and prevent the fabric from slipping.

71 It is advisable to make up the fabric so that it leans on the floor.

Fire-retardant fabric. Certifications vary according to the Country. For further information please contact the agent or customer service.

| Code | Description and available colours | Price | U.M. | Width | Repeat VERTICAL | Repeat HORIZONTAL | Weight | Use | Colours | Composition | Care symbols | Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | € | | cm | cm | cm | g/ml | | | | | |
| 00T1502800 | CHÉRIE<br>col. 1-3, 5 | **144,00** | m | 140 | | | 1.300 | | 4 | 50%CO 50%PES | | |
| 00T2307700 | CHINTZ NATURE<br>All | **85,00** | m | 140 | | | 386 | | 15 | 100%LI | | |
| 00T1905900 | CIELO<br>col. 1*, 3-6, 9*, 10, 11*, 12, 15* | **79,00** | m | 160 | | | 200 | | 10 | 100%WO | | |
| 00T2404100 | CLINK [8]<br>All | **187,50** | m | 135 | | | 1201 | | 4 | 56%PES 30%CO 11%PU 3%AF | | |
| 00T2404900 | CNOSSIAN [85]<br>col. 1, 2, 3 | **120,00** | m | ↕ 310 | | | 600 | | 3 | 100%HA | | |
| 00T1906300 | COBRA*<br>col. 2*, 4* | **76,00** | m | ↕ 325 | | | 227 | | 2 | 100%PES FR | | |
| 00COCO__00 | COCO<br>col. 5, 6, 7 | **107,50** | m | 137 | | | 820 | | 3 | 100%PES FR | | |
| 00T1907200 | CORDIER<br>All | **104,00** | m | 150 | | | 560 | | 3 | 100%LI | | |
| 00T2000500 | CORIANDOLI<br>All | **122,50** | m | 140 | ↕ 3 | ↔ 3,5 | 690 | | 6 | 64%PES 32%PA 4%PM | | |
| 00T1707000 | COSMIC CONFETTI [49]<br>All | **145,00** | m | ↕ 293 | | | 293 | | 3 | 100%LI | | |
| 00T2302400 | CRÈME CHANTILLY [61]<br>col. 1 | **74,00** | m | 135 | | | 740 | | 1 | 48%CV 37%PES 15%CO | | |
| 00T1802000 | CRISTALLO* [70]<br>col. 4*, 6* | **75,50** | m | ↕ 300 | | | 145 | | 2 | 50%PES TREVIRA CS<br>50%PES FR | | |
| 00T1907000 | CROCODILE [48]<br>All | **142,50** | m | 180 | | | 775 | | 2 | 50%WO 39%PES 6%CO 5%PA | | |
| 00T2502500 | CURIOSITY<br>All | **110,00** | m | 142 | | | 796 | | 2 | 60%PES FR RECYCLED<br>40%PES FR | | |
| 00T1603800 | DALIE PAPAVERI TULIPANI<br>All | **225,00** | m | 148 | ↕ 121 | ↔ 73,5 | 388 | | 4 | 55%CO 19%PES 15%CV 11%SE | | |
| 00T2502300 | DAMARIS<br>All<br>Coord: Aoxomoxoa, Canasta | **110,00** | m | 140 | ↕ 2,3 | ↔ 2,4 | 701 | | 2 | 58%PES FR 28%PES FR RECYCLED 14%PES TREVIRA CS RECYCLED | | |
| 00T2407800 | DANCING THE HORIZON [86]<br>col. 1<br>Coord: Cielo | **149,00** | m | 136 | ↕ 98 | | 562 | | 1 | 100%WV / Embroidery 100%PAN | | |
| 00T1703200 | DANS LES NUAGES [61]<br>col. 1, 2, 3 | **106,00** | m | 140 | | | 1.100 | | 3 | 55%CV 25%CO 15%PES 5%LI | | |

* Articles and colours to be phased out, check availability before ordering.

8 Overlock before making up.

48 The fabric has to be made up from selvedge to selvedge. With variations in climatic conditions the fabric may undergo dimensional variations up to 5%. It is therefore advisable to consider it when calculating the amount of fabric needed for each project and to have the fabric dry cleaned professionally before it is made up. It is also advisable to make up the fabric so that it leans on the floor.

49 Colour gradient effect around 100 cm.

61 In the case of upholstery applications, it is advisable to use an internal lining to create friction with the chenille and prevent the fabric from slipping.

70 An artisanal manufacturing process gives this fabric a distinctive rippled and irregular appearance, which is to be considered an intrinsic part of its precious nature.

85 Hemp yarns reveal natural irregularities in colour, hand and weave.

86 Slight irregularities on the embroidery must be considered an intrinsic characteristic of this fabric.

Fire-retardant fabric. Certifications vary according to the Country. For further information please contact the agent or customer service.

| Code | Description and available colours | Price | U.M. | Width | Repeat VERTICAL | Repeat HORIZONTAL | Weight | Use | Colours | Composition | Care symbols | Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | € | | cm | cm | cm | g/ml | | | | | |
| 00T1500400 | DANTE*<br>col. 1*, 2*, 3*, 5*, 6*, 8*-11*, 13*-17*, 19*, 20*, 23*<br>Coord: Aplomb | **106,00** | m | 140 | | | 520 | | 17 | 86%CO 14%WO<br>(PILE 70%CO 30%WO) | | |
| 00T2500700 | DAYS LIKE NOW [89, 90]<br>All | **117,50** | m | 134 | | | 206 | | 8 | 100%SE | | 8 |
| 00T2307200 | DÉCALAGE [24]<br>col. 1 | **148,50** | m | ↕ 288 | ↕ 48 | ↔ 40 | 1.310 | | 1 | 70%PES FR 30%PES FR RECYCLED | | |
| 00T1403500 | DECO'<br>col. 1 | **141,00** | m | 140 | ↕ 12 | ↔ 12,5 | 1.050 | | 1 | 57%CO 33%CV 10%LI | | |
| 00T2401800 | DÉJÀ VU JAMAIS [92]<br>All | **125,00** | m | 138 | ↕ 102 | ↔ 69 | 724 | | 3 | 100%CO | | |
| 00T2102000 | DELICIA<br>All | **91,00** | m | ↕ 315 | | | 1.390 | | 2 | 67%CV 33%LI | | |
| 00T2503000 | DIAPASON [8]<br>All | **95,00** | m | 136 | | | 1.007 | | 5 | 48%CV 24%CO 20%WO 7%POA 1%EA **WR** | | |
| 00T2307500 | DIDGERIDOO [64]<br>All | **109,50** | m | 138 | | | 508 | | 7 | 59%PA 41%LI | | |
| 00T2403100 | DILMUN<br>All | **124,00** | m | 140 | | | 965 | | 11 | 54%PES TREVIRA CS RECYCLED 30%PES FR 16%PES FR RECYCLED | | |
| 00T2403200 | DIMODONG [83]<br>All<br>Coord: Dimodong Wall, Gabor | **130,00** | m | 138 | ↕ 105 | ↔ 127 | 367 | | 3 | 100%SE | | |
| 00T1401200 | DOPPIOPANAMA<br>col. 1, 4 | **120,00** | m | 140 | | | 1.136 | | 2 | 60%CO 35%PES 5%PA | | |
| 00DRAPPO00 | DRAPPO<br>col. 104, 105, 122 | **126,00** | m | 140 | | | 210 | | 3 | 57%SE 43%WO | | |
| 00T2504900 | DRAWING XVI (B) 1974 [92]<br>All | **195,00** | m | 139 | ↕ 47,5 | ↔ 34,5 | 1.190 | | 3 | 45%CO 35%CV 12%PES 8%LI | | |
| 00T2301700 | DRUSILLA THREE<br>All<br>Coord: Drusilla Wall | **103,50** | m | ↕ 320 | | | 517 | | 20 | 100%PES TREVIRA CS | | |
| 00T2401600 | DU JAZZ DANS LE RAVIN<br>All | **122,50** | m | 134 | | | 1.132 | | 2 | 42%VI 21%LI 18%CO 16%PES 3%PA | | |
| 00T2400700 | DUINO<br>All | **122,50** | m | 140 | | | 908 | | 5 | 51%LI 31%CO 14%PES 4%AF | | |
| 00T1902700 | EERO<br>col. 3-6, 7*, 13 | **119,00** | m | 140 | | | 924 | | 6 | 48%CV 20%CO 20%PES 12%LI | | |

* Articles and colours to be phased out, check availability before ordering.

8 Overlock before making up.

24 When making up this fabric as upholstery covers for outdoor use, a self-draining dry-feel pad is recommended.

64 When used for seating upholstery, a double seam reinforced with seam-tape on reverse side is required.

83 Different tones of colour between fabric and textile wallcovering are to be considered normal due to the backing processes.

89 The precious raw silk yarns of artisanal production are characterized by inevitable colour and texture irregularities, which in some cases may be more evident when the fabric is hung against the light. For this reason, we recommend checking the fabric carefully before cutting and sewing.

90 Lining is recommended.

92 With use and in the course of time and during storage and rolling, velvet pile may crush. To restore its original appearance, it is advisable to vaporize slightly at a distance of 20 cm, and then to brush the fabric.

Fire-retardant fabric. Certifications vary according to the Country. For further information please contact the agent or customer service.

| Code | Description and available colours | Price | U.M. | Width | Repeat VERTICAL | Repeat HORIZONTAL | Weight | Use | Colours | Composition | Care symbols | Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | € | | cm | cm | cm | g/ml | | | | | |
| 00T1904400 | ELECTRIC DREAMS<br>All | **203,50** | m | 150 | ↕ 111 | ↔ 148 | 418 | | 3 | 64%PES 23%CO 11%CA 2%PM | | |
| 00T2400900 | ELIOGABALO<br>col. 1<br>Coord: Samsigeramus | **230,00** | m | 148 | ↕ 94 | ↔ 148 | 430 | | 1 | 28%PAN 28%WO 24%PES 11%VI 4%CO 3%PM 1%PA 1%AF | | |
| 00T2303000 | ELZEVIRO<br>All | **77,50** | m | 140 | | | 679 | | 2 | 35%CV 28%CO 20%PES 17%LI | | |
| 00T2504700 | EN ROUTE<br>col. 1 | **230,00** | m | 137 | ↕ 72 | ↔ 137 | 850 | | 1 | 42%CO 37%CV 12%WO 5%PAN 4%PES | | |
| 00T2101000 | ENEIDE<br>All | **96,00** | m | 140 | ↕ 36 | ↔ 34 | 1.313 | | 3 | 35%PES 34%CO 31%PAN | | |
| 00T1901900 | ENGRAM<br>col. 1, 3-5 | **129,00** | m | 140 | ↕ 17,5 | ↔ 18 | 723 | | 4 | 50%CO 48%PES 2%PA | | |
| 00T2201500 | ERBALUCE<br>All | **173,50** | m | 130 | ↕ 36,5 | ↔ 32,5 | 1.031 | | 3 | 66%CV 34%CO | | |
| 00T2302700 | ESPERANTO<br>col. 1<br>Double-face | **135,00** | m | 143 | | | 982 | | 1 | 85%CO 11%PAN 4%WO | | |
| 00T2406200 | ESPRIT RUDE, ESPRIT DOUX [71, 87]<br>col. 1, 2 | **142,50** | m | 285 | | ↔ 27,5 | 798 | | 2 | 51%LI 23%PAN 12%CO 8%WO 6%PES | | |
| 00T1401500 | ETOILE [24]<br>col. 2, 3, 4, 5, 8<br>Coord: Basquette, Cabas, Pool, Summertime | **96,00** | m | 140 | | | 770 | | 5 | 100%PP | | |
| 00T2405300 | ETRUSCO [68]<br>col. 1, 2 | **59,00** | m | ↕ 310 | | | 314 | | 2 | 64%PES 28%CO 4%LI 4%CV | | |
| 00T1901600 | EZRA*<br>col. 1* | **180,00** | m | 140 | | | 1.620 | | 1 | 75%WO 21%LI 4%PA | | |
| 00T2001800 | FANDANGO<br>All | **163,50** | m | 145 | ↕ 21 | ↔ 145 | 377 | | 5 | 78%PES 22%CO | | |
| 00FANFAR00 | FANFARA [89, 90]<br>col. 101-111, 113-117, 125, 126, 133-145, 147, 149, 150, 151, 153-158 | **94,50** | m | 135 | | | 185 | | 41 | 100%SE | | |
| 00T1904600 | FARNIENTE [24]<br>col. 2-4, 5*, 8, 9*, 10*, 12, 13, 15<br>Coord: Spritz, Strange Loves, Forever<br>Double-face | **80,00** | m | 140 | | | 500 | | 10 | 100%PAN **WR** | | |
| 00FIFTY_00 | FIFTY FIFTY<br>col. 1*, 2, 4, 6, 7, 9-14, 31*, 32, 33*, 34, 36, 40-42, 43*, 53-59 | **89,00** | m | 138 | | | 831 | | 27 | 76%CV 24%LI **WR** | | |
| 00T2304200 | FILIGREE<br>All | **85,00** | m | 135 | | | 428 | | 5 | 60%CV 20%LI 20%PES | | |

* Articles and colours to be phased out, check availability before ordering.

24 When making up this fabric as upholstery covers for outdoor use, a self-draining dry-feel pad is recommended.

68 We recommend washing this fabric with a mild detergent for dark/dyed garments.

71 It is advisable to make up the fabric so that it leans on the floor.

87 The fabric is presented with left and right selvedges.

89 The precious raw silk yarns of artisanal production are characterized by inevitable colour and texture irregularities, which in some cases may be more evident when the fabric is hung against the light. For this reason, we recommend checking the fabric carefully before cutting and sewing.

90 Lining is recommended.

| Code | Description and available colours | Price | U.M. | Width | Repeat VERTICAL | Repeat HORIZONTAL | Weight | Use | Colours | Composition | Care symbols | Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | € | | cm | cm | cm | g/ml | | | | | |
| 00FLAIR_00 | FLAIR [2]<br>col. 103, 106, 107, 108, 111-113, 114*, 115, 120, 121*, 122, 128, 129, 141, 143, 151*, 152*, 154, 165, 166, 168, 169<br>Coord: Marzban | **86,50** | m | 140 | | | 780 | | 23 | 70%CV 30%LI **WR** | | |
| 00T2001600 | FLIMFLAM<br>All | **174,00** | m | 137 | ↕ 23 | ↔ 22,8 | 1.349 | | 4 | 77%CV 9%PAN 5%PES 5%CO 4%WO | | |
| 00FOREV100 | FOREVER<br>col. 101, 102, 105*, 106*, 107*, 109*, 110*, 111, 112, 113*, 115*, 116, 117, 119*, 121*<br>Coord: Farniente, Strange Loves, Spritz | **64,00** | m | 152 | | | 410 | | 15 | 100%PAN solution dyed **WR** | | W |
| 00T1704100 | FR ALABASTRO<br>All | **122,50** | m | 140 | ↕ 64 | | 255 | | 2 | 100%PES TREVIRA CS | | |
| 00T1703900 | FR ALAYA<br>col. 1, 2, 3*, 4 | **117,50** | m | 140 | ↕ 5 | ↔ 8,5 | 408 | | 4 | 100%PES TREVIRA CS | | |
| 00T1703800 | FR GONG<br>col. 1 | **122,50** | m | 142 | ↕ 67,5 | ↔ 71 | 390 | | 1 | 100%PES TREVIRA CS | | |
| 00T1704000 | FR PURE DAMASK<br>col. 2, 3 | **127,50** | m | 140 | ↕ 49 | ↔ 69,5 | 383 | | 2 | 100%PES TREVIRA CS | | |
| 00T1703700 | FR SONG-WAY<br>col. 1, 2, 3*, 5* | **102,50** | m | 142 | ↕ 39,5 | ↔ 35,5 | 365 | | 4 | 100%PES TREVIRA CS | | |
| 00T1705400 | FR SPARKS<br>All | **98,00** | m | 140 | | | 455 | | 6 | 100%PES TREVIRA CS | | |
| 00T2202800 | FREE JAZZ<br>All<br>Coord: L'Avventura | **136,00** | m | 145 | ↕ 59,5 | ↔ 72 | 351 | | 5 | 60%PES 33%PA 7%PM | | |
| 00T2500800<br>00T2500801 | FROM NATURE [91, 92]<br>col. 1<br>col. 2-6 | **272,50** | m | 138 | | | 1.051 | | 6 | 69%WP 31%CO (PILE 100%WP)<br>69%WP 18%CO 11%PES 2%CV (PILE 100%WP) | | |
| 00T1402800 | FUNKY STRIPES [21]<br>col. 1, 2, 4-7 | **149,50** | m | 136 | ↕ 32 | ↔ 23 | 430 | | 6 | 69%PES 20%SE 11%PAN | | |
| 00T2303500 | GABBIANO<br>All | **84,00** | m | 138 | | | 874 | | 4 | 90%PP 10%PAN | | |
| 00T2307600 | GABOR [71]<br>All | **104,00** | m | 136 | | | 354 | | 3 | 100%SE | | |
| 00T2505700 | GANSEVOORT [71, 85]<br>All | **94,50** | m | 200 | | | 431 | | 2 | 100%HA | | |

* Articles and colours to be phased out, check availability before ordering.

2 This fabric conforms to the following standards for fire resistance tests: BS 5852 SOURCE 0 (CIGARETTE TEST) and BS 5852 SOURCE 1 (MATCH TEST).

21 When making up this fabric the use of a thin needle is advised to avoid fraying of the yarn.

71 It is advisable to make up the fabric so that it leans on the floor.

85 Hemp yarns reveal natural irregularities in colour, hand and weave.

91 The fine undyed natural yarns create a fabric that may show inevitable color variations, which indicates the uniqueness of this product. In lighter shades, slightly darker threads may be visible.

92 With use and in the course of time and during storage and rolling, velvet pile may crush. To restore its original appearance, it is advisable to vaporize slightly at a distance of 20 cm, and then to brush the fabric.

Fire-retardant fabric. Certifications vary according to the Country. For further information please contact the agent or customer service.

| Code | Description and available colours | Price | U.M. | Width | Repeat VERTICAL | Repeat HORIZONTAL | Weight | Use | Colours | Composition | Care symbols | Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | € | | cm | cm | cm | g/ml | | | | | |
| 00T1604900 | GARBO*<br>col. 1* | 77,50 | m | ↕ 300 | | | 432 | | 1 | 100%PES | | |
| 00T2405200 | GARÇONNE [71]<br>col. 1<br>Double-face | 140,00 | m | 175 | | | 320 | | 1 | 39%CO 25%CV 22%PAN 8%PA 6%PM | | |
| 00T1905800 | GENOA<br>col. 1-4, 5* | 110,00 | m | 150 | | | 441 | | 5 | 100%PP | | |
| 00T2305500 | GIARDINO DI MAGGIO<br>col. 1 | 140,00 | m | 140 | ↕ 31,5 | ↔ 35 | 770 | | 1 | 65%LI 17%PES 15%CO 3%AF | | |
| 00T2101800 | GILDO [21]<br>All | 99,00 | m | ↕ 295 | | | 726 | | 18 | 100%PES TREVIRA CS | | |
| 00T2100600 | GIMEL [8]<br>col. 1, 2, 3*, 4* | 150,00 | m | 140 | | | 1.278 | | 4 | 52%LI 48%WV | | |
| 00T1401100 | GINGER*<br>col. 1* | 115,00 | m | 142 | | | 588 | | 1 | 70%CO 30%PES | | |
| 00GONG__00 | GONG*<br>col. 1* | 172,50 | m | 142 | ↕ 91,5 | ↔ 71 | 450 | | 1 | 84%PES 16%SE | | |
| 00T2504500<br>00T2504501 | GOODFELLAS [92]<br>col. 1<br>col. 2 | 162,50 | m | 138 | ↕ 46 | ↔ 68 | 1.114<br>1.368 | | 2 | 72%CO 15%PES 13%LI (PILE 87%CO 13%LI) | | |
| 00T1402200 | GRAND NATTE'<br>col. 1, 3*<br>Coord: Gran Nattè Laminato | 135,00 | m | 140 | | | 860 | | 2 | 100%CO | | |
| 00T1502700 | GRAND NATTE' LAMINATO<br>col. 1<br>Coord: Gran Nattè | 163,00 | m | 140 | | | 868 | | 1 | 100%CO | | |
| 00T2200300 | GRENADINE<br>col. 1-4, 5* | 134,00 | m | 138 | ↕ 3,5 | ↔ 2,3 | 1.001 | | 5 | 84%WO 10%CO 3%PES 3%PA | | |
| 00GRIGRI00 | GRI-GRI [70]<br>col. 1, 2, 4 | 82,50 | m | 235 | | | 253 | | 3 | 85%LI 15%PAN | | |
| 00T1400800 | GRISAILLE [60]<br>col. 1 | 104,00 | m | 140 | | | 830 | | 1 | 50%CV 26%CO 10%LI 9%PES 5%PAN | | |
| 00T2406100 | HAINIDES [71, 87]<br>All | 142,50 | m | 290 | | | 679 | | 2 | 64%LI 31%CV 5%PES | | |
| 00T1905200 | HANA-BI<br>col. 1, 2*, 3 | 280,00 | m | 155 | ↕ 116 | ↔ 77,5 | 250 | | 3 | 48%PES 19%CV 17%CO 16%SE | | |
| 00T2103600 | HATKA R<br>All | 122,50 | m | ↕ 310 | | | 730 | | 3 | 58%PES TREVIRA CS 42%PES TREVIRA CS RECYCLED | | |
| 00T1504200 | HERA<br>col. 1 | 77,00 | m | ↕ 300 | | | 207 | | 1 | 100%PES | | |

* Articles and colours to be phased out, check availability before ordering.

8 Overlock before making up.

21 When making up this fabric the use of a thin needle is advised to avoid fraying of the yarn.

60 With use and in the course of time, chenille tends to crush. To restore its original appearance, it is advisable to vaporize slightly, at a distance of 20 cm, and to brush the fabric.

70 An artisanal manufacturing process gives this fabric a distinctive rippled and irregular appearance, which is to be considered an intrinsic part of its precious nature.

71 It is advisable to make up the fabric so that it leans on the floor.

87 The fabric is presented with left and right selvedges.

92 With use and in the course of time and during storage and rolling, velvet pile may crush. To restore its original appearance, it is advisable to vaporize slightly at a distance of 20 cm, and then to brush the fabric.

Fire-retardant fabric. Certifications vary according to the Country. For further information please contact the agent or customer service.

| Code | Description and available colours | Price | U.M. | Width | Repeat VERTICAL | Repeat HORIZONTAL | Weight | Use | Colours | Composition | Care symbols | Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | € | | cm | cm | cm | g/ml | | | | | |
| 00T1901300 | HIBOU [8]<br>col. 1 | **202,50** | m | 132 | | | 1.182 | | 1 | 39%WP 39%WO 22%CO | | |
| 00T1402300 | HIGHLIGHTS<br>All | **135,00** | m | 140 | | | 670 | | 3 | 70%PES FR 29%PES TREVIRA CS 1%MTF | | |
| 00T2503200 | HOLDEN [61]<br>All | **90,00** | m | 138 | | | 951 | | 7 | 55%PES 27%PAN 7%CV 7%LI 4%CO **WR** | | |
| 00HORIZ000 | HORIZON [19, 52]<br>col. 1*, 3 | **155,00** | m | ↕ 320 | | | 360 | | 2 | 100%LI | | |
| 00T2504000 | HOW SOON IS NOW?<br>All<br>Coord: Chintz Nature | **215,00** | m | 131 | ↕ 97 | | 420 | | 4 | 100%LI / Embroidery 95%CO 5%PES | | |
| 00T2401000 | HSH HOME SWEET HOME<br>All | **130,00** | m | 130 | | | 1.596 | | 6 | 67%CO 19%PES 14%AF | | |
| 00T2302600 | HUGO<br>col. 1, 2* | **101,50** | m | 140 | | | 915 | | 2 | 85%CO 15%PAN **WR** | | |
| 00T2401500 | HURLUBERLU<br>All | **135,00** | m | 140 | | | 1.201 | | 4 | 38%LI 31%CO 17%PA 11%WO 3%PAN **WR** | | |
| 00T2407600 | I'M IN HEAVEN [86]<br>col. 1<br>Coord: Cielo | **137,50** | m | 140 | ↕ 99,5 | | 214 | | 1 | 100%WO / Embroidery 100%PAN | | |
| 00T2305300 | IBLA<br>All | **124,50** | m | 148 | ↕ 58,5 | ↔ 37 | 356 | | 2 | 100%CO | | |
| 00T2502700 | ICHI-GO ICHI-E<br>All<br>Coord: Aristotele | **197,50** | m | 132 | ↕ 63 | ↔ 130 | 1.025 | | 2 | 47%CV 20%CO 15%PES 14%LI 2%PA 2%WO (FLOCK 100%PA) | | |
| 00IKAT__00 | IKAT*<br>col. 102*, 114* | **189,50** | m | 145 | ↕ 84 | | 360 | | 2 | 39%CO 22%CA 20%LI 19%SE | | |
| 00T1404800 | IKI<br>col. 1, 2 | **137,50** | m | ↕ 300 | | | 856 | | 2 | 100%PES TREVIRA CS | | |
| 00T2402500 | IL GIARDINO IN UNA STANZA [92]<br>All | **122,50** | m | 138 | ↕ 99 | ↔ 138 | 831 | | 5 | 80%PES 20%CO | | |
| 00T2501300 | IN DISCIPLINE<br>All | **149,00** | m | 143 | ↕ 11,5 | ↔ 9,5 | 1.044 | | 4 | 41%CO 35%LI 21%CV 2%PAN 1%AF | | |
| 00T2501500 | IN FOLIO<br>All | **144,50** | m | 147 | ↕ 27,5 | ↔ 73,5 | 358 | | 5 | 35%CA 18%PES 17%CO 17%PAN 13%SE | | |
| 00T2304900 | INGRID [24]<br>col. 1<br>Coord: Luchino, Pauline | **110,50** | m | 135 | ↕ 4,8 | ↔ 4,8 | 897 | | 1 | 49%PES TREVIRA CS RECYCLED 46%PES FR 5%PES FR RECYCLED | | |
| 00T1700100 | INTARSIATO<br>All | **140,00** | m | 134 | ↕ 56 | ↔ 33,5 | 360 | | 7 | 49%PES 23%SE 14%CV 14%PAN | | |

* Articles and colours to be phased out, check availability before ordering.

8 Overlock before making up.

19 It's not possible to guarantee the alignment of the fabric's repeat in the color shading.

24 When making up this fabric as upholstery covers for outdoor use, a self-draining dry-feel pad is recommended.

52 Colour gradient effect around 85 cm.

61 In the case of upholstery applications, it is advisable to use an internal lining to create friction with the chenille and prevent the fabric from slipping.

86 Slight irregularities on the embroidery must be considered an intrinsic characteristic of this fabric.

92 With use and in the course of time and during storage and rolling, velvet pile may crush. To restore its original appearance, it is advisable to vaporize slightly at a distance of 20 cm, and then to brush the fabric.

Fire-retardant fabric. Certifications vary according to the Country. For further information please contact the agent or customer service.

| Code | Description and available colours | Price | U.M. | Width | Repeat VERTICAL | Repeat HORIZONTAL | Weight | Use | Colours | Composition | Care symbols | Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | € | | cm | cm | cm | g/ml | | | | | |
| 00T1905500 | IRIS [20, 23]<br>col. 2-10, 13, 14*, 16*, 17, 18*, 23, 24*, 26, 27*, 30-33, 34*, 35-38, 39*, 40, 41, 44* | **84,00** | m | 136 | | | 529 | | 31 | 87%CO 11%PES 2%AF | | |
| 00T2402400 | JAMU JUNGLE [92]<br>All | **122,50** | m | 140 | ↕ 65 | ↔ 69 | 744 | | 6 | 60%CV 40%CO | | |
| 00JASP__00 | JASPER<br>col. 1, 4, 7, 9 | **125,00** | m | 140 | | | 800 | | 4 | 78%CO 19%PES 3%PA | | |
| 00T2201900 | JOHN KELLY 1763*<br>col. 1*, 2* | **125,00** | m | 145 | | ↔ 13 | 204 | | 2 | 100%WO | | |
| 00T1701100 | KARAKORUM [8]<br>All | **121,50** | m | 130 | | | 1.040 | | 7 | 42%WO 33%CV 24%CO 1%PA | | |
| 00T1801600 | KARANDASH [8]<br>All | **122,50** | m | 130 | | | 885 | | 5 | 70%WO 30%CO | | |
| 00T2102900 | KIKU<br>All | **208,50** | m | 150 | ↕ 116 | ↔ 150 | 790 | | 3 | 67%PES 20%CO 13%CV | | |
| 00T2406600 | KIN<br>col. 1 | **64,00** | m | ↕ 320 | | | 406 | | 1 | 100%PES | | |
| 00T1501400 | KOTAKOT<br>All | **230,00** | m | 140 | ↕ 1,3 | ↔ 4 | 1.210 | | 4 | 51%CO 37%PU 12%CV | | |
| 00T2202200 | KYLLIKKI*<br>All | **127,50** | m | 144 | ↕ 162 | ↔ 140 | 363 | | 3 | 100%CO | | |
| 00T1904300 | L'ÂGE D'OR<br>All | **194,50** | m | 145 | ↕ 29 | ↔ 29 | 473 | | 2 | 36%WO 25%PES 21%CV 15%CO 3%PM | | |
| 00T2304300 | L'AVVENTURA<br>col. 1<br>Coord: Free Jazz | **131,50** | m | 145 | ↕ 68,5 | ↔ 72 | 370 | | 1 | 52%PA 48%PES | | |
| 00T2102100 | LAETITIA<br>All | **110,00** | m | ↕ 315 | | | 1.827 | | 2 | 67%CV 33%LI | | |
| 00T2400300 | LAMBERTO [8, 64, 70, 81]<br>All | **112,50** | m | 140 | | | 887 | | 3 | 30%LI 30%PES 13%CO 10%WO 10%PAN 7%CV<br>**WR** | | |
| 00T2200400 | LAND R<br>All<br>Coord: Roman Squares | **104,00** | m | 140 | | | 649 | | 4 | 100%PES TREVIRA CS<br>RECYCLED | | |
| 00T1807600 | LANDSCAPE<br>col. 2, 4<br>Double-face | **122,50** | m | ↕ 320 | ↕ 44,5 | ↔ 51,5 | 717 | | 2 | 100%PES TREVIRA CS | | |
| 00T2404300 | LEONTIGRE [92]<br>col. 1 | **130,00** | m | 140 | ↕ 150 | ↔ 69 | 749 | | 1 | 100% CO | | |

* Articles and colours to be phased out, check availability before ordering.

8 Overlock before making up.

20 When making up the curtains it is advisable to bear in mind that moire' fabrics may undergo dimensional variations of up to 5%.

23 The technique used is carried out entirely by hand. It's not possible to guarantee the alignment of the fabric's repeat.

64 When used for seating upholstery, a double seam reinforced with seam-tape on reverse side is required.

70 An artisanal manufacturing process gives this fabric a distinctive rippled and irregular appearance, which is to be considered an intrinsic part of its precious nature.

81 During storage and rolling, the fabric may have wrinkles, it is recommended to lightly steam it to revive the appearance of the fabric.

92 With use and in the course of time and during storage and rolling, velvet pile may crush. To restore its original appearance, it is advisable to vaporize slightly at a distance of 20 cm, and then to brush the fabric.

Fire-retardant fabric. Certifications vary according to the Country. For further information please contact the agent or customer service.

| Code | Description and available colours | Price | U.M. | Width | Repeat VERTICAL | Repeat HORIZONTAL | Weight | Use | Colours | Composition | Care symbols | Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | € | | cm | cm | cm | g/ml | | | | | |
| 00T2407000 | LEPORELLO [71, 88]<br>col. 1 | **102,50** | m | 155 | | | 166 | | 1 | 92%WO 8%PA | | |
| 00T2307300 | LES LIAISONS AMOUREUSES<br>All | **140,00** | m | 146 | ↕ 46,5 | ↔ 73 | 444 | | 4 | 64%CO 36%PES | | |
| 00T1504700 | LESS IS MORE<br>All | **125,00** | m | 137 | ↕ 4,5 | | 485 | | 2 | 78%CO 19%WO 3%PA | | |
| 00T2202400 | LETTERE PERSIANE* [65]<br>col. 1-3*<br>Coord: Marzban, Wide Wool Tela | **274,50** | panel | 145 | ↕ 328 | ↔ 23,8 | 204 | | 3 | 100%WO | | |
| 00T1902600 | LIBERA [8, 24]<br>All | **105,50** | m | 134 | | | 780 | | 3 | 100%PP | | |
| 00T2403500 | LIBERABIRINTO<br>All | **131,50** | m | 138 | ↕ 116 | ↔ 69 | 710 | | 2 | 100%CO | | |
| 00T2303800 | LIBERTINO [92]<br>col. 1-5, 6*, 7-10, 11*, 12*, 13-17, 18*, 19, 20* | **114,50** | m | 140 | | | 799 | | 20 | GROUND 87%PAN 8%PES 5%CO (PILE 100%PAN)<br>**WR** | | |
| 00T1806900 | LIGHTFALL [13]<br>col. 1<br>Coord: Brightfall, Tightfall | **67,50** | m | ↕ 310 | ↕ 6,7 | | 430 | | 1 | 100%PES | | |
| 00T2502100 | LILAZ<br>All<br>Coord: Minima Mirabilia | **197,50** | m | 138 | ↕ 66 | ↔ 69 | 1.151 | | 5 | 44%CV 29%CO 27%LI | | |
| 00T2200500 | LINDON R<br>All | **99,00** | m | 145 | | | 603 | | 4 | 100%PES TREVIRA CS RECYCLED | | |
| 00T2200600 | LINEMAN R<br>All | **125,00** | m | 140 | | | 897 | | 2 | 100%PES TREVIRA CS RECYCLED | | |
| 00T1807800 | LINEN SHIBUMI*<br>col. 1* | **125,00** | m | ↕ 315 | | | 291 | | 1 | 96%LI 4%PES | | |
| 00T1900200 | LIPSTICK [21]<br>col. 1-4, 5*, 6-9, 11, 13, 14, 16-18, 19*, 20, 22, 23, 24*, 25-39 | **98,50** | m | ↕ 330 | | | 695 | | 35 | 100% PES FR | | |
| 00T2103000 | LIRA<br>col. 1<br>Coord: Buonfresco | **198,00** | m | 138 | ↕ 48 | ↔ 138 | 586 | | 1 | GROUND 100%WV / Embroidery 100%PM | | |
| 00T2308900 | LISBOA<br>All | **64,00** | m | ↕ 315 | | | 254 | | 2 | 100%PES FR RECYCLED | | |
| 00T2103300 | LONTANO LONTANO<br>All | **191,00** | m | 150 | ↕ 60,5 | ↔ 148 | 608 | | 2 | 57%PES 43%CO | | |
| 00T2200900 | LOOP LOOP<br>All | **76,00** | m | 140 | | | 880 | | 8 | 28%PES 25%PAN 24%WO 23%CO RECYCLED | | |

* Articles and colours to be phased out, check availability before ordering.

8 Overlock before making up.

13 Fabric with FR treatment.

21 When making up this fabric the use of a thin needle is advised to avoid fraying of the yarn.

24 When making up this fabric as upholstery covers for outdoor use, a self-draining dry-feel pad is recommended.

65 Sold by panel. Panel size: 145×328 cm.

71 It is advisable to make up the fabric so that it leans on the floor.

88 The special hand-finishing can result in 5-6 cm difference in the width of the fabric (155 cm).

92 With use and in the course of time and during storage and rolling, velvet pile may crush. To restore its original appearance, it is advisable to vaporize slightly at a distance of 20 cm, and then to brush the fabric.

Fire-retardant fabric. Certifications vary according to the Country. For further information please contact the agent or customer service.

| Code | Description and available colours | Price | U.M. | Width | Repeat VERTICAL | Repeat HORIZONTAL | Weight | Use | Colours | Composition | Care symbols | Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | € | | cm | cm | cm | g/ml | | | | | |
| 00T2501200 | LOREAK<br>col. 1 | 132,50 | m | 138 | ↕ 108 | ↔ 69 | 738 | | 1 | 100%CO | | |
| 00T2103700 | LUCA R<br>All | 124,00 | m | ↕ 320 | | | 782 | | 2 | 61%PES TREVIRA CS 39%PES TREVIRA CS RECYCLED | | |
| 00T2505200 | LUCANTHE<br>All | 115,00 | m | 176 | | | 432 | | 2 | 34%WV 34%PAN 26%LI 6%PES | | |
| 00T2305000 | LUCHINO [24]<br>col. 1<br>Coord: Ingrid, Pauline | 109,00 | m | 135 | ↕ 1,5 | ↔ 1,5 | 897 | | 1 | 49%PES TREVIRA CS RECYCLED 46%PES FR 5%PES FR RECYCLED | | |
| 00T1601600 | LUCILLO<br>col. 1, 2, 3, 5 | 121,00 | m | 140 | ↕ 3 | | 700 | | 4 | 73%PES FR 26%PES TREVIRA CS 1%MTF | | |
| 00T2402700<br>00T2402701 | LUDWIG 1992<br>col. 1<br>col. 2<br>Coord: Salicornia | 145,00<br>160,00 | m | 128 | ↕ 19 | ↔ 16 | 725 | | 2 | 100%LI | | |
| 00T2406500 | LUMILLUMINA<br>col. 1 | 165,00 | m | 138 | ↕ 46 | | 256 | | 1 | 38%CV 33%CO 22%PES 7%PA | | |
| 00LUMIS_00 | LUMIS* [46]<br>col. 3* | 117,50 | m | ↕ 325 | | | 455 | | 1 | 100%PES TREVIRA CS | | |
| 00T1902800 | LUPO [8]<br>All | 119,00 | m | 140 | | | 820 | | 9 | 74%PES TREVIRA CS 26%PES FR | | |
| 00T1403700 | LUTETIA<br>All | 134,00 | m | 140 | | | 980 | | 4 | 46%CV 29%CO 12%LI 8%PAN 2%PES 2%SE 1%PA | | |
| 00T2403000 | LUTETIA FR<br>All | 127,50 | m | 142 | | | 964 | | 4 | 57%PES TREVIRA CS RECYCLED 43%PES FR | | |
| 00LUX___00<br>00LUX___01 | LUX<br>col. 1<br>col. 2<br>Coord: Lux Flammé, Lux Rigato, Lux Flammé Wall, Lux Rigato Wall | 137,50 | m | 175 | | | 169 | | 2 | 73%CV 27%PES<br>57%CV 22%CO 21%PES | | |
| 00T1604400 | LUX FLAMMÉ<br>col. 2<br>Coord: Lux, Lux Rigato, Lux Flammé Wall, Lux Rigato Wall<br>Double-face | 142,50 | m | 180 | | ↔ 4 | 235 | | 1 | 72%CV 14%SE 14%PM | | |
| 00T1604500 | LUX RIGATO<br>col. 1<br>Coord: Lux, Lux Flammé, Lux Flammé Wall, Lux Rigato Wall<br>Double-face | 135,00 | m | 180 | | ↔ 4,5 | 290 | | 1 | 63%CO 27%CV 10%PM | | |
| 00T2405600 | LYCHNIS<br>col. 1<br>Double-face | 144,50 | m | 175 | | | 338 | | 1 | 67%PES 25%CV 8%PM | | |
| 00T2001300 | MADEIRA<br>col. 1-5, 7, 8, 9, 12, 13, 15* | 127,50 | m | 140 | | | 1.094 | | 11 | 90%LI 10%CO | | |

* Articles and colours to be phased out, check availability before ordering.

8 Overlock before making up.

24 When making up this fabric as upholstery covers for outdoor use, a self-draining dry-feel pad is recommended.

46 Weighting is suggested.

Fire-retardant fabric. Certifications vary according to the Country. For further information please contact the agent or customer service.

| Code | Description and available colours | Price | U.M. | Width | Repeat VERTICAL | Repeat HORIZONTAL | Weight | Use | Colours | Composition | Care symbols | Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | € | | cm | cm | cm | g/ml | | | | | |
| 00MADEMO00 | MADEMOISELLE [21]<br>col. 2-5, 12, 14-21, 26, 28, 30, 33, 34-45<br>Coord: Adamo & Eva, Adorabile Alpaca, Alexander, Romeo & Giulietta, Vladimiro, Monsieur Baudelaire, Alpaca Alto | **152,50** | m | 140 | | | 255 | | 26 | 73%SE 27%CO | | |
| 00T2307000 | MADRIGAL*<br>col. 1* | **76,00** | m | 140 | | | 615 | | 1 | 42%PAN 30%PES 18%CO RECYCLED 9%WV 1%AF | | |
| 00T2103100 | MAGNOLIA<br>col. 1<br>Coord: Buonfresco | **187,50** | m | 138 | ↕ 48 | ↔ 138 | 624 | | 1 | 100%WV | | |
| 00T1602900 | MAIKE<br>All | **115,00** | m | 180 | ↕ 56 | | 485 | | 2 | 100%PES FR | | |
| 00T2406700 | MAITAI<br>col. 1<br>Double-face | **118,00** | m | 140 | ↕ 15,2 | ↔ 20 | 302 | | 1 | 29%PES R 27%PES 17%LI 13%CO 10%CV 4%PAN | | |
| 00T2500500 | MALESHERBES [89, 90]<br>All | **110,00** | m | 134 | | | 642 | | 3 | 50%SE 50%CO | | |
| 00T2300500 | MAMMUTH [8]<br>col. 1 | **128,50** | m | 140 | | | 1.430 | | 1 | 35%PAN 19%LI 19%WO 16%WV 6%PES 4%PA 1%CO | | |
| 00T1703000 | MANIFESTO FUTURISTA<br>All | **217,50** | m | 148 | ↕ 186 | ↔ 147 | 448 | | 3 | 80%PES 20%CO | | |
| 00T2405700 | MANSA MUSA<br>col. 1<br>Double-face | **135,00** | m | 170 | | | 291 | | 1 | 45%CV 36%PES 12%LI 7%PM | | |
| 00T1806400 | MANY MATTERS<br>col. 1 | **115,00** | m | 140 | | | 613 | | 1 | 52%LI 14%CV 12%WO 11%CO 8%PES 3%PAN | | |
| 00T2201000 | MARABOU [61]<br>All | **99,00** | m | 142 | | | 770 | | 25 | 100%PES TREVIRA CS | | |
| 00T1503300 | MARGARITAS<br>All | **142,00** | m | 133 | ↕ 68 | ↔ 66,5 | 708 | | 2 | 70%CV 30%LI | | |
| 00T2201800 | MARZBAN<br>All<br>Coord: Flair, Lettere Persiane | **134,00** | m | 138 | ↕ 21,5 | ↔ 17 | 739 | | 3 | 70%CV 30%LI | | |
| 00T1804700 | MAYBE SPITALFIELDS<br>col. 1, 2 | **219,00** | m | 148 | ↕ 92 | ↔ 48,5 | 537 | | 2 | 67%PES 33%CO | | |
| 00T2302900 | MAZARIN<br>All | **87,50** | m | 138 | ↕ 6 | ↔ 5,4 | 705 | | 5 | 100%PP | | |
| 00T2308200 | MEDLEY<br>All | **81,50** | m | ↕ 290 | | | 791 | | 4 | 50% PES FR 50% PES FR RECYCLED | | |
| 00T2501100 | MÉLANGE MODERNE<br>All | **110,00** | m | 138 | | | 966 | | 7 | 45%LI 45%CV 10%PES **WR** | | |
| 00T2501000 | MEMORANDO [89, 90]<br>All | **112,50** | m | 134 | ↕ 2,5 | ↔ 4,5 | 248 | | 3 | 35%SE 35%CV 30%WO | | |
| 00METAL_00 | METAL<br>col. 1, 2 | **84,00** | m | ↕ 325 | | | 214 | | 2 | 100%PES TREVIRA CS | | |

* Articles and colours to be phased out, check availability before ordering.

8 Overlock before making up.

21 When making up this fabric the use of a thin needle is advised to avoid fraying of the yarn.

61 In the case of upholstery applications, it is advisable to use an internal lining to create friction with the chenille and prevent the fabric from slipping.

89 The precious raw silk yarns of artisanal production are characterized by inevitable colour and texture irregularities, which in some cases may be more evident when the fabric is hung against the light. For this reason, we recommend checking the fabric carefully before cutting and sewing.

90 Lining is recommended.

Fire-retardant fabric. Certifications vary according to the Country. For further information please contact the agent or customer service.

| Code | Description and available colours | Price | U.M. | Width | Repeat VERTICAL | Repeat HORIZONTAL | Weight | Use | Colours | Composition | Care symbols | Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | € | | cm | cm | cm | g/ml | | | | | |
| 00T2504100<br>00T2504101 | METAMETODO [94]<br>col. 2-4<br>col. 1<br>Coord: Aplomb | **149,00** | m | 135 | ↕ 50,5 | ↔ 135 | 563 | | 4 | 100%WV / Embroidery 39%PES 31%PAN 17%WO 8%PERI 5%PANR<br>100%WV / Embroidery 88%CO 12%PES | | |
| 00MEZZAL00 | MEZZALUNA<br>col. 102, 105-109, 120, 127, 128, 130-134, 135*, 136 | **147,50** | m | 140 | ↕ 8 | ↔ 9 | 830 | | 16 | 50%CO 26%PES 24%PA | | |
| 00T1902100 | MEZZALUNA MÉLANGE*<br>col. 2* | **142,50** | m | 140 | ↕ 8,3 | ↔ 9 | 720 | | 1 | 52%CO 46%PES 2%PA | | |
| 00T2503400 | MICHEL<br>All | **109,00** | m | ↕ 326 | | | 660 | | 8 | 100%PETR | | |
| 00T1803600 | MICROGRAMMA*<br>col. 1*, 5*<br>Coord: Alumnus, Regimen | **102,50** | m | 140 | | | 220 | | 2 | 100%PES TREVIRA CS | | |
| 00T2500200 | MILLAIS<br>All | **107,50** | m | 138 | | | 852 | | 24 | 66%WV 21%LI 13%PA **WR** | | |
| 00T2303100 | MILLEMIGLIA<br>All | **79,00** | m | 140 | | | 529 | | 2 | 70%CV 30%LI | | |
| 00T2303600 | MINIMA MIRABILIA<br>All | **115,00** | m | 143 | | | 1.022 | | 2 | 44%CV 29%CO 27%LI | | |
| 00T2400200 | MINIMAL MOVES [61, 81]<br>All | **143,00** | m | 130 | ↕ 48 | ↔ 32,5 | 1.516 | | 3 | 48%CV 23%CO 20%LI 4%PAN 4%PA 1%PES | | |
| 00T1504102 | MODERNISTA<br>col. 3 | **129,00** | m | 140 | | | 670 | | 1 | 54%PES 34%LI 12%CV | | |
| 00T2405100 | MOKA EFTI<br>col. 1 | **164,00** | m | 177 | ↕ 23 | ↔ 4,8 | 585 | | 1 | 86%CO 10%CV 4%PM | | |
| 00T2402600 | MONSIEUR BAUDELAIRE [80, 92]<br>All | **129,50** | m | 135 | | | 1.132 | | 12 | 96%CO 4%CMD | | |
| 00T2300200 | MONTGOMERY [61]<br>col. 1 | **113,50** | m | 125 | | | 986 | | 1 | 54%LI 18%CO 15%CV 6%PA 5%WO 2%PES | | |
| 00T1700900 | MORE IS MORE<br>All<br>Coord: Oz | **182,50** | m | 138 | | | 890 | | 3 | 49%CO 17%WO 12%WM 8%PA 8%PAN 6%PES | | |
| 00T2204100 | NARCISO<br>All | **114,00** | m | ↕ 325 | | | 518 | | 3 | 76%LI 24%PES | | |
| 00T2404700 | NE [8]<br>col. 7 | **137,50** | m | 138 | | | 1.179 | | 1 | 100%CO **WR** | | |
| 00T2403300 | NENA [8]<br>All | **187,50** | m | 135 | ↕ 22 | ↔ 9,5 | 1.228 | | 6 | 68%CO 18%PES 14%PU **WR** | | |
| 00T2203000 | NENUFAR<br>All | **181,00** | m | 138 | ↕ 94 | ↔ 138 | 217 | | 3 | 38%WO 32%PES RECYCLED 30%CV | | |

* Articles and colours to be phased out, check availability before ordering.

8 Overlock before making up.

61 In the case of upholstery applications, it is advisable to use an internal lining to create friction with the chenille and prevent the fabric from slipping.

80 Slight color variations between different fabric dye lots are determined by the manufacturing and finishing process that makes the fabric unique.

81 During storage and rolling, the fabric may have wrinkles, it is recommended to lightly steam it to revive the appearance of the fabric.

92 With use and in the course of time and during storage and rolling, velvet pile may crush. To restore its original appearance, it is advisable to vaporize slightly at a distance of 20 cm, and then to brush the fabric.

94 During storage and rolling, the pattern may leave a slight impression on the smooth surface of the fabric. To remove the marks and restore the original appearance, vaporize slightly at a distance of 20 cm.

Fire-retardant fabric. Certifications vary according to the Country. For further information please contact the agent or customer service.

| Code | Description and available colours | Price | U.M. | Width | Repeat VERTICAL | Repeat HORIZONTAL | Weight | Use | Colours | Composition | Care symbols | Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | € | | cm | cm | cm | g/ml | | | | | |
| 00T2402300 | NEVICAVA<br>All | **135,00** | m | 136 | ↕ 48 | | 188 | | 2 | 74%CO 19%PES 7%PA | | |
| 00T2500900 | NICOMACO [89, 90]<br>col. 1 | **119,00** | m | 134 | | | 603 | | 1 | 70%SE 30%CV | | |
| 00T2100700 | NIMBUS [8, 64]<br>All | **120,00** | m | 140 | | | 1.040 | | 8 | 70%WO 15%CO 10%PA 5%PES | | |
| 00T1906500 | NIMES<br>All | **86,00** | m | ↕ 325 | | | 432 | | 2 | 100%PES TREVIRA CS | | |
| 00T2001100 | NO EXCUSES<br>col. 3*, 4*, 5, 8*, 9*, 10*, 15<br>Coord: No Excuses Wall | **152,50** | m | ↕ 290 | | | 890 | | 7 | 100%WV | | |
| 00T2001200 | NO EXCUSES<br>col. 11, 12, 13, 14<br>Coord: No Excuses Wall | **153,50** | m | ↕ 290 | | | 890 | | 4 | 100%WV | | |
| 00T2501800 | NONSTOP ETHEREAL BLISS [92, 93]<br>col. 1 | **345,00** | m | 140 | | | 842 | | 1 | 66%WM 34%CO (PILE 100%WM) | | |
| 00T2400400 | NORICUM [8]<br>All | **127,50** | m | 145 | | | 844 | | 3 | 51%LI 25%PAN 19%CV 5%PES | | |
| 00T1801100 | NOUVELLES VAGUES [92]<br>All<br>New colour range from January 2026: 7-12 | **134,50** | m | 138 | ↕ 9 | ↔ 11,5 | 765 | | 6 | 55%CV 45%CO | | |
| 00NUVO__00 | NUVOLA<br>col. 101-104, 105*, 106 | **81,00** | m | ↕ 335 | | | 187 | | 6 | 100%PES TREVIRA CS | | |
| 00T2304100 | NYUL [61]<br>All | **143,00** | m | 130 | | | 765 | | 4 | 41%CO 30%CV 15%LI 14%PES | | |
| 00T1903000 | OCEANO<br>col. 1 | **110,00** | m | 140 | | | 672 | | 1 | 51%CO 30%CV 14%LI 5%PA | | |
| 00T2308000 | OLYMPIA<br>All<br>Double-face | **131,00** | m | 138 | | ↔ 130 | 677 | | 2 | 68%LI 32%PES | | |
| 00T2100800 | OOLONG [8]<br>col. 1-4, 5* | **111,00** | m | 140 | ↕ 27 | ↔ 23 | 1.170 | | 5 | 28%PAN 28%WV 14%CV 14%PES 9%CO 7%LI | | |
| 00T1808400 | ORO BLANK*<br>col. 1* | **134,00** | m | 130 | ↕ 33 | ↔ 33 | 696 | | 1 | 44%CO 42%WO 7%CV 3%AF 2%PA 2%PES | | |
| 00ORSETT00 | ORSETTO [4]<br>col. 101*, 102*, 103, 104 | **390,00** | m | 140 | | | 1.960 | | 4 | 77%WM 23%CO (PILE 100%WM) | | |

* Articles and colours to be phased out, check availability before ordering.

4 As in all long-haired velvet fabrics, the pile of this article tends to lie in different directions. This characteristic creates irregular streaks that show up at random on the fabric surface. Should staining occur, we recommend dry cleaning only. For routine cleaning the fabric should be regularly vacuumed to prevent dirt from gathering in between the pile. The fabric can also be brushed with a metal or nylon brush. Any sitting marks that appear may be removed by spraying with steam or water. Mohair fibre (like wool) is very elastic and recovers its original shape when damped. It is vital that the fabric is absoluted clean when damped! It should also be dried thoroughly before using it to sit on. Air dry in 24 hours or with a hair dryer set on a low temperature.

8 Overlock before making up.

61 In the case of upholstery applications, it is advisable to use an internal lining to create friction with the chenille and prevent the fabric from slipping.

64 When used for seating upholstery, a double seam reinforced with seam-tape on reverse side is required.

89 The precious raw silk yarns of artisanal production are characterized by inevitable colour and texture irregularities, which in some cases may be more evident when the fabric is hung against the light. For this reason, we recommend checking the fabric carefully before cutting and sewing.

90 Lining is recommended.

92 With use and in the course of time and during storage and rolling, velvet pile may crush. To restore its original appearance, it is advisable to vaporize slightly at a distance of 20 cm, and then to brush the fabric.

93 The fabric will be delivered on a roll with the pile facing outward.

Fire-retardant fabric. Certifications vary according to the Country. For further information please contact the agent or customer service.

| Code | Description and available colours | Price | U.M. | Width | Repeat VERTICAL | Repeat HORIZONTAL | Weight | Use | Colours | Composition | Care symbols | Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | € | | cm | cm | cm | g/ml | | | | | |
| 00T1906000 | OSLO [8]<br>All | **91,00** | m | 180 | | | 378 | | 3 | 100%PES TREVIRA CS | | |
| 00T1705000 | OXFORD HORIZON [44, 52]<br>All<br>Coord: Oxford Three<br>Double-face | **176,00** | m | ↕ 286 | | | 945 | | 6 | 100%PES TREVIRA CS | | |
| 00T1701400 | OXFORD THREE<br>col. 101, 102, 103, 106*, 109, 112*, 113, 115*, 121*<br>Coord: Oxford Horizon<br>Double-face | **134,00** | m | ↕ 294 | | | 940 | | 9 | 100%PES TREVIRA CS | | |
| 00T1704500 | OZ<br>col. 1<br>Coord: More is More | **226,00** | m | 140 | ↕ 30 | | 750 | | 1 | 28%WO 26%PES 23%WM 15%PA 8%CO | | |
| 00T1703100 | PALETOT*<br>col. 1* | **112,50** | m | 140 | | | 1.040 | | 1 | 44%CV 31%PES 19%LI 4%CO 2%CA | | |
| 00PALLAD00 | PALLADE<br>col. 29, 52*, 84-92 | **224,00** | m | ↕ 325 | | | 360 | | 11 | 100%SE | | |
| 00T2402100 | PALOMAR<br>col. 1<br>Coord: Buonfresco | **185,00** | m | 135 | ↕ 65 | ↔ 135 | 574 | | 1 | 100%WV / Embroidery 100%CO | | |
| 00T2202300 | PARADISO PAISLEY* [64, 66]<br>col. 21*, 22*, 24* | **162,50** | panel | 140 | ↕ 112 | ↔ 140 | 334 | | 3 | 100%WO | | |
| 00T2202500 | PARADISO PAISLEY [66]<br>col. 1, 2*, 3*<br>Coord: Flair | **160,00** | panel | 138 | ↕ 120 | ↔ 138 | 739 | | 3 | 70%CV 30%LI | | |
| 00T1701300 | PATCHWORK [45]<br>col. 1, 2, 5-8, 11-13 | **137,50** | m | 138 | | | 760 | | 9 | 60%PES TREVIRA CS 40%PES FR | | |
| 00T2305100 | PAULINE [24]<br>col. 1<br>Coord: Ingrid, Luchino | **114,00** | m | 135 | ↕ 1,8 | ↔ 1,4 | 897 | | 1 | 49%PES TREVIRA CS RECYCLED 46%PES FR 5%PES FR RECYCLED | | |
| 00T1800400 | PAZL<br>All | **152,50** | m | 150 | ↕ 53,5 | ↔ 37 | 424 | | 5 | 47%CO 39%CV 14%SE | | |
| 00T2201200 | PER INCISO [61]<br>col. 1 | **117,50** | m | 130 | | | 1.085 | | 2 | 60%CO 25%CV 7%PES 5%PA 3%AF | | |
| 00T2201201 | col. 2 | **167,50** | | | | | 1.152 | | | 52%CO 25%CV 12%PES 9%PA 2%AF | | |
| 00T1801400 | PERGAMENA [92]<br>col. 4-6, 9*, 10, 11*, 13*, 14, 17*, 18*, 19-21, 22*, 23, 24*, 25, 28*, 29 | **121,50** | m | 140 | | | 940 | | 19 | 51%CO 49%LI (PILE 100%LI) | | |

* Articles and colours to be phased out, check availability before ordering.

8 Overlock before making up.

24 When making up this fabric as upholstery covers for outdoor use, a self-draining dry-feel pad is recommended.

44 The fabric may reveal slight colour differences between one side and another owing to the printing techniques. When making up and joining fabric pieces, it is advisable to use the same sides.

45 Textile produced using artisan techniques, yarn and hand-twisted: it presents a little amount of typical surface fibres, innate to the textile.

52 Colour gradient effect around 85 cm.

61 In the case of upholstery applications, it is advisable to use an internal lining to create friction with the chenille and prevent the fabric from slipping.

64 When used for light seating upholstery, a double seam reinforced with seam-tape on reverse side is required.

66 Sold by panel with fixed cutting repeat.

92 With use and in the course of time and during storage and rolling, velvet pile may crush. To restore its original appearance, it is advisable to vaporize slightly at a distance of 20 cm, and then to brush the fabric.

Fire-retardant fabric. Certifications vary according to the Country. For further information please contact the agent or customer service.

| Code | Description and available colours | Price | U.M. | Width | Repeat VERTICAL | Repeat HORIZONTAL | Weight | Use | Colours | Composition | Care symbols | Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | € | | cm | cm | cm | g/ml | | | | | |
| 00T2104900 | PETRA<br>All | **125,00** | m | 160 | | | 550 | | 2 | 50%CO 23%PES 14%PAN 7%AF 6%PM | | |
| 00PLUSHY00 | PLUSHY [62]<br>col. 101, 106, 108, 113, 127, 131, 132, 134, 136, 138, 139, 143-147, 150-166<br>Coord: Squared, Riplay | **104,50** | m | 142 | | | 580 | | 33 | 100%PES FR | | |
| 00T1400300 | PON-PON<br>col. 1 | **129,00** | m | 140 | | | 730 | | 1 | 31%PES 30%WO 24%PAN 13%CO 2%PA | | |
| 00T1401600 | POOL [24]<br>All<br>Coord: Basquette, Cabas, Etoile, Summertime | **101,00** | m | 140 | | | 790 | | 3 | 100%PP | | |
| 00T1602800 | PRESENT PERFECT<br>All | **135,50** | m | 138 | ↕ 105 | ↔ 69 | 576 | | 2 | 47%JU 37%CO 6%PES 6%LI 2%PA 2%CV | | |
| 00T1400200 | PRINCE OF WALES*<br>col. 3* | **125,00** | m | 142 | ↕ 17,5 | ↔ 16 | 915 | | 1 | 56%CO 30%CV 14%LI | | |
| 00T2403400 | PROMENADE KAFKAÏENNE<br>All | **165,00** | m | 140 | ↕ 101 | ↔ 140 | 586 | | 4 | 57%CV 24%CO 12%PA 7%SE | | |
| 00T1701800 | PROUST* [92]<br>col. 11* | **71,00** | m | 140 | ↕ 14,5 | ↔ 15,5 | 705 | | 1 | 100%PES | | |
| 00T1402600 | PURE DAMASK<br>col. 1, 2, 6, 7, 10, 11, 12 | **147,00** | m | 138 | ↕ 50 | ↔ 69 | 305 | | 7 | 37%WO 36%CO 27%SE | | |
| 00T2500300<br>00T2500301 | QUENEAU [21]<br>col. 1-27<br>col. 29-31 | **95,00** | m | 145 | | | 503 | | 31 | 80%WO 20%PA **WR** | | |
| 00T2404000 | RABANNIUM [8]<br>All | **170,00** | m | 140 | | | 1.197 | | 5 | 97%PES 3%PU | | |
| 00T2407700 | RABDOMANTE [86]<br>col. 1<br>Coord: Aplomb | **149,00** | m | 140 | ↕ 18,5 | ↔ 46 | 240 | | 1 | 100%WO / Embroidery 100%PES | | |
| 00T2201300 | RAPUNZEL<br>col. 1*, 2, 3*, 4-10, 11*, 12-18, 19*, 20-23, 24*, 25*, 26-31, 32* | **112,50** | m | 153 | | | 126 | | 32 | 100%SE | | |
| 00T2201600 | RAZMIR [21]<br>col. 1-17, 18*, 19-20, 21*, 22*, 23-26 | **119,00** | m | 140 | | | 223 | | 26 | 72%WV 28%SE | | |
| 00T2104400 | RE-WISH CANVAS<br>col. 1 | **83,00** | m | ↕ 330 | | | 449 | | 1 | 100%PES TREVIRA CS RECYCLED | | |
| 00T2104300 | RE-WISH ÉTAMINE<br>col. 1 | **73,50** | m | ↕ 330 | | | 240 | | 1 | 65%PES TREVIRA CS Recycled 35%PES TREVIRA CS | | |

* Articles and colours to be phased out, check availability before ordering.

8 Overlock before making up.

21 When making up this fabric the use of a thin needle is advised to avoid fraying of the yarn.

24 When making up this fabric as upholstery covers for outdoor use, a self-draining dry-feel pad is recommended.

62 Due to the sophisticated manufacturing process, giving a characteristic iridescence and marbling to the velvet, each colourway presents unique variations in the appearance. With use and in the course of time, velvet pile may crush. To restore its original appearance, it is advisable to vaporize slightly, at a distance of 20 cm, and then to brush the fabric.

86 Slight irregularities on the embroidery must be considered an intrinsic characteristic of this fabric.

92 With use and in the course of time and during storage and rolling, velvet pile may crush. To restore its original appearance, it is advisable to vaporize slightly at a distance of 20 cm, and then to brush the fabric.

Fire-retardant fabric. Certifications vary according to the Country. For further information please contact the agent or customer service.

| Code | Description and available colours | Price | U.M. | Width | Repeat VERTICAL | Repeat HORIZONTAL | Weight | Use | Colours | Composition | Care symbols | Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | € | | cm | cm | cm | g/ml | | | | | |
| 00T2105100 | RE-WISH GEORGETTE<br>col. 1 | **80,00** | m | ↕ 310 | | | 209 | | 1 | 100%PES FR RECYCLED | | |
| 00T2104200 | RE-WISH SABLÉ<br>col. 1 | **86,00** | m | ↕ 330 | | | 488 | | 1 | 100%PES TREVIRA CS RECYCLED | | |
| 00T2104500 | RE-WISH SATIN<br>col. 1 | **95,00** | m | ↕ 330 | | | 514 | | 1 | 100%PES TREVIRA CS RECYCLED | | |
| 00T2102700 | REBUS<br>All<br>Double-face | **119,50** | m | ↕ 320 | | | 740 | | 4 | 100%PES TREVIRA CS (55%PES TREVIRA CS Recycled 45%PES TREVIRA CS) | | |
| 00T1804100 | REGIMEN<br>col. 1*, 2-5, 7, 8*, 11-13, 15<br>Coord: Microgramma | **147,50** | m | ↕ 315 | | ↔ 4,5 | 456 | | 11 | 100%PES TREVIRA CS | | |
| 00T2201100 | REGINALDO<br>col. 1*, 2-7, 8*,9* | **124,50** | m | 140 | ↕ 25 | | 861 | | 9 | 34%PAN 28%LI 24%CO 14%WO | | |
| 00T2407500 | REGOLITH [70]<br>col. 1<br>Coord: Wide Linen Sablè | **125,00** | m | 140 | ↕ 97 | | 222 | | 1 | 100%LI / Embroidery 100%PAN | | |
| 00T2102300 | RELÈ<br>All | **94,00** | m | ↕ 330 | | | 462 | | 3 | 100%PES TREVIRA CS RECYCLED | | |
| 00T2102600 | REPENTINO<br>All | **120,00** | m | ↕ 330 | | | 567 | | 2 | 100%PES TREVIRA CS RECYCLED | | |
| 00T2102400 | RETINA<br>All | **76,50** | m | ↕ 320 | | | 350 | | 3 | 100%PES TREVIRA CS RECYCLED | | |
| 00T1602000 | REVERSI<br>col. 1<br>Double-face | **163,00** | m | 148 | ↕ 65,5 | ↔ 18 | 366 | | 1 | 26%CV 21%CA 16%CO 14%SE 12%PES 9%LI 2%PA | | |
| 00T2405900 | RIGMAROLA<br>col. 1, 2 | **97,50** | m | 140 | | | 357 | | 2 | 32%LI 29%PES 20%PES R 9%CO 7%CV 3%PAN | | |
| 00T2501600 | RIPLEY [92]<br>All<br>Coord: Plushy | **120,00** | m | 131 | ↕ 1,4 | ↔ 4,2 | 655 | | 8 | 100%PESF / Embroidery 100%PES | | |
| 00T1802400 | RITMO CARTESIANO<br>col. 1 | **152,50** | m | 142 | ↕ 69 | ↔ 71 | 570 | | 1 | 33%CV 26%CO 24%PES 17%AF | | |
| 00T1804400 | RITMO CARTESIANO [89]<br>col. 2, 3<br>Coord: Tiger Silk, Silk Sugar | **202,50** | m | 142 | ↕ 69 | ↔ 71 | 511 | | 2 | 43%CV 26%SE 25%PES 3%CO 3%AF | | |
| 00T1903800 | ROCOCÒ [8, 24]<br>All | **94,00** | m | 137 | | | 820 | | 4 | 97%PP 3%PES | | |
| 00T2308300 | ROLAND<br>All | **81,50** | m | ↕ 290 | | | 542 | | 2 | 100%PES TREVIRA CS | | |
| 00T2306800 | ROMAN SQUARES<br>col. 1<br>Coord: Land R | **126,50** | m | 132,5 | ↕ 33 | ↔ 26,5 | 720 | | 1 | GROUND 100%PES TREVIRA CS RECYCLED / Embroidery 100%PES FR | | |

* Articles and colours to be phased out, check availability before ordering.

8 Overlock before making up.

24 When making up this fabric as upholstery covers for outdoor use, a self-draining dry-feel pad is recommended.

70 An artisanal manufacturing process gives this fabric a distinctive rippled and irregular appearance, which is to be considered an intrinsic part of its precious nature.

89 The precious raw silk yarns of artisanal production are characterized by inevitable colour and texture irregularities, which in some cases may be more evident when the fabric is hung against the light. For this reason, we recommend checking the fabric carefully before cutting and sewing.

92 With use and in the course of time and during storage and rolling, velvet pile may crush. To restore its original appearance, it is advisable to vaporize slightly at a distance of 20 cm, and then to brush the fabric.

Fire-retardant fabric. Certifications vary according to the Country. For further information please contact the agent or customer service.

| Code | Description and available colours | Price | U.M. | Width | Repeat VERTICAL | Repeat HORIZONTAL | Weight | Use | Colours | Composition | Care symbols | Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | € | | cm | cm | cm | g/ml | | | | | |
| 00ROMEO_00 | ROMEO & GIULIETTA [92]<br>All<br>Coord: Aplomb, Mademoiselle | 259,00 | m | 140 | | | 450 | | 36 | 51%SE 37%CO 12%PES (PILE 100%SE) | | |
| 00T2407200 | ROQUEBRUNE [8, 64]<br>col. 1, 3 | 160,00 | m | 133 | | | 639 | | 2 | 40%CO 38%LI 8%PES 7%PAN 6%CV 1%WV | | |
| 00T1801900 | ROSETTA<br>col. 1 | 137,50 | m | 136 | ↕ 98 | ↔ 68 | 447 | | 1 | 46%PES 45%CO 9%PAN | | |
| 00T2002600 | ROVERE<br>col. 1, 2* | 187,00 | m | 148 | ↕ 61 | ↔ 73,5 | 500 | | 2 | 37%CO 31%PA 16%SE 14%CV 2%PES | | |
| 00T2306900 | RUE DE SEINE<br>col. 1 | 72,50 | m | 140 | | | 622 | | 1 | 43%PAN 34%PES 19%CO RECYCLED 3%PA 1%AF | | |
| 00T2000800 | RUGBY [61]<br>col. 1, 3*, 4, 5, 6*, 7 | 143,00 | m | 140 | | | 1.152 | | 6 | 55%CV 42%CO 3%PA | | |
| 00T2405400 | SABBIONETA<br>col. 1, 2 | 67,50 | m | ↕ 288 | | | 728 | | 2 | 100%PES | | |
| 00T1808600 | SALGEMMA*<br>col. 2* | 95,00 | m | 140 | | | 232 | | 1 | 37%PAN 26%WO 20%LI 14%CV 3%PES | | |
| 00T2200200 | SALICORNIA<br>col. 1-5, 6*, 7-15, 16*, 17-32 | 89,50 | m | 145 | | | 636 | | 32 | 100%LI | | |
| 00T2100500 | SALINGER [61]<br>All | 114,00 | m | 133 | | | 1.147 | | 8 | 71%CV 18%CO 10%LI 1%PA | | |
| 00T2304400 | SALISGRANO [24]<br>All | 96,50 | m | 140 | | | 744 | | 4 | 46%PES TREVIRA CS RECYCLED 43%PES FR 11%PES FR RECYCLED | | |
| 00T2304500 | SALISGRANO ORO [24]<br>All | 112,50 | m | 140 | | | 859 | | 2 | 44%PES FR 41%PES TREVIRA CS RECYCLED 15%PES FR RECYCLED | | |
| 00T1904900 | SAMSARA<br>All | 118,00 | m | 145 | | | 740 | | 4 | 40%CO 25%CV 13%WO 13%PAN 5%PES 3%PA 1%MTF | | |
| 00T2404400 | SAMSIGERAMUS<br>col. 1<br>Coord: Eliogabalo | 189,00 | m | 148 | ↕ 47 | ↔ 49 | 315 | | 1 | 25%PC 25%PL 25%WO 15%CV 6%CO 2%AF 2%PM | | |
| 00T1808700 | SANDSTONE*<br>col. 1* | 97,50 | m | 140 | | | 366 | | 1 | 32%CO 32%WO 18%LI 12%CV 6%PAN | | |
| 00SANSON00 | SANSONE [92]<br>col. 1-12, 14-20, 23, 24, 26, 28, 29, 33-38 | 101,00 | m | 140 | | | 470 | | 30 | 100%PES TREVIRA CS | | |
| 00T2000400<br>00T2000401 | SAXOPHONE<br>col. 1<br>col. 2* | 144,50 | m | 135 | | | 1.063 | | 2 | 41%WO 32%CO 26%PAN 1%PA<br>60%WO 32%CO 8%PAN | | |

* Articles and colours to be phased out, check availability before ordering.

8 Overlock before making up.

24 When making up this fabric as upholstery covers for outdoor use, a self-draining dry-feel pad is recommended.

61 In the case of upholstery applications, it is advisable to use an internal lining to create friction with the chenille and prevent the fabric from slipping.

64 When used for seating upholstery, a double seam reinforced with seam-tape on reverse side is required.

92 With use and in the course of time and during storage and rolling, velvet pile may crush. To restore its original appearance, it is advisable to vaporize slightly at a distance of 20 cm, and then to brush the fabric.

Fire-retardant fabric. Certifications vary according to the Country. For further information please contact the agent or customer service.

| Code | Description and available colours | Price | U.M. | Width | Repeat VERTICAL | Repeat HORIZONTAL | Weight | Use | Colours | Composition | Care symbols | Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | € | | cm | cm | cm | g/ml | | | | | |
| 00T1804300 | SAY GOODBYE FLORA<br>All | **218,50** | m | 148 | ↕ 42,5 | ↔ 24,5 | 538 | | 2 | 91%PES 9%SE | | |
| 00T2404500 | SAYETTA<br>All | **220,00** | m | 148 | ↕ 175 | ↔ 148 | 426 | | 3 | 52%CO 44%PL 3%CV 1%PM | | |
| 00T2101300 | SCARABEO [62]<br>All | **148,00** | m | 145 | ↕ 9,5 | ↔ 9 | 630 | | 8 | 41%PES 31%CV 28%CO | | |
| 00T1905400 | SCARAMOUCHE [8]<br>col. 1-3, 4* | **255,00** | m | 145 | ↕ 99 | ↔ 72 | 350 | | 4 | 77%PES 18%SE 5%PM | | |
| 00T2502600 | SCHMETTERLING<br>col. 1<br>Coord: Buonfresco | **225,00** | m | 134 | ↕ 58 | ↔ 67 | 610 | | 1 | 100%WV / Embroidery 60%CV 20%PM 20%PES | | |
| 00T1804900 | SCHWARZWALD<br>All<br>Coord: Sinequanon | **141,00** | m | 140 | ↕ 88 | ↔ 138 | 644 | | 3 | 60%CV 16%LI 13%CO 6%PES 5%PAN **WR** | | |
| 00T2105000 | SCINTILLA<br>col. 1 | **124,50** | m | 180 | | | 244 | | 1 | 87%CV 12%PES 1%PA | | |
| 00T2502000 | SCRIPT [91 (col. 1), 92]<br>All | **170,00** | m | 134 | ↕ 71 | ↔ 65,5 | 777 | | 4 | 56%CO 44%WM (PILE 100%WM) | | |
| 00T2505900 | SELIDOR [71, 85]<br>col. 1 | **99,00** | m | 200 | | | 472 | | 1 | 60%HA 37%LI 3%PA | | |
| 00T2300300 | SEQUOIA [8]<br>col. 1 | **113,00** | m | 148 | | | 1.243 | | 1 | 32%CV 25%PAN 13%CO 13%LI 9%WV 4%PA 4%PES | | |
| 00T1905000 | SERAFINO [8, 64]<br>All | **143,00** | m | 132 | | | 870 | | 2 | 38%CO 33%CV 26%LI 3%PA | | |
| 00T2500600 | SEREIN [89, 90]<br>All | **119,00** | m | 134 | | | 219 | | 2 | 100%SE | | |
| 00T2501900 | SERENE SPLENDOUR [91, 92, 93]<br>col. 1 | **280,00** | m | 140 | | | 626 | | 1 | 63%WP 37%CO (PILE 100%WP) | | |
| 00T1900400 | SETAMATKA/C [89, 90]<br>col. 4 | **87,00** | m | 137 | | ↔ 3,7 | 559 | | 1 | 100%WP | | |
| 00T1500300 | SETAMATKA/L* [89, 90]<br>col. 2* | **115,00** | m | 135 | | | 425 | | 1 | 100%SE | | |
| 00T1500600 | SETAMATKA/M* [89, 90]<br>col. 2* | **100,00** | m | 138 | | | 300 | | 1 | 100%SE | | |
| 00T1500500 | SETAMATKA/S [89, 90]<br>col. 2 | **100,00** | m | 137 | | | 232 | | 1 | 100%SE | | |

* Articles and colours to be phased out, check availability before ordering.

8 Overlock before making up.

62 Due to the sophisticated manufacturing process, giving a characteristic iridescence and marbling to the velvet, each colourway presents unique variations in the appearance. With use and in the course of time, velvet pile may crush. To restore its original appearance, it is advisable to vaporize slightly, at a distance of 20 cm, and then to brush the fabric.

64 When used for seating upholstery, a double seam reinforced with seam-tape on reverse side is required.

71 It is advisable to make up the fabric so that it leans on the floor.

85 Hemp yarns reveal natural irregularities in colour, hand and weave.

89 The precious raw silk yarns of artisanal production are characterized by inevitable colour and texture irregularities, which in some cases may be more evident when the fabric is hung against the light. For this reason, we recommend checking the fabric carefully before cutting and sewing.

90 Lining is recommended.

91 The fine undyed natural yarns create a fabric that may show inevitable color variations, which indicates the uniqueness of this product. In lighter shades, slightly darker threads may be visible.

92 With use and in the course of time and during storage and rolling, velvet pile may crush. To restore its original appearance, it is advisable to vaporize slightly at a distance of 20 cm, and then to brush the fabric.

93 The fabric will be delivered on a roll with the pile facing outward.

| Code | Description and available colours | Price | U.M. | Width | Repeat VERTICAL | Repeat HORIZONTAL | Weight | Use | Colours | Composition | Care symbols | Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | € | | cm | cm | cm | g/ml | | | | | |
| 00T1501900 | SETAMATKA/XL [89, 90]<br>All | **107,50** | m | 136 | | | 660 | | 2 | 53%SE 43%CV 2%CO 2%PA | | |
| 00T1700800 | SHADES<br>col. 1, 2 | **116,00** | m | ↕ 296 | | | 1.242 | | 2 | 100%PES | | |
| 00T2100400 | SHAR PEI [61]<br>All | **128,00** | m | 135 | | | 1.276 | | 8 | 60%CV 23%LI 16%CO 1%PA | | |
| 00T1400500 | SHIMMER [8]<br>col. 3-6 | **108,00** | m | 138 | | | 602 | | 4 | 38%CO 32%CV 30%PA | | |
| 00T1405100 | SHIMMER/B* [OD, 8]<br>col. 5*, 6* | **115,00** | m | 138 | | | 625 | | 2 | 38%CO 32%CV 30%PA | | |
| 00T1500900 | SHORT-CUTS<br>All | **166,00** | m | 144 | ↕ 37 | ↔ 36 | 580 | | 5 | 70%CO 30%PES | | |
| 00T2304800 | SIBELIUS [24]<br>col. 1<br>Coord: Auralea | **130,00** | m | 140 | ↕ 25 | ↔ 35 | 1.150 | | 1 | 72%PES FR 24%PES TREVIRA CS RECYCLED 4%PES FR RECYCLED | | |
| 00T2105200 | SIBILLA<br>All | **77,50** | m | 160 | | | 186 | | 32 | 87%PES TREVIRA CS Recycled 13%PES TREVIRA CS | | |
| 00T2302000 | SIBILLA THREE<br>All<br>Coord: Sibilla Wall | **106,50** | m | ↕ 320 | | | 373 | | 7 | 87%PES TREVIRA CS Recycled 13%PES TREVIRA CS | | |
| 00T1802800 | SILK NATURE [89, 90]<br>All<br>Coord: Tiger Silk, Ritmo Cartesiano, Silk Nature Wall | **155,00** | m | 145 | | | 256 | | 2 | 67%SE 33%LI | | |
| 00T1802500 | SILK SUGAR [89, 90]<br>All<br>Coord: Tiger Silk, Ritmo Cartesiano, Silk Sugar Wall | **170,00** | m | 145 | | | 355 | | 2 | 60%LI 40%SE | | |
| 00T1602500 | SILKBIRD JACQUARD<br>All | **167,50** | m | 138 | ↕ 132 | ↔ 138 | 348 | | 6 | 53%CO 47%CV | | |
| 00T1401900 | SILKYWAY*<br>col. 1* | **195,50** | m | 144 | ↕ 51 | ↔ 36 | 460 | | 1 | 34%CV 29%LI 15%SE 12%CO 10%PES | | |
| 00T1800700 | SINEQUANON<br>col. 1, 7-9, 31, 33, 37 | **75,00** | m | 140 | | | 663 | | 7 | 60%CV 16%LI 13%CO 6%PES 5%PAN **WR** | | |
| 00T1807200 | SIRIANA<br>col. 1, 2, 4 | **77,50** | m | ↕ 297 | | | 576 | | 3 | 100%PES FR | | |
| 00T1904000 | SLALOM* [24]<br>col. 1* | **84,50** | m | 140 | | | 550 | | 1 | 76%PP 24%PES | | |
| 00T1902000 | SMILLA [60, 61]<br>All | **109,50** | m | 130 | | | 829 | | 2 | 44%CV 23%CO 21%LI 7%BAMBU' 5%PA | | |

* Articles and colours to be phased out, check availability before ordering.

OD On demand article. For lead times and Minimum Order Quantity, please refer to the table at the end of this price list.

8 Overlock before making up.

24 When making up this fabric as upholstery covers for outdoor use, a self-draining dry-feel pad is recommended.

60 With use and in the course of time, chenille tends to crush. To restore its original appearance, it is advisable to vaporize slightly, at a distance of 20 cm, and to brush the fabric.

61 In the case of upholstery applications, it is advisable to use an internal lining to create friction with the chenille and prevent the fabric from slipping.

89 The precious raw silk yarns of artisanal production are characterized by inevitable colour and texture irregularities, which in some cases may be more evident when the fabric is hung against the light. For this reason, we recommend checking the fabric carefully before cutting and sewing.

90 Lining is recommended.

Fire-retardant fabric. Certifications vary according to the Country. For further information please contact the agent or customer service.

| Code | Description and available colours | Price | U.M. | Width | Repeat VERTICAL | Repeat HORIZONTAL | Weight | Use | Colours | Composition | Care symbols | Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | € | | cm | cm | cm | g/ml | | | | | |
| 00T1805300 | SN MAYBE SPITALFIELDS* [7, 16] col. 1* | **147,50** | m | 137 | ↕ 44 | ↔ 45,3 | 670 | | 1 | 46%CV 21%PU 20%LI 13%CO **WR** | | |
| 00T1805400 | SN REGIMEN [7, 16] col. 4 | **147,50** | m | 137 | | ↔ 5,2 | 670 | | 1 | 46%CV 21%PU 20%LI 13%CO **WR** | | |
| 00T1805000 | SN SCHWARZWALD [7, 16] col. 1, 2 | **147,50** | m | 137 | ↕ 79 | ↔ 135 | 670 | | 2 | 46%CV 21%PU 20%LI 13%CO **WR** | | |
| 00T1400700 | SOFT TWEED* [60, 61] col. 1*, 2* | **109,00** | m | 140 | | | 830 | | 2 | 50%CV 26%CO 10%LI 9%PES 5%PAN | | |
| 00T1801800 | SOFT WOOD [45] All | **98,00** | m | 138 | | | 830 | | 3 | 90%CV 10%CO | | |
| 00T1501200 | SONG-WAY [8] col. 1, 2, 4 | **107,50** | m | 136 | ↕ 48,3 | ↔ 34 | 490 | | 3 | 36%PA 33%PES 31%CO | | |
| 00T2402800 | SOROGOYEN [8] All | **102,50** | m | 140 | | | 1.115 | | 4 | 44%CO 24%PES 18%CV 8%PAN 6%LI | | |
| 00SOTTOS00 | SOTTOSOPRA [61] col. 104, 106, 114, 117<br>Double-face | **137,00** | m | 140 | | | 1.180 | | 4 | 60%CV 25%CO 15%PES | | |
| 00T2402900 | SOULMATE [8, 34, 61] col. 1 | **141,50** | m | 133 | | | 1.274 | | 1 | 33%CO 30%CV 18%WV 18%LI 1%PA | | |
| 00SPARKS00 | SPARKS All | **90,00** | m | 140 | | | 850 | | 6 | 43%PES 38%CV 9%LI 7%CO 2%PAN 1%AF | | |
| 00T2101100 | SPINONE All | **75,00** | m | 133 | | | 810 | | 3 | 56%PES 38%CO 6%LI | | |
| 00T2400800 | SPIRITI OZIOSI [8, 60, 61, 64] All | **165,00** | m | 138 | | | 1.008 | | 8 | 76%CV 11%LI 8%CO 5%PES **WR** | | |
| 00T1501600 | SPLENDIDO [92] col. 1-3, 7, 9, 10, 12, 14-24, 27, 28*, 29, 30, 32-42<br>Coord: Splendido Splendente | **129,00** | m | 140 | | | 1.022 | | 33 | 63%CV 26%CO 11%SE (PILE 85%CV 15%SE) | | |
| 00T1701700 | SPLENDIDO SPLENDENTE [92] All<br>Coord: Splendido | **151,00** | m | 138 | | | 1.030 | | 13 | 63%CV 26%CO 11%SE (PILE 85%CV 15%SE) | | |
| 00T1904700 | SPRITZ* [24] col. 1*<br>Coord: Farniente, Strange Loves, Forever | **92,50** | m | 140 | | | 740 | | 1 | 100%PAN **WR** | | |

* Articles and colours to be phased out, check availability before ordering.

7 When used as a wall covering, a simple seam is suggested.

8 Overlock before making up.

16 This item is fire-retardant certified for seating in public spaces, bar and restaurants as well as for wallcovering (with a nonwoven backing) for contract use. Certificates are available on request.

24 When making up this fabric as upholstery covers for outdoor use, a self-draining dry-feel pad is recommended.

34 Chenille gets crushed with the use, giving the fabric a "well-lived" effect, which should not be considered a defect but a fabric's particularity.

45 Textile produced using artisan techniques, yarn and hand-twisted: it presents a little amount of typical surface fibres, innate to the textile.

60 With use and in the course of time, chenille tends to crush. To restore its original appearance, it is advisable to vaporize slightly, at a distance of 20 cm, and to brush the fabric.

61 In the case of upholstery applications, it is advisable to use an internal lining to create friction with the chenille and prevent the fabric from slipping.

64 When used for seating upholstery, a double seam reinforced with seam-tape on reverse side is required.

92 With use and in the course of time and during storage and rolling, velvet pile may crush. To restore its original appearance, it is advisable to vaporize slightly at a distance of 20 cm, and then to brush the fabric.

| Code | Description and available colours | Price | U.M. | Width | Repeat VERTICAL | Repeat HORIZONTAL | Weight | Use | Colours | Composition | Care symbols | Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | € | | cm | cm | cm | g/ml | | | | | |
| 00SQUAR_00 | SQUARED [OD]<br>col. 144<br>Coord: Plushy | **154,00** | m | 135 | ↕ 16 | ↔ 15 | 580 | | 1 | 100%PES FR | | |
| 00T2303700 | ST. GERMAIN<br>All | **100,00** | m | 140 | | | 1.087 | | 2 | 57%PAN 12%LI 12%CV 11%CO 8%PES | | |
| 00T1904800 | STRANGE LOVES [24]<br>col. 1-4, 5*, 6-11<br>Coord: Farniente, Spritz, Forever | **87,50** | m | 140 | | ↔ 1,6 | 550 | | 11 | 100%PAN **WR** | | |
| 00T1401700 | SUMMERTIME [24]<br>col. 1, 3-5, 8, 10<br>Coord: Basquette, Cabas, Etoile, Pool | **97,50** | m | 140 | | | 802 | | 6 | 100%PP | | |
| 00T2000100 | SUNDAY [92]<br>All<br>Coord: Sunday Wall | **82,50** | m | 140 | | | 553 | | 38 | 100%PES TREVIRA CS | | |
| 00T1503500 | SUPERSAIA<br>col. 1, 3, 4 | **125,00** | m | ↕ 320 | | | 790 | | 3 | 100%PES TREVIRA CS | | |
| 00T1901000 | SVEVO<br>All | **101,00** | m | 140 | | | 761 | | 5 | 44%LI 26%WO 18%CV 12%PA | | |
| 00T2102200 | SWAN<br>All | **155,00** | m | 140 | ↕ 8 | ↔ 11,5 | 438 | | 4 | 53%WO 47%MERINO | | |
| 00T2303900 | SYRAH [61]<br>col. 1 | **122,00** | m | 145 | | | 1.154 | | 1 | 62%CV 26%CO 6%LI 6%PA | | |
| 00TABULA00 | TABULARASA [21]<br>col. 101-103, 106, 107, 111, 115, 116, 120, 124-127, 129, 130, 132, 134-140, 143, 151-163, 165, 167-175, 177-184<br>Coord: Tabulariga Grande, Tabulariga Piccola | **91,00** | m | 140 | | | 469 | | 55 | 100%CO **WR** | | |
| 00T1403800 | TABULARIGA GRANDE [21]<br>col. 201<br>Coord: Tabularasa, Tabulariga Piccola | **125,00** | m | 144 | | ↔ 18 | 450 | | 1 | 100%CO **WR** | | |
| 00T1403300 | TABULARIGA PICCOLA* [21]<br>col. 101*<br>Coord: Tabularasa, Tabulariga Grande | **125,00** | m | 144 | | ↔ 6 | 450 | | 1 | 100%CO **WR** | | |
| 00T1504300 | TALIA<br>col. 1, 2, 3* | **86,50** | m | ↕ 300 | | | 610 | | 3 | 100%PES | | |
| 00T2503800 | TAT TVAM<br>All | **142,50** | m | 130 | ↕ 69 | ↔ 65 | 322 | | 5 | 29%SE 27%WO 20%PES 16%CV 8%PAN | | |
| 00T2501400 | TATIN<br>All | **95,00** | m | 148 | | | 581 | | 15 | 100%PES TREVIRA CS | | |

* Articles and colours to be phased out, check availability before ordering.

OD On demand article. For lead times and Minimum Order Quantity, please refer to the table at the end of this price list.

21 When making up this fabric the use of a thin needle is advised to avoid fraying of the yarn.

24 When making up this fabric as upholstery covers for outdoor use, a self-draining dry-feel pad is recommended.

61 In the case of upholstery applications, it is advisable to use an internal lining to create friction with the chenille and prevent the fabric from slipping.

92 With use and in the course of time and during storage and rolling, velvet pile may crush. To restore its original appearance, it is advisable to vaporize slightly at a distance of 20 cm, and then to brush the fabric.

Fire-retardant fabric. Certifications vary according to the Country. For further information please contact the agent or customer service.

| Code | Description and available colours | Price | U.M. | Width | Repeat VERTICAL | Repeat HORIZONTAL | Weight | Use | Colours | Composition | Care symbols | Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | € | | cm | cm | cm | g/ml | | | | | |
| 00T2204000 | TATLIN<br>All | **124,00** | m | ↕ 325 | ↕ 68 | ↔ 60 | 407 | | 2 | 50%PES 50%LI | | |
| 00T2200100 | TEMPERA<br>col. 1, 2*, 3-16, 17* | **109,50** | m | 150 | | | 929 | | 17 | 100%LI | | |
| 00T2501700 | THANK YOU FOR SENDING ME AN ANGEL [91, 92, 93]<br>All | **365,00** | m | 140 | | | 828 | | 5 | 66%KWM 34%CO (PILE 100%KWM) | | |
| 00T2001400 | THELONIOUS<br>col. 1-3, 4*, 5, 6*, 7, 8 | **100,00** | m | 140 | | | 965 | | 8 | 35%CV 34%LI 20%CO 7%PES 4%PAN | | |
| 00T2405500 | THÉRÈSE<br>col. 1 | **59,00** | m | ↕ 312 | | | 273 | | 1 | 100%PES FR RECYCLED | | 8 |
| 00T2404600 | THINK CLINK [8]<br>All | **187,50** | m | 135 | | | 1.201 | | 2 | 56%PES 30%CO 11%PU 3%AF | | |
| 00T2401900 | THIS IS THE TIGER SPEAKING [81, 92]<br>col. 1 | **130,00** | m | 140 | ↕ 29 | ↔ 69 | 744 | | 1 | 100%CO | | |
| 00T2103200 | THIS MUST BE THE PLACE<br>All<br>Coord: This Must be the Place Wall | **176,00** | m | 140 | ↕ 73,5 | ↔ 69 | 400 | | 4 | 54%CV 46%CO | | |
| 00T2305900 | TIGER BEAT [92]<br>All | **129,00** | m | 135 | ↕ 64 | ↔ 67,5 | 765 | | 5 | 52%CV 35%CO 13%PES | | |
| 00T1801500 | TIGER MOUNTAIN [92]<br>All | **141,00** | m | 138 | ↕ 84,5 | ↔ 69 | 720 | | 3 | 63%CV 37%CO | | |
| 00T1802600 | TIGER SILK [89]<br>All<br>Coord: Silk Nature, Silk Sugar | **176,00** | m | 142 | ↕ 89 | ↔ 71 | 443 | | 4 | 46%CV 29%SE 25%PES | | |
| 00T2306500 | TIGER SNOW<br>col. 1<br>Coord: Buonfresco | **195,00** | m | 130 | ↕ 98 | ↔ 65 | 635 | | 1 | GROUND 100%WV / Embroidery 55%CO 45%CV | | |
| 00T1807000 | TIGHTFALL [13]<br>col. 1<br>Coord: Brightfall, Lightfall | **68,00** | m | ↕ 310 | | ↔ 3,3 | 439 | | 1 | 100%PES | | 8 |
| 00T2405000 | TIMOTHÉE<br>col. 1 | **64,00** | m | ↕ 320 | | | 470 | | 1 | 100%PES FR | | 8 |
| 00T2302300 | TOPINAMBOUR<br>All | **111,00** | m | 140 | | | 701 | | 8 | 92%CV 8%SE | | |
| 00T2406300 | TOUT DIT [71]<br>col. 1, 2 | **97,50** | m | 134 | | | 279 | | 2 | 45%WO 45%PAN 10%PES | | 8 |
| 00T2503600 | TRACING THORNS<br>All | **110,00** | m | 140 | ↕ 94 | ↔ 70 | 844 | | 2 | 42%CO 25%CV 13%WO 13%PAN 5%PES 2%PA **WR** | | |

* Articles and colours to be phased out, check availability before ordering.

8 Overlock before making up.

13 Fabric with FR treatment.

71 It is advisable to make up the fabric so that it leans on the floor.

81 During storage and rolling, the fabric may have wrinkles, it is recommended to lightly steam it to revive the appearance of the fabric.

89 The precious raw silk yarns of artisanal production are characterized by inevitable colour and texture irregularities, which in some cases may be more evident when the fabric is hung against the light. For this reason, we recommend checking the fabric carefully before cutting and sewing.

91 The fine undyed natural yarns create a fabric that may show inevitable color variations, which indicates the uniqueness of this product. In lighter shades, slightly darker threads may be visible.

92 With use and in the course of time and during storage and rolling, velvet pile may crush. To restore its original appearance, it is advisable to vaporize slightly at a distance of 20 cm, and then to brush the fabric.

93 The fabric will be delivered on a roll with the pile facing outward.

Fire-retardant fabric. Certifications vary according to the Country. For further information please contact the agent or customer service.

| Code | Description and available colours | Price | U.M. | Width | Repeat VERTICAL | Repeat HORIZONTAL | Weight | Use | Colours | Composition | Care symbols | Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | € | | cm | cm | cm | g/ml | | | | | |
| 00T2002300 | TRAVERTINE<br>col. 1, 2* | **192,50** | m | 148 | ↕ 327 | ↔ 145,5 | 488 | | 2 | 37%CO 31%PA 16%SE 14%CV 2%PES | | |
| 00T2104700 | TROCADERO<br>All | **77,50** | m | ↕ 300 | | | 712 | | 2 | 90%PAN 10%PES | | |
| 00TUXEDO00 | TUXEDO* [21]<br>col. 3*, 4*, 5*, 6*, 27*, 32*, 33*, 37* | **153,00** | m | ↕ 305 | | | 651 | | 8 | 100%PES TREVIRA CS | | |
| 00T2401300 | TWEEDLEDEE [8]<br>col. 1 | **147,50** | m | 125 | | | 666 | | 1 | 49%CO 24%WO 10%CV 9%PA 8%PL | | |
| 00T2400100 | TWEEDLEDUM [8, 64]<br>col. 1 | **130,00** | m | 134 | | | 918 | | 1 | 38%CO 27%PAN 11%LI 9%WO 6%PES 5%WV 2%WP 2%PA | | |
| 00T2203200 | TWENTY TWENTY<br>col. 1, 2*, 3*, 4* | **52,50** | m | ↕ 300 | | | 122 | | 4 | 100%PES TREVIRA CS | | |
| 00T2304600 | TWILLMAN [24]<br>All | **112,50** | m | 140 | | | 958 | | 3 | 69%PES FR 17%PES FR RECYCLED 14%PES TREVIRA CS RECYCLED | | |
| 00T1902300 | TWIST AGAIN<br>col. 1*, 2-4, 6*, 7-9, 10*, 11 | **132,50** | m | 135 | | | 827 | | 10 | 51%CO 35%PES 11%AF 3%PA | | |
| | UKIYO MONOGATARI<br>col. 1 | **156,00** | m | 148 | ↕ 41 | ↔ 37 | | | 5 | | | |
| 00T2101702 | | | | | | | 396 | | | 55%PES 28%CO 16%CV 1%SE | | |
| 00T2101700 | col. 2, 4, 5 | | | | | | 532 | | | 67%PES 20%CO 12%CV 1%SE | | |
| 00T2101701 | col. 3 | | | | | | 532 | | | 62%PES 26%CO 11%CV 1%SE | | |
| 00T2504600 | UNDER WAY 1963 [8]<br>col. 1 | **242,50** | m | 140 | ↕ 47,5 | ↔ 70 | 906 | | 1 | 31%CV 28%CO 19%JU 15%WO 4%PAN 3%PES | | |
| | UNTITLED<br>col. 1 | **208,00** | m | 135 | ↕ 160 | | | | 3 | | | |
| 00T2002200 | | | | | | | 920 | | | 57%CO 16%LI 13%PES 12%PAN 2%PA | | |
| 00T2002202 | col. 2 | | | | | | 920 | | | 50%CO 28%LI 10%PES 10%PAN 2%PA | | |
| 00T2002201 | col. 3 | | | | | | 670 | | | 66%CO 20%LI 8%PES 4%PAN 2%PA | | |
| | UNTITLED 1948 [8, 64]<br>col. 1 | **230,00** | m | 134 | ↕ 45 | ↔ 38 | 863 | | 3 | 38%WO 30%CV 10%PA 9%JU 9%CO 3%AF 1%SE | | |
| 00T2505000 | | | | | | | | | | | | |
| 00T2505001 | col. 2, 3 | | | | | | | | | | | |
| 00T2100900 | UPUPA<br>All | **99,00** | m | 140 | | | 906 | | 4 | 28%CV 27%PAN 26%WO 10%PES 5%LI 4%CO | | |
| 00T2402000 | UR<br>All | **135,00** | m | 136 | ↕ 90 | ↔ 67 | 1.056 | | 3 | 100%CO | | |
| 00VENER_00 | VENERE<br>col. 1, 2, 14, 17*, 19, 44, 46, 47 | **145,00** | m | ↕ 300 | | | 252 | | 8 | 100%SE | | |
| 00T2401700 | VERY<br>All | **105,00** | m | 142 | | | 595 | | 27 | 100% PES TREVIRA RECYCLED | | |

* Articles and colours to be phased out, check availability before ordering.

8 Overlock before making up.

21 When making up this fabric the use of a thin needle is advised to avoid fraying of the yarn.

24 When making up this fabric as upholstery covers for outdoor use, a self-draining dry-feel pad is recommended.

64 When used for seating upholstery, a double seam reinforced with seam-tape on reverse side is required.

Fire-retardant fabric. Certifications vary according to the Country. For further information please contact the agent or customer service.

| Code | Description and available colours | Price | U.M. | Width | Repeat VERTICAL | Repeat HORIZONTAL | Weight | Use | Colours | Composition | Care symbols | Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | € | | cm | cm | cm | g/ml | | | | | |
| 00T2101400 | VIRIDIANA [63]<br>col. 1*, 3, 5, 6<br>Coord: Viridiana Wall | **105,50** | m | 145 | | | 298 | | 4 | 54%PES 46%CV | | |
| 00T2103800 | VLADIMIRO [92]<br>All | **163,50** | m | 135 | | | 923 | | 31 | 62%WM 38%CO<br>(PILE 100%KID MOHAIR) | | |
| 00VOLARE00 | VOLARE<br>col. 1, 2, 3*, 4*, 5-11, 14, 19 | **57,50** | m | ↕ 300 | | | 210 | | 13 | 100%PES FR | | |
| 00T2202100 | VOLVER<br>All | **119,00** | m | 140 | ↕ 5,5 | ↔ 7 | 433 | | 7 | 37%PA 34%CV 29%LI | | |
| 00T2305400 | VOULEZ-VOUS<br>All | **89,50** | m | 131 | | ↔ 4,5 | 931 | | 9 | 70%CO Recycled<br>20%PES 10%AF /<br>100%PES **WR** | | |
| 00T2100300 | VUK [8]<br>All | **155,00** | m | 135 | | | 1.346 | | 2 | 33%WV 31%LI 21%WO<br>7%PAN 5%PA 2%PES 1%CO | | |
| 00T2203400 | WASHIMACHÉ<br>col. 1*, 2-4 | **59,50** | m | ↕ 310 | | | 338 | | 4 | 55%PES FR 45%PES FR<br>RECYCLED | | |
| 00WEAVE_00 | WEAVE<br>col. 1, 2 | **98,50** | m | ↕ 310 | | | 350 | | 2 | 100%PES TREVIRA CS | | |
| 00T2506100 | WHITEBLOOM [71, 85]<br>col. 1 | **97,50** | m | 200 | | | 385 | | 1 | 59%HA 39%LI 2%PA | | |
| 00T1604300 | WIDE ALPACA<br>col. 1, 2 | **105,00** | m | ↕ 300 | | | 282 | | 2 | 53%LI 39%WP 8%MERINO | | |
| 00T1904100 | WIDE LINEN AMALFI<br>All | **147,00** | m | ↕ 298 | | | 1.245 | | 3 | 100%LI | | |
| 00T1900500 | WIDE LINEN ANTIBES<br>col. 1, 2, 3*<br>Coord: Tadzio, Sauternes, April, Flaubert, Signor Darcy | **107,00** | m | ↕ 320 | | | 590 | | 3 | 100%LI | | |
| 00T1900800 | WIDE LINEN APRIL [69, 70]<br>col. 1, 2, 4, 7, 9<br>Coord: Antibes, Tadzio, Sauternes, Flaubert, Signor Darcy | **105,00** | m | ↕ 305 | | | 477 | | 5 | 100%LI | | |
| 00T2301801<br>00T2301800 | WIDE LINEN ARIA<br>col. 1<br>col. 2 | **99,00** | m | ↕ 315 | ↕ 1,2 | | 382<br>445 | | 2 | 100%LI | | |
| 00T2101500 | WIDE LINEN ATELIER 1930<br>All | **149,00** | m | ↕ 305 | | | 1.540 | | 3 | 90%LI 10%PA | | |
| 00T1905100 | WIDE LINEN AUGUSTO<br>col. 1*, 2 | **157,50** | m | ↕ 298 | | | 1.575 | | 2 | 100%LI | | |
| 00T2204400 | WIDE LINEN BAOBAB<br>All | **115,00** | m | ↕ 300 | | | 803 | | 8 | 90%LI 10%PA | | |

* Articles and colours to be phased out, check availability before ordering.

8 Overlock before making up.

63 The colour of Viridiana varies according to the direction. When the fabric is made up, it is necessary to consider its direction, which is always shown by the special arrow on the back. The pattern repeat is random and the different lengths may be positioned at will, without having to match the pattern.

69 A special handcrafted finish may result in variations in the fabric width.

70 An artisanal manufacturing process gives this fabric a distinctive rippled and irregular appearance, which is to be considered an intrinsic part of its precious nature.

71 It is advisable to make up the fabric so that it leans on the floor.

85 Hemp yarns reveal natural irregularities in colour, hand and weave.

92 With use and in the course of time and during storage and rolling, velvet pile may crush. To restore its original appearance, it is advisable to vaporize slightly at a distance of 20 cm, and then to brush the fabric.

Fire-retardant fabric. Certifications vary according to the Country. For further information please contact the agent or customer service.

| Code | Description and available colours | Price | U.M. | Width | Repeat VERTICAL | Repeat HORIZONTAL | Weight | Use | Colours | Composition | Care symbols | Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | € | | cm | cm | cm | g/ml | | | | | |
| 00COLIBR00 | WIDE LINEN COLIBRI' col. 101, 102, 103<br>Coord: Wide Linen Colibritz | 113,00 | m | 294 | | | 150 | | 3 | 100%LI | | |
| 00T1905600 | WIDE LINEN COLIBRITZ* col. 1*, 3*<br>Coord: Wide Linen Colibri | 147,00 | m | 295 | | | 180 | | 2 | 100%LI | | |
| 00T1900900 | WIDE LINEN FLAUBERT col. 1-3, 5-7, 11, 13<br>Coord: Antibes, Tadzio, Sauternes, April, Signor Darcy | 112,50 | m | 310 | | | 796 | | 10 | 100%LI | | |
| 00T2300800 | WIDE LINEN GARZA [69, 70, 71] All | 101,50 | m | 305 | | | 400 | | 2 | 74%LI 26%WO | | |
| 00T1903200 | WIDE LINEN GIZA col. 1, 2, 4, 7*, 9 | 89,00 | m | 310 | | | 303 | | 5 | 100%LI | | |
| 00T2300700 | WIDE LINEN GOFFRATO* [67, 68, 69, 70, 71] col. 1* | 107,00 | m | 290 | | | 341 | | 1 | 100%LI | | |
| 00T2301500 | WIDE LINEN LEGGERISSIMO [69, 70, 71] All | 99,00 | m | 330 | | | 149 | | 3 | 93%LI 7%PES | | |
| 00T2300900 | WIDE LINEN LEGGERO [69, 70, 71] All | 89,50 | m | 305 | | | 400 | | 3 | 100%LI | | |
| 00T2301100 | WIDE LINEN LIBERO col. 1 | 87,50 | m | 320 | | | 355 | | 1 | 60%LI 40%PES | | |
| 00T2300100 | WIDE LINEN MÈCHE [69, 70, 71] col. 2 | 149,00 | m | 285 | | | 634 | | 1 | 83%LI 11%PAN 6%PES | | |
| 00T1706700 | WIDE LINEN PALOMA All | 143,00 | m | 307 | | | 665 | | 2 | 74%LI 17%PAN 9%PES | | |
| 00T2301200 | WIDE LINEN SABLÉ [69, 70, 71] All | 105,00 | m | 315 | | | 493 | | 3 | 100%LI | | |
| 00T2301000 | WIDE LINEN SABLÉ LEGGERO [69, 70, 71] All | 89,50 | m | 315 | | | 398 | | 3 | 100%LI | | |
| 00T2301400 | WIDE LINEN SABLÉ STRIÉ [69, 70, 71] col. 1 | 107,00 | m | 310 | | | 423 | | 1 | 100%LI | | |
| 00T1900700 | WIDE LINEN SAUTERNES col. 1, 2, 3*, 5<br>Coord: Antibes, Tadzio, April, Flaubert, Signor Darcy | 132,50 | m | 315 | | | 1.004 | | 4 | 100%LI | | |
| 00T1903100 | WIDE LINEN SIGNOR DARCY col. 1, 2, 3*, 4-9, 10*, 11<br>Coord: Antibes, Tadzio, Sauternes, April, Flaubert | 99,00 | m | 310 | | | 492 | | 11 | 100%LI | | |
| 00T2301300 | WIDE LINEN STRIÉ* [69, 70, 71] col. 1* | 104,00 | m | 310 | | | 407 | | 1 | 100%LI | | |

* Articles and colours to be phased out, check availability before ordering.

67 After washing, tumble drying is recommended; do not hang to dry.

68 We recommend washing this fabric with a mild detergent for dark/dyed garments.

69 A special handcrafted finish may result in variations in the fabric width.

70 An artisanal manufacturing process gives this fabric a distinctive rippled and irregular appearance, which is to be considered an intrinsic part of its precious nature.

71 It is advisable to make up the fabric so that it leans on the floor.

| Code | Description and available colours | Price | U.M. | Width | Repeat VERTICAL | Repeat HORIZONTAL | Weight | Use | Colours | Composition | Care symbols | Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | € | | cm | cm | cm | g/ml | | | | | |
| 00T1900600 | WIDE LINEN TADZIO [69, 70] col. 1, 2, 4, 7*, 9<br>Coord: Antibes, Sauternes, April, Flaubert, Signor Darcy | **130,00** | m | ↕ 305 | | | 878 | | 5 | 100%LI | | |
| 00TRILLY00 | WIDE LINEN TRILLY All | **105,00** | m | ↕ 300 | | | 345 | | 3 | 100%LI | | |
| 00T2307900 | WIDE LINEN ULISSE [69, 70, 71, 80] All | **142,00** | m | ↕ 285 | | | 504 | | 4 | 100%LI | | |
| 00T2309200 | WIDE SILK RASO [71] col. 1 | **184,00** | m | ↕ 318 | | | 305 | | 1 | 80%SE 20%LI | | |
| 00T2309300 | WIDE SILK TELA [71] col. 1 | **159,00** | m | ↕ 315 | | | 239 | | 1 | 80%SE 20%LI | | |
| 00T2203500 | WIDE TUSSAH CALACATTA col. 1 | **167,50** | m | ↕ 300 | | | 562 | | 1 | 52%SE 48%LI | | |
| 00T2203900 | WIDE TUSSAH CANVAS col. 1 | **147,50** | m | ↕ 305 | | | 447 | | 1 | 62%SE RECYCLED 38%LI | | |
| 00T2203800 | WIDE TUSSAH FLAMMÉ* col. 1* | **124,00** | m | ↕ 300 | | | 424 | | 1 | 68%LI 32%SE | | |
| 00T2506200 | WIDE WOOL ALBINEA [71] All | **87,50** | m | ↕ 320 | | | 455 | | 3 | 55%PES 45%WO | | |
| 00T2506300 | WIDE WOOL CERVINO [71] All | **87,50** | m | ↕ 320 | | | 455 | | 3 | 55%PES 45%WO | | |
| 00T2405800 | WIDE WOOL DANDELION [71] col. 1 | **99,00** | m | ↕ 310 | | | 170 | | 1 | 54%LI 34%WO 7%PES 5%PA | | |
| 00T2406000 | WIDE WOOL ÉLUARD [71] col. 1 | **81,00** | m | ↕ 300 | | | 334 | | 1 | 44%WO 15%PES 15%CO 14%PA 6%LI 6%CV | | |
| 00T2203700 | WIDE WOOL ÉTAMINE All | **100,00** | m | ↕ 315 | | | 350 | | 2 | 100%WO | | |
| 00T1808100 | WIDE WOOL FOULARD col. 2*, 3, 4*, 8* | **106,00** | m | ↕ 295 | | | 240 | | 4 | 66%WO 30%LI 4%PES | | |
| 00T2406900 | WIDE WOOL LAMAPACA [71] col. 1 | **149,00** | m | ↕ 315 | | | 256 | | 1 | 55%WP 35%LI 10%WO | | |
| 00T2204500 | WIDE WOOL LEGGERISSIMO col. 1 | **107,50** | m | ↕ 305 | | | 224 | | 1 | 86%WO 14%PA | | |
| 00T1705700 | WIDE WOOL LIGHT All | **103,00** | m | ↕ 320 | | | 227 | | 3 | 84%WV 16%PES | | |
| 00T1706200 | WIDE WOOL MACRO col. 1, 4* | **155,00** | m | ↕ 300 | ↕ 51 | ↔ 36 | 748 | | 2 | 100%WV | | |

* Articles and colours to be phased out, check availability before ordering.

69 A special handcrafted finish may result in variations in the fabric width.

70 An artisanal manufacturing process gives this fabric a distinctive rippled and irregular appearance, which is to be considered an intrinsic part of its precious nature.

71 It is advisable to make up the fabric so that it leans on the floor.

80 Slight color variations between different fabric dye lots are determined by the manufacturing and finishing process that makes the fabric unique.

| Code | Description and available colours | Price | U.M. | Width | Repeat VERTICAL | Repeat HORIZONTAL | Weight | Use | Colours | Composition | Care symbols | Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | € | | cm | cm | cm | g/ml | | | | | |
| 00T1808800 | WIDE WOOL QB col. 1<br>Coord: Wide Wool Tela | **155,00** | m | ↕ 320 | | ↔ 35 | 440 | | 1 | 98%WO 2%PES (GROUND 100%WO) | | |
| 00T1706100 | WIDE WOOL SABLÉ col. 1, 2, 3, 4 | **121,00** | m | ↕ 300 | | | 415 | | 4 | 100%WV | | |
| 00T1706300 | WIDE WOOL SHIBUMI [48] col. 1 | **160,00** | m | 250 | ↕ 21 | ↔ 14,5 | 786 | | 1 | 100%WV | | |
| 00T1809000 | WIDE WOOL TELA col. 1<br>Coord: Lettere Persiane, Wide Wool Qb | **100,00** | m | ↕ 310 | | | 420 | | 1 | 100%WO | | |
| 00T1706000 | WIDE WOOL TEXTURE col. 1 | **124,50** | m | ↕ 310 | | | 466 | | 1 | 71%WV 21%LI 8%CV | | |
| 00T1503900 | WIDE WOOL/C All | **125,00** | m | ↕ 315 | | | 410 | | 2 | 100%WV | | |
| 00T1504000 | WIDE WOOL/G* col. 2* | **117,50** | m | ↕ 315 | | | 385 | | 1 | 100%WV | | |
| 00T1504600 | WIDE WOOL/M col. 1, 2* | **130,00** | m | ↕ 315 | | | 340 | | 2 | 95%WV 5%SE | | |
| 00T1503600 | WIDE WOOL/R col. 101, 102, 103, 104, 105 | **118,00** | m | ↕ 320 | | | 400 | | 5 | 100%WV | | |
| 00T2506000 | WILDERBLUM [71, 85] col. 1 | **102,50** | m | 200 | | | 400 | | 1 | 56%HA 41%LI 3%PA | | |
| 00WILLI_00 | WILLIAM* col. 2* | **152,50** | m | ↕ 300 | | | 560 | | 1 | 57%WO 43%LI | | |
| 00T2308100 | WINCKELMANN All | **112,50** | m | ↕ 305 | | | 585 | | 3 | 100% PES TREVIRA CS RECYCLED | | |
| 00T2400500 | WUTHERING WIND [8] All | **137,50** | m | 140 | | | 1.459 | | 2 | 43%PAN 24%CV 14%LI 11%CO 5%PES 3%PA | | |
| 00T1903600 | YOUNG AND LOVELY [24] All<br>Coord: Campus, Amaral | **75,00** | m | 140 | ↕ 12 | | 400 | | 6 | 100%PP | | |
| 00T2505100 | YOUNG NUREYEV [92] All | **94,00** | m | 138 | | | 870 | | 34 | 100%PES FR | | |
| 00T2503700 | YOUR GHOSTS ARE MINE All | **107,50** | m | 132 | ↕ 82,5 | ↔ 130 | 797 | | 2 | 82%CO 14%PES 4%CO RECYCLED | | |
| 00T2308800 | YUKIGUNI All | **122,50** | m | 130 | ↕ 47,5 | ↔ 130 | 213 | | 2 | GROUND 100%LI / Embroidery 76%CV 24%PES | | |

* Articles and colours to be phased out, check availability before ordering.

8 Overlock before making up.

24 When making up this fabric as upholstery covers for outdoor use, a self-draining dry-feel pad is recommended.

48 The fabric has to be made up from selvedge to selvedge. With variations in climatic conditions the fabric may undergo dimensional variations up to 5%. It is therefore advisable to consider it when calculating the amount of fabric needed for each project and to have the fabric dry cleaned professionally before it is made up. It is also advisable to make up the fabric so that it leans on the floor.

71 It is advisable to make up the fabric so that it leans on the floor.

85 Hemp yarns reveal natural irregularities in colour, hand and weave.

92 With use and in the course of time and during storage and rolling, velvet pile may crush. To restore its original appearance, it is advisable to vaporize slightly at a distance of 20 cm, and then to brush the fabric.

Fire-retardant fabric. Certifications vary according to the Country. For further information please contact the agent or customer service.

| Code | Description and available colours | Price | U.M. | Width | Repeat VERTICAL | Repeat HORIZONTAL | Weight | Use | Colours | Composition | Care symbols | Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | € | | cm | cm | cm | g/ml | | | | | |
| 00T2502800 | ZA [83]<br>col. 1<br>Coord: Chintz Nature, Za Wall | **110,00** | m | 128 | ↕ 63 | ↔ 125 | 392 | | 1 | 100%LI | | |
| 00T2308400 | ZABRISKIE<br>All | **82,50** | m | ↕ 300 | | | 1.106 | | 5 | 100%PES FR | | |
| 00T2203100 | ZAI SAMAN<br>col. 1, 2, 3*, 4*<br>Coord: Salicornia | **171,00** | m | 136 | ↕ 64 | ↔ 136 | 750 | | 4 | GROUND 100%LI / Embroidery 70%CO 30%PU | | |
| 00T2103500 | ZELO R<br>All | **124,50** | m | ↕ 320 | | | 600 | | 4 | 100%PES TREVIRA CS RECYCLED | | |
| 00ZEN___00 | ZEN<br>col. 1-7<br>Coord: Zenial, Zenzen | **99,00** | m | ↕ 310 | | | 519 | | 7 | 100%PES TREVIRA CS | | |
| 00T1705800 | ZEN LIGHT<br>col. 1-4, 5*, 6, 7 | **64,00** | m | ↕ 310 | | | 353 | | 7 | 100%PES TREVIRA CS | | |
| 00ZENIAL00 | ZENIAL<br>col. 1-4<br>Coord: Zen | **115,00** | m | 150 | | | 274 | | 4 | 100%PES | | |
| 00ZENZEN00 | ZENZEN*<br>col. 1*<br>Coord: Zen | **105,00** | m | ↕ 310 | | ↔ 39,5 | 519 | | 1 | 100%PES TREVIRA CS | | |
| 00T2103400 | ZEUS R<br>All | **121,50** | m | ↕ 305 | | | 620 | | 5 | 100%PES TREVIRA CS RECYCLED | | |
| 00T2203300 | ZIBÌ<br>All | **58,00** | m | ↕ 293 | | | 395 | | 4 | 100%PES TREVIRA CS | | |

* Articles and colours to be phased out, check availability before ordering.

83 Different tones of colour between fabric and textile wallcovering are to be considered normal due to the backing processes.

Fire-retardant fabric. Certifications vary according to the Country. For further information please contact the agent or customer service.

**Articles marked with an asterisk, to be phased out:**

À CONTRE-JOUR col. 001, 002, 003; ABOUT FLOWERS col. 002; ACACIA col. 003, 007, 010, 012, 016, 018, 019, 022; ADAMO & EVA col. 186, 188, 192; ALAIN col. 001; ALUMNUS col. 008, 009, 011; AMARAL col. 001, 002, 003, 007, 008, 011, 015, 017; ARMIS col. 004; ARBUS col. 013, 014, 016, 017, 019, 021; A SOFT PLACE col. 003; ATELIER MODERNE col. 001; AUT AUT col. 002, 008; BABELIA col. 004; BASQUETTE col. 006, 007, 008; BLAZER col. 001, 002, 023, 029; BOLINA col. 001; BONBORI col. 001; BOURATINO col. 012, 015, 026; BUONFRESCO col. 001, 002, 004, 005, 007, 009, 012; CHAMBRAY col. 012; CHAPEAU col.007; CIELO col. 001, 009, 011, 015; COBRA col. 002, 004; CRISTALLO col. 004, 006; DANTE col. 001, 002, 003, 005, 006, 008, 009, 010, 011, 013, 014, 015, 016, 017, 019, 020, 023; EERO col. 007; EZRA col. 001; FARNIENTE col. 005, 009, 010; FIFTY FIFTY col. 001, 031, 033, 043; FLAIR col. 114, 121, 151, 152; FOREVER col. 105, 106, 107, 109, 110, 113, 115, 119, 121; FR ALAYA col.003; FR SONGWAY col. 003, 005; GARBO col. 001; GENOA col. 005; GIMEL col. 003, 004; GINGER col. 001; GONG col. 001; GRAND NATTÉ col. 003; GRENADINE col. 005; HANABI col. 002; HORIZON col. 001; HUGO col. 002; IKAT col. 102, 114; IRIS col. 014, 016, 018, 024, 027, 034, 039, 044; JOHN KELLY 1763 col. 001, 002; KYLLIKKI col. 003, 004, 005; LETTERE PERSIANE col. 001, 002, 003; LIBERTINO col. 006, 011, 012, 018, 020; LINEN SHIBUMI col. 001; LIPSTICK col. 005, 019, 024; LUMIS col. 003; MADEIRA col. 015; MADRIGAL col. 001; MEZZALUNA col. 135; MEZZALUNA MÉLANGE col. 002; MICROGRAMMA col. 001, 005; NO EXCUSES col. 003, 004, 008, 009, 010; NUVOLA col. 105; OOLONG col. 005; ORO BLANK col. 001; ORSETTO col. 101, 102; OXFORD THREE col. 106, 112, 115, 121; PALETOT col. 001; PALLADE col. 052; PARADISO PAISLEY col. 002, 003, 021, 022, 024; PERGAMENA col. 011, 013, 017, 018, 022, 024, 028; PRINCE OF WALES col. 003; PROUST col. 011; RAPUNZEL col. 001, 003, 011, 019, 024, 025, 032; RAZMIR col. 018, 021, 022; REGIMEN col. 001, 008; REGINALDO col. 001, 008, 009; ROVERE col. 002; RUGBY col. 003, 006; SALGEMMA col. 002; SALICORNIA col. 006, 016; SANDSTONE col. 001; SAXOPHONE (00T2000401) col. 002; SCARAMOUCHE col. 004; SETAMATKA/L col. 002; SETAMATKA/M col. 002; SHIMMER/B col. 005, 006; SILKYWAY col. 001; SLALOM col. 001; SN MAYBE SPITALFIELD col. 001; SOFT TWEED col. 001, 002; SPLENDIDO col. 028; SPRITZ col. 001; STRANGE LOVES col. 005; TABULARIGA PICCOLA col. 101; TALIA col. 003; TEMPERA col. 002, 017; THELONIOUS col. 004, 006; TRAVERTINE col. 002; TUXEDO col. 003, 004, 005, 006, 027, 032, 033, 037; TWENTY TWENTY col. 002, 003, 004; TWIST AGAIN col. 001, 006, 010; VENERE col. 017; VIRIDIANA col. 001; VOLARE col. 003, 004; WASHIMACHÉ col. 001; WIDE LINEN ANTIBES col. 003; WIDE LINEN AUGUSTO col. 001; WIDE LINEN COLIBRITZ col. 001, 003; WIDE LINEN GIZA col. 007; WIDE LINEN GOFFRATO col. 001; WIDE LINEN SAUTERNES col. 003; WIDE LINEN SIGNOR DARCY col. 003, 010; WIDE LINEN STRIÉ col. 001; WIDE LINEN TADZIO col. 007; WIDE TUSSAH FLAMMÉ col. 001; WIDE WOOL/G col. 002; WIDE WOOL FOULARD col. 002, 004, 008; WIDE WOOL/M col. 002; WIDE WOOL MACRO col. 004; WILLIAM col. 002; ZAI SAMAN col. 003, 004; ZEN LIGHT col. 005; ZENZEN col. 001.

**Compared to the previous price list, the following articles have been phased out:**

ALCHIMIA; ATRIO; AVALON; BALLERINO; BERBÈRE; CHERRY OH; DELICIOUS MANNERS; DENIER; EVEREST; INTO THE FOREST; PING PONG; SAXOPHONE (00T2000402); SN MICROGRAMMA; SN SILKBIRD; SPENCER; UNIVERSO; WIDE WOOL MICRO; XYLOPHONE.

**Compared to the previous price list, the following variants have been discontinued for the articles:**

À CONTRE-JOUR col. 006; ACACIA col. 005, 017, 023; ALUMNUS col. 007; AMARAL col. 019; ANDIRIVIENI col. 002, 004; ARBUS col. 007; ARTEMIS col. 021; AUT AUT col. 001, 015, 017; BLAZER col. 004, 005, 008, 020, 024; BOGARDINE col. 008; BOURATINO col. 023; BRIGHTFALL col. 002; BUONFRESCO col. 011, 014; CAPANNO col. 003; CIELO col. 008, 013, 016; CRISTALLO col. 001, 002, 003; DANTE col. 007, 018, 021, 022; EERO col. 010; FARNIENTE col. 001, 006, 014, 016; FIFTY FIFTY col. 023; FLAIR col. 123, 163, 164; FR GONG col. 002, 003; GARBO col. 002, 003; GONG col. 003; HANABI col. 004; HORIZON col. 004; IRIS col. 011, 012, 015, 020, 021, 022, 025, 029; JOHN KELLY 1763 col. 003, 004; KYLLIKKI col. 001, 002; MADEIRA col. 006; MEZZALUNA col. 129; MEZZALUNA MÉLANGE col. 001, 003; NO EXCUSES col. 001, 002; ORSETTO col. 106; OXFORD THREE col. 105, 120; OZ col. 002; PALETOT col. 002, 004; PERGAMENA col. 001, 002, 003, 009, 012, 026, 027; PRINCE OF WALES col. 004; PROUST col. 001, 007, 016; REGIMEN col. 014; ROSETTA col. 003, 004; RUGBY col. 002; SETAMATKA/C col. 001, 002, 003, 008; SHIMMER col. 002; SHIMMER/B col. 002, 003, 004; SILKYWAY col. 004; SINEQUANON col. 016, 021; SLALOM col. 002, 003, 004; SONG-WAY col. 003; SPLENDIDO col. 004, 005, 006, 008, 011, 013, 025, 026, 031; SPRITZ col. 002, 003, 004, 005; SQUARED col. 143; SUPERSAIA col. 005; TUXEDO col. 007, 031, 035; VIRIDIANA col. 004; WIDE LINEN ANTIBES col. 004, 006; WIDE LINEN APRIL col. 006; WIDE LINEN AUGUSTO col. 011; WIDE LINEN FLAUBERT col. 004, 008; WIDE LINEN GIZA col. 003, 005; WIDE LINEN SAUTERNES col. 006; WIDE WOOL FOULARD col. 005; WIDE WOOL/G col. 001.

# TRIMMINGS

| Code | Description and available colours | Price | Dimensions | Colours | Composition | Weight | Care symbols | Roll lenght |
|---|---|---|---|---|---|---|---|---|
| | | €/m | | No. | | g/ml | | m |
| 03PIN00100 | PIN 001*<br>col. 2* | **95,00** | h 35 mm | 1 | 96%RY 3%PES 1%EA | 243 | | 25 |
| 03PIN00200 | PIN 002<br>col. 1, 2* | **34,00** | Ø 8 mm | 2 | 46%CO 30%RY 22%PES 2%AF | 32 | | 50 |
| 03PIN00300 | PIN 003<br>col. 1 | **29,00** | h 7 mm | 1 | 100%RY | 11 | | 50 |
| 03PIN00500 | PIN 005<br>col. 1 | **39,00** | Ø 10 mm | 1 | 42%CO 29%PAN 15%RY 14%PES | 52 | | 50 |
| 03PIN00700 | PIN 007<br>col. 1 | **35,00** | h 22 mm | 1 | 99%RY 1%PES | 15 | | 50 |
| 03PIN00800 | PIN 008<br>col. 1, 9, 10*, 11, 15, 18*, 22*, 24, 26*, 31 | **35,00** | h 45 mm | 10 | 99%RY 1%PES | 15 | | 50 |
| 03PIN00900 | PIN 009<br>col. 1 | **45,00** | h 90 mm | 1 | 100%RY | 42 | | 25 |
| 03PIN01000 | PIN 010<br>col. 1 | **27,50** | h 22 mm | 1 | 98%RY 2%PES | 12 | | 50 |
| 03PIN01400 | PIN 014<br>col. 1 | **37,00** | h 45 mm | 1 | 99%RY 1%PES | 25 | | 50 |
| 03PIN01500 | PIN 015<br>col. 1 | **32,50** | Ø 8 mm | 1 | 54%CO 30%RY 16%PES | 39 | | 50 |
| 03PIN01700 | PIN 017<br>col. 1, 10 | **95,00** | h 35 mm | 2 | 96%RY 3%PES 1%EA | 243 | | 25 |
| 03PIN01800 | PIN 018<br>col. 1, 2, 8*, 9, 11, 15, 17, 20, 21, 24*, 25*, 27*, 28 | **36,00** | Ø 7 mm | 13 | 38%RY 33%CO 23%PAN 6%PES | 26 | | 50 |
| 03PIN01900 | PIN 019<br>col. 3, 6*, 9*, 14, 19, 21, 24, 26* | **57,50** | h 35 mm | 8 | 98%RY 2%PES | 102 | | 25 |
| 03PIN02600 | PIN 026<br>col. 1 | **64,00** | h 90 mm | 1 | 52%LI 48%CO | 54 | | 25 |
| 03PIN02800 | PIN 028<br>col. 1*, 3, 4, 5*, 7 | **32,50** | Ø 7 mm | 5 | 44%PU 43%CO 13%PES | 22 | | - |
| 03POD00200 | POD 002<br>OUTDOOR<br>col. 1, 2 | **54,00** | h 80 mm | 2 | 99%PAN 1%PES<br>(Tinto in massa/Solution dyed/ Teint en masse/Düsengefärbt) | 32 | | 25 |
| 03POD00400 | POD 004<br>OUTDOOR<br>col. 2 | **27,50** | h 7 mm | 1 | 66%CA 34%PAN<br>(Tinto in massa/Solution dyed/ Teint en masse/Düsengefärbt) | 11,8 | | 50 |

* Articles and colours to be phased out, check availability before ordering.

| Code | Description and available colours | Price | Dimensions | Colours | Composition | Weight | Care symbols | Roll lenght |
|---|---|---|---|---|---|---|---|---|
| | | €/m | | No. | | g/ml | | m |
| 03POD00500 | POD 005 OUTDOOR col. 1*, 2, 5*, 8*, 10, 11 | **48,00** | h 40 mm | 6 | 100%PAN<br>(Tinto in massa/Solution dyed/ Teint en masse/Düsengefärbt) | 90 | | 25 |
| 03POD00600 | POD 006 OUTDOOR* col. 4* | **49,00** | h 40 mm | 1 | 100%PAN<br>(Tinto in massa/Solution dyed/ Teint en masse/Düsengefärbt) | 64,6 | | 25 |
| 03POD00700 | POD 007 OUTDOOR Col. 1-4, 7, 10*, 11, 12* | **27,50** | h 20 mm | 8 | 74%PAN 26%PES<br>(Tinto in massa/Solution dyed/ Teint en masse/Düsengefärbt) | 12,8 | | 50 |

* Articles and colours to be phased out, check availability before ordering.

**Articles marked with an asterisk, to be phased out:**

PIN 001 col. 002; PIN 002 col. 002; PIN 008 col. 010, 018, 022, 026; PIN 018 col. 008, 024, 025, 027; PIN 019 col. 006, 009, 026; PIN 028 col. 001, 005; POD 005 OUTDOOR col. 001, 005, 008; POD 006 OUTDOOR col. 004; POD 007 OUTDOOR col. 010, 012.

**Compared to the previous price list, the following articles have been phased out:**

PIN 003 col. 003, 007, 008; PIN 008 col. 006, 013, 014, 023, 025, 027; PIN 009 col. 005, 007, 009; PIN 011 col. 001; PIN 018 col. 003, 007, 016, 023; PIN 019 col. 015, 025, 027; PIN 028 col. 002, 006, 008, 009, 010; POD 002 OUTDOOR col. 009; POD 003 OUTDOOR col. 005, 012; POD 004 OUTDOOR col. 001; POD 005 OUTDOOR col. 007, 009; POD 006 OUTDOOR col. 002; POD 007 OUTDOOR col. 008.

# WALLPAPERS AND WALL COVERINGS

| Code | Description and available colours | Price | U.M. | Weight | Width | Lenght | Repeat | Technical characteristics | Notes | Composition |
|---|---|---|---|---|---|---|---|---|---|---|
| | | € | | gr/m² | cm | m | cm | | | |
| 01D2200300 | BAMBÙ STRIÉ WALL* col. 1*, 2* Coord: Bambù | **115,00** | 1 roll of 10 m | 470 | 67,5 | | | | | 100%VINYL / Backing 100%TNT Non-Woven |
| 01D2200200 | BAMBÙ WALL col. 1-5, 6*, 7 Coord: Bambù Strié | **115,00** | 1 roll of 10 m | 470 | 67,5 | | | | | 100%VINYL / Backing 100%TNT Non-Woven |

* Articles and colours to be phased out, check availability before ordering.

**Articles marked with an asterisk, to be phased out:**

BAMBÙ STRIÉ WALL col. 001, 002; BAMBÙ WALL col. 006.

**Compared to the previous price list, the following articles have been phased out:**

À CONTRE-JOUR WALL; PENSIERO SELVAGGIO WALL; ROSETTA WALL.

| Code | Description and available colours | Price | U.M. | Weight | Width | Repeat | Technical characteristics | Notes | Composition |
|---|---|---|---|---|---|---|---|---|---|
| | | € | | gr/m² | cm | cm | | | |
| 02D2500500 | A LOVE SUPREME WALL [33, 78]<br>All | **125,00** | m | 385 | 128 | 64 h<br>46 v | | | 100%LI / Backing 100%TNT Non-Woven |
| 02D2301200 | ACROMO METALLO WALL [33]<br>All | **135,00** | m | 410 | 130 | | | | 100%JU / Backing 100%TNT Non-Woven |
| 02D2101200 | ACROMO WALL [33]<br>col. 1, 2<br>Coord: Library Wall | **125,00** | m | 460 | 130 | | | | 100%JU / Backing 100%TNT Non-Woven |
| 02D1910100 | ALTER EGO METALLO WALL [33, 77]<br>col. 9-13<br>Coord: Alter Ego, Alter Ego W | **119,00** | m | 368 | 145 | | | | 100%PES TREVIRA CS / Backing 100%TNT Non-Woven |
| 02D1910000 | ALTER EGO WALL [OD, 7, 33]<br>col. 1-28<br>Coord: Alter Ego, Alter Ego Metallo W | **95,50** | m | 368 | 145 | | | | 60%PES TREVIRA CS 40%TNT Non-Woven |
| 02D2100900 | ALTRONDE WALL [33, 72, 78]<br>col. 1-4<br>Coord: Mandolino Wall | **185,00** | m | 442 | 130 | 65 h<br>60 v | | | 100%LI / Backing 100%TNT Non-Woven |
| 02D2300800 | AMOIR FOU METALLO WALL [9]<br>All | **149,00** | m | 375 | 135 | | | | 100%PES TREVIRA CS / Backing 100%TNT Non-Woven |
| 02D2080600 | AMOIR FOU WALL [OD, 9]<br>col. 1-9, 11, 13-23, 25-33 | **135,00** | m | 360 | 145 | | | | 54%PES TREVIRA CS 46%TNT Non-Woven |
| 02D1400500 | AMOIR LIBRE METALLO WALL [9]<br>col. 15, 19, 20, 22 | **147,50** | m | 341 | 130 | | | | 40%TNT Non-Woven 39%CO 21%CV |
| 02D2300700 | AMOIR LIBRE WALL [OD, 9]<br>All | **132,50** | m | 379 | 145 | | | | 65%CO 35%CV / Backing 100%TNT Non-Woven |
| 02D2300100 | CHATWIN WALL [33, 77]<br>All | **142,50** | m | 420 | 130 | | | | 100% SE / Backing 100%TNT Non-Woven |
| 02D2300400 | CHINTZ NATURE WALL [33, 79]<br>All | **111,50** | m | 385 | 138 | | | | 100%LI / Backing 100%TNT Non-Woven |
| 02D2100800 | DE-DA-DO WALL [33, 72, 78]<br>col. 1-3<br>Coord: Mandolino Wall | **160,00** | m | 442 | 130 | 8,7 h<br>8,6 v | | | 100%LI / Backing 100%TNT Non-Woven |
| 02D2201100 | DEAUVILLE WALL [33, 73, 78]<br>col. 1-8<br>Coord: Fitzcarraldo Wall, Library Wall, Millerighe Wall, Serenissima Wall | **119,00** | m | 294 | 124 | 4 h | | | 100%LI / Backing 100%TNT Non-Woven |
| 02D2300200 | DIDGERIDOO WALL [33, 77, 78]<br>All | **147,50** | m | 545 | 136 | | WR | | 59%PA 41%LI / Backing 100%TNT Non-Woven |
| 02D2400100 | DIMODONG WALL [78]<br>col. 1, 2, 3<br>Coord: Dimodong | **165,00** | m | 549 | 128 | 41,34 h<br>105 v | WR | | 100%SE / Backing 100%TNT Non-Woven |

OD On demand article. For lead times and Minimum Order Quantity, please refer to the table at the end of this price list.

7 For the 002, 003, 016, 021 and 027 colors an alternate orientation laying of the lenght of wallcovering is advised in order to avoid shade changing in proximity of the wallcovering's joint.

9 The pattern repeat is random, and so the different lengths may be positioned at will, without having to match the pattern.

33 This textile wallcovering, the result of a handcrafted process, displays variations and irregularities of colour and orthogonality between warp and weft. These intrinsic characteristics are part of the preciousness of the product and may not allow for a perfect match between the streaks of the different lengths when aligned.

72 Total printed width is 140 cm.

73 Total printed width is 127 cm.

77 An alternate orientation laying of the lenght of wallcovering is advised in order to avoid shade changing in proximity of the wallcovering's joint.

78 How to lay the wallcovering using the overlap and splice ("Double cutting") technique.

79 It is recommended installing this wallcovering on an even surface painted in the same colour as the chosen product.

| Code | Description and available colours | Price | U.M. | Weight | Width | Repeat | Technical characteristics | Notes | Composition |
|---|---|---|---|---|---|---|---|---|---|
| | | € | | gr/m² | cm | cm | | | |
| 02D2300500 | DRAPPO WALL [OD, 33]<br>col. 104 | **155,00** | m | 320 | 135 | | | | 57%SE 43%WO / Backing 100%TNT Non-Woven |
| 02D2300900 | DRUSILLA METALLO WALL [33]<br>All | **140,00** | m | 345 | 120 | | | | 100%PES TREVIRA CS / Backing 100%TNT Non-Woven |
| 02D2200100 | DRUSILLA WALL [33]<br>col. 1-15, 17-20<br>Coord: Drusilla Three | **104,00** | m | 335 | 138 | | | | 100%PES TREVIRA CS / Backing 100%TNT Non-Woven |
| 02D2501600 | ETRUSCO WALL [33, 79]<br>All | **74,50** | m | 300 | 138 | | | | 64%PES 28%CO 4%LI 4%CV / Backing 100%TNT Non-woven |
| 02D2100300 | FANFARA WALL [OD, 33]<br>col. 104, 135, 137, 138, 141 | **121,00** | m | 315 | 130 | | | | 100%SE / Backing 100%TNT Non-Woven |
| 02D2300600 | FANFARA WALL WR [33]<br>All | **137,50** | m | 330 | 128 | | WR | | 100%SE / Backing 100%TNT Non-Woven |
| 02D2301100 | FITZCARRALDO METALLO WALL [33]<br>All | **139,00** | m | 265 | 120 | | | | 100%LI / Backing 100%TNT Non-Woven |
| 02D2100400 | FITZCARRALDO WALL [33]<br>col. 1-10<br>Coord: Deauville Wall, Serenissima Wall | **96,00** | m | 273 | 120 | | | | 100%LI / Backing 100%TNT Non-Woven |
| 02D2300300 | GABOR WALL [33]<br>All | **149,00** | m | 450 | 120 | | WR | | 100%SE / Backing 100%TNT Non-Woven |
| 02D2401000 | GIARDINO LUCE WALL<br>col. 1 | **138,50** | m | 357 | 138 | | | | 100%LI / Backing 100%TNT Non-Woven |
| 02D2500600 | GOODFELLAS WALL [33, 78]<br>All | **127,50** | m | 385 | 122 | 43,5 h<br>61 v | | | 100%LI / Backing 100%TNT Non-woven |
| 02D2500800 | GOODFELLAS WALL [33, 78]<br>All | **160,00** | m | 378 | 122 | 43,5 h<br>61 v | | | 100%LI / Backing 100%TNT Non-woven |
| 02D2400600 | GORAL WALL<br>col. 1 | **166,00** | m | 447 | 132 | | WR | | 100%SE / Backing 100%TNT Non-Woven |
| 02D2501500 | GRECO CERCA GRECA WALL [33, 78, 79]<br>All | **155,00** | m | 360 | 124 | 31 h<br>32 v | | | 100%LI / Backing 100%TNT Non-woven |
| 02D2400900 | IDOLA THEATRI WALL<br>col. 1 | **160,00** | m | 480 | 130 | | | | 100%JU / Backing 100%TNT Non-Woven |
| 02D2080700 | IRIS WALL [OD, 9]<br>col. 2-10, 13, 14*, 16*, 17, 20*, 23, 24*, 26, 27*, 30-33, 35-38, 39*, 40, 41, 44* | **108,00** | m | 565 | 130 | | | | 60%CO 7%PES 1%AF 32%TNT Non-Woven |
| 02D2500300 | LEHTI WALL [33, 78, 79]<br>All | **135,00** | m | 397 | 122 | 61 h<br>68 v | | | 100%LI / Backing 100%TNT Non-woven |
| 02D2201000 | LIBRARY WALL [33, 74, 78]<br>col. 1-5<br>Coord: Acromo Wall, Deauville Wall, Millerighe Wall, Serenissima Wall | **134,00** | m | 532 | 125 | 25 h | | | 100%JU / Backing 100%TNT Non-Woven |
| 02D2401100 | LOST IN NAZCA WALL<br>col. 1, 2 | **147,50** | m | 388 | 135 | | | | 100%SE / Backing 100%TNT Non-Woven |

* Articles and colours to be phased out, check availability before ordering.

OD On demand article. For lead times and Minimum Order Quantity, please refer to the table at the end of this price list.

9 The pattern repeat is random, and so the different lengths may be positioned at will, without having to match the pattern.

33 This textile wallcovering, the result of a handcrafted process, displays variations and irregularities of colour and orthogonality between warp and weft. These intrinsic characteristics are part of the preciousness of the product and may not allow for a perfect match between the streaks of the different lengths when aligned.

74 Total printed width is 136 cm.

78 How to lay the wallcovering using the overlap and splice ("Double cutting") technique.

79 It is recommended installing this wallcovering on an even surface painted in the same colour as the chosen product.

| Code | Description and available colours | Price | U.M. | Weight | Width | Repeat | Technical characteristics | Notes | Composition |
|---|---|---|---|---|---|---|---|---|---|
| | | € | | gr/m² | cm | cm | | | |
| 02D2200600 | LUX FLAMMÉ WALL [33]<br>col. 1<br>Coord: Lux, Lux Flammè, Lux Rigato, Lux Rigato Wall | **165,00** | m | 290 | 128 | 4,4 h | | | 72%CV 14%SE 14%PM / Backing 100%TNT Non-Woven |
| 02D2200500 | LUX RIGATO WALL [33]<br>col. 1<br>Coord: Lux, Lux Flammé, Lux Flammé Wall, Lux Rigato | **167,50** | m | 332 | 130 | 4,3 h | | | 63%CO 27%CV 10%PM / Backing 100%TNT Non-Woven |
| 02D2301000 | MANDOLINO METALLO WALL [33]<br>All | **134,00** | m | 370 | 130 | | | | 100%LI / Backing 100%TNT Non-Woven |
| 02D2100600 | MANDOLINO WALL [33]<br>col. 1-3<br>Coord: Altronde, De-Da-Do, Millerighe Wall, QB Wall, This Must Be The Place Wall | **96,00** | m | 351 | 140 | | | | 100%LI / Backing 100%TNT Non-Woven |
| 02D2400400 | MARMORE WALL<br>col. 1 | **129,00** | m | 401 | 128 | | | | 100%LI / Backing 100%TNT Non-Woven |
| 02D2501100 | MICHEL WALL [79]<br>All | **100,00** | m | 420 | 140 | | | | 100%PES Trevira CS Recycled / Backing 100%TNT Non-Woven |
| 02D2200800 | MILLERIGHE WALL [33, 75, 78]<br>col. 1, 2<br>Coord: Deauville Wall, Library Wall, Mandolino Wall, Serenissima Wall | **135,00** | m | 420 | 132 | 1,4 h | | | 100%LI / Backing 100%TNT Non-Woven |
| 02D2400200 | MOIRÉ CHANVRE WALL<br>col. 1-11 | **129,50** | m | 360 | 130 | | | | 64%HA 36%LI |
| 02D2501200 | MUSE SILENZIOSE WALL [79]<br>All | **89,00** | m | 487 | 138 | | | | 100%CO / Backing 100%TNT Non-Woven |
| 02D2101900 | NO EXCUSES WALL [33]<br>col. 4*, 5, 11-14, 15* | **143,00** | m | 463 | 135 | | | | 100%WV / Backing 100%TNT Non-Woven |
| 02D2101000 | QB WALL [33, 72, 78]<br>col. 1<br>Coord: Mandolino | **160,00** | m | 410 | 130 | 65 h<br>100 v | | | 100%LI / Backing 100%TNT Non-Woven |
| 02D2500900 | QUENEAU WALL [79]<br>All | **119,50** | m | 475 | 144 | | WR | | 80%WO 20%PA / Backing 100%TNT Non-Woven |
| 02D2500901 | QUENEAU WALL [79]<br>All | **119,50** | m | 475 | 144 | | WR | | 80%WO 20%PA + Backing 100%TNT Non-Woven |
| 02D1400600 | RAFIA WALL<br>col. 2, 3, 6 | **141,00** | m | 285 | 130 | | WR | | 46%PES 32%TNT Non-Woven 22%CV |
| 02D2501400 | SCHMETTERLING WALL [33, 79]<br>All | **145,00** | m | 352 | 120 | 60 h<br>75 v | | | 100%LI / Backing 100%TNT Non-woven |
| 02D2500100 | SCHWARZWALD WALL [78]<br>All | **149,00** | m | 445 | 135 | 133 h<br>80,5 v | | | 100%JU / Backing 100%TNT Non-Woven |
| 02D2200900 | SERENISSIMA WALL [73, 78]<br>col. 1-9<br>Coord: Deauville Wall, Fitzcarraldo Wall, Library Wall, Millerighe Wall | **118,00** | m | 303 | 120 | 15 h | | | 100%LI / Backing 100%TNT Non-Woven |

* Articles and colours to be phased out, check availability before ordering.

33 This textile wallcovering, the result of a handcrafted process, displays variations and irregularities of colour and orthogonality between warp and weft. These intrinsic characteristics are part of the preciousness of the product and may not allow for a perfect match between the streaks of the different lengths when aligned.

72 Total printed width is 140 cm.

73 Total printed width is 127 cm.

75 Total printed width is 134 cm.

78 How to lay the wallcovering using the overlap and splice ("Double cutting") technique.

79 It is recommended installing this wallcovering on an even surface painted in the same colour as the chosen product.

| Code | Description and available colours | Price | U.M. | Weight | Width | Repeat | Technical characteristics | Notes | Composition |
|---|---|---|---|---|---|---|---|---|---|
| | | € | | gr/m² | cm | cm | | | |
| 02D2101800 | SIBILLA WALL [OD, 33, 77]<br>col. 1-32<br>Coord: Sibilla | **92,50** | m | 283 | 145 | | | | 87%PES Trevira CS Recycled 13%PES Trevira CS / Backing 100%TNT Non-Woven |
| 02D2101500 | SILK NATURE WALL [OD, 33]<br>col. 1, 2 | **185,00** | m | 324 | 140 | | | | 67%SE 33%LI / Backing 100%TNT Non-Woven |
| 02D2101400 | SILK SUGAR WALL [OD, 33]<br>col. 1, 2 | **206,00** | m | 456 | 140 | | | | 60%LI 40%SE / Backing 100%TNT Non-Woven |
| 02D2200400 | SUNDAY WALL [OD]<br>col. 1-12, 14, 15, 17-29, 32-34, 36, 38<br>Coord: Sunday | **104,00** | m | 573 | 135 | | | | 100%PES Trevira CS / Backing 100%TNT Non-Woven |
| 02D2100700 | THIS MUST BE THE PLACE WALL [33, 72, 78]<br>col. 1-4<br>Coord: Mandolino Wall, This Must Be The Place | **238,00** | m | 442 | 130 | 65 h<br>70 v | | | 100%LI / Backing 100%TNT Non-Woven |
| 02D2200700 | TOILE BÂCHE WALL [33, 78]<br>col. 1-5<br>Coord: Acromo Wall | **120,00** | m | 539 | 130 | | WR | | 100%JU / Backing 100%TNT Non-Woven |
| 02D2200701 | TOILE BÂCHE WALL [33, 78]<br>col. 6-8<br>Coord: Acromo Wall | **122,50** | m | 539 | 130 | | | | 100%JU / Backing 100%TNT Non-Woven |
| 02D2100100 | VIRIDIANA WALL [OD, 11, 33]<br>col. 1*, 3, 5, 6 | **136,50** | m | 360 | 140 | | | | 54%PES 46%CV / Backing 100%TNT Non-Woven |
| 02D2400800 | WE TEND TO DISAPPEAR WALL<br>col. 1 | **165,00** | m | 633 | 135 | | WR | | 59%PA 41%LI / Backing 100%TNT Non-Woven |
| 02D2400300 | YAMNAYA LETTERS WALL [33, 78, 79]<br>col. 1 | **129,00** | m | 401 | 128 | | | | 100%LI / Backing 100%TNT Non-Woven |
| 02D2400500 | ZA WALL [33, 78, 79]<br>col. 1 | **129,00** | m | 401 | 128 | | | | 100%LI / Backing 100%TNT Non-Woven |
| 02D2400700 | ZE WALL [33, 78]<br>col. 1 | **136,00** | m | 536 | 128 | | | | 100%JU / Backing 100%TNT Non-Woven |

* Articles and colours to be phased out, check availability before ordering.

OD On demand article. For lead times and Minimum Order Quantity, please refer to the table at the end of this price list.

11 Due to the use of two contrasting weft threads, the colour of Viridiana varies according to its direction. When making-up the wallcovering, it is advisable to consider the direction (indicated by the specific arrow) for both colour and consistency.

33 This textile wallcovering, the result of a handcrafted process, displays variations and irregularities of colour and orthogonality between warp and weft. These intrinsic characteristics are part of the preciousness of the product and may not allow for a perfect match between the streaks of the different lengths when aligned.

72 Total printed width is 140 cm.

77 An alternate orientation laying of the lenght of wallcovering is advised in order to avoid shade changing in proximity of the wallcovering's joint.

78 How to lay the wallcovering using the overlap and splice ("Double cutting") technique.

79 It is recommended installing this wallcovering on an even surface painted in the same colour as the chosen product.

**Articles marked with an asterisk, to be phased out:**

IRIS WALL col. 014, 016, 020, 024, 027, 039, 044; NO EXCUSES WALL col. 004, 015; VIRIDIANA WALL col. 001.

**Compared to the previous price list, the following articles have been phased out:**

DRUSILLA WALL col. 016; IRIS WALL col. 011, 012, 015, 018, 021, 022, 025, 029, 034; NO EXCUSES WALL col. 003; VIRIDIANA WALL col. 002.

| Code | Description | Martindale |
|---|---|---|
| 00T2000600 | A JOY | 40.000 |
| 00T2200800 | A PERFECT FLOWER | 80.000 |
| 00T2000200 | A SOFT PLACE | 40.000 |
| 00T2403800 | A TIGER IN THE ORANGERIE | 80.000 |
| 00T1502900 | ABACUS | 32.000 |
| 00T2201400 | ACACIA | 43.000 |
| 00ADAMO_00 | ADAMO & EVA | 50.000 |
| 00T2302100 | ADORABILE ALPACA | 15.000 |
| 00T2504400 | AKHLAT | 40.000 |
| 00T2303400 | ALCYONE | 79.000 |
| 00ALEXAN01 | ALEXANDER | 30.000 |
| 00T1800100 | ALEXANDER MELANGE | 40.000 |
| 00T2302800 | ALOUETTE | 80.000 |
| 00T2403600 | ALPACA ALTO | 35.000 |
| 00T2404200 | ALPAKHAN | 10.000 |
| 00T1904500 | AMARAL | 40.000 |
| 00T2200700 | AMARETTO | 80.000 |
| 00T2000700 | AMOIR FOU | 11.000 |
| 00AMOIR_00 | AMOIR LIBRE | 12.000 |
| 00T2305800 | AMULETO | 30.000 |
| 00T2305200 | ANDATURA | 62.000 |
| 00T2202900 | ANDIRIVIENI | 20.000 |
| 00T2502200 | AOXOMOXOA | 40.000 |
| 00T2502201 | AOXOMOXOA | 40.000 |
| 00APLOMB00 | APLOMB | 30.000 |
| 00T1502200 | APLOMB MELANGE | 30.000 |
| 00T1602600 | ARBUS | 40.000 |
| 00T2303300 | ARISTOTELE | 25.000 |
| 00T2202000 | ARMAND AUGUSTIN | 18.000 |
| 00T1901500 | ARTEMIDOR | 36.000 |
| 00T1501300 | ARTEMIS | 40.000 |
| 00T2302500 | ASTROGRAFIA | 46.000 |
| 00T2001500 | ATELIER MODERNE | 40.000 |
| 00T2101200 | ATHERINI | 40.000 |
| 00T2305600 | ATLANTICO | 30.000 |
| 00T1901400 | ATLAS | 26.000 |
| 00T2304700 | AURALEA | 80.000 |
| 00T1601800 | AURIGA | 40.000 |
| 00AUT___00 | AUT AUT | 30.000 |
| 00T2404800 | AVION | 15.000 |
| 00T2403900 | AVION ATLANTIQUE | 15.000 |
| 00T2304000 | BACARA' | 80.000 |
| 00T1401300 | BASQUETTE | 35.000 |
| 00T2001700 | BE BOP A LULA | 27.000 |
| 00T2307100 | BELMONDO | 40.000 |
| 00T1404000 | BELSUEDE | 20.000 |
| 00T2504200 | BEOWULF | 15.000 |
| 00T2402200 | BETULLA | 25.000 |
| 00T1900100 | BLAZER | 15.000 |
| 00T1501700 | BOGARDINE | 40.000 |
| 00T1600600 | BOURATINO | 20.000 |
| 00T2306200 | BUCANEVE | 80.000 |

| Code | Description | Martindale |
|---|---|---|
| 00T2001000 | BUONFRESCO | 26.000 |
| 00T1401400 | CABAS | 35.000 |
| 00T1903500 | CAMPUS | 36.000 |
| 00T2502400 | CANASTA | 50.000 |
| 00T2300600 | CANDY COTTON | 80.000 |
| 00T2100200 | CAOLINO | 40.000 |
| 00T2300400 | CAPUCINE | 80.000 |
| 00T2306100 | CASSE-TETE | 12.000 |
| 00T2401100 | CATINELLE | 50.000 |
| 00T2401200 | CC-CD | 50.000 |
| 00T2401400 | CESTRUM | 80.000 |
| 00T1501100 | CHAMBRAY | 45.000 |
| 00T2000900 | CHAPEAU | 40.000 |
| 00T2303200 | CHENILLIER | 25.000 |
| 00T2404100 | CLINK | 15.000 |
| 00COCO__00 | COCO | 20.000 |
| 00T2000500 | CORIANDOLI | 23.000 |
| 00T2302400 | CREME CHANTILLY | 74.000 |
| 00T2502500 | CURIOSITY | 80.000 |
| 00T2502300 | DAMARIS | 20.000 |
| 00T1703200 | DANS LES NUAGES | 28.000 |
| 00T1500400 | DANTE | 40.000 |
| 00T1403500 | DECO' | 35.000 |
| 00T2401800 | DEJA' VU JAMAIS | 40.000 |
| 00T2503000 | DIAPASON | 80.000 |
| 00T2307500 | DIDGERIDOO | 35.000 |
| 00T2403100 | DILMUN | 20.000 |
| 00T1401200 | DOPPIOPANAMA | 35.000 |
| 00T2504900 | DRAWING XVI (B) 1974 | 45.000 |
| 00T2401600 | DU JAZZ DANS LE RAVIN | 76.000 |
| 00T2400700 | DUINO | 26.000 |
| 00T1902700 | EERO | 40.000 |
| 00T2303000 | ELZEVIRO | 18.000 |
| 00T2101000 | ENEIDE | 40.000 |
| 00T1901900 | ENGRAM | 21.000 |
| 00T2201500 | ERBALUCE | 44.000 |
| 00T2302700 | ESPERANTO | 45.000 |
| 00T1401500 | ETOILE | 35.000 |
| 00T1901600 | EZRA | 50.000 |
| 00T2001800 | FANDANGO | 10.000 |
| 00T1904600 | FARNIENTE | 23.000 |
| 00FIFTY_00 | FIFTY FIFTY | 30.000 |
| 00T2304200 | FILIGREE | 40.000 |
| 00FLAIR_00 | FLAIR | 30.000 |
| 00T2001600 | FLIMFLAM | 29.000 |
| 00FOREV100 | FOREVER | 17.000 |
| 00T1703900 | FR ALAYA | 10.000 |
| 00T1705400 | FR SPARKS | 40.000 |
| 00T2202800 | FREE JAZZ | 14.000 |
| 00T2500800 | FROM NATURE | 55.000 |
| 00T2500801 | FROM NATURE | 55.000 |
| 00T2303500 | GABBIANO | 45.000 |

| Code | Description | Martindale |
|---|---|---|
| 00T2305500 | GIARDINO DI MAGGIO | 37.000 |
| 00T2100600 | GIMEL | 40.000 |
| 00T1401100 | GINGER | 15.000 |
| 00T2504500 | GOODFELLAS | 80.000 |
| 00T2504501 | GOODFELLAS | 80.000 |
| 00T1402200 | GRAND NATTE' | 20.000 |
| 00T1502700 | GRAND NATTE' LAMINATO | 20.000 |
| 00T2200300 | GRENADINE | 51.000 |
| 00T1400800 | GRISAILLE | 20.000 |
| 00T1901300 | HIBOU | 24.000 |
| 00T1402300 | HIGHLIGHTS | 20.000 |
| 00T2503200 | HOLDEN | 80.000 |
| 00T2401000 | HSH HOME SWEET HOME | 50.000 |
| 00T2302600 | HUGO | 34.000 |
| 00T2401500 | HURLUBERLU | 80.000 |
| 00T2502700 | ICHI-GO ICHI-E | 30.000 |
| 00T2402500 | IL GIARDINO IN UNA STANZA | 65.000 |
| 00T2501300 | IN DISCIPLINE | 10.000 |
| 00T2304900 | INGRID | 70.000 |
| 00T1905500 | IRIS | 10.000 |
| 00T2402400 | JAMU JUNGLE | 80.000 |
| 00JASP__00 | JASPER | 20.000 |
| 00T1701100 | KARAKORUM | >80.000 |
| 00T1801600 | KARANDASH | 40.000 |
| 00T1501400 | KOTAKOT | 20.000 |
| 00T2202200 | KYLLIKKI | 12.000 |
| 00T2400300 | LAMBERTO | 10.000 |
| 00T2200400 | LAND R | 80.000 |
| 00T2304300 | L'AVVENTURA | 40.000 |
| 00T2404300 | LEONTIGRE | 80.000 |
| 00T1902600 | LIBERA | 40.000 |
| 00T2403500 | LIBERABIRINTO | 50.000 |
| 00T2303800 | LIBERTINO | 40.000 |
| 00T2502100 | LILAZ | 30.000 |
| 00T2200500 | LINDON R | 56.000 |
| 00T2200600 | LINEMAN R | 64.000 |
| 00T1900200 | LIPSTICK | 16.000 |
| 00T2103300 | LONTANO LONTANO | 10.000 |
| 00T2200900 | LOOP LOOP | 52.000 |
| 00T2501200 | LOREAK | 50.000 |
| 00T2305000 | LUCHINO | 70.000 |
| 00T1601600 | LUCILLO | 20.000 |
| 00T2402700 | LUDWIG 1992 | 25.000 |
| 00T2402701 | LUDWIG 1992 | 20.000 |
| 00T1902800 | LUPO | 80.000 |
| 00T1403700 | LUTETIA | 35.000 |
| 00T2403000 | LUTETIA FR | 80.000 |
| 00T2001300 | MADEIRA | 40.000 |
| 00T2307000 | MADRIGAL | 40.000 |
| 00T2300500 | MAMMUTH | 80.000 |
| 00T2201000 | MARABOU | 80.000 |
| 00T2201800 | MARZBAN | 19.000 |

| Code | Description | Martindale |
|---|---|---|
| 00T2302900 | MAZARIN | 32.000 |
| 00T2501100 | MELANGE MODERNE | 80.000 |
| 00T2504101 | METAMETODO | 18.000 |
| 00MEZZAL00 | MEZZALUNA | 30.000 |
| 00T1902100 | MEZZALUNA MELANGE | 21.000 |
| 00T1803600 | MICROGRAMMA | 12.000 |
| 00T2500200 | MILLAIS | 80.000 |
| 00T2303100 | MILLEMIGLIA | 38.000 |
| 00T2303600 | MINIMA MIRABILIA | 55.000 |
| 00T2400200 | MINIMAL MOVES | 48.000 |
| 00T2402600 | MONSIEUR BAUDELAIRE | 100.000 |
| 00T2300200 | MONTGOMERY | 40.000 |
| 00T1700900 | MORE IS MORE | 40.000 |
| 00T2404700 | NE | 40.000 |
| 00T2403300 | NENA | 30.000 |
| 00T2203000 | NENUFAR | 15.000 |
| 00T2100700 | NIMBUS | 40.000 |
| 00T2001100 | NO EXCUSES | 32.000 |
| 00T2001200 | NO EXCUSES | 32.000 |
| 00T2501800 | NONSTOP ETHEREAL BLISS | 20.000 |
| 00T2400400 | NORICUM | 15.000 |
| 00T1801100 | NOUVELLES VAGUES | 40.000 |
| 00T2304100 | NYUL | 32.000 |
| 00T1903000 | OCEANO | 40.000 |
| 00T2100800 | OOLONG | 30.000 |
| 00ORSETT00 | ORSETTO | 40.000 |
| 00T1701400 | OXFORD THREE | 40.000 |
| 00T1703100 | PALETOT | 40.000 |
| 00T2402100 | PALOMAR | 14.000 |
| 00T2202300 | PARADISO PAISLEY | 18.000 |
| 00T2202500 | PARADISO PAISLEY | 19.000 |
| 00T1701300 | PATCHWORK | 50.000 |
| 00T2305100 | PAULINE | 70.000 |
| 00T2201200 | PER INCISO | 68.000 |
| 00T2201201 | PER INCISO | 66.000 |
| 00T1801400 | PERGAMENA | 40.000 |
| 00PLUSHY00 | PLUSHY | 100.000 |
| 00T1400300 | PON-PON | 35.000 |
| 00T1401600 | POOL | 35.000 |
| 00T1400200 | PRINCE OF WALES | 35.000 |
| 00T1701800 | PROUST | 40.000 |
| 00T2500300 | QUENEAU | 60.000 |
| 00T2500301 | QUENEAU | 60.000 |
| 00T2404000 | RABANNIUM | 40.000 |
| 00T1804100 | REGIMEN | 10.000 |
| 00T2201100 | REGINALDO | 26.000 |
| 00T2501600 | RIPLEY | 70.000 |
| 00T1903800 | ROCOCO' | 40.000 |
| 00T2407200 | ROQUEBRUNE | 25.000 |
| 00T2002600 | ROVERE | 38.000 |
| 00T2306900 | RUE DE SEINE | 42.000 |
| 00T2000800 | RUGBY | 15.000 |

| Code | Description | Martindale |
|---|---|---|
| 00T2200200 | SALICORNIA | 15.000 |
| 00T2100500 | SALINGER | 40.000 |
| 00T2304400 | SALISGRANO | 79.000 |
| 00T2304500 | SALISGRANO ORO | 79.000 |
| 00T1904900 | SAMSARA | 15.000 |
| 00SANSON00 | SANSONE | 30.000 |
| 00T2000400/01/02 | SAXOPHONE | 40.000 |
| 00T2101300 | SCARABEO | 27.000 |
| 00T1804900 | SCHWARZWALD | 15.000 |
| 00T2502000 | SCRIPT | 20.000 |
| 00T2300300 | SEQUOIA | 74.000 |
| 00T1905000 | SERAFINO | 29.000 |
| 00T2501900 | SERENE SPLENDOUR | 10.000 |
| 00T2100400 | SHAR PEI | 40.000 |
| 00T1400500 | SHIMMER | 40.000 |
| 00T1405100 | SHIMMER/B | 40.000 |
| 00T2304800 | SIBELIUS | 80.000 |
| 00T1602500 | SILKBIRD JACQUARD | 15.000 |
| 00T1800700 | SINEQUANON | 35.000 |
| 00T1904000 | SLALOM | 26.000 |
| 00T1902000 | SMILLA | 40.000 |
| 00T1805300 | SN MAYBE SPITALFIELDS | 100.000 |
| 00T1805400 | SN REGIMEN | 100.000 |
| 00T1805000 | SN SCHWARZWALD | 100.000 |
| 00T1400700 | SOFT TWEED | 20.000 |
| 00T1501200 | SONG-WAY | 15.000 |
| 00T2402800 | SOROGOYEN | 50.000 |
| 00SOTTOS00 | SOTTOSOPRA | 50.000 |
| 00T2402900 | SOULMATE | 60.000 |
| 00SPARKS00 | SPARKS | 15.000 |
| 00T2101100 | SPINONE | 40.000 |
| 00T1501600 | SPLENDIDO | 50.000 |
| 00T1701700 | SPLENDIDO SPLENDENTE | 50.000 |
| 00T1904700 | SPRITZ | 10.000 |
| 00SQUAR_00 | SQUARED | 30.000 |
| 00T2303700 | ST. GERMAIN | 30.000 |
| 00T1904800 | STRANGE LOVES | 24.000 |
| 00T1401700 | SUMMERTIME | 35.000 |
| 00T2000100 | SUNDAY | 100.000 |
| 00T1901000 | SVEVO | 40.000 |
| 00T2303900 | SYRAH | 35.000 |
| 00TABULA00 | TABULARASA | 30.000 |
| 00T1403800 | TABULARIGA GRANDE | 40.000 |
| 00T1403300 | TABULARIGA PICCOLA | 40.000 |
| 00T2200100 | TEMPERA | 28.000 |
| 00T2501700 | THANK YOU FOR SENDING ME AN ANGEL | 20.000 |
| 00T2001400 | THELONIOUS | 40.000 |
| 00T2404600 | THINK CLINK | 15.000 |
| 00T2401900 | THIS IS THE TIGER SPEAKING | 80.000 |
| 00T2305900 | TIGER BEAT | 30.000 |
| 00T1801500 | TIGER MOUNTAIN | 40.000 |
| 00T2302300 | TOPINAMBOUR | 55.000 |

| Code | Description | Martindale |
|---|---|---|
| 00T2503600 | TRACING THORNS | 25.000 |
| 00T2401300 | TWEEDLEDEE | 60.000 |
| 00T2400100 | TWEEDLEDUM | 10.000 |
| 00T2304600 | TWILLMAN | 80.000 |
| 00T1902300 | TWIST AGAIN | 15.000 |
| 00T2101700/01/02 | UKIYO MONOGATARI | 10.000 |
| 00T2504600 | UNDER WAY 1963 | 12.000 |
| 00T2505000 | UNTITLED 1948 | 15.000 |
| 00T2505001 | UNTITLED 1948 | 15.000 |
| 00T2100900 | UPUPA | 33.000 |
| 00T2402000 | UR | 32.000 |
| 00T2401700 | VERY | 65.000 |
| 00T2101400 | VIRIDIANA | 17.000 |
| 00T2103800 | VLADIMIRO | 80.000 |
| 00T2202100 | VOLVER | 79.000 |
| 00T2305400 | VOULEZ-VOUS | 20.000 |
| 00T2100300 | VUK | 40.000 |
| 00T2400500 | WUTHERING WIND | 18.000 |
| 00T1903600 | YOUNG AND LOVELY | 22.000 |
| 00T2505100 | YOUNG NUREYEV | >80.000 |
| 00T2503700 | YOUR GHOSTS ARE MINE | 50.000 |

## FABRICS

| Code | Description | Lead time | Minimum Order Quantity |
|---|---|---|---|
| 00T1405100 | SHIMMER/B | 3 weeks | 10 mt |
| 00SQUAR_00 | SQUARED | 5 weeks | 60 mt |

## WALLCOVERINGS

| Code | Description | Lead time | Minimum Order Quantity |
|---|---|---|---|
| 02D1910000 | ALTER EGO W | 3 weeks | 6 mt |
| 02D2080600 | AMOIR FOU WALL | 3 weeks | 6 mt |
| 02D2300700 | AMOIR LIBRE WALL | 3 weeks | 6 mt |
| 02D2300500 | DRAPPO WALL | 3 weeks | 6 mt |
| 02D2100300 | FANFARA WALL | 3 weeks | 6 mt |
| 02D2080700 | IRIS WALL | 3 weeks | 6 mt |
| 02D2500900 | QUENEAU WALL | 3 weeks | 6 mt |
| 02D2500901 | QUENEAU WALL | 3 weeks | 6 mt |
| 02D2101800 | SIBILLA WALL | 4 weeks | 6 mt |
| 02D2101500 | SILK NATURE WALL | 3 weeks | 6 mt |
| 02D2101400 | SILK SUGAR WALL | 3 weeks | 6 mt |
| 02D2200400 | SUNDAY WALL | 3 weeks | 6 mt |
| 02D2100100 | VIRIDIANA WALL | 3 weeks | 6 mt |

# VERSI LIBERI

| Code | Description and available colours | Price | U.M. | Width | Repeat VERTICAL | Repeat HORIZONTAL | Weight | Use | Colours | Composition | Care symbols | Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | € | | cm | cm | cm | g/pcs | | | | | |
| 01H2400400 | AD ASTRA [8, 64, 97]<br>All | **300,00** | pcs | 68 × h 90 | ↕ 51 | ↔ 49 | 245 | | 1 | 59%PA 41%LI (Embroidery 100%PES) | | |
| 01H2400300 | CAMPO DEI FIORI [8, 97]<br>All | **300,00** | pcs | 68 × h 90 | ↕ 56 | ↔ 55 | 448 | | 1 | 47%CV 20%CO 15%PES 14%LI 2%PA 2%WO (Embroidery 100%CV) | | |
| 01H2400600 | NEBULA [8, 97]<br>All | **250,00** | pcs | 68 × h 90 | ↕ 62,5 | ↔ 49 | 475 | | 1 | 47%CV 20%CO 15%PES 14%LI 2%PA 2%WO (Flock Print 100%PA) | | |
| 01H2400100 | PAROLA [8, 64, 96, 97]<br>All | **250,00** | pcs | 68 × h 90 | ↕ 39 | ↔ 34 | 270 | | 1 | 59%PA 41%LI (Embroidery 50%WO 50%PAN) | | |
| 01H2400500 | RIPTIDE [8, 97]<br>All | **250,00** | pcs | 68 × h 85 | ↕ 33 | ↔ 28 | 505 | | 1 | 47%CV 20%CO 15%PES 14%LI 2%PA 2%WO (Embroidery 57%PAN 43%PES) | | |
| 01H2400200 | YUME [8, 64, 96, 97]<br>All | **300,00** | pcs | 68 × h 90 | ↕ 27 | ↔ 24 | 290 | | 1 | 59%PA 41%LI (Embroidery 100%WV) | | |

8 Overlock before making up.

64 When used for seating upholstery, a double seam reinforced with seam-tape on reverse side is required.

96 The fabric is shown railroaded.

97 The minimum order quantity is 2 pieces. The two pieces do not have to be of the same article: you can, in fact, choose freely from those available in the Versi Liberi collection.

| Code | Description | Martindale |
|---|---|---|
| | | |
| 01H2400400 | AD ASTRA | 10.000 |
| 01H2400300 | CAMPO DEI FIORI | 20.000 |
| 01H2400600 | NEBULA | 20.000 |
| 01H2400500 | RIPTIDE | 20.000 |

Dedar S.p.A.
Via della Resistenza 3 - I, 22070 Appiano Gentile
T +39 031 2287511, F +39 031 2287533, info@dedar.com

www.dedar.com