## werkzeug.routing.BuildError

werkzeug.routing.BuildError: Could not build url for endpoint
'package.resource\_read' with values ['id', 'resource\_id']. Did you mean
'dataset resource.read' instead?

Traceback (most recent call last)

File "/home/elena/Desktop/local\_ckan\_1/lib/python3.6/site-packages/flask/app.py", line 2449, in wsgi\_app

response = self.handle exception(e)

File "/home/elena/Desktop/local\_ckan\_1/lib/python3.6/site-packages/flask/app.py", line 1866, in handle\_exception

reraise(exc\_type, exc\_value, tb)

File "/home/elena/Desktop/local\_ckan\_1/lib/python3.6/site-packages/flask/\_compat.py", line 39, in reraise

raise value

File "/home/elena/Desktop/local\_ckan\_1/lib/python3.6/site-packages/flask/app.py", line 2446, in wsgi\_app

response = self.full\_dispatch\_request()

File "/home/elena/Desktop/local\_ckan\_1/lib/python3.6/site-packages/flask/app.py", line 1951, in full\_dispatch\_request

rv = self.handle user exception(e)

File "/home/elena/Desktop/local\_ckan\_1/lib/python3.6/site-packages/flask/app.py", line 1820, in handle\_user\_exception

reraise(exc\_type, exc\_value, tb)

File "/home/elena/Desktop/local\_ckan\_1/lib/python3.6/site-packages/flask/\_compat.py", line 39, in reraise

raise value

File "/home/elena/Desktop/local\_ckan\_1/lib/python3.6/site-packages/flask/app.py", line 1949, in full\_dispatch\_request

rv = self.dispatch request()

File "/home/elena/Desktop/local\_ckan\_1/lib/python3.6/site-packages/flask\_debugtoolbar/\_\_init\_\_.py", line 125, in dispatch\_request

return view func(\*\*req.view args)

File "/home/elena/Desktop/local\_ckan\_1/lib/python3.6/site-packages/flask/views.py", line 89, in view

return self.dispatch\_request(\*args, \*\*kwargs)

File "/home/elena/Desktop/local\_ckan\_1/lib/python3.6/site-packages/flask/views.py", line 163, in dispatch\_request

return meth(\*args, \*\*kwargs)

File "/home/elena/Desktop/local\_ckan\_1/src/ckan/ckan/views/resource.py", line 781, in get

return base.render(u'package/new\_view.html', extra\_vars)

```
File "/home/elena/Desktop/local_ckan_1/src/ckan/ckan/lib/base.py", line 151, in render return flask_render_template(template_name, **extra_vars)
```

File "/home/elena/Desktop/local\_ckan\_1/lib/python3.6/site-packages/flask/templating.py", line 140, in render\_template

```
ctx.app,
```

```
rv = template.render(context)
```

File "/home/elena/Desktop/local\_ckan\_1/lib/python3.6/site-packages/jinja2/asyncsupport.py", line 76, in render

```
return original_render(self, *args, **kwargs)
```

File "/home/elena/Desktop/local\_ckan\_1/lib/python3.6/site-packages/jinja2/environment.py", line 1008, in render

```
return self.environment.handle_exception(exc_info, True)
```

File "/home/elena/Desktop/local\_ckan\_1/lib/python3.6/site-packages/jinja2/environment.py", line 780, in handle\_exception

```
reraise(exc_type, exc_value, tb)
```

File "/home/elena/Desktop/local\_ckan\_1/lib/python3.6/site-packages/jinja2/\_compat.py", line 37, in reraise

```
raise value.with_traceback(tb)
```

File "/home/elena/Desktop/local\_ckan\_1/src/ckanext-visualize/ckanext/visualize/templates /package/new\_view.html", line 1, in top-level template code

```
{% ckan_extends %}
```

File "/home/elena/Desktop/local\_ckan\_1/src/ckan/ckan/templates/package/new\_view.html", line 1, in top-level template code

```
{% extends "package/view_edit_base.html" %}
```

File "/home/elena/Desktop/local\_ckan\_1/src/ckanext-visualize/ckanext/visualize/templates /package/view\_edit\_base.html", line 4, in top-level template code

```
{% set res = c.resource %}
```

```
{% ckan extends %}
```

File "/home/elena/Desktop/local\_ckan\_1/src/ckan/ckanext/datapusher/templates/package/resource\_edit\_base.html", line 1, in top-level template code

```
{% ckan extends %}
```

File "/home/elena/Desktop/local\_ckan\_1/src/ckan/ckan/templates/package /resource edit base.html", line 4, in top-level template code

```
{% set res = resource %}
```

File "/home/elena/Desktop/local\_ckan\_1/src/ckan/ckan/templates/package/base.html", line 4, in top-level template code

```
{% set dataset type = dataset type or pkg.type or 'dataset' %}
```

File "/home/elena/Desktop/local\_ckan\_1/src/ckan/ckan/templates/page.html", line 1, in top-level template code

```
{% extends "base.html" %}
```

File "/home/elena/Desktop/local\_ckan\_1/src/ckanext-visualize/ckanext/visualize/templates /base.html", line 1, in top-level template code

```
{% ckan extends %}
```

File "/home/elena/Desktop/local\_ckan\_1/src/ckan/ckan/templates/base.html", line 106, in top-level template code

```
{%- block page %}{% endblock -%}
```

```
{%- block content %}
```

File "/home/elena/Desktop/local\_ckan\_1/src/ckan/ckan/templates/page.html", line 22, in block "content"

```
{% block main content %}
```

File "/home/elena/Desktop/local\_ckan\_1/src/ckanext-visualize/ckanext/visualize/templates/package/view edit base.html", line 30, in block "main content"

```
{{ super() }}
```

File "/home/elena/Desktop/local\_ckan\_1/src/ckan/ckan/templates/page.html", line 74, in block "main\_content"

```
{% block primary %}
```

File "/home/elena/Desktop/local\_ckan\_1/src/ckan/ckan/templates/page.html", line 87, in block "primary"

```
{% block primary_content %}
```

File "/home/elena/Desktop/local\_ckan\_1/src/ckan/ckan/templates/page.html", line 89, in block "primary\_content"

```
{% block page header %}
```

File "/home/elena/Desktop/local\_ckan\_1/src/ckan/ckan/templates/page.html", line 91, in block "page\_header"

```
{% if self.content_action() | trim %}
```

File "/home/elena/Desktop/local\_ckan\_1/src/ckanext-visualize/ckanext/visualize/templates /package/view edit base.html", line 11, in block "content action"

```
{% set url = h.url_for(controller='package', action='resource_read',
id=pkg.name, resource_id=res.id) ~ '?view_id=' ~ resource_view.id %}
```

File "/home/elena/Desktop/local\_ckan\_1/src/ckan/ckan/lib/helpers.py", line 355, in url\_for

```
my_url = _url_for_flask(*args, **kw)
```

```
my url = flask default url for(*args, **kw)
```

File "/home/elena/Desktop/local\_ckan\_1/lib/python3.6/site-packages/flask/helpers.py", line 370, in url\_for

```
return appctx.app.handle_url_build_error(error, endpoint, values)
```

File "/home/elena/Desktop/local\_ckan\_1/lib/python3.6/site-packages/flask/app.py", line 2215, in handle url build error

```
reraise(exc type, exc value, tb)
```

File "/home/elena/Desktop/local\_ckan\_1/lib/python3.6/site-packages/flask/\_compat.py", line 39, in reraise

## raise value

File "/home/elena/Desktop/local\_ckan\_1/lib/python3.6/site-packages/flask/helpers.py", line 358, in url\_for

endpoint, values, method=method, force\_external=external

File "/home/elena/Desktop/local\_ckan\_1/lib/python3.6/site-packages/werkzeug/routing.py", line 2179, in build

raise BuildError(endpoint, values, method, self)

werkzeug.routing.BuildError: Could not build url for endpoint 'package.resource\_read' with values ['id', 'resource\_id']. Did you mean 'dataset\_resource.read' instead?

The debugger caught an exception in your WSGI application. You can now look at the traceback which led to the error.

To switch between the interactive traceback and the plaintext one, you can click on the "Traceback" headline. From the text traceback you can also create a paste of it. For code execution mouse-over the frame you want to debug and click on the console icon on the right side.

You can execute arbitrary Python code in the stack frames and there are some extra helpers available for introspection:

- dump() shows all variables in the frame
- dump(obj) dumps all that's known about the object

Brought to you by  ${f DON'T}$   ${f PANIC}$ , your friendly Werkzeug powered traceback interpreter.