


APPDEV - Introduction to Application Development

Adrian Marc C. Bencila

August 13, 2025



The screenshot shows a code editor interface with three tabs: index.html, # style.css, and JS app.js. The index.html tab is active and displays the following HTML code:

```
Counter > index.html > HTML
1  <!DOCTYPE html>
2  <HTML>
3      <head>
4          <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
5          <meta name="viewport" content="width=device-width, initial-scale=1.0">
6          <title>
7              counter
8          </title>
9          <link rel="stylesheet" href="style.css">
10     </head>
11     <body>
12         <main>
13             <div class="container">
14                 <h1>Counter</h1>
15                 <span id="value">0</span>
16
17                 <div class="btn-container">
18                     <button class="btn random">Random</button>
19                     <button class="btn Reset">Reset</button>
20                     <button class="btn increment">+1</button>
21                     <button class="btn decrement">-1</button>
22                 </div>
23             </div>
24         </main>
25         <script src="app.js"></script>
26     </body>
27 </HTML>
```

APPDEV - Introduction to Application Development

Adrian Marc C. Bencila

August 13, 2025

```
Counter ▶ JS app.js ▶ btns.forEach() callback ▶ btn.addEventListener('click') callback
1  const value = document.querySelector('#value')
2  const btns = document.querySelectorAll('.btn')
3
4  let count = 0
5
6  btns.forEach((btn) => {
7      btn.addEventListener('click', (button) => {
8          const styles = button.currentTarget.classList
9          if (styles.contains('random')){
10              getRandomNum()
11              console.log("click")
12          }
13          else if (styles.contains('Reset')){
14              count = 0
15          }
16          else if (styles.contains('increment')){
17              count++
18          }
19          else if (styles.contains('decrement')){
20              count--
21          }
22          else {
23              count = 0
24          }
25          value.textContent = count
26
27          if (count > 0) {
28              value.style.color = "green"
29          }
30          else if (count < 0){
31              value.style.color = "red"
32          }
33      })
34  })
35
36  getRandomNum = () => {
37  if (count > 0) {
38      count = (Math.floor(Math.random() * 100)) * -1
39  }
40  else if (count < 0) {
41      count = Math.floor(Math.random() * 100)
42  }
43  else {
44      count = Math.floor(Math.random() * 100)
45  }
46
47  }
48
49 }
```

APPDEV - Introduction to Application Development

Adrian Marc C. Bencila

August 13, 2025

CSS

APPDEV - Introduction to Application Development

Adrian Marc C. Bencila

August 13, 2025

```
58  Global Styles
59  =====
60  */
61
62  *,
63  ::after,
64  ::before {
65    margin: 0;
66    padding: 0;
67    box-sizing: border-box;
68  }
69  body {
70    font-family: var(--ff-secondary);
71    background: var(--clr-grey-10);
72    color: var(--clr-grey-1);
73    line-height: 1.5;
74    font-size: 0.875rem;
75  }
76  ul {
77    list-style-type: none;
78  }
79  a {
80    text-decoration: none;
81  }
82  h1,
83  h2,
84  h3,
85  h4 {
86    letter-spacing: var(--spacing);
87    text-transform: capitalize;
88    line-height: 1.25;
89    margin-bottom: 0.75rem;
```

APPDEV - Introduction to Application Development

Adrian Marc C. Bencila

August 13, 2025

```
Counter ▶ # style.css ▶ ...
89   margin-bottom: 0.75rem;
90   font-family: var(--ff-primary);
91 }
92 □ h1 {
93   font-size: 3rem;
94 }
95 □ h2 {
96   font-size: 2rem;
97 }
98 □ h3 {
99   font-size: 1.25rem;
100 }
101 □ h4 {
102   font-size: 0.875rem;
103 }
104 □ p {
105   margin-bottom: 1.25rem;
106   color: var(--clr-grey-5);
107 }
108 □ @media screen and (min-width: 800px) {
109 □   h1 {
110     font-size: 4rem;
111   }
112 □   h2 {
113     font-size: 2.5rem;
114   }
115 □   h3 {
116     font-size: 1.75rem;
117   }
118 □   h4 {
119     font-size: 1rem;
120   }
121 □ }
```

APPDEV - Introduction to Application Development

Adrian Marc C. Bencila

August 13, 2025

```
Counter > # style.css > ...
118  h4 {
119    font-size: 1rem;
120  }
121  body {
122    font-size: 1rem;
123  }
124  h1,
125  h2,
126  h3,
127  h4 {
128    line-height: 1;
129  }
130 }
131 /* global classes */
132
133 /* section */
134 .section {
135   padding: 5rem 0;
136 }
137
138 .section-center {
139   width: 90vw;
140   margin: 0 auto;
141   max-width: 1170px;
142 }
143 @media screen and (min-width: 992px) {
144   .section-center {
145     width: 95vw;
146   }
147 }
148 main {
149   min-height: 100vh;
150   display: grid;
```