

### Favorite Pokémon



**Cyndaquil**

Type: fire

- Hp: 39
- Attack: 52
- Defense: 43
- Special-attack: 60
- Special-defense: 50
- Speed: 65

Base Experience: 62



**Mareep**

Type: electric

- Hp: 55
- Attack: 40
- Defense: 40
- Special-attack: 65
- Special-defense: 45
- Speed: 35

Base Experience: 56



**Totodile**

Type: water

- Hp: 50
- Attack: 65
- Defense: 64
- Special-attack: 44
- Special-defense: 48
- Speed: 43

Base Experience: 63

© 2025 Adrian Marc C. Bencila — All rights reserved.

### Navigation



**Chikorita**

Type: grass

- Hp: 45
- Attack: 49
- Defense: 65
- Special-attack: 49
- Special-defense: 65
- Speed: 45

Base Experience: 64



**Togepi**


Type: fairy

- Hp: 35
- Attack: 20
- Defense: 65
- Special-attack: 40
- Special-defense: 65
- Speed: 20


Base Experience: 49

© 2025 Adrian Marc C. Bencila — All rights reserved.

BENCILA, Adrian Marc C.



```
<div class="pokemon-container">
  <h1>Favorite Pok  mon</h1>
  <div class="pokemon-stack">
    <div class="pokemon-card fire">
      <app-cyndaquil></app-cyndaquil>
    </div>
    <div class="pokemon-card electric">
      <app-mareep></app-mareep>
    </div>
    <div class="pokemon-card water">
      <app-totodile></app-totodile>
    </div>
    <div class="pokemon-card grass">
      <app-chikorita></app-chikorita>
    </div>
    <div class="pokemon-card fairy">
      <app-togepi></app-togepi>
    </div>
  </div>
</div>
```



```
import { Component } from '@angular/core';
import { Cyndaquil } from '../cyndaquil/cyndaquil';
import { Mareep } from '../mareep/mareep';
import { Totodile } from '../totodile/totodile';
import { Chikorita } from '../chikorita/chikorita';
import { Togepi } from '../togepi/togepi';

@Component({
  selector: 'app-favorite-pokemon',
  standalone: true,
  imports: [
    Cyndaquil,
    Mareep,
    Totodile,
    Chikorita,
    Togepi
  ],
  templateUrl: './favorite-pokemon.html',
  styleUrls: ['./favorite-pokemon.css']
})
export class FavoritePokemon { }
```

A screenshot of a code editor showing the `cyndaquil.ts` file. The file contains the following code:

```
activity11 > src > app > cyndaquil > cyndaquil.ts > Cyndaquil
1 import { Component } from '@angular/core';
2 import { HttpClient } from '@angular/common/http';
3 import { CommonModule, TitleCasePipe } from '@angular/common';
4
5 @Component({
6   selector: 'app-cyndaquil',
7   imports: [CommonModule, TitleCasePipe],
8   standalone: true,
9   templateUrl: './cyndaquil.html',
10  styleUrls: ['./cyndaquil.css']
11})
12 export class Cyndaquil {
13  pokemon: any;
14
15  constructor(private http: HttpClient) {
16    this.http.get('https://pokeapi.co/api/v2/pokemon/cyndaquil')
17      .subscribe(
18        (response: any) => {
19          if (!response.sprites.front_default && response.sprites.other['official-artwork'].front_default)
20            response.sprites.front_default = response.sprites.other['official-artwork'].front_default;
21        }
22        this.pokemon = response;
23      },
24      error => console.error('Error fetching Cyndaquil:', error)
25    );
26  }
27}
28
```

A screenshot of a code editor showing the `cyndaquil.html` file. The file contains the following code:


```
activity11 > src > app > cyndaquil > cyndaquil.html > ...
1 <div class="pokemon-card" *ngIf="pokemon">
2   <img [src]="pokemon.sprites.front_default" alt="{{ pokemon.name }}"/>
3   <h2>{{ pokemon.name | titlecase }}</h2>
4   <p><strong>Type:</strong> {{ pokemon.types[0].type.name }}</p>
5   <ul>
6     <li *ngFor="let stat of pokemon.stats">
7       {{ stat.stat.name | titlecase }}: {{ stat.base_stat }}
8     </li>
9   </ul>
10  <p><strong>Base Experience:</strong> {{ pokemon.base_experience }}</p>
11  <p><strong>Weight:</strong> {{ pokemon.weight }}</p>
12 </div>
13
```

BENCILA, Adrian Marc C.


```
pokemon.css  TS togepi.ts  TS favorite-pokemon.ts  TS cyndaquil.ts  TS mareep.ts  # cyndaquil.css  ⌂  □  ...  
activity11 > src > app > cyndaquil > # cyndaquil.css > ...  
1 .pokemon-card {  
2   background: #f7f7f7;  
3   border-radius: 12px;  
4   box-shadow: 0 4px 8px rgba(0,0,0,0.1);  
5   padding: 20px;  
6   margin: 15px auto;  
7   max-width: 300px;  
8   text-align: center;  
9   font-family: 'Arial', sans-serif;  
10  transition: transform 0.2s ease;  
11 }  
12  
13 .pokemon-card:hover {  
14   transform: translateY(-5px);  
15 }  
16  
17 .pokemon-card h2 {  
18   font-size: 1.5rem;  
19   color: #333;  
20   margin-bottom: 10px;  
21 }  
22  
23 .pokemon-card p {  
24   font-size: 1rem;  
25   color: #555;  
26   margin: 5px 0;  
27 }  
28  
29 .pokemon-card .stats {  
30   margin-top: 10px;  
31   padding: 0;  
32   list-style: none; /* remove bullets */
```

```
pokemon.css  TS togepi.ts  TS favorite-pokemon.ts  TS cyndaquil.ts  TS mareep.ts  # cyndaquil.css  TS mareep.ts  # mareep.html  ⌂  □  ...  
activity11 > src > app > mareep > mareep.html > ...  
1 <div class="pokemon-card" *ngIf="pokemon">  
2   <img [src]="pokemon.sprites.front_default" alt="{{ pokemon.name }}"/>  
3   <h2>{{ pokemon.name | titlecase }}</h2>  
4   <p><strong>Type:</strong> {{ pokemon.types[0].type.name }}</p>  
5   <ul>  
6     <li *ngFor="let stat of pokemon.stats">  
7       {{ stat.stat.name | titlecase }}: {{ stat.base_stat }}  
8     </li>  
9   </ul>  
10  <p><strong>Base Experience:</strong> {{ pokemon.base_experience }}</p>  
11  <p><strong>Weight:</strong> {{ pokemon.weight }}</p>  
12 </div>
```

BENCILA, Adrian Marc C.



```
pokemon.css      TS togepi.ts      TS favorite-pokemon.ts      TS cyndaquil.ts      TS mareep.ts ✘      # cyndaquil.css      ↗ mareep.html      ⏹ ...  
activity11 › src › app › mareep › TS mareep.ts › ...  
1 import { Component } from '@angular/core';  
2 import { HttpClient } from '@angular/common/http';  
3 import { CommonModule, TitleCasePipe } from '@angular/common';  
4  
5  
6 @Component({  
7   selector: 'app-mareep',  
8   imports: [CommonModule, TitleCasePipe],  
9   standalone: true,  
10  templateUrl: './mareep.html',  
11  styleUrls: ['./mareep.css']  
12 })  
13 export class Mareep {  
14   pokemon: any;  
15  
16   constructor(private http: HttpClient) {  
17     this.http.get('https://pokeapi.co/api/v2/pokemon/mareep')  
18       .subscribe(  
19         response => this.pokemon = response,  
20         error => console.error('Error fetching Mareep:', error)  
21       );  
22     }  
23   }  
24 }
```



```
pokemon.css      TS togepi.ts      TS favorite-pokemon.ts      TS cyndaquil.ts      TS mareep.ts      # mareep.css ✘      # cyndaquil.css      ↗ ⏹ ...  
activity11 › src › app › mareep › # mareep.css › 🌐.pokemon-card  
1 .pokemon-card {  
2   background: #f7f7f7;  
3   border-radius: 12px;  
4   box-shadow: 0 4px 8px rgba(0,0,0,0.1);  
5   padding: 20px;  
6   margin: 15px auto;  
7   max-width: 300px;  
8   text-align: center;  
9   font-family: 'Arial', sans-serif;  
10  transition: transform 0.2s ease;  
11 }  
12  
13 .pokemon-card:hover {  
14   transform: translateY(-5px);  
15 }  
16  
17 .pokemon-card h2 {  
18   font-size: 1.5rem;  
19   color: #333;  
20   margin-bottom: 10px;  
21 }  
22  
23 .pokemon-card p {  
24   font-size: 1rem;  
25   color: #555;  
26   margin: 5px 0;  
27 }  
28  
29 .pokemon-card .stats {  
30   margin-top: 10px;  
31   padding: 0;  
32   list-style: none; /* remove bullets */  
33 }
```