



1. Proposed Cleaner Folder Restructure (Best Practice Layout)

Current Issue

- attached_assets/ has a mix of images + random .txt files.
- client/src/components contains duplicates at two levels.
- Example components mixed with real components.
- Server files not grouped by domain.
- No clear separation for logs, scripts, env files, etc.

Proposed Restructure





2. Identify Duplicate Component Files

You currently have this structure:

```
client/src/components/examples/*.tsx
client/src/components/*.tsx
```

And inside /components many files are duplicated at two levels:

For example:

```
components/examples/BlogPostCard.tsx
components/BlogPostCard.tsx
```

Same for:

- BlogSection

- BusinessListingCard
- BusinessListingsSection
- CompaniesSection
- CompanyCard
- ContactForm
- Footer
- Header
- Hero
- Newsletter
- PricingCard
- PricingSection

✓ What to do:

Keep only **one** version:

```
src/components/
├── cards/
├── sections/
└── common/
```

Delete or archive:

```
src/components/examples
```

unless they truly are demos.

3. README.md – Auto-Generated Table of Contents

Here's a ready-to-paste ToC:

```
# Prashun Portfolio Website
```

```
## Table of Contents
```

- [Overview](#overview)
- [Features](#features)
- [Tech Stack](#tech-stack)
- [Project Structure](#project-structure)
- [Getting Started](#getting-started)
 - [Frontend Setup](#frontend-setup)

- [Backend Setup](#backend-setup)
- [Scripts](#scripts)
- [Environment Variables](#environment-variables)
- [Folder Breakdown](#folder-breakdown)
- [Design Guidelines](#design-guidelines)
- [API Documentation](#api-documentation)
- [Future Enhancements](#future-enhancements)
- [License](#license)

If you want, I can generate the entire README in Markdown.

4. Suggest Monorepo Format (pnpm or Turborepo)

★ Recommended: pnpm + Turborepo

Your folder structure supports full stack monorepo:

```
apps/  
  client/  
  server/  
packages/  
  shared/  
  config/  
  types/
```

Create workspace:

pnpm-workspace.yaml:

```
packages:  
  - "apps/*"  
  - "packages/*"
```

Add Turborepo:

turbo.json:

```
{  
  "pipeline": {  
    "build": {
```

```
    "outputs": ["dist/**"]
  },
  "dev": {
    "cache": false
  }
}
```

Run both apps together:

pnpm dev

5. Mapping to Next.js (If you migrate)

If you choose Next.js, your folder becomes:

```
apps/client/
├── app/
│   ├── layout.tsx
│   ├── page.tsx (Home)
│   ├── components/*
│   ├── (marketing)/...
│   └── api/* (optional server routes)
└── public/
```

apps/server/ → Can be replaced by Next.js API routes or moved to /apps/api
shared/
packages/