



aceest-fitness

#30



Status

Changes

Console Output

Edit Build Information

Delete build '#30'

Polling Log

Timings

Git Build Data

See Fingerprints

Pipeline Overview

Restart from Stage

Replay

Pipeline Steps

Workspaces

Previous Build

Console

Download

Copy

View as plain text

```
Started by an SCM change
Obtained Jenkinsfile from git https://github.com/2024tm93684/aceest-devops-assignment-01
[Pipeline] Start of Pipeline
[Pipeline] node
Running on Jenkins in /var/jenkins_home/workspace/aceest-fitness
[Pipeline] {
```

```
[Pipeline] stage
[Pipeline] { (Declarative: Checkout SCM)
[Pipeline] checkout
Selected Git installation does not exist. Using Default
The recommended git tool is: NONE
No credentials specified
> git rev-parse --resolve-git-dir /var/jenkins_home/workspace/aceest-
fitness/.git # timeout=10
Fetching changes from the remote Git repository
> git config remote.origin.url https://github.com/2024tm93684/aceest-
devops-assignment-01 # timeout=10
Fetching upstream changes from https://github.com/2024tm93684/aceest-
devops-assignment-01
> git --version # timeout=10
> git --version # 'git version 2.47.3'
> git fetch --tags --force --progress --
https://github.com/2024tm93684/aceest-devops-assignment-01
+refs/heads/*:refs/remotes/origin/* # timeout=10
> git rev-parse refs/remotes/origin/develop^{commit} # timeout=10
Checking out Revision 49fd501f923d061407769e3de91419e4ed40dba3
(refs/remotes/origin/develop)
> git config core.sparsecheckout # timeout=10
> git checkout -f 49fd501f923d061407769e3de91419e4ed40dba3 # timeout=10
Commit message: "ci: fix SonarQube - use /usr/src as sources path for
Docker scanner (#25)"
> git rev-list --no-walk c83fd5bb05848a131d358fe256b57d10eb12dd02 #
timeout=10
[Pipeline] }
[Pipeline] // stage
[Pipeline] withEnv
[Pipeline] {
[Pipeline] withEnv
[Pipeline] {
[Pipeline] stage
[Pipeline] { (Checkout)
[Pipeline] checkout
Selected Git installation does not exist. Using Default
The recommended git tool is: NONE
No credentials specified
> git rev-parse --resolve-git-dir /var/jenkins_home/workspace/aceest-
fitness/.git # timeout=10
Fetching changes from the remote Git repository
> git config remote.origin.url https://github.com/2024tm93684/aceest-
devops-assignment-01 # timeout=10
Fetching upstream changes from https://github.com/2024tm93684/aceest-
```

devops-assignment-01

```
> git --version # timeout=10
> git --version # 'git version 2.47.3'
> git fetch --tags --force --progress --
```

<https://github.com/2024tm93684/aceest-devops-assignment-01>

```
+refs/heads/*:refs/remotes/origin/* # timeout=10
> git rev-parse refs/remotes/origin/develop^{commit} # timeout=10
Checking out Revision 49fd501f923d061407769e3de91419e4ed40dba3
(refs/remotes/origin/develop)
> git config core.sparsecheckout # timeout=10
> git checkout -f 49fd501f923d061407769e3de91419e4ed40dba3 # timeout=10
Commit message: "ci: fix SonarQube - use /usr/src as sources path for
Docker scanner (#25)"
```

[Pipeline] }

[Pipeline] // stage

[Pipeline] stage

[Pipeline] { (Build Environment)

[Pipeline] sh

```
+ python3 -m pip install -r requirements.txt --break-system-packages
Defaulting to user installation because normal site-packages is not
writable
```

```
Requirement already satisfied: flask==3.0.0 in
/var/jenkins_home/.local/lib/python3.13/site-packages (from -r
requirements.txt (line 1)) (3.0.0)
```

```
Requirement already satisfied: matplotlib==3.8.0 in
/var/jenkins_home/.local/lib/python3.13/site-packages (from -r
requirements.txt (line 2)) (3.8.0)
```

```
Requirement already satisfied: pytest==7.4.3 in
/var/jenkins_home/.local/lib/python3.13/site-packages (from -r
requirements.txt (line 3)) (7.4.3)
```

```
Requirement already satisfied: pytest-cov==4.1.0 in
/var/jenkins_home/.local/lib/python3.13/site-packages (from -r
requirements.txt (line 4)) (4.1.0)
```

```
Requirement already satisfied: flake8==6.1.0 in
/var/jenkins_home/.local/lib/python3.13/site-packages (from -r
requirements.txt (line 5)) (6.1.0)
```

```
Requirement already satisfied: fpdf2==2.7.6 in
/var/jenkins_home/.local/lib/python3.13/site-packages (from -r
requirements.txt (line 6)) (2.7.6)
```

```
Requirement already satisfied: Werkzeug>=3.0.0 in
/var/jenkins_home/.local/lib/python3.13/site-packages (from flask==3.0.0->-r
requirements.txt (line 1)) (3.1.6)
```

```
Requirement already satisfied: Jinja2>=3.1.2 in
/var/jenkins_home/.local/lib/python3.13/site-packages (from flask==3.0.0->-r
requirements.txt (line 1)) (3.1.6)
```

```
Requirement already satisfied: itsdangerous>=2.1.2 in
/var/jenkins_home/.local/lib/python3.13/site-packages (from flask==3.0.0->-
r requirements.txt (line 1)) (2.2.0)
Requirement already satisfied: click>=8.1.3 in
/var/jenkins_home/.local/lib/python3.13/site-packages (from flask==3.0.0->-
r requirements.txt (line 1)) (8.3.1)
Requirement already satisfied: blinker>=1.6.2 in
/var/jenkins_home/.local/lib/python3.13/site-packages (from flask==3.0.0->-
r requirements.txt (line 1)) (1.9.0)
Requirement already satisfied: contourpy>=1.0.1 in
/var/jenkins_home/.local/lib/python3.13/site-packages (from
matplotlib==3.8.0->-r requirements.txt (line 2)) (1.3.3)
Requirement already satisfied: cycler>=0.10 in
/var/jenkins_home/.local/lib/python3.13/site-packages (from
matplotlib==3.8.0->-r requirements.txt (line 2)) (0.12.1)
Requirement already satisfied: fonttools>=4.22.0 in
/var/jenkins_home/.local/lib/python3.13/site-packages (from
matplotlib==3.8.0->-r requirements.txt (line 2)) (4.62.0)
Requirement already satisfied: kiwisolver>=1.0.1 in
/var/jenkins_home/.local/lib/python3.13/site-packages (from
matplotlib==3.8.0->-r requirements.txt (line 2)) (1.5.0)
Requirement already satisfied: numpy<2,>=1.21 in
/var/jenkins_home/.local/lib/python3.13/site-packages (from
matplotlib==3.8.0->-r requirements.txt (line 2)) (1.26.4)
Requirement already satisfied: packaging>=20.0 in /usr/lib/python3/dist-
packages (from matplotlib==3.8.0->-r requirements.txt (line 2)) (25.0)
Requirement already satisfied: pillow>=6.2.0 in
/var/jenkins_home/.local/lib/python3.13/site-packages (from
matplotlib==3.8.0->-r requirements.txt (line 2)) (12.1.1)
Requirement already satisfied: pyparsing>=2.3.1 in
/var/jenkins_home/.local/lib/python3.13/site-packages (from
matplotlib==3.8.0->-r requirements.txt (line 2)) (3.3.2)
Requirement already satisfied: python-dateutil>=2.7 in
/var/jenkins_home/.local/lib/python3.13/site-packages (from
matplotlib==3.8.0->-r requirements.txt (line 2)) (2.9.0.post0)
Requirement already satisfied: iniconfig in
/var/jenkins_home/.local/lib/python3.13/site-packages (from pytest==7.4.3-
>-r requirements.txt (line 3)) (2.3.0)
Requirement already satisfied: pluggy<2.0,>=0.12 in
/var/jenkins_home/.local/lib/python3.13/site-packages (from pytest==7.4.3-
>-r requirements.txt (line 3)) (1.6.0)
Requirement already satisfied: coverage>=5.2.1 in
/var/jenkins_home/.local/lib/python3.13/site-packages (from
coverage[toml]>=5.2.1->pytest-cov==4.1.0->-r requirements.txt (line 4))
(7.13.4)
```

```

Requirement already satisfied: mccabe<0.8.0,>=0.7.0 in
/var/jenkins_home/.local/lib/python3.13/site-packages (from flake8==6.1.0-
>-r requirements.txt (line 5)) (0.7.0)
Requirement already satisfied: pycodestyle<2.12.0,>=2.11.0 in
/var/jenkins_home/.local/lib/python3.13/site-packages (from flake8==6.1.0-
>-r requirements.txt (line 5)) (2.11.1)
Requirement already satisfied: pyflakes<3.2.0,>=3.1.0 in
/var/jenkins_home/.local/lib/python3.13/site-packages (from flake8==6.1.0-
>-r requirements.txt (line 5)) (3.1.0)
Requirement already satisfied: defusedxml in
/var/jenkins_home/.local/lib/python3.13/site-packages (from fpdf2==2.7.6->-
r requirements.txt (line 6)) (0.7.1)
Requirement already satisfied: MarkupSafe>=2.0 in
/var/jenkins_home/.local/lib/python3.13/site-packages (from Jinja2>=3.1.2-
>flask==3.0.0->-r requirements.txt (line 1)) (3.0.3)
Requirement already satisfied: six>=1.5 in
/var/jenkins_home/.local/lib/python3.13/site-packages (from python-
dateutil>=2.7->matplotlib==3.8.0->-r requirements.txt (line 2)) (1.17.0)
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Lint)
[Pipeline] sh
+ python3 -m flake8 app.py --max-line-length=120 --ignore=E501
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Unit Tests)
[Pipeline] sh
+ python3 -m pytest test_app.py -v --cov=app --cov-report=term-missing --
cov-report=xml:coverage.xml --cov-fail-under=80
===== test session starts
=====
platform linux -- Python 3.13.5, pytest-7.4.3, pluggy-1.6.0 --
/usr/bin/python3
cachedir: .pytest_cache
rootdir: /var/jenkins_home/workspace/aceest-fitness
plugins: cov-4.1.0
collecting ... collected 36 items

test_app.py::test_index PASSED [
2%]
test_app.py::test_health PASSED [
5%]
test_app.py::test_programs_list PASSED [

```

```
8%]
test_app.py::test_get_valid_program PASSED [
11%]
test_app.py::test_get_invalid_program PASSED [
13%]
test_app.py::test_calc_fl PASSED [
16%]
test_app.py::test_calc_mg PASSED [
19%]
test_app.py::test_calc_missing PASSED [
22%]
test_app.py::test_calc_invalid_weight PASSED [
25%]
test_app.py::test_calc_invalid_program PASSED [
27%]
test_app.py::test_save_and_get_client PASSED [
30%]
test_app.py::test_get_unknown_client PASSED [
33%]
test_app.py::test_list_clients PASSED [
36%]
test_app.py::test_save_progress PASSED [
38%]
test_app.py::test_save_progress_missing PASSED [
41%]
test_app.py::test_save_client_invalid_program PASSED [
44%]
test_app.py::test_export_clients PASSED [
47%]
test_app.py::test_site_metrics PASSED [
50%]
test_app.py::test_get_progress PASSED [
52%]
test_app.py::test_get_progress_no_data PASSED [
55%]
test_app.py::test_programs_now_4 PASSED [
58%]
test_app.py::test_calc_fl5day PASSED [
61%]
test_app.py::test_log_workout PASSED [
63%]
test_app.py::test_log_workout_missing PASSED [
66%]
test_app.py::test_log_metrics PASSED [
69%]
```

```
test_app.py::test_get_workouts PASSED [
72%]
test_app.py::test_get_metrics_history PASSED [
75%]
test_app.py::test_bmi PASSED [
77%]
test_app.py::test_status PASSED [
80%]
test_app.py::test_login_valid PASSED [
83%]
test_app.py::test_login_invalid PASSED [
86%]
test_app.py::test_list_users PASSED [
88%]
test_app.py::test_generate_program PASSED [
91%]
test_app.py::test_generate_pdf PASSED [
94%]
test_app.py::test_membership PASSED [
97%]
test_app.py::test_membership_not_found PASSED
[100%]
```

----- coverage: platform linux, python 3.13.5-final-0 -----

Name	Stmts	Miss	Cover	Missing
------	-------	------	-------	---------

app.py	268	35	87%	39, 93-94, 160, 174-175, 214-215, 229-230, 250, 266-267, 281-282, 295-296, 300, 322-323, 341-342, 370-371, 382, 396-397, 411-412, 426-427, 440-441, 445, 451
--------	-----	----	-----	--

TOTAL	268	35	87%	
-------	-----	----	-----	--

Coverage XML written to file coverage.xml

Required test coverage of 80% reached. Total coverage: 86.94%

===== 36 passed in 1.44s

Post stage

[Pipeline] archiveArtifacts

Archiving artifacts

Recording fingerprints

[Pipeline] }

[Pipeline] // stage

[Pipeline] stage

[Pipeline] { (SonarQube Analysis)

```
[Pipeline] withCredentials
```

```
Masking supported pattern matches of $SONAR_TOKEN
```

```
[Pipeline] {
```

```
[Pipeline] sh
```

```
Warning: A secret was passed to "sh" using Groovy String interpolation,  
which is insecure.
```

```
Affected argument(s) used the following variable(s):
```

```
[SONAR_TOKEN]
```

```
See https://jenkins.io/redirect/groovy-string-interpolation for details.
```

```
+ sonar-scanner -Dsonar.projectKey=aceest-fitness -
```

```
Dsonar.projectName=ACEest-Fitness -Dsonar.sources=. -
```

```
Dsonar.python.version=3 -Dsonar.python.coverage.reportPaths=coverage.xml -
```

```
Dsonar.host.url=http://host.docker.internal:9000 -Dsonar.login=****
```

```
INFO: Scanner configuration file: /opt/sonar-scanner-5.0.1.3006/conf/sonar-  
scanner.properties
```

```
INFO: Project root configuration file: /var/jenkins_home/workspace/aceest-  
fitness/sonar-project.properties
```

```
INFO: SonarScanner 5.0.1.3006
```

```
INFO: Java 21.0.9 Eclipse Adoptium (64-bit)
```

```
INFO: Linux 5.15.49-linuxkit aarch64
```

```
INFO: User cache: /var/jenkins_home/.sonar/cache
```

```
INFO: Analyzing on SonarQube server 26.4.0.121862
```

```
INFO: Default locale: "en", source code encoding: "UTF-8" (analysis is  
platform dependent)
```

```
INFO: Load global settings
```

```
INFO: Load global settings (done) | time=290ms
```

```
INFO: Server id: 147B411E-AZ3aJCqDf0GIpsKpJLmT
```

```
INFO: Loading required plugins
```

```
INFO: Load plugins index
```

```
INFO: Load plugins index (done) | time=149ms
```

```
INFO: Load/download plugins
```

```
INFO: Load/download plugins (done) | time=1061ms
```

```
INFO: Process project properties
```

```
INFO: Process project properties (done) | time=21ms
```

```
INFO: Project key: aceest-fitness
```

```
INFO: Base dir: /var/jenkins_home/workspace/aceest-fitness
```

```
INFO: Working dir: /var/jenkins_home/workspace/aceest-fitness/.scannerwork
```

```
INFO: Load project settings for component key: 'aceest-fitness'
```

```
INFO: Load project settings for component key: 'aceest-fitness' (done) |  
time=118ms
```

```
INFO: Load quality profiles
```

```
INFO: Load quality profiles (done) | time=1083ms
```

```
INFO: Auto-configuring with CI 'Jenkins'
```

```
INFO: Load active rules
```



```
INFO: Load active rules (done) | time=2039ms
INFO: Load analysis cache
INFO: Load analysis cache (404) | time=56ms
WARN: The property 'sonar.login' is deprecated and will be removed in the
future. Please use the 'sonar.token' property instead when passing a token.
INFO: Preprocessing files...
INFO: 1 language detected in 2 preprocessed files (done) | time=104ms
INFO: 200 files ignored because of inclusion/exclusion patterns
INFO: 0 files ignored because of scm ignore settings
INFO: Loading plugins for detected languages
INFO: Load/download plugins
INFO: Load/download plugins (done) | time=597ms
INFO: Load project repositories
INFO: Load project repositories (done) | time=100ms
INFO: Indexing files...
INFO: Project configuration:
INFO:   Included sources: app.py
INFO:   Excluded sources: test_app.py, **/*.pyc, test_app.py
INFO:   Included tests: test_app.py
INFO: 2 files indexed (done) | time=6ms
INFO: Quality profile for py: Sonar way
INFO: ----- Run sensors on module ACEest-Fitness
INFO: Load metrics repository
INFO: Load metrics repository (done) | time=41ms
INFO: Sensor IaC hadolint report Sensor [iac]
INFO: Sensor IaC hadolint report Sensor [iac] (done) | time=0ms
INFO: Sensor Java Config Sensor [iac]
INFO: There are no files to be analyzed for the Java language
INFO: Sensor Java Config Sensor [iac] (done) | time=4ms
INFO: Sensor IaC Docker Sensor [iac]
INFO: There are no files to be analyzed for the Docker language
INFO: Sensor IaC Docker Sensor [iac] (done) | time=1ms
INFO: Sensor Python Sensor [python]
INFO: Starting global symbols computation
INFO: 2 source files to be analyzed
INFO: 2/2 source files have been analyzed
INFO: Finished step global symbols computation in 250ms
INFO: Starting rules execution
INFO: 2 source files to be analyzed
INFO: 2/2 source files have been analyzed
INFO: Finished step rules execution in 1342ms
INFO: The Python analyzer was able to leverage cached data from previous
analyses for 0 out of 2 files. These files were not parsed.
INFO: Sensor Python Sensor [python] (done) | time=1799ms
INFO: Sensor Cobertura Sensor for Python coverage [python]
```

```
INFO: Python test coverage
INFO: Parsing report '/var/jenkins_home/workspace/aceest-fitness/coverage.xml'
INFO: Sensor Cobertura Sensor for Python coverage [python] (done) |
time=143ms
INFO: Sensor PythonXUnitSensor [python]
INFO: Sensor PythonXUnitSensor [python] (done) | time=5ms
INFO: Sensor Python Dependency Sensor [python]
INFO: Sensor Python Dependency Sensor [python] (done) | time=4ms
INFO: Sensor TextAndSecretsSensor [text]
INFO: Available processors: 4
INFO: Using 4 threads for analysis.
INFO: Start fetching files for the text and secrets analysis
INFO: Using Git CLI to retrieve dirty files
INFO: Retrieving language associated files and files included via
"sonar.text.inclusions" that are tracked by git
INFO: Starting the text and secrets analysis
INFO: 2 source files to be analyzed for the text and secrets analysis
INFO: 2/2 source files have been analyzed for the text and secrets analysis
INFO: Sensor TextAndSecretsSensor [text] (done) | time=471ms
INFO: ----- Run sensors on project
INFO: Sensor Zero Coverage Sensor
INFO: Sensor Zero Coverage Sensor (done) | time=0ms
INFO: ----- Gather SCA dependencies on project
INFO: Dependency analysis skipped
INFO: SCM Publisher SCM provider for this project is: git
INFO: SCM Publisher 2 source files to be analyzed
INFO: SCM Publisher 2/2 source files have been analyzed (done) | time=157ms
INFO: CPD Executor Calculating CPD for 1 file
INFO: CPD Executor CPD calculation finished (done) | time=5ms
INFO: SCM revision ID '49fd501f923d061407769e3de91419e4ed40dba3'
INFO: Analysis report generated in 194ms, dir size=337.2 kB
INFO: Analysis report compressed in 28ms, zip size=63.8 kB
INFO: Analysis report uploaded in 185ms
INFO: ANALYSIS SUCCESSFUL, you can find the results at:
http://host.docker.internal:9000/dashboard?id=aceest-fitness
INFO: Note that you will be able to access the updated dashboard once the
server has processed the submitted analysis report
INFO: More about the report processing at
http://host.docker.internal:9000/api/ce/task?id=0e5639ae-e328-4357-a12b-da28f0413eef
INFO: Analysis total time: 8.845 s
INFO: -----
---
```

INFO: EXECUTION SUCCESS

```
INFO: -----
---
INFO: Total time: 13.120s
INFO: Final Memory: 43M/150M
INFO: -----
---
[Pipeline] }
[Pipeline] // withCredentials
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Docker Build & Push)
[Pipeline] withCredentials
Masking supported pattern matches of $DOCKER_PASS
[Pipeline] {
[Pipeline] sh
Warning: A secret was passed to "sh" using Groovy String interpolation,
which is insecure.
    Affected argument(s) used the following variable(s):
[DOCKER_PASS]
    See https://jenkins.io/redirect/groovy-string-interpolation for details.
+ + docker login -u hisajwan --password-stdin
echo ****
WARNING! Your password will be stored unencrypted in
/var/jenkins_home/.docker/config.json.
Configure a credential helper to remove this warning. See
https://docs.docker.com/engine/reference/commandline/login/#credentials-store

Login Succeeded
+ docker build -t hisajwan/aceest-fitness:v3.2.4 .
#0 building with "default" instance using docker driver

#1 [internal] load build definition from Dockerfile
#1 transferring dockerfile: 32B 0.0s done
#1 DONE 0.0s

#2 [internal] load .dockerignore
#2 transferring context: 2B done
#2 DONE 0.0s

#3 [internal] load metadata for docker.io/library/python:3.11-slim
#3 ...
```

```
#4 [auth] library/python:pull token for registry-1.docker.io
#4 DONE 0.0s

#3 [internal] load metadata for docker.io/library/python:3.11-slim
#3 DONE 0.5s

#5 [1/7] FROM docker.io/library/python:3.11-slim@sha256:6d85378d88a19cd4d76079817532d62232be95757cb45945a99fec8e8084b9c2
#5 DONE 0.0s

#6 [internal] load build context
#6 transferring context: 94B done
#6 DONE 0.0s

#7 [6/7] COPY test_app.py .
#7 CACHED

#8 [2/7] WORKDIR /app
#8 CACHED

#9 [4/7] RUN pip install --no-cache-dir -r requirements.txt
#9 CACHED

#10 [3/7] COPY requirements.txt .
#10 CACHED

#11 [5/7] COPY app.py .
#11 CACHED

#12 [7/7] RUN useradd -m appuser && chown -R appuser:appuser /app
#12 CACHED

#13 exporting to image
#13 exporting layers done
#13 writing image
sha256:6bbf2169a50464b601aba56a98671830ccf38aed31b99af4f91c13ac7db6c6b5
0.0s done
#13 naming to docker.io/hisajwan/aceest-fitness:v3.2.4 done
#13 DONE 0.0s
+ docker tag hisajwan/aceest-fitness:v3.2.4 hisajwan/aceest-fitness:latest
+ docker push hisajwan/aceest-fitness:v3.2.4
The push refers to repository [docker.io/hisajwan/aceest-fitness]
938febd776fb: Preparing
ce51c4a9f419: Preparing
```

```
479cb6a69e25: Preparing
8ead088bb405: Preparing
0e5b233fa687: Preparing
4a684b2b1405: Preparing
1f3392193453: Preparing
2eeb77843f89: Preparing
384ef01efa53: Preparing
e6133723babd: Preparing
4a684b2b1405: Waiting
1f3392193453: Waiting
2eeb77843f89: Waiting
384ef01efa53: Waiting
e6133723babd: Waiting
8ead088bb405: Layer already exists
0e5b233fa687: Layer already exists
938febd776fb: Layer already exists
ce51c4a9f419: Layer already exists
479cb6a69e25: Layer already exists
1f3392193453: Layer already exists
e6133723babd: Layer already exists
4a684b2b1405: Layer already exists
2eeb77843f89: Layer already exists
384ef01efa53: Layer already exists
v3.2.4: digest:
sha256:18f03112122874000deaa5c27d941a73c9784d6cb8457ddc7998695ef33115d9
size: 2408
+ docker push hisajwan/aceest-fitness:latest
The push refers to repository [docker.io/hisajwan/aceest-fitness]
938febd776fb: Preparing
ce51c4a9f419: Preparing
479cb6a69e25: Preparing
8ead088bb405: Preparing
0e5b233fa687: Preparing
4a684b2b1405: Preparing
1f3392193453: Preparing
2eeb77843f89: Preparing
384ef01efa53: Preparing
e6133723babd: Preparing
4a684b2b1405: Waiting
1f3392193453: Waiting
2eeb77843f89: Waiting
384ef01efa53: Waiting
e6133723babd: Waiting
ce51c4a9f419: Layer already exists
8ead088bb405: Layer already exists
```

```
0e5b233fa687: Layer already exists
938febd776fb: Layer already exists
479cb6a69e25: Layer already exists
4a684b2b1405: Layer already exists
2eeb77843f89: Layer already exists
e6133723babd: Layer already exists
1f3392193453: Layer already exists
384ef01efa53: Layer already exists
latest: digest:
sha256:18f03112122874000deaa5c27d941a73c9784d6cb8457ddc7998695ef33115d9
size: 2408
+ echo hisajwan/aceest-fitness:v3.2.4
[Pipeline] }
[Pipeline] // withCredentials
Post stage
[Pipeline] archiveArtifacts
Archiving artifacts
Recording fingerprints
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Test Inside Container)
[Pipeline] sh
+ docker run --rm hisajwan/aceest-fitness:v3.2.4 python3 -m pytest
test_app.py -v --cov=app --cov-report=term-missing --cov-fail-under=80
===== test session starts
=====
platform linux -- Python 3.11.15, pytest-7.4.3, pluggy-1.6.0 --
/usr/local/bin/python3
cachedir: .pytest_cache
rootdir: /app
plugins: cov-4.1.0
collecting ... collected 36 items

test_app.py::test_index PASSED [
2%]
test_app.py::test_health PASSED [
5%]
test_app.py::test_programs_list PASSED [
8%]
test_app.py::test_get_valid_program PASSED [
11%]
test_app.py::test_get_invalid_program PASSED [
13%]
test_app.py::test_calc_fl PASSED [
```

```
16%]
test_app.py::test_calc_mg PASSED [
19%]
test_app.py::test_calc_missing PASSED [
22%]
test_app.py::test_calc_invalid_weight PASSED [
25%]
test_app.py::test_calc_invalid_program PASSED [
27%]
test_app.py::test_save_and_get_client PASSED [
30%]
test_app.py::test_get_unknown_client PASSED [
33%]
test_app.py::test_list_clients PASSED [
36%]
test_app.py::test_save_progress PASSED [
38%]
test_app.py::test_save_progress_missing PASSED [
41%]
test_app.py::test_save_client_invalid_program PASSED [
44%]
test_app.py::test_export_clients PASSED [
47%]
test_app.py::test_site_metrics PASSED [
50%]
test_app.py::test_get_progress PASSED [
52%]
test_app.py::test_get_progress_no_data PASSED [
55%]
test_app.py::test_programs_now_4 PASSED [
58%]
test_app.py::test_calc_fl5day PASSED [
61%]
test_app.py::test_log_workout PASSED [
63%]
test_app.py::test_log_workout_missing PASSED [
66%]
test_app.py::test_log_metrics PASSED [
69%]
test_app.py::test_get_workouts PASSED [
72%]
test_app.py::test_get_metrics_history PASSED [
75%]
test_app.py::test_bmi PASSED [
77%]
```

```

test_app.py::test_status PASSED [
80%]
test_app.py::test_login_valid PASSED [
83%]
test_app.py::test_login_invalid PASSED [
86%]
test_app.py::test_list_users PASSED [
88%]
test_app.py::test_generate_program PASSED [
91%]
test_app.py::test_generate_pdf PASSED [
94%]
test_app.py::test_membership PASSED [
97%]
test_app.py::test_membership_not_found PASSED
[100%]

```

----- coverage: platform linux, python 3.11.15-final-0 -----

Name	Stmts	Miss	Cover	Missing
------	-------	------	-------	---------

app.py	268	35	87%	39, 93-94, 160, 174-175, 214-215, 229-230, 250, 266-267, 281-282, 295-296, 300, 322-323, 341-342, 370-371, 382, 396-397, 411-412, 426-427, 440-441, 445, 451
--------	-----	----	-----	--

TOTAL	268	35	87%	
-------	-----	----	-----	--

Required test coverage of 80% reached. Total coverage: 86.94%

===== 36 passed in 1.08s

```

[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Deploy to Minikube)
[Pipeline] sh
+ kubectl apply -f k8s/deployment.yaml
deployment.apps/aceest-fitness unchanged
+ kubectl apply -f k8s/service.yaml
service/aceest-fitness-service unchanged
+ kubectl rollout status deployment/aceest-fitness --timeout=120s
deployment "aceest-fitness" successfully rolled out
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Declarative: Post Actions)

```



```
[Pipeline] echo
BUILD SUCCESSFUL – deployed to Minikube
[Pipeline] }
[Pipeline] // stage
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] }
[Pipeline] // node
[Pipeline] End of Pipeline
Finished: SUCCESS
```