



File ▼

Edit ▼

Insert ▼

Generate Server ▼

Generate Client ▼

About ▼

Sign in to API Hub

Try API Hub

JSONPlaceholder API ^{1.0.0} ^{OAS 3.0}

Documentación generada a partir de los archivos `.bru` de JSONPlaceholder de la Clase 008-009. JSONPlaceholder es una API REST gratuita utilizada para pruebas, demostraciones y prototipado rápido de aplicaciones.

[JSONPlaceholder - Website](#)

Servers

<https://jsonplaceholder.typicode.com> - Servidor principal de la API

Albums Endpoints relacionados con álbumes de usuarios.

GET **/albums** Obtener todos los álbumes

Devuelve una lista completa de todos los álbumes disponibles.

Parameters

Cancel

No parameters

Execute

Clear

Responses

Curl

```
curl -X 'GET' \  
  'https://jsonplaceholder.typicode.com/albums' \  
  -H 'accept: application/json'
```

Request URL

https://jsonplaceholder.typicode.com/albums

Server response

| Code | Details |
|------|---|
| 200 | <div><div>Response body</div><div><pre>[{ "userId": 1, "id": 1, "title": "quidem molestiae enim" }, { "userId": 1, "id": 2, "title": "sunt qui excepturi placeat culpa" }, {</pre></div></div> |

Code

Details

```
"userId": 1,  
  "id": 3,  
  "title": "omnis laborum odio"  
},  
{  
  "userId": 1,  
  "id": 4,  
  "title": "non esse culpa molestiae omnis sed optio"  
},  
{  
  "userId": 1,
```

Response headers

```
cache-control: max-age=43200  
content-length: 2051  
content-type: application/json; charset=utf-8  
expires: -1  
pragma: no-cache
```

[Download](#)

Responses

| Code | Description | Links |
|------|--|----------|
| 200 | <div>Lista de álbumes obtenida correctamente.</div> <div>Media type</div> <div>application/json</div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div><pre>[{ "userId": 0, "id": 0, "title": "string" }]</pre></div> | No links |

POST /albums Crear un nuevo álbum

^

Crea un nuevo álbum asociado a un usuario.

Parameters

Cancel Reset

No parameters

Request body required

application/json

Edit Value Schema

```
{  
  "title": "Vacation",  
  "userId": 1  
}
```

//

Execute

Clear

Responses

Curl

```
curl -X 'POST' \  
  'https://jsonplaceholder.typicode.com/albums' \  
  -H 'accept: application/json' \  
  -H 'Content-Type: application/json' \  
  -d '{  
    "title": "Vacation",  
    "userId": 1  
  }'
```

Request URL

https://jsonplaceholder.typicode.com/albums

Server response

| Code | Details |
|------|---|
| 201 | <div><div><div>Response body</div><div><pre>{ "title": "Vacation", "userId": 1, "id": 101}</pre></div></div><div><div>Response headers</div><div><pre>cache-control: no-cachecontent-length: 53content-type: application/json; charset=utf-8expires: -1location: https://jsonplaceholder.typicode.com/albums/101pragma: no-cache</pre></div></div></div> |

Download

Responses

Code

Description

Links

201

Álbum creado exitosamente.

Media type

application/json

Controls Accept header.

Example Value

Schema

```
{  "userId": 0,  "id": 0,  "title": "string"}  
```

No links

GET

/albums/{id}

Obtener un álbum por ID

^

Devuelve la información de un álbum específico identificado por su ID.

Parameters

Cancel

Name

Description

id * required

integer

(path)

1

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'https://jsonplaceholder.typicode.com/albums/1' \
  -H 'accept: application/json'
```

Request URL

https://jsonplaceholder.typicode.com/albums/1

Server response

| Code | Details |
|------|---|
| 200 | <div><div>Response body</div><div><pre>{ "userId": 1, "id": 1, "title": "quidem molestiae enim" }</pre></div><div><div>Download</div></div></div> <div><div>Response headers</div><div><pre>cache-control: max-age=43200 content-type: application/json; charset=utf-8 expires: -1 pragma: no-cache</pre></div></div> |

Responses

| Code | Description | Links |
|------|--|----------|
| 200 | <div>Álbum encontrado exitosamente.</div> <div>Media type</div> <div><div>application/json</div></div> <div>Controls Accept header.</div> <div><div>Example Value</div><div>Schema</div></div> <div><pre>{ "userId": 0, "id": 0, "title": "string" }</pre></div> | No links |

Comments

Endpoints relacionados con los comentarios de las publicaciones.

^

GET

/comments

Obtener todos los comentarios

^

Devuelve una lista de todos los comentarios o los de una publicación específica si se indica **postId** .

Parameters

Cancel

| Name | Description |
|--------------------|---|
| postId | ID de la publicación cuyos comentarios se desean obtener. |
| integer (query) | <input type="text" value="1"/> |

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'https://jsonplaceholder.typicode.com/comments?postId=1' \
  -H 'accept: application/json'
```

Request URL

https://jsonplaceholder.typicode.com/comments?postId=1

Server response

| Code | Details |
|------|---|
| 200 | <div>Response body</div> <pre>[{ "postId": 1, "id": 1, "name": "id labore ex et quam laborum",</pre> |

Code

Details

```
"email": "Eliseo@gardner.biz",
"body": "laudantium enim quasi est quidem magnam voluptate ipsam eos\ntempora quo necessitatibus\ndo
lor quam autem quasi\nreiciendis et nam sapiente accusantium"
},
{
  "postId": 1,
  "id": 2,
  "name": "quo vero reiciendis velit similique earum",
  "email": "Jayne_Kuhic@sydney.com",
  "body": "est natus enim nihil est dolore omnis voluptatem numquam\net omnis occaecati quod ullam at
\nvoluptatem error expedita pariatur\nnihil sint nostrum voluptatem reiciendis et"
},
{
  "postId": 1,
  "id": 3,
  "name": "odio adipisci rerum aut animi",
  "email": "Nikita@garfield.biz",
  "body": "quia molestiae reprehenderit quasi aspernatur\naut expedita occaecati aliquam eveniet lauda
```

Download

Response headers

```
cache-control: max-age=43200
content-type: application/json; charset=utf-8
expires: -1
pragma: no-cache
```

Responses

| Code | Description | Links |
|------|---|----------|
| 200 | Lista de comentarios obtenida correctamente. <div><div>Media type</div><div>application/json</div><div>Controls Accept header.</div></div> <div><div>Example Value</div><div>Schema</div></div> | No links |

Code

Description

Links

```
[
  {
    "postId": 0,
    "id": 0,
    "name": "string",
    "email": "string",
    "body": "string"
  }
]
```

POST

/comments

Crear un nuevo comentario

^

Crear un nuevo comentario asociado a una publicación.

Parameters

Cancel

Reset

No parameters

Request body required

application/json

Edit Value

Schema

```
{
  "name": "test",
  "email": "test@example.com",
  "body": "Nice!",
  "postId": 1
}
```

//

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
  'https://jsonplaceholder.typicode.com/comments' \
  -H 'accept: application/json' \
  -H 'Content-Type: application/json' \
  -d '{
    "name": "test",
    "email": "test@example.com",
    "body": "Nice!",
    "postId": 1
  }'
```

Request URL

https://jsonplaceholder.typicode.com/comments

Server response

| Code | Details |
|------|---|
| 201 | <div><div>Response body</div><pre>{ "name": "test", "email": "test@example.com", "body": "Nice!", "postId": 1, "id": 501}</pre><div>Download</div></div> <div><div>Response headers</div><pre>cache-control: no-cache content-length: 98 content-type: application/json; charset=utf-8 expires: -1 location: https://jsonplaceholder.typicode.com/comments/501 pragma: no-cache</pre></div> |

Responses

| Code | Description | Links |
|------|---|----------|
| 201 | <div><div>Comentario creado exitosamente.</div><div>Media type<div>application/json</div></div><div>Controls Accept header.</div><div><div>Example Value</div><div>Schema</div></div><pre>{ "postId": 0, "id": 0,</pre></div> | No links |

| Code | Description | Links |
|------|--|-------|
| | <pre>"name": "string", "email": "string", "body": "string" }</pre> | |

Photos

Endpoints relacionados con fotos y galerías.

^

GET

/photos

Obtener todas las fotos

^

Devuelve una lista completa de fotos o las de un álbum específico si se indica **albumId** .

Parameters

Cancel

| Name | Description |
|---------|---|
| albumId | ID del álbum al que pertenecen las fotos. |
| integer | |
| (query) | |

1

Execute

Clear

Responses

Curl

```
curl -X 'GET' \  
  'https://jsonplaceholder.typicode.com/photos?albumId=1' \  
  -H 'accept: application/json'
```

Request URL

https://jsonplaceholder.typicode.com/photos?albumId=1

Server response**Code****Details**

200

Response body

```
[  
  {  
    "albumId": 1,  
    "id": 1,  
    "title": "accusamus beatae ad facilis cum similique qui sunt",  
    "url": "https://via.placeholder.com/600/92c952",  
    "thumbnailUrl": "https://via.placeholder.com/150/92c952"  
  },  
  {  
    "albumId": 1,  
    "id": 2,  
    "title": "reprehenderit est deserunt velit ipsam",  
    "url": "https://via.placeholder.com/600/771796",  
    "thumbnailUrl": "https://via.placeholder.com/150/771796"  
  },  
  {  
    "albumId": 1,  
    "id": 3,  
    "title": "officia porro iure quia iusto qui ipsa ut modi",  
    "url": "https://via.placeholder.com/600/24f355",  
    "thumbnailUrl": "https://via.placeholder.com/150/24f355"  
  },  
  {
```

Download

Code

Details

Response headers

```
cache-control: max-age=43200
content-length: 1820
content-type: application/json; charset=utf-8
expires: -1
pragma: no-cache
```

Responses

Code

Description

Links

200

Lista de fotos obtenida correctamente.

No links

Media type

application/json

Controls Accept header.

Example Value Schema

```
[
  {
    "albumId": 0,
    "id": 0,
    "title": "string",
    "url": "string",
    "thumbnailUrl": "string"
  }
]
```

Posts Endpoints relacionados con publicaciones de usuarios.



GET

/posts Obtener todas las publicaciones



Devuelve una lista de todas las publicaciones disponibles.

Parameters

Cancel

No parameters

Execute

Clear

Responses

Curl

```
curl -X 'GET' \  
  'https://jsonplaceholder.typicode.com/posts' \  
  -H 'accept: application/json'
```

Request URL

https://jsonplaceholder.typicode.com/posts

Server response

| Code | Details |
|------|--|
| 200 | <div>Response body</div> <div><pre>[{ "userId": 1, "id": 1,</pre></div> |



Code

Details

```
"title": "sunt aut facere repellat provident occaecati excepturi optio reprehenderit",
"body": "quia et suscipit\nsuscipit recusandae consequuntur expedita et cum\nreprehenderit molestiae
ut ut quas totam\nnostrum rerum est autem sunt rem eveniet architecto"
},
{
  "userId": 1,
  "id": 2,
  "title": "qui est esse",
  "body": "est rerum tempore vitae\nsequi sint nihil reprehenderit dolor beatae ea dolores neque\nfugi
at blanditiis voluptate porro vel nihil molestiae ut reiciendis\nqui aperiam non debitis possimus qui ne
que nisi nulla"
},
{
  "userId": 1,
  "id": 3,
  "title": "ea molestias quasi exercitationem repellat qui ipsa sit aut",
  "body": "et iusto sed quo iure\nvoluptatem occaecati omnis eligendi aut ad\nvoluptatem doloribus vel
accusantium quis pariatur\nmolestiae porro eius odio et labore et velit aut"
},
```

Download

Response headers

cache-control: max-age=43200
content-type: application/json; charset=utf-8
expires: -1
pragma: no-cache

Responses

| Code | Description | Links |
|------|--|----------|
| 200 | Lista de publicaciones obtenida correctamente. Media type <div>application/json</div> Controls Accept header. Example Value Schema | No links |

Code

Description

Links

```
[
  {
    "userId": 0,
    "id": 0,
    "title": "string",
    "body": "string"
  }
]
```

POST

/posts

Crear una nueva publicación

^

Crear una nueva publicación asociada a un usuario.

Parameters

Cancel

Reset

No parameters

Request body required

application/json

Edit Value

Schema

```
{  
  "title": "foo",  
  "body": "bar",  
  "userId": 1  
}
```

//

Execute

Clear

Responses

Curl

```
curl -X 'POST' \  
  'https://jsonplaceholder.typicode.com/posts' \  
  -H 'accept: application/json' \  
  -H 'Content-Type: application/json' \  
  -d '{  
    "title": "foo",  
    "body": "bar",  
    "userId": 1  
  }'
```

Request URL

https://jsonplaceholder.typicode.com/posts

Server response

| Code | Details |
|------|--|
| 201 | <div><div>Response body</div><pre>{ "title": "foo", "body": "bar", "userId": 1, "id": 101}</pre><div>Download</div></div> <div><div>Response headers</div><pre>cache-control: no-cache content-length: 65 content-type: application/json; charset=utf-8 expires: -1 location: https://jsonplaceholder.typicode.com/posts/101 pragma: no-cache</pre></div> |

Responses

| Code | Description | Links |
|------|--|----------|
| 201 | <div>Publicación creada exitosamente.</div> <div>Media type<div>application/json</div>Controls Accept header.</div> <div><div>Example Value</div><div>Schema</div><pre>{ "userId": 0, "id": 0, "title": "string",</pre></div> | No links |

Code

Description

Links

```
"body": "string"
}
```

GET

/posts/{id}

Obtener una publicación por ID

^

Devuelve los datos de una publicación específica según su ID.

Parameters

Cancel

Name

Description

id * required

integer
(path)

1

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'https://jsonplaceholder.typicode.com/posts/1' \
  -H 'accept: application/json'
```

Request URL

https://jsonplaceholder.typicode.com/posts/1

Server response

| Code | Details |
|------|--|
| 200 | <div><div>Response body</div><pre>{ "userId": 1, "id": 1, "title": "sunt aut facere repellat provident occaecati excepturi optio reprehenderit", "body": "quia et suscipit\nsuscipit recusandae consequuntur expedita et cum\nreprehenderit molestiae ut ut quas totam\nnostrum rerum est autem sunt rem eveniet architecto"}</pre><div>Download</div></div> <div><div>Response headers</div><pre>cache-control: max-age=43200 content-type: application/json; charset=utf-8 expires: -1 pragma: no-cache</pre></div> |

Responses

| Code | Description | Links |
|------|---|----------|
| 200 | <div>Publicación encontrada exitosamente.</div> <div>Media type</div> <div>application/json</div> <div>Controls Accept header.</div> <div><div>Example Value</div><div>Schema</div><pre>{ "userId": 0, "id": 0, "title": "string",</pre></div> | No links |

Code

Description

Links

```
"body": "string"
}
```

PUT

/posts/{id}

Reemplazar una publicación

^

Actualiza completamente una publicación existente mediante PUT.

Parameters

Cancel

Reset

Name

Description

id * required

integer
(path)

1

Request body required

application/json

Edit Value

Schema

```
{
  "id": 1,
  "title": "foo",
  "body": "bar",
  "userId": 1
}
```

Execute**Clear**

Responses

Curl

```
curl -X 'PUT' \
  'https://jsonplaceholder.typicode.com/posts/1' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "id": 1,
    "title": "foo",
    "body": "bar",
    "userId": 1
  }'
```

Request URL

https://jsonplaceholder.typicode.com/posts/1

Server response

| Code | Details |
|------|--|
| 200 | <div><div>Response body</div><pre>{ "id": 1, "title": "foo", "body": "bar", "userId": 1}</pre><div>Download</div></div> <div><div>Response headers</div><pre>cache-control: no-cache content-type: application/json; charset=utf-8 expires: -1 pragma: no-cache</pre></div> |

Responses

| Code | Description | Links |
|------|--|----------|
| 200 | Publicación actualizada correctamente. | No links |

PATCH /posts/{id} Actualizar parcialmente una publicación



Actualiza solo algunos campos (como el título) de una publicación existente.

Parameters

Cancel

Reset

| Name | Description |
|----------------------|--------------------------------|
| id * required | <input type="text" value="1"/> |
| integer (path) | |

Request body required

application/json

Edit Value

Schema

```
{
  "title": "updated title"
}
```

Execute

Clear

Responses

Curl

```
curl -X 'PATCH' \  
  'https://jsonplaceholder.typicode.com/posts/1' \  
  -H 'accept: */*' \  
  -H 'Content-Type: application/json' \  
  -d '{  
    "title": "updated title"  
  }'
```

Request URL

https://jsonplaceholder.typicode.com/posts/1

Server response**Code****Details**

200

Response body

```
{  
  "userId": 1,  
  "id": 1,  
  "title": "updated title",  
  "body": "quia et suscipit\nsuscipit recusandae consequuntur expedita et cum\nreprehenderit molestiae ut  
ut quas totam\nnostrum rerum est autem sunt rem eveniet architecto"  
}
```

[Download](#)**Response headers**

```
cache-control: no-cache  
content-type: application/json; charset=utf-8  
expires: -1  
pragma: no-cache
```

Responses

Code

Description

Links

200

Publicación actualizada parcialmente.

No links

DELETE

/posts/{id}

Eliminar una publicación

^

Elimina una publicación existente por su ID.

Parameters

Cancel

Name

Description

id * required

integer (path)

1

Execute

Clear

Responses

Curl

```
curl -X 'DELETE' \
  'https://jsonplaceholder.typicode.com/posts/1' \
  -H 'accept: */*'

```

Request URL

https://jsonplaceholder.typicode.com/posts/1

Server response

| Code | Details |
|------|--|
| 200 | <div><p>Response body</p><pre>{}</pre></div> <div><p>Response headers</p><pre>cache-control: no-cache content-type: application/json; charset=utf-8 expires: -1 pragma: no-cache</pre></div> |

Download

Responses

| Code | Description | Links |
|------|--------------------------------------|----------|
| 200 | Publicación eliminada correctamente. | No links |

Todos Endpoints relacionados con tareas (to-do list).



GET /todos Obtener todas las tareas



Devuelve una lista de todas las tareas (to-dos) registradas.

Parameters

Cancel

No parameters

Execute

Clear

Responses

Curl

```
curl -X 'GET' \  
  'https://jsonplaceholder.typicode.com/todos' \  
  -H 'accept: application/json'
```

Request URL

https://jsonplaceholder.typicode.com/todos

Server response

| Code | Details |
|------|---|
| 200 | <div><div>Response body</div><div><pre>[{ "userId": 1, "id": 1, "title": "delectus aut autem", "completed": false }, { "userId": 1, "id": 2,</pre></div></div> |

Code

Details

```
"title": "quis ut nam facilis et officia qui",
"completed": false
},
{
  "userId": 1,
  "id": 3,
  "title": "fugiat veniam minus",
  "completed": false
},
{
  "userId": 1,
  "id": 4,
  "title": "et porro tempora",
```

Download

Response headers

```
cache-control: max-age=43200
content-length: 4005
content-type: application/json; charset=utf-8
expires: -1
pragma: no-cache
```

Responses

Code

Description

Links

200

Lista de tareas obtenida correctamente.

No links

Media type

application/json

Controls Accept header.

Example Value Schema

```
[
  {
    "userId": 0,
    "id": 0,
    "title": "string",
```

Code

Description

Links

```
      "completed": true
    }
  ]
```

POST

/todos

Crear una nueva tarea

^

Crea una nueva tarea asociada a un usuario.

Parameters

Cancel

Reset

No parameters

Request body required

application/json

Edit Value

Schema

```
{  
  "title": "Buy milk",  
  "completed": false,  
  "userId": 1  
}
```

Execute**Clear**

Responses

Curl

```
curl -X 'POST' \  
  'https://jsonplaceholder.typicode.com/todos' \  
  -H 'accept: */*' \  
  -H 'Content-Type: application/json' \  
  -d '{  
    "title": "Buy milk",  
    "completed": false,  
    "userId": 1  
  }'
```

Request URL

https://jsonplaceholder.typicode.com/todos

Server response

| Code | Details |
|------|--|
| 201 | <div><div>Response body</div><div><pre>{ "title": "Buy milk", "completed": false, "userId": 1, "id": 201}</pre></div><div><div>Response headers</div><div><pre>cache-control: no-cache content-length: 75 content-type: application/json; charset=utf-8 expires: -1 location: https://jsonplaceholder.typicode.com/todos/201 pragma: no-cache</pre></div></div></div> |

Download

Responses

| Code | Description | Links |
|------|----------------------------|----------|
| 201 | Tarea creada exitosamente. | No links |

GET /todos/{id} Obtener una tarea por ID



Devuelve los detalles de una tarea específica según su ID.

Parameters

Cancel

| Name | Description |
|---------------|--------------------------------|
| id * required | <input type="text" value="1"/> |
| integer | |
| (path) | |

Execute

Clear

Responses

Curl

```
curl -X 'GET' \  
  'https://jsonplaceholder.typicode.com/todos/1' \  
  -H 'accept: application/json'
```

Request URL

https://jsonplaceholder.typicode.com/todos/1

Server response

| Code | Details |
|------|--|
| 200 | <div>Response body</div> <div><pre>{ "userId": 1, "id": 1,</pre></div> |

Code

Details

Download

```
"title": "delectus aut autem",
"completed": false
}
```

Response headers

```
cache-control: max-age=43200
content-type: application/json; charset=utf-8
expires: -1
pragma: no-cache
```

Responses

| Code | Description | Links |
|------|--|----------|
| 200 | <div>Tarea encontrada exitosamente.</div> <div>Media type</div> <div>application/json</div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <pre>{ "userId": 0, "id": 0, "title": "string", "completed": true }</pre> | No links |

Users

Endpoints relacionados con la información de los usuarios.

^

GET

/users

Obtener todos los usuarios

^

Devuelve una lista con todos los usuarios registrados.

Parameters

Cancel

No parameters

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'https://jsonplaceholder.typicode.com/users' \
  -H 'accept: application/json'
```

Request URL

https://jsonplaceholder.typicode.com/users

Server response

| Code | Details |
|------|---|
| 200 | <div>Response body</div> <pre>[{ "id": 1, "name": "Leanne Graham",</pre> |



Code

Details

```
"username": "Bret",
"email": "Sincere@april.biz",
"address": {
  "street": "Kulas Light",
  "suite": "Apt. 556",
  "city": "Gwenborough",
  "zipcode": "92998-3874",
  "geo": {
    "lat": "-37.3159",
    "lng": "81.1496"
  }
},
"phone": "1-770-736-8031 x56442",
"website": "hildegard.org",
"company": {
  "name": "Romaguera-Crona",
  "catchPhrase": "Multi-layered client-server neural-net",
  "bs": "harness real-time e-markets"
}
```

Download

Response headers

```
cache-control: max-age=43200
content-length: 1847
content-type: application/json; charset=utf-8
expires: -1
pragma: no-cache
```

Responses

Code

Description

Links

200

Lista de usuarios obtenida correctamente.

No links

Media type

application/json

Controls Accept header.

Example Value Schema

Code

Description

Links

```
[
  {
    "id": 0,
    "name": "string",
    "username": "string",
    "email": "string",
    "phone": "string",
    "website": "string"
  }
]
```

GET

/users/{id}

Obtener un usuario por ID

^

Devuelve la información de un usuario específico identificado por su ID.

Parameters

Cancel

Name

Description

id * required

integer
(path)

1

Execute

Clear

Responses

Curl

```
curl -X 'GET' \  
  'https://jsonplaceholder.typicode.com/users/1' \  
  -H 'accept: application/json'
```

Request URL

https://jsonplaceholder.typicode.com/users/1

Server response

Code

Details

200

Response body

```
{  
  "id": 1,  
  "name": "Leanne Graham",  
  "username": "Bret",  
  "email": "Sincere@april.biz",  
  "address": {  
    "street": "Kulas Light",  
    "suite": "Apt. 556",  
    "city": "Gwenborough",  
    "zipcode": "92998-3874",  
    "geo": {  
      "lat": "-37.3159",  
      "lng": "81.1496"  
    }  
  },  
  "phone": "1-770-736-8031 x56442",  
  "website": "hildegard.org",  
  "company": {  
    "name": "Romaguera-Crona",  
    "catchPhrase": "Multi-layered client-server neural-net",  
    "bs": "harness real-time e-markets"
```

Download

Code

Details

```
}
-

```

Response headers

cache-control: max-age=43200
content-type: application/json; charset=utf-8
expires: -1
pragma: no-cache

Responses

| Code | Description | Links |
|------|--|---------|
| 200 | <div>Usuario encontrado exitosamente.</div> <div>Media type</div> <div><div>application/json</div></div> <div>Controls Accept header.</div> <div><div>Example Value</div><div>Schema</div></div> <div>{ "id": 0, "name": "string", "username": "string", "email": "string", "phone": "string", "website": "string" }</div> | No link |

Schemas

```
Album {
  userId      integer
  id          integer
  title       string
}
```



```
AlbumInput {
  userId*    integer
  title*     string
}
```



```
Comment {
  postId     integer
  id         integer
  name       string
  email      string
  body       string
}
```



```
CommentInput  {  
  postId*      integer  
  name*        string  
  email*       string  
  body*        string  
}
```



```
Photo  {  
  albumId      integer  
  id            integer  
  title        string  
  url          string  
  thumbnailUrl string  
}
```



```
Post  {  
  userId      integer  
  id          integer  
  title       string  
  body        string  
}
```



```
PostInput  {  
  userId*      integer  
  title*       string  
  body*        string  
}
```



```
Todo  {  
  userId      integer  
  id          integer  
  title       string  
  completed   boolean  
}
```



```
TodoInput  {  
  userId*      integer  
  title*       string  
  completed*   boolean  
}
```





```
User  {  
  id           integer  
  name         string  
  username     string  
  email        string  
  phone        string  
  website      string  
}
```