

2.2.2. Captain of the Team

04:47

You are provided with the heights of 11 cricket players (in centimeters). Your task is to identify the tallest player, who will be selected as the captain of the team.

Input Format:

The first line of input will contain 11 integers, each representing the height of a player (in centimeters), each separated by a space.

Output Format

The output should be the height (in centimeters) of the tallest player.

Sample Test Cases

+

Explorer

captainof...

⏏

SUBMIT

```
1 def find_captain_height():
2     try:
3         heights = list(map(int, input().split()))
4
5         if len(heights) == 11:
6             tallest = max(heights)
7             print(tallest)
8         else:
9             if len(heights) > 0:
10                print(max(heights))
11
12     except ValueError:
13         pass
14
15 if __name__ == "__main__":
16     find_captain_height()
```

Terminal

Test cases



```
1  # Read array elements
2  arr = list(map(int, input().split()))
3
4  # Read key element
5  key = int(input())
6
7  found = False
8
9  # Linear search
10 v for i in range(len(arr)):
11 v     if arr[i] == key:
12         print(i)
13         found = True
14         break
15
16 # If not found
17 v if not found:
18     print("Not found")
```

2.1.1. List operations

04:57

Write a Python program that implements a menu-driven interface for managing a list of integers. The program should have the following menu options:

1. Add
2. Remove
3. Display
4. Quit

The program should repeatedly prompt the user to enter a choice from the menu. Depending on the choice selected, the program should perform the following actions:

- **Add:** Prompts the user to enter an integer and add it to the integer list. If the input is not a valid integer, display "Invalid input".
- **Remove:** Prompts the user to enter an integer to remove from the list. If the integer is found in the list, remove it; otherwise, display "Element not found". If the list is empty, display "List is empty".
- **Display:** Displays the current list of integers. If the list is empty, display "List is empty".
- **Quit:** Exits the program.
- The program should handle invalid menu choices by displaying "Invalid choice". Ensure that the program continues to prompt the user until they choose to quit (option 4).

Sample Test Cases

+

listOps.py

SUBMIT

```
1 # write the code..
2 int_list=[]
3 while True:
4     print("1. Add")
5     print("2. Remove")
6     print("3. Display")
7     print("4. Quit")
8     choice=input("Enter choice: ")
9     if choice=="1":
10        element=input("Integer: ")
11        if element.isdigit():
12            s1=int(element)
13            int_list.append(s1)
14            print("List after adding:", int_list)
15        else:
16            print("Invalid choice")
17    elif choice=="2":
18
19        if int_list:
20            element1=input("Integer: ")
21            if element1.isdigit():
22                s2=int(element1)
23                if s2 in int_list:
24                    int_list.remove(s2)
25                    print("List after removing:", int_list)
26                else:
27                    print("Element not found")
28            else:
29                print("Invalid Input")
```

Terminal Test cases

< PREV RESET SUBMIT NEXT >

