

# **Выполнение практического задания по API в Postman**

## **Содержание**

|                                     |   |
|-------------------------------------|---|
| Техническое задание .....           | 2 |
| Результаты выполнения заданий ..... | 4 |

## Техническое задание

### 1. Создайте экспедицию

**Ожидаемый результат:** Создана новая экспедиция с собственным ID (запомните его для следующих 2 шагов). Проверьте существование созданной экспедиции, используя её ID.

### 2. Обновите экспедицию, которая была создана на предыдущем шаге

**Ожидаемый результат:** Детали экспедиции успешно обновлены. Используя ID экспедиции, проверьте их корректность.

### 3. Удалите экспедицию, которая была создана на первом шаге

**Ожидаемый результат:** Экспедиция успешно удалена. Проверьте, что экспедиция больше не существует, используя её ID.

### 4. Создайте новую экспедицию

**Ожидаемый результат:** Создана новая экспедиция с собственным ID (запомните его для всех следующих шагов). Проверьте существование новой экспедиции, используя её ID.

### 5. Создайте 3 разных участника вашей экспедиции

**Ожидаемый результат:** Созданы 3 разных участника, каждый из которых имеет свой ID. Проверьте существование созданных участников в экспедиции, которая была создана на предыдущем шаге, используя ID экспедиции

### 6. Измените информацию о первом участнике

**Ожидаемый результат:** Информация о первом участнике успешно обновлена. Проверьте, что данные участника обновлены, используя его ID.

### 7. Удалите третьего участника

**Ожидаемый результат:** Третий участник успешно удалён. Проверьте, что участник больше не существует, используя его ID.

### 8. Создайте артефакт, найденный в экспедиции

***Ожидаемый результат:*** Создан артефакт с собственным ID.

Проверьте существование артефакта, используя его ID.

#### **9. Проверьте полную информацию об экспедиции**

***Ожидаемый результат:*** Полная информация об экспедиции успешно получена. В ней должно быть 2 участника и 1 артефакт, которые были созданы на предыдущих шагах.

#### **10. Удалите экспедицию**

***Ожидаемый результат:*** Экспедиция успешно удалена. Проверьте, что экспедиция больше не существует, используя её ID.

Для работы используйте: <https://api.realbugz.com/docs>.

## Результаты выполнения заданий

### Результат выполнения задания 1.

#### Создание новой экспедиции.

The screenshot shows an API client interface for 'Eldoria API'. The request is a POST to 'https://api.realbugz.com/expeditions/'. The request body is a JSON object with the following fields: 'name' (Gold mining), 'start\_date' (2026-09-09), 'end\_date' (2029-09-09), 'status' (planned), 'description' (A small expedition in which 2 people will take part.), 'location' (Sakhalin), and 'budget' (1000000). The response is a 200 OK with a response time of 148 ms and a body size of 738 B. The response body is a JSON object with the same fields as the request, plus 'id' (89), 'participants' (empty array), and 'artifacts' (empty array).

```
1 {
2   "name": "Gold mining",
3   "start_date": "2026-09-09",
4   "end_date": "2029-09-09",
5   "status": "planned",
6   "description": "A small expedition in which 2 people will take part.",
7   "location": "Sakhalin",
8   "budget": 1000000
9 }
```

```
1 {
2   "name": "Gold mining",
3   "start_date": "2026-09-09",
4   "end_date": "2029-09-09",
5   "status": "planned",
6   "description": "A small expedition in which 2 people will take part.",
7   "location": "Sakhalin",
8   "budget": 1000000.0,
9   "id": 89,
10  "participants": [],
11  "artifacts": []
12 }
```

#### Проверка создания новой экспедиции (id=89).

The screenshot shows an API client interface for 'Eldoria API'. The request is a GET to 'https://api.realbugz.com/expeditions/89'. The response is a 200 OK with a response time of 144 ms and a body size of 734 B. The response body is a JSON object with the same fields as the request, plus 'id' (89), 'participants' (empty array), and 'artifacts' (empty array).

```
1 {
2   "name": "Gold mining",
3   "start_date": "2026-09-09",
4   "end_date": "2029-09-09",
5   "status": "planned",
6   "description": "A small expedition in which 2 people will take part.",
7   "location": "Sakhalin",
8   "budget": 1000000.0,
9   "id": 89,
10  "participants": [],
11  "artifacts": []
12 }
```

Результат выполнения задания 2.

Обновление данных ранее созданной экспедиции.

The screenshot shows a REST client interface for the 'Eldoria API'. The selected endpoint is 'Updating data in the expedition' with the URL 'https://api.realbugz.com/expeditions/89'. The request method is 'PUT'. The request body is in JSON format, containing the following data:

```
1 {
2   "name": "Gold mining",
3   "start_date": "2026-09-09",
4   "end_date": "2029-10-09",
5   "status": "planned",
6   "description": "A small expedition in which 2 people will take part.",
7   "location": "Sakhalin",
8   "budget": 1100000
9 }
```

The response status is '200 OK' with a response time of 152 ms and a size of 745 B. The response body is also in JSON format, showing the updated expedition data with additional fields:

```
1 {
2   "name": "Gold mining",
3   "start_date": "2026-09-09",
4   "end_date": "2029-10-09",
5   "status": "planned",
6   "description": "A small expedition in which 2 people will take part.",
7   "location": "Sakhalin",
8   "budget": 1100000.0,
9   "id": 89,
10  "participants": [],
11  "artifacts": []
12 }
```

Проверка обновления данных (конечная дата, бюджет).

The screenshot shows a REST client interface for the 'Eldoria API'. The selected endpoint is 'Data update check' with the URL 'https://api.realbugz.com/expeditions/89'. The request method is 'GET'. The response status is '200 OK' with a response time of 147 ms and a size of 733 B. The response body is in JSON format, showing the updated expedition data:

```
1 {
2   "name": "Gold mining",
3   "start_date": "2026-09-09",
4   "end_date": "2029-10-09",
5   "status": "planned",
6   "description": "A small expedition in which 2 people will take part.",
7   "location": "Sakhalin",
8   "budget": 1100000.0,
9   "id": 89,
10  "participants": [],
11  "artifacts": []
12 }
```

Результат выполнения задания 3.

Удаление созданной экспедиции в первом шаге.

The screenshot shows a REST client interface with the following details:

- Path: Eldoria API > API Network > Deleting the created expedition
- Method: DELETE
- URL: `https://api.realbugz.com/expeditions/89`
- Status: 200 OK
- Response Time: 144 ms
- Response Size: 594 B
- Response Body (JSON):

```
{  "message": "Expedition deleted successfully"}
```

Проверка удаления экспедиции с id=89.

The screenshot shows a REST client interface with the following details:

- Path: Eldoria API > API Network > Check for record deletion
- Method: GET
- URL: `https://api.realbugz.com/expeditions/89`
- Status: 404 Not Found
- Response Time: 141 ms
- Response Size: 589 B
- Response Body (JSON):

```
{  "detail": "Expedition not found"}
```

## Результат выполнения задания 4.

### Создание новой экспедиции.

The screenshot shows a REST client interface for the 'Eldoria API'. The request is a POST to 'https://api.realbugz.com/expeditions/'. The request body is a JSON object with the following fields: 'name' (NEW expedition), 'start\_date' (2027-07-18), 'end\_date' (2027-12-31), 'status' (planned), 'description' (An expedition for 3 person.), 'location' (Africa), and 'budget' (150000). The response is a 200 OK status with a response time of 145 ms and a body size of 717 B. The response body is a JSON object that includes all the request fields plus 'id' (89), 'participants' (an empty array), and 'artifacts' (an empty array).

```
POST https://api.realbugz.com/expeditions/

{
  "name": "NEW expedition",
  "start_date": "2027-07-18",
  "end_date": "2027-12-31",
  "status": "planned",
  "description": "An expedition for 3 person.",
  "location": "Africa",
  "budget": 150000
}
```

200 OK · 145 ms · 717 B · Save Response

```
{
  "name": "NEW expedition",
  "start_date": "2027-07-18",
  "end_date": "2027-12-31",
  "status": "planned",
  "description": "An expedition for 3 person.",
  "location": "Africa",
  "budget": 150000.0,
  "id": 89,
  "participants": [],
  "artifacts": []
}
```

### Проверка создания экспедиции (id=89).

The screenshot shows a REST client interface for the 'Eldoria API'. The request is a GET to 'https://api.realbugz.com/expeditions/89'. The response is a 200 OK status with a response time of 140 ms and a body size of 713 B. The response body is a JSON object that includes all the fields from the previous request, plus 'id' (89), 'participants' (an empty array), and 'artifacts' (an empty array).

```
GET https://api.realbugz.com/expeditions/89

200 OK · 140 ms · 713 B · Save Response
```

```
{
  "name": "NEW expedition",
  "start_date": "2027-07-18",
  "end_date": "2027-12-31",
  "status": "planned",
  "description": "An expedition for 3 person.",
  "location": "Africa",
  "budget": 150000.0,
  "id": 89,
  "participants": [],
  "artifacts": []
}
```

Результат выполнения задания 5.

Создание трёх участников экспедиции (id=89).

HTTP Eldoria API > API Network > Creating 1 participant Save Share

**POST** https://api.realbugz.com/participants/ Send

Docs Params Authorization Headers 9 **Body** Scripts Settings Co

raw JSON Schema Beauti

```
1 {
2   "name": "Max",
3   "role": "leader",
4   "specialization": "researcher",
5   "experience": 10,
6   "expedition_id": 89
7 }
```

Body 200 OK 146 ms 648 B Save Response

{} JSON Preview Visualize

```
1 {
2   "name": "Max",
3   "role": "leader",
4   "specialization": "researcher",
5   "experience": 10,
6   "id": 168,
7   "expedition_id": 89
8 }
```

HTTP Eldoria API > API Network > Creating 2 participant Save Share

**POST** https://api.realbugz.com/participants/ Send

Docs Params Authorization Headers 9 **Body** Scripts Settings Co

raw JSON Schema Beauti

```
1 {
2   "name": "Mikhail",
3   "role": "assistant",
4   "specialization": "photographer",
5   "experience": 7,
6   "expedition_id": 89
7 }
```

Body 200 OK 147 ms 638 B Save Response

{} JSON Preview Visualize

```
1 {
2   "name": "Mikhail",
3   "role": "assistant",
4   "specialization": "photographer",
5   "experience": 7,
6   "id": 169,
7   "expedition_id": 89
8 }
```

HTTP Eldoria API > API Network > Creating 3 participant Save Share

**POST** https://api.realbugz.com/participants/ Send

Docs Params Authorization Headers 9 **Body** Scripts Settings Co

raw JSON Schema Beaut

```
1 {
2   "name": "Mark",
3   "role": "assistant",
4   "specialization": "cook",
5   "experience": 25,
6   "expedition_id": 89
7 }
```

Body 200 OK • 148 ms • 640 B • Save Response

{} JSON Preview Visualize

```
1 {
2   "name": "Mark",
3   "role": "assistant",
4   "specialization": "cook",
5   "experience": 25,
6   "id": 170,
7   "expedition_id": 89
8 }
```

Проверка созданных участников (id=168, id=169, id=170) для экспедиции.

GET

https://api.realbugz.com/expeditions/89

Send

Docs Params Authorization Headers 7 Body Scripts Settings

Cc

Body

200 OK · 140 ms · 821 B · Save Response

{ } JSON

Preview

Visualize

```
1 {
2   "name": "NEW expedition",
3   "start_date": "2027-07-18",
4   "end_date": "2027-12-31",
5   "status": "planned",
6   "description": "An expedition for 3 person.",
7   "location": "Africa",
8   "budget": 150000.0,
9   "id": 89,
10  "participants": [
11    {
12      "name": "Max",
13      "role": "leader",
14      "specialization": "researcher",
15      "experience": 10,
16      "id": 168,
17      "expedition_id": 89
18    },
19    {
20      "name": "Mikhail",
21      "role": "assistant",
22      "specialization": "photographer",
23      "experience": 7,
24      "id": 169,
25      "expedition_id": 89
26    },
27    {
28      "name": "Mark",
29      "role": "assistant",
30      "specialization": "cook",
31      "experience": 25,
32      "id": 170,
33      "expedition_id": 89
34    }
35  ],
36  "artifacts": []
37 }
```

Результат выполнения задания 6.

Изменение информации о первом участнике (опыт).

The screenshot shows an API client interface for 'Eldoria API'. The selected endpoint is 'Update 1 for the participant' with the URL 'https://api.realbugz.com/participants/168'. The request method is 'PUT'. The 'Body' tab is active, displaying a JSON payload: 

```
{  "name": "Max",  "role": "leader",  "specialization": "researcher",  "experience": 13,  "expedition_id": 89}
```

. The response status is '200 OK' with a time of 148 ms and a body size of 640 B. The response body is also shown in JSON format: 

```
{  "name": "Max",  "role": "leader",  "specialization": "researcher",  "experience": 13,  "id": 168,  "expedition_id": 89}
```

Проверка внесённых изменений.

The screenshot shows the same API client interface, but the endpoint is 'Check update of participant 1' with the URL 'https://api.realbugz.com/participants/168'. The request method is 'GET'. The response status is '200 OK' with a time of 142 ms and a body size of 640 B. The response body is shown in JSON format: 

```
{  "name": "Max",  "role": "leader",  "specialization": "researcher",  "experience": 13,  "id": 168,  "expedition_id": 89}
```

Результат выполнения задания 7.

Удаление 3 участника.

The screenshot shows an API client interface for 'Eldoria API > API Network > Removal of participant No. 3'. The request method is 'DELETE' and the URL is 'https://api.realbugz.com/participants/170'. The response status is '200 OK' with a time of '145 ms' and size of '597 B'. The response body is JSON: 

```
{  "message": "Participant deleted successfully"}
```

HTTP Eldoria API > API Network > Removal of participant No. 3 Save Share

DELETE https://api.realbugz.com/participants/170 Send

Docs Params Authorization Headers 9 Body Scripts Settings Co

Body 200 OK • 145 ms • 597 B • Save Response

{ } JSON Preview Visualize

```
1 {
2   "message": "Participant deleted successfully"
3 }
```

Проверка удаления.

The screenshot shows an API client interface for 'Eldoria API > API Network > Check for the removal of participant No. 3'. The request method is 'GET' and the URL is 'https://api.realbugz.com/participants/170'. The response status is '404 Not Found' with a time of '139 ms' and size of '596 B'. The response body is JSON: 

```
{  "detail": "Participant not found"}
```

HTTP Eldoria API > API Network > Check for the removal of participant No. 3 Save Share

GET https://api.realbugz.com/participants/170 Send

Docs Params Authorization Headers 7 Body Scripts Settings Co

Body 404 Not Found • 139 ms • 596 B • Save Response

{ } JSON Preview Debug with AI

```
1 {
2   "detail": "Participant not found"
3 }
```

Результат выполнения задания 8.

Создание артефакта.

The screenshot shows a REST client interface for 'Eldoria API > API Network > Creating an artifact'. The request is a POST to 'https://api.realbugz.com/artifacts/'. The body is in JSON format, containing the following data:

```
1 {
2   "name": "Kobus anselli",
3   "description": "a rare African antelope",
4   "discovery_date": "2027-09-03",
5   "condition": "excellent",
6   "estimated_age": 5,
7   "location": "Kamalondo Depression",
8   "expedition_id": 89
9 }
```

The response is a 200 OK status with a body in JSON format:

```
1 {
2   "name": "Kobus anselli",
3   "description": "a rare African antelope",
4   "discovery_date": "2027-09-03",
5   "condition": "excellent",
6   "estimated_age": 5,
7   "location": "Kamalondo Depression",
8   "id": 82,
9   "expedition_id": 89
10 }
```

Проверка существования созданного артефакта (id=82).

The screenshot shows a REST client interface for 'Eldoria API > API Network > Artifact creation check'. The request is a GET to 'https://api.realbugz.com/artifacts/82'. The response is a 200 OK status with a body in JSON format:

```
1 {
2   "name": "Kobus anselli",
3   "description": "a rare African antelope",
4   "discovery_date": "2027-09-03",
5   "condition": "excellent",
6   "estimated_age": 5,
7   "location": "Kamalondo Depression",
8   "id": 82,
9   "expedition_id": 89
10 }
```

Результат выполнения задания 9.

Проверка итоговой информации об экспедиции.

Eldoria API > API Network > Verification of information about the expedition Save Share

GET ▼  Send

Docs Params Authorization Headers 7 Body Scripts Settings Coc


Body ▼ 🔄 200 OK • 141 ms • 888 B • 🌐 📄 Save Response

{} JSON ▼ ▶ Preview 🖼️ Visualize ▼ 🔍 📄


```
2  "name": "NEW expedition",
3  "start_date": "2027-07-18",
4  "end_date": "2027-12-31",
5  "status": "planned",
6  "description": "An expedition for 3 person.",
7  "location": "Africa",
8  "budget": 150000.0,
9  "id": 89,
10 "participants": [
11     {
12       "name": "Max",
13       "role": "leader",
14       "specialization": "researcher",
15       "experience": 13,
16       "id": 168,
17       "expedition_id": 89
18     },
19     {
20       "name": "Mikhail",
21       "role": "assistant",
22       "specialization": "photographer",
23       "experience": 7,
24       "id": 169,
25       "expedition_id": 89
26     }
27 ],
28 "artifacts": [
29     {
30       "name": "Kobus anselli",
31       "description": "a rare African antelope",
32       "discovery_date": "2027-09-03",
33       "condition": "excellent",
34       "estimated_age": 5,
35       "location": "Kamalondo Depression",
36       "id": 82,
37       "expedition_id": 89
38     }
39 ]
```

Результат выполнения задания 10.

Удаление экспедиции.



Проверка удаления.



P.S. JSON-файл со всеми запросами приложен к данной документации и имеет название «Work Eldoria API.postman\_collection».