

```
vboxuser@deeraj:~# nano exp5.sh
vboxuser@heeraj:~# bash exp5.sh
Enter a string: hello world
Length of string: 11
Enter starting position: 2
Enter number of characters: 5
Substring: llo w
vheerar@dheeraj:~# time bash exp5.sh
Enter a string: hello world
Length of string: 11
Enter starting position: 2
Enter number of characters: 5
Substring: llo w

real    0m15.319s
user    0m0.002s
sys     0m0.002s
vboxuser@dheeraj:~#
```


GNU nano 8.7.1
#!/bin/bash
read -p "Enter a string: " str
echo "Length of string: ${#str}"
read -p "Enter starting position: " start
read -p "Enter number of characters: " length
echo "Substring: ${str:$start:$length}"


Sep 23 18:3
vboxuser@Nipun: ~ — nano exp5.c
Firefox
GNU nano 8.7.1
exp5.c *
#include <stdio.h>
int main()
{
char str[100];
int start,length,i,count=0;
printf("enter a string: ");
fgets(str , 100, stdin);
while (str[count] != '\0' && str[count] != '\n')
{
count++;
}
printf("length of string : %d\n", count);
printf("enter starting position : ");
scanf("%d", &start);
printf("enter the number of character : ");
scanf("%d", &length);
printf("substring : ");
for (i=start;i<start+length && i<count; i++)
{
printf("%c",str[i]);
}
printf("\n");
return 0;
}
^G Help
^X Exit
^O Write Out
^R Read File
^W Where Is
^\ Replace
^K Cut
^U Paste
^T Execute
^J Justify
^C Location
^/ Go To Line
M-U Undo
M-E Redo
M-A Set Mark
M-6 Copy

```
vboxuser@dheeraj:~$ nano exp5.c
vboxuser@dheeraj:~$ gcc exp5.c -o exp5
vboxuser@dheeraj:~$ chmod +x exp5
vboxuser@dheeraj:~$ ./exp5
Enter a string: hello world
Length of string: 11
Enter starting position: 2
Enter number of characters: 5
Substring: llo w
vboxuser@dheeraj:~$ time bash exp5.c
exp5.c: line 2: syntax error near unexpected token '(
exp5.c: line 2: `int main()'
real    0m0.004s
user    0m0.001s
sys     0m0.003s
vboxuser@dheeraj:~$
```