

es1)

```
MINGW64:/j/galvani_francesco_verifica-gpi
20269@W11STAT-7-214 MINGW64 ~
$ ls
03022026_5DI/    INI/          SRI/
GPI/              'Questionario rilevazione scelte post diploma.url'  SRI-SDI-2526/   TCI/
                                                               msg
                                                               TPI/   test_gpi_git/
20269@W11STAT-7-214 MINGW64 ~
$ mkdir galvani_francesco_verifica-gpi
20269@W11STAT-7-214 MINGW64 ~
$ cd galvani_francesco_verifica-gpi
20269@W11STAT-7-214 MINGW64 /j/galvani_francesco_verifica-gpi
$ ls
20269@W11STAT-7-214 MINGW64 /j/galvani_francesco_verifica-gpi
$ |
```

The screenshot shows a web browser window with multiple tabs open. The active tab is for the GitHub repository 'gpi-verifica-5DI-2526' at github.com/20269-netizen/gpi-verifica-5DI-2526. The repository is public and was forked from [prof-ing-vinc/gpi-verifica-5DI-2526](https://github.com/prof-ing-vinc/gpi-verifica-5DI-2526).

Repository Details:

- Name:** gpi-verifica-5DI-2526
- Owner:** 20269-netizen
- Status:** This branch is up to date with [prof-ing-vinc/gpi-verifica-5DI-2526:main](#).
- Contributors:** prof-ing-vinc (Initial commit)
- Files:** README.md (Initial commit, last week)

About: Repository per le consegne della verifica pratica di GPI della classe 5DI - a.s. 2025/26

Activity:

- 0 stars
- 0 watching
- 0 forks

Releases: No releases published. [Create a new release](#)

Packages: No packages published. [Publish your first package](#)

Footer:

Terms Privacy Security Status Community Docs Contact Manage cookies Do not share my personal information © 2026 GitHub, Inc.

```
MINGW64:j/galvani_francesco_verifica-gpi
20269@W11STAT-7-214 MINGW64 ~
$ ls
03022026_5DI/    INI/          SRI/      TCI/      msg
GPI/              'Questionario rilevazione scelte post diploma.url'  SRI-5DI-2526/  TPI/  test_gpi_git/
20269@W11STAT-7-214 MINGW64 ~
$ mkdir galvani_francesco_verifica-gpi
20269@W11STAT-7-214 MINGW64 ~
$ cd galvani_francesco_verifica-gpi/
20269@W11STAT-7-214 MINGW64 /j/galvani_francesco_verifica-gpi
$ ls
20269@W11STAT-7-214 MINGW64 /j/galvani_francesco_verifica-gpi
$ git clonehttps://github.com/20269-netizen/gpi-verifica-5DI-2526
git: 'clonehttps://github.com/20269-netizen/gpi-verifica-5DI-2526' is not a git command. See 'git --help'.
20269@W11STAT-7-214 MINGW64 /j/galvani_francesco_verifica-gpi
$ git clone https://github.com/20269-netizen/gpi-verifica-5DI-2526
Cloning into 'gpi-verifica-5DI-2526'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (3/3), done.
20269@W11STAT-7-214 MINGW64 /j/galvani_francesco_verifica-gpi
$ ...
```

es2)



The screenshot shows a terminal window titled "MINGW64:j/galvani_francesco_verifica-gpi/gpi-verifica-5DI-2526". The terminal is running on a Windows system, as indicated by the taskbar icons at the top. The command history is as follows:

```
20269@W11STAT-7-214 MINGW64 ~
$ ls
03022026_5DI/    INI/
GPI/          'Questionario rilevazione scelte post diploma.url'      SRI/          TCI/      msg
                                                               SRI-5DI-2526/   TPI/   test_gpi_git/
20269@W11STAT-7-214 MINGW64 ~
$ mkdir galvani_francesco_verifica-gpi
20269@W11STAT-7-214 MINGW64 ~
$ cd galvani_francesco_verifica-gpi
20269@W11STAT-7-214 MINGW64 /j/galvani_francesco_verifica-gpi
$ ls
20269@W11STAT-7-214 MINGW64 /j/galvani_francesco_verifica-gpi
$ git clonehttps://github.com/20269-netizen/gpi-verifica-5DI-2526
git: 'clonehttps://github.com/20269-netizen/gpi-verifica-5DI-2526' is not a git command. See 'git --help'.
20269@W11STAT-7-214 MINGW64 /j/galvani_francesco_verifica-gpi
$ git clone https://github.com/20269-netizen/gpi-verifica-5DI-2526
Cloning into 'gpi-verifica-5DI-2526'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (3/3), done.
20269@W11STAT-7-214 MINGW64 /j/galvani_francesco_verifica-gpi
$ ls
gpi-verifica-5DI-2526/
20269@W11STAT-7-214 MINGW64 /j/galvani_francesco_verifica-gpi
$ cd gpi-verifica-5DI-2526/
20269@W11STAT-7-214 MINGW64 /j/galvani_francesco_verifica-gpi/gpi-verifica-5DI-2526 (main)
$ mkdir GalvaniFrancesco
20269@W11STAT-7-214 MINGW64 /j/galvani_francesco_verifica-gpi/gpi-verifica-5DI-2526 (main)
$ ls
GalvaniFrancesco/ README.md
20269@W11STAT-7-214 MINGW64 /j/galvani_francesco_verifica-gpi/gpi-verifica-5DI-2526 (main)
$
```

es3.1)

The screenshot shows a terminal window with the title bar "MINGW64:/j/galvani_francesco_verifica-gpi/gpi-verifica-5DI-2526/GalvaniFrancesco". The window contains a terminal session for the "GNU nano 8.7" editor, specifically editing the file "index.html". The content of the file is:

```
<!DOCTYPE html>
<html lang="it">
<head>
<meta charset="UTF-8">
<title>Verifica Git</title>
</head>
<body>
<h1>Verifica Git e GitHub</h1>
<p>Questo file serve per testare i comandi Git.</p>
</body>
</html>
```

At the bottom of the terminal window, there is a menu bar with the following options:

- ^G Help
- ^O Write Out
- ^F Where Is
- ^K Cut
- ^T Execute
- ^C Location
- M-U Undo
- M-A Set Mark
- ^X Exit
- ^R Read File
- ^\\ Replace
- ^U Paste
- ^J Justify
- ^/ Go To Line
- M-E Redo
- M-6 Copy

```
MINGW64:j/galvani_francesco_verifica-gpi/gpi-verifica-5DI-2526/GalvaniFrancesco
20269@W11STAT-7-214 MINGW64 ~
$ ls
03022026_5DI/    INI/          SRI/      TCI/      msg
GPI/              'Questionario rilevazione scelte post diploma.url'  SRI-5DI-2526/  TPI/      test_gpi_git/
20269@W11STAT-7-214 MINGW64 ~
$ mkdir galvani_francesco_verifica-gpi
20269@W11STAT-7-214 MINGW64 ~
$ cd galvani_francesco_verifica-gpi
20269@W11STAT-7-214 MINGW64 /j/galvani_francesco_verifica-gpi
$ ls
20269@W11STAT-7-214 MINGW64 /j/galvani_francesco_verifica-gpi
$ git clonehttps://github.com/20269-netizen/gpi-verifica-5DI-2526
git: 'clonehttps://github.com/20269-netizen/gpi-verifica-5DI-2526' is not a git command. See 'git --help'.
20269@W11STAT-7-214 MINGW64 /j/galvani_francesco_verifica-gpi
$ git clone https://github.com/20269-netizen/gpi-verifica-5DI-2526
Cloning into 'gpi-verifica-5DI-2526'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (3/3), done.
20269@W11STAT-7-214 MINGW64 /j/galvani_francesco_verifica-gpi
$ ls
gpi-verifica-5DI-2526/
20269@W11STAT-7-214 MINGW64 /j/galvani_francesco_verifica-gpi
$ cd gpi-verifica-5DI-2526/
20269@W11STAT-7-214 MINGW64 /j/galvani_francesco_verifica-gpi/gpi-verifica-5DI-2526 (main)
$ mkdir GalvaniFrancesco
20269@W11STAT-7-214 MINGW64 /j/galvani_francesco_verifica-gpi/gpi-verifica-5DI-2526 (main)
$ ls
GalvaniFrancesco/ README.md
20269@W11STAT-7-214 MINGW64 /j/galvani_francesco_verifica-gpi/gpi-verifica-5DI-2526 (main)
$ cd GalvaniFrancesco/
20269@W11STAT-7-214 MINGW64 /j/galvani_francesco_verifica-gpi/gpi-verifica-5DI-2526/GalvaniFrancesco (main)
$ nano index.html
20269@W11STAT-7-214 MINGW64 /j/galvani_francesco_verifica-gpi/gpi-verifica-5DI-2526/GalvaniFrancesco (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    ./

nothing added to commit but untracked files present (use "git add" to track)
20269@W11STAT-7-214 MINGW64 /j/galvani_francesco_verifica-gpi/gpi-verifica-5DI-2526/GalvaniFrancesco (main)
$ ls
index.html
20269@W11STAT-7-214 MINGW64 /j/galvani_francesco_verifica-gpi/gpi-verifica-5DI-2526/GalvaniFrancesco (main)
$
```

es3.2 && 3.3)

```
20269@W11STAT-7-214 MINGW64 /j/galvani_francesco_verifica-gpi/gpi-verifica-5DI-2526/GalvaniFrancesco (main)
$ ls
index.html

20269@W11STAT-7-214 MINGW64 /j/galvani_francesco_verifica-gpi/gpi-verifica-5DI-2526/GalvaniFrancesco (main)
$ git add .
warning: in the working copy of 'GalvaniFrancesco/index.html', LF will be replaced by CRLF the next time Git touches it
20269@W11STAT-7-214 MINGW64 /j/galvani_francesco_verifica-gpi/gpi-verifica-5DI-2526/GalvaniFrancesco (main)
$ git commit -m "Creato file HTML iniziale - by Galvani Francesco"
[main 376f1ff] Creato file HTML iniziale - by Galvani Francesco
 1 file changed, 11 insertions(+)
 create mode 100644 GalvaniFrancesco/index.html
20269@W11STAT-7-214 MINGW64 /j/galvani_francesco_verifica-gpi/gpi-verifica-5DI-2526/GalvaniFrancesco (main)
$
```

es 4)

```
20269@W11STAT-7-214 MINGW64 /j/galvani_francesco_verifica-gpi/gpi-verifica-5DI-2526/GalvaniFrancesco (main)
$ git branch Galvani
20269@W11STAT-7-214 MINGW64 /j/galvani_francesco_verifica-gpi/gpi-verifica-5DI-2526/GalvaniFrancesco (main)
$ git branch
  Galvani
* main
:|
```

es 5)

```
20269@W11STAT-7-214 MINGW64 /j/galvani_francesco_verifica-gpi/gpi-verifica-5DI-2526/GalvaniFrancesco (Galvani)
$ nano index.html
20269@W11STAT-7-214 MINGW64 /j/galvani_francesco_verifica-gpi/gpi-verifica-5DI-2526/GalvaniFrancesco (Galvani)
$ git diff
warning: in the working copy of 'GalvaniFrancesco/index.html', LF will be replaced by CRLF the next time Git touches it
diff --git a/GalvaniFrancesco/index.html b/GalvaniFrancesco/index.html
index e5fe907..8bcfa30 100644
--- a/GalvaniFrancesco/index.html
+++ b/GalvaniFrancesco/index.html
@@ -6,6 +6,11 @@
 </head>
 <body>
 <h1>Verifica Git e GitHub</h1>
+<li>Git</li>
+<li>Branch</li>
+<li>Merge</li>
</ul>
<p>Studente: Rossi Mario</p>
<p>Questo file serve per testare i comandi Git.</p>
</body>
</html>
20269@W11STAT-7-214 MINGW64 /j/galvani_francesco_verifica-gpi/gpi-verifica-5DI-2526/GalvaniFrancesco (Galvani)
$ |
```

es 5.2)

```
20269@W11STAT-7-214 MINGW64 /j/galvani_francesco_verifica-gpi/gpi-verifica-5DI-2526/GalvaniFrancesco (Galvani)
$ git commit -m "Modifiche HTML su branch personale by Galvani Francesco"
[Galvani 708f187] Modifiche HTML su branch personale by Galvani Francesco
 1 file changed, 4 insertions(+), 4 deletions(-)
20269@W11STAT-7-214 MINGW64 /j/galvani_francesco_verifica-gpi/gpi-verifica-5DI-2526/GalvaniFrancesco (Galvani)
$ |
```

es 6

```
20269@W11STAT-7-214 MINGW64 /j/galvani_francesco_verifica-gpi/gpi-verifica-5DI-2526/GalvaniFrancesco (main)
$ git merge Galvani --no-ff
Merge made by the 'ort' strategy.
 GalvaniFrancesco/index.html | 13 ++++++-----
 1 file changed, 9 insertions(+), 4 deletions(-)
```

```
20269@W11STAT-7-214 MINGW64 /j/galvani_francesco_verifica-gpi/gpi-verifica-5DI-2526/GalvaniFrancesco (main)
$ git show
commit 5b48d4dd5dbaa21192c582efb498ef9604bb3c6e (HEAD -> main)
Merge: 376f1ff 2ece6f2
Author: 20269-netizen <20269@studenti.marconiverona.edu.it>
Date: Tue Feb 10 11:02:26 2026 +0100

    Merge branch 'Galvani'

20269@W11STAT-7-214 MINGW64 /j/galvani_francesco_verifica-gpi/gpi-verifica-5DI-2526/GalvaniFrancesco (main)
$ ...
```

es7

```
20269@W11STAT-7-214 MINGW64 /j/galvani_francesco_verifica-gpi/gpi-verifica-5DI-2526/GalvaniFrancesco (main)
$ git tag -a v1.0-GalvaniFrancesco -m "Effettuato merge tra branch main e personale"
20269@W11STAT-7-214 MINGW64 /j/galvani_francesco_verifica-gpi/gpi-verifica-5DI-2526/GalvaniFrancesco (main)
$ git show
commit 5b48d4dd5dbaa21192c582efb498ef9604bb3c6e (HEAD -> main, tag: v1.0-GalvaniFrancesco)
Merge: 376f1ff 2ece6f2
Author: 20269-netizen <20269@studenti.marconiverona.edu.it>
Date: Tue Feb 10 11:02:26 2026 +0100

    Merge branch 'Galvani'
```

```
20269@W11STAT-7-214 MINGW64 /j/galvani_francesco_verifica-gpi/gpi-verifica-5DI-2526/GalvaniFrancesco (main)
$ git show v1.0-GalvaniFrancesco
tag v1.0-GalvaniFrancesco
Tagger: 20269-netizen <20269@studenti.marconiverona.edu.it>
Date: Tue Feb 10 11:06:25 2026 +0100

    Effettuato merge tra branch main e personale

commit 5b48d4dd5dbaa21192c582efb498ef9604bb3c6e (HEAD -> main, tag: v1.0-GalvaniFrancesco)
Merge: 376f1ff 2ece6f2
Author: 20269-netizen <20269@studenti.marconiverona.edu.it>
Date: Tue Feb 10 11:02:26 2026 +0100

    Merge branch 'Galvani'
```