



DORTEX INDIA

TEAMWORK | INNOVATIVE | PROGRESSIVE

Near Kohli tractor agency, Vill. saidpura, Derabassi, SAS Nagar, Punjab 140507

M. +91 8195901164 E. info@dortexindia.com, Sales@dortexindia.com

Door Closer


The Dortex rack n pinion action door closer combines technical superiority with outstanding value, and unites advanced design with convenient functionality. The door closers are manufactured as per higher standard. All the door closers are tested for durability of 100,000 cycles.

Area of application

For metal and wooden doors
Maximum door weight 120 kg

Features

- ✓ Non Handed Design
- ✓ Finish with Silver color coating
- ✓ Hydraulic speed control
- ✓ Can be used for right and left hand doors without conversion
- ✓ Mechanical latching action which accelerates the door shortly before the closed position
- ✓ Closing speed can be individually adjusted



Product Compatible with all wooden and metal doors with max. door cap. of 120kg

Dead Lock

Dortex locks offer the very highest standard of quality and functional reliability. With the use of high-grade materials, precise production techniques and a comprehensive quality management system, all Dortex locks meet demanding technical specifications. Additionally, locks conforming to the technical requirements also offer unbeatable ease of use and security features.

Area of application

Commercial Use
Suitable for security applications

Features

- ✓ Corrosion resistant internal components for durability.
- ✓ Deadbolt that can be opened from inside or outside
- ✓ This product exceeds Indian lock standards for strength and durability
- ✓ Stainless steel chrome finish.



Accessories:-

Lock Body

Cylinder with 3 keys

Both Side Rose Caps

Product Compatible with all wooden and metal doors with max. door cap. of 120kg

Cylinder

Dortex euro profile cylinders are – literally – the “key” to locking system security on both external and internal doors. High-quality, matched materials ensure excellent corrosion and wear resistance, while certified manufacture provides precise, reliable functionality and durability. Trust Dortex for technically sophisticated solutions.

Area of application

Commercial Use
Suitable for security applications

Features

- ✓ Corrosion resistant internal components for durability.
- ✓ Deadbolt that can be opened from inside or outside
- ✓ This product exceeds Indian lock standards for strength and durability
- ✓ Stainless steel chrome finish.



Type:-
Both side key
1 side knob 1 side key

Hinges


Hinges play a crucial and decisive part on the function of the door and to meet different design and functional requirements. All hinges shall be template drilled and suitable for both metal and timber doors. All Dortex hinges are made of stainless steel 304 with vertical brushed satin finish. Permanently lubricated bearings exert all vertical load and reduce friction that makes the smooth movement of the door.

Area of application

For heavy duty doors
Use in medical and industrial facilities
Research laboratories, factories, and
processing plants

Features

- ✓ 5 Knuckle 2 Ball bearing butt hinge
- ✓ Material & Finish with Stainless steel
- ✓ Non removeable flat pin provide extra security.
- ✓ Non handed design
- ✓ Door opening angle 180 degree



Product Compatible with all wooden and metal doors with max. door cap. of 120kg

Handle

Dortex offers a wide selection of pull handles for both tempered glass doors and solid material doors made of metal, aluminum, wood, PVC, or mixed material. Dortex D type handle helps spread the weight across a larger area on a door making the pull action opening feel effortless for some heavier doors. Manufactured from high-grade materials and carefully crafted.

Area of application

For metal and wooden doors
Maximum door weight 120 kg

Features

- ✓ For glass, wood and Metal doors
- ✓ Cost Effective
- ✓ Anti Corrosive
- ✓ Stainless Steel 304 grade material
- ✓ Finish : Satin stainless steel
- ✓ Zero Maintenance



Size :-

Dia 19mm x 250mm

Dia 19mm x 250mm

Dia 19mm x 300mm

Type:- Single & Back to Back handle available

Product Compatible with all wooden and metal doors with max. door cap. of 120kg

Flush Bolt

The Dortex flush bolt (locking device for the passive door panel) provides the solution for all double-panel door systems, particularly for fire and smoke doors. Users may unlock and open the active panel with the flick of a wrist, which simultaneously unlocks the passive panel allowing it to be opened. Thanks to its split spindle and the broad range of adjustments, the Dortex flush bolt is ready to meet various structural requirements in conjunction with very low mounting effort.

Area of application

For metal and wooden doors
Maximum door weight 120 kg

Features

- ✓ Automatic locking and unlocking of passive panel
- ✓ Split spindle with simple plug-in feature
- ✓ Adjustable locking plate unit (retainer bushing)
- ✓ Locking towards the top or bottom
- ✓ Left- and right-handed version
- ✓ Suitable for application at fire and smoke doors



AUTOMATIC DROP SEAL

Sealing the bottom of a door is essential for an effective smoke containment or acoustic sealing system. The seal incorporates a high efficiency spring loaded mechanism that extends the seal as the door swings shut and automatically retracts it as the door is opened by just a few centimeter's. This bar is actuated by by plunger, which contacts the frame of the door while closing - forcing the drop bar to seal against the floor on threshold. Their low closing force actuation does not allow it to conflict with the operation of door closer operation. Installation is quick and easy.

Area of application

For metal and wooden doors
Maximum door weight 120 kg

Features

- ✓ Fully concealed in bottom of door.
- ✓ Dual internal sealing fins enhance acoustic and smoke containment performance.
- ✓ Supplied with high performance rubber gasket.
- ✓ Fully automatic, no power connection required.
- ✓ Simple adjustment to suit varying door gap requirements.
- ✓ Proven long term reliability.



Product Compatible with all wooden and metal doors with max. door cap. of 120kg

ALUMINUM COVING

Coving provides a way to eliminate 90° angles within the cleanroom environment. Supplied in 2 parts, the coving provides a rounded, flush and easy to clean corner. Dortex offers Internal Aluminum Coving and 3D Corner coves largely R-50 & R-70 to suit the requirements of wall & ceiling panels. With its in-house powder coating facility Dortex offers wide range of colors to suit the requirement of the customer. Create fully flushed corner transitions and seamless wall-ceiling connections. Corner cups available for 3 way connecting coving.

Area of application

Pharmaceutical & Bio-tech industry
Microbiology Laboratories

Features

- ✓ No maintenance required
- ✓ Easily replaceable in matter of minutes
- ✓ Aesthetic look appeal
- ✓ Easy to install
- ✓ Robust construction
- ✓ Optimum durability
- ✓ Available in diff RAL colors & Anodizing



Note:-

Size: R50 i.e. edge to edge 70mm
R70 i.e. edge to edge 90 mm

3d corner & 2d corner also available

PVC COVING

We are one of the well-distinguished company in the market that is into in manufacturing, trading and supplying PVC Coving. It basically an extruded product and in the manufacturing both kinds of extrusion being incorporated. Generally we are using soft materials as the raw material. Our products are durable and offering a long shelf life. In the manufacture we are maintaining all the industrial standards.

Area of application

Pharmaceutical & Bio-tech industry
Microbiology Laboratories

Features

- ✓ No maintenance required
- ✓ Easily replaceable in matter of minutes
- ✓ Aesthetic look appeal
- ✓ Easy to install
- ✓ Robust construction
- ✓ Optimum durability
- ✓ Available in diff RAL colors & Anodizing



Note:-

Size: R50 i.e. edge to edge 70mm

R70 i.e. edge to edge 90 mm

3d corner & 2d corner also available

Product Compatible with all wooden and metal doors with max. door cap. of 120kg

THANK YOU



- ✓ FEEL FREE TO REVERT IN CASE OF ANY QUERY.
- ✓ WE ARE WAITING FOR YOUR VALUABLE ENQUIRY ORDER.
- ✓ IT WILL BE GREAT HONOR FOR US TO SERVE YOU BETTER.

Product Compatible with all wooden and metal doors with max. door cap. of 120kg