



KAIRVI LIGHTING
ESSENCE OF DESIGN & TECHNOLOGY

KAIRVI LIGHTING ESSENCE OF DESIGN & TECHNOLOGY


stands at the forefront of led lighting innovation, merging cutting-edge technology with exquisite design to craft illuminating experiences. With a commitment to sustainability and quality craftsmanship, Kairvi Lighting offers a diverse range of lighting solutions that cater to varied tastes and needs. From timeless elegance to futuristic sophistication, their collection combines functionality and aesthetic appeal. With Kairvi Lighting isn't just about illumination—it's about curating ambiance and transforming spaces into captivating experiences." We as a brand, a frontrunner in the lighting industry, is an embodiment of innovation, elegance, and functionality. Renowned for its exquisite designs and cutting-edge technology, the brand crafts lighting solutions that transcend mere illumination. By seamlessly merging artistry with engineering, We deliver a diverse range of products tailored to meet modern lifestyles and design preferences. From classic sophistication to avant-garde innovation, their offerings cater to a spectrum of tastes, ensuring both style and substance. Committed to sustainability, their focus on energy efficiency and eco-consciousness is evident in every creation. With a pioneering spirit in smart lighting, We transforms spaces, offering intelligent, interconnected systems that provide unparalleled convenience and customization. We're not just illuminating rooms; we're illuminating moments—creating a symphony of light and shadow that dances in harmony with the rhythm of your life. We are embracing a world where light becomes an expression of artistry, where every fixture tells a story, and where the ambiance transcends the ordinary."

Kairvi Lighting offer a wide array of lighting products, including LED fixtures, spotlights, linear lights, magnetic track, recessed lighting, and architectural-grade lighting systems. These products are selected and designed to suit the aesthetics and requirements of different projects. We offer consultancy services to architects, interior designers, and project developers, providing guidance on lighting design, product selection, energy efficiency, and compliance with regulations. At Kairvi Lighting, we believe in more than just radiance emitted by our fixtures. We believe in crafting experiences, in painting emotions through the subtle interplay of light and shadow. Our commitment to excellence drives us to curate a collection that transcends the ordinary, presenting designs that elevate interiors, leaving an indelible mark on the canvas of ambiance. Our mission is to transform spaces into narratives, to sculpt moods, and to inspire moments of wonder. The precise illumination of an architectural marvel, or the dynamic interplay of light in a bustling urban setting, our range of lighting solutions embodies versatility and elegance. We blend technology seamlessly with aesthetics, ensuring that every product is a statement of sophistication and functionality. Step into a world where light isn't just a necessity; it's a reflection of your style, a catalyst for inspiration, and an integral part of your everyday life. Join us and witness how we transform the mundane into the magnificent, one radiant moment at a time. Our goal is to be at the forefront of innovation, consistently pushing boundaries to set new standards in the industry while promoting a brighter, more beautiful world through the power of light." Offering high-quality lighting fixtures and solutions that meet or exceed industry standards. Reliable products that perform consistently and have longevity contribute significantly to customer satisfaction. Being transparent about product features, warranties, pricing, and any limitations creates trust. Honesty in advertising and sales practices is crucial for building long-term relationships with customers.



ELARA

RECESSED LED SPOT LIGHTS





Colors

White Black

1.6 120 II V CE IP20

PRODUCT CODE	KL-16-FX81+L007
POWER	7W
CCT	3000k,3500k,4000k,5000k,
OPTIC	15° 24° 36° 60°
LUMENS	480lm
CRI	>90
SIZE	80W*80H



1.6 120 II V CE IP20

PRODUCT CODE	KL-16-FX81+L010
POWER	10W
CCT	3000k,3500k,4000k,5000k,
OPTIC	15° 24° 36° 60°
LUMENS	822lm
CRI	>90
SIZE	80W*100H

Colors

White Black




Colors

White Black

1.6 120 II V CE IP20


PRODUCT CODE	KL-16-FX81+L013
POWER	13W
CCT	3000k,3500k,4000k,5000k,
OPTIC	15° 24° 36° 60°
LUMENS	1122lm
CRI	>90
SIZE	80W*100H

Optional Colors for Reflector




White Black Dark Chrome Chrome Golden

Optional Colors for Reflector



White Black Dark Chrome Chrome Golden

Optional Colors for Reflector



White Black Dark Chrome Chrome Golden




Colors

White Black

1.6 12V II V CE IP20

PRODUCT CODE	KL-11-FX65+ L006
POWER	6W
CCT	3000k,3500k,4000k,5000k,
OPTIC	18° 30° 50°
CRI	>90
SIZE	65W*82H




Colors

White Black


1.6 12V II V CE IP20

PRODUCT CODE	KL-11-FX66+ L006
POWER	6W
CCT	3000k,3500k,4000k,5000k,
OPTIC	18° 30° 50°
CRI	>90
SIZE	65W*82H


Optional Colors for Reflector



Optional Colors for Reflector



Optional Colors for Reflector





Colors

Colors



White Black Dark Chrome Chrome Golden



White Black Dark Chrome Chrome Golden



White Black Dark Chrome Chrome Golden



Colors

White Black

PRODUCT CODE	KL-16-CU83+L007
POWER	7W
CCT	3000k,3500k,4000k,5000k,
OPTIC	15° 24° 36° 60°
LUMENS	480lm
CRI	>90
SIZE	80W*80H



PRODUCT CODE	KL-16-CU83+L010
POWER	10W
CCT	3000k,3500k,4000k,5000k,
OPTIC	15° 24° 36° 60°
LUMENS	822lm
CRI	>90
SIZE	80W*100H

Colors

White Black




Colors

White Black


PRODUCT CODE	KL-16-CU83+L013
POWER	13W
CCT	3000k,3500k,4000k,5000k,
OPTIC	15° 24° 36° 60°
LUMENS	1122lm
CRI	>90
SIZE	80W*100H

Optional Colors for Reflector




White Black Dark Chrome Chrome Golden

Optional Colors for Reflector



White Black Dark Chrome Chrome Golden

Optional Colors for Reflector




White Black Dark Chrome Chrome Golden



Colors
☒ White ☐ Black

1.6 120 II IP20 CE

PRODUCT CODE	KL-16-FX8255+L007
POWER	7W
CCT	3000k,3500k,4000k,5000k,
OPTIC	15° 24° 36° 60°
LUMENS	480lm
CRI	>90
SIZE	82W*100H



1.6 120 II IP20 CE

PRODUCT CODE	KL-16-FX8255+L010
POWER	10W
CCT	3000k,3500k,4000k,5000k,
OPTIC	15° 24° 36° 60°
LUMENS	822lm
CRI	>90
SIZE	82W*120H

Colors
☒ White ☐ Black




Colors
☒ White ☐ Black


1.6 120 II IP20 CE

PRODUCT CODE	KL-16-FX8255+L013
POWER	13W
CCT	3000k,3500k,4000k,5000k,
OPTIC	15° 24° 36° 60°
LUMENS	1122lm
CRI	>90
SIZE	82W*120H


Optional Colors for Reflector




Optional Colors for Reflector



Optional Colors for Reflector



The image is a product catalog page for AKU Recessed LED Spot Lights. The background is a light gray wall with a white diagonal line. Several recessed spot lights are shown in different colors (white, black, gold) and sizes. Some are installed in the wall, while others are shown as separate components. The text 'AKU' is prominently displayed in large white letters, followed by 'RECESSED LED SPOT LIGHTS' in smaller white letters. The bottom of the page features a logo for Kairvi Lighting, a page number '8' in a teal circle, and the website 'www.kairvilighting.com'.

AKU

RECESSED LED SPOT LIGHTS



White Black

PRODUCT CODE	KL-FX-DOT-07
POWER	7W
CCT	3000k,3500k,4000k
OPTIC	15° 24° 36°
LUMENS	352lm
CRI	>90
SIZE	50*95



White Black

PRODUCT CODE	KL-TL-FX-DOT-07
POWER	7W
CCT	3000k,3500k,4000k
OPTIC	15° 24° 36°
LUMENS	352lm
CRI	>90
SIZE	32*95

White Black Dark Chrome Chrome Golden

White Black Dark Chrome Chrome Golden

White Black Dark Chrome Chrome Golden



White Black




White Black



PRODUCT CODE	KL-PO-DOTL007
POWER	7W
CCT	3000k,3500k,4000k
OPTIC	15° 24° 36°
LUMENS	352lm
CRI	>90
SIZE	50*95

PRODUCT CODE	
POWER	7W
CCT	3000k,3500k,4000k
OPTIC	15° 24° 36°
LUMENS	352lm
CRI	>90
SIZE	32*95

Optional Colors for Reflector





CALLISTO

RECESSED LED SPOT LIGHTS




Optional Colors for Reflector





Thermal Management

The lifetime of LED is not only determined by its quality, but also affected by the thermal management. Especially for LED luminaries, only perfect thermal management can ensure the lifetime. If the heat cannot spread out quickly, the lifetime of LED will be seriously affected. The self-developed high-performance heatsink structure ensures that the LED light source can dissipate heat rapidly, and the chip temperature is lower than the working temperature defined by the light source manufacturer, which really guarantees the lifetime of LED



CRI COLOR METRICS(Values are typical)

COLOR Maintenance :
ENERGY STAR LIMIT ≤ 0.007
LM-80 6000hour Chromaticity Shift ($\Delta u'v'$) 0.0023

CRI95 TM-30 COLOR METRICS	
Rf	94
Rg	103
CCT	3000K
CIE Ra	97

R1	R2	R3	R4	R5	R6	R7	R8	R9	R10	R11	R12	R13	R14	R15
98	99	97	98	98	97	99	99	98	99	96	87	98	97	98




Ra80

Ra90

Ra95



CRI97 3000K COLOR RENDITION BY HUE ANGLE



Radiate smooth spectrum from blackbody radiation curve, natural and mild, appropriate visual red effect. In addition, the standard series is also superior to the ceramic metal halide lamp and fluorescent lamp in terms of lighting quality, sustainability, efficiency and life, and superior to the competitors in terms of visual perception and consistency.

COB LED
CRI>95





Colors

White Black

1.6 120 120 120 120 120 IP 20

PRODUCT CODE	KL-FX-L1007
POWER	7W
CCT	3000k,3500k,4000k
OPTIC	15° 24° 36° 60°
LUMENS	414lm
CRI	>95
SIZE	69*66



1.6 120 120 120 120 120 IP 20

PRODUCT CODE	KL-FX-L1010
POWER	10W
CCT	3000k,3500k,4000k
OPTIC	15° 24° 36° 60°
LUMENS	620lm
CRI	>95
SIZE	69*66

Colors

White Black




1.6 120 120 120 120 120 IP 20

PRODUCT CODE	KL-FX-L1015
POWER	15W
CCT	3000k,3500k,4000k
OPTIC	15° 24° 36° 60°
LUMENS	844lm
CRI	>95
SIZE	69*105


Colors

White Black


Optional Colors for Reflector



Optional Colors for Reflector



Optional Colors for Reflector





Colors

White Black

1.6 120 II V CE IP20

PRODUCT CODE	KL-AD-L2107
POWER	7W
CCT	3000k,3500k,4000k
OPTIC	15° 24° 36° 60°
LUMENS	414lm
CRI	>95
SIZE	69*68



1.6 120 II V CE IP20

PRODUCT CODE	KL-AD-L2110
POWER	10W
CCT	3000k,3500k,4000k
OPTIC	15° 24° 36° 60°
LUMENS	620lm
CRI	>95
SIZE	69*68

Colors

White Black



Colors

White Black

1.6 120 II V CE IP20

PRODUCT CODE	KL-AD-L2115
POWER	15W
CCT	3000k,3500k,4000k
OPTIC	15° 24° 36° 60°
LUMENS	844lm
CRI	>95
SIZE	69*107

Optional Colors for Reflector



White Black Dark Chrome Chrome Golden

Optional Colors for Reflector




White Black Dark Chrome Chrome Golden

Optional Colors for Reflector



White Black Dark Chrome Chrome Golden



Colors

White Black

1.6 ENEC IP20 CE IP20

PRODUCT CODE	KL-NZ-L2107
POWER	7W
CCT	3000k,3500k,4000k
OPTIC	15° 24° 36° 60°
LUMENS	414lm
CRI	>95
SIZE	69*58



1.6 ENEC IP20 CE IP20

PRODUCT CODE	KL-NZ-L2110
POWER	10W
CCT	3000k,3500k,4000k
OPTIC	15° 24° 36° 60°
LUMENS	620lm
CRI	>95
SIZE	69*58

Colors

White Black




1.6 ENEC IP20 CE IP20

PRODUCT CODE	KL-NZ-L2115
POWER	15W
CCT	3000k,3500k,4000k
OPTIC	15° 24° 36° 60°
LUMENS	844lm
CRI	>95
SIZE	69*97


Colors

White Black


Optional Colors for Reflector



Optional Colors for Reflector



Optional Colors for Reflector





Colors

White Black

1.6 #120 II V CE IP20

PRODUCT CODE	KL-OVL-L2207
POWER	7W
CCT	3000k,3500k,4000k
OPTIC	15° 24° 36° 60°
LUMENS	414lm
CRI	>95
SIZE	69*66



1.6 #120 II V CE IP20

PRODUCT CODE	KL-OVL-L2210
POWER	10W
CCT	3000k,3500k,4000k
OPTIC	15° 24° 36° 60°
LUMENS	620lm
CRI	>95
SIZE	69*66

Colors

White Black



1.6 #120 II V CE IP20

PRODUCT CODE	KL-OVL-L2215
POWER	15W
CCT	3000k,3500k,4000k
OPTIC	15° 24° 36° 60°
LUMENS	844lm
CRI	>95
SIZE	69*105


Colors

White Black

Optional Colors for Reflector



Optional Colors for Reflector



Optional Colors for Reflector





Colors

White Black

1.6 120 II V CE IP20

PRODUCT CODE	KL-PN-L2307
POWER	7W
CCT	3000k,3500k,4000k
OPTIC	15° 24° 36° 60°
LUMENS	414lm
CRI	>95
SIZE	69*66



1.6 120 II V CE IP20

PRODUCT CODE	KL-PN-L2310
POWER	10W
CCT	3000k,3500k,4000k
OPTIC	15° 24° 36° 60°
LUMENS	620lm
CRI	>95
SIZE	69*66

Colors

White Black



1.6 120 II V CE IP20

PRODUCT CODE	KL-PN-L2315
POWER	15W
CCT	3000k,3500k,4000k
OPTIC	15° 24° 36° 60°
LUMENS	844lm
CRI	>95
SIZE	69*105


Colors

White Black

Optional Colors for Reflector



Optional Colors for Reflector



Optional Colors for Reflector





Colors

White Black

1.6 12V II V CE IP20

PRODUCT CODE	KL-ASY-07
POWER	7W
CCT	3000k,3500k,4000k
OPTIC	WIDE
LUMENS	414lm
CRI	>95
SIZE	69*66




Colors

White Black


1.6 12V II V CE IP20

PRODUCT CODE	KL-ASY-010
POWER	10W
CCT	3000k,3500k,4000k
OPTIC	WIDE
LUMENS	620lm
CRI	>95
SIZE	69*66


Optional Colors for Reflector



Optional Colors for Reflector




Optional Colors for Reflector





PRODUCT CODE	KL-RING-A
SIZE	75MM

INSTALLATION WITH BEZEL




- 1 Cut out hole to the required size.
- 2 Insert the installation frame.
- 3 Fix the spring to the ceiling .
- 4 Minimal ceiling thickness 9MM .
- 5 Maximal ceiling thickness 37MM .





PRODUCT CODE	KL-RING-B
SIZE	75MM

TRIMLESS INSTALLATION



- 1 Cut out hole to the required size.
- 2 Insert the trimless installation frame.
- 3 Fix the installation frame with self-tapping screws.
- 4 Fix the spring to the ceiling.
- 5 Plaster .

CLISTO SQUARE



Colors

White Black

1.6 12V II V CE IP20

PRODUCT CODE	KL-SFX-L1007
POWER	7W
CCT	3000k,3500k,4000k
OPTIC	15° 24° 36° 60°
LUMENS	414lm
CRI	>95
SIZE	69*66



1.6 12V II V CE IP20

PRODUCT CODE	KL-SFX-L1010
POWER	10W
CCT	3000k,3500k,4000k
OPTIC	15° 24° 36° 60°
LUMENS	620lm
CRI	>95
SIZE	69*66

Colors

White Black




Colors

White Black


1.6 12V II V CE IP20

PRODUCT CODE	KL-SFX-L1015
POWER	15W
CCT	3000k,3500k,4000k
OPTIC	15° 24° 36° 60°
LUMENS	844lm
CRI	>95
SIZE	69*105


Optional Colors for Reflector



Optional Colors for Reflector



Optional Colors for Reflector





     IP 20	
PRODUCT CODE	KL-SAD-L2110
POWER	10W
CCT	3000k,3500k,4000k
OPTIC	15° 24° 36° 60°
LUMENS	620lm
CRI	>95
SIZE	69*68




     	
PRODUCT CODE	KL-SAD-L2115
POWER	15W
CCT	3000k,3500k,4000k
OPTIC	15° 24° 36° 60°
LUMENS	844lm
CRI	>95
SIZE	69*107



White Black Dark Chrome Chrome Golden

White Black Dark Chrome Chrome Golden

White Black Dark Chrome Chrome Golden








 IP20




 IP20

White Black Dark Chrome Chrome Golden

White Black Dark Chrome Chrome Golden

White Black Dark Chrome Chrome Golden



Wall Washer

Adjustable

Fixed

Wall Washer




CALLISTO GEN2


RECESSED LED SPOT LIGHTS



Optional Colors for Reflector



White Black Dark Chrome Chrome Golden



Colors

White Black

1.8 12V II V CE IP 20

PRODUCT CODE	KL-TL-FX-L2107
POWER	7W
CCT	3000k,3500k,4000k
OPTIC	15° 24° 36° 60°
LUMENS	414lm
CRI	>95
SIZE	72W*58H



1.8 12V II V CE IP 20

PRODUCT CODE	KL-TL-FX-L2110
POWER	10W
CCT	3000k,3500k,4000k
OPTIC	15° 24° 36° 60°
LUMENS	620lm
CRI	>95
SIZE	72W*58H

Colors

White Black



Colors

White Black

1.8 12V II V CE IP 20

PRODUCT CODE	KL-TL-FX-L2115
POWER	15W
CCT	3000k,3500k,4000k
OPTIC	15° 24° 36° 60°
LUMENS	844lm
CRI	>95
SIZE	72W*96H

Optional Colors for Reflector



White Black Dark Chrome Chrome Golden

Optional Colors for Reflector






White Black Dark Chrome Chrome Golden

Optional Colors for Reflector



White Black Dark Chrome Chrome Golden



Colors

White Black

1.6 ENEC IP20 CE IP20

PRODUCT CODE	KL-TL-AD-L2207
POWER	7W
CCT	3000k,3500k,4000k
OPTIC	15° 24° 36° 60°
LUMENS	414lm
CRI	>95
SIZE	72W*72H



1.6 ENEC IP20 CE IP20

PRODUCT CODE	KL-TL-FX-L2210
POWER	10W
CCT	3000k,3500k,4000k
OPTIC	15° 24° 36° 60°
LUMENS	620lm
CRI	>95
SIZE	72W*72H



Colors

White Black


1.6 ENEC IP20 CE IP20

PRODUCT CODE	KL-TL-FX-L2215
POWER	15W
CCT	3000k,3500k,4000k
OPTIC	15° 24° 36° 60°
LUMENS	844lm
CRI	>95
SIZE	72W*110


Colors

White Black


Optional Colors for Reflector





Optional Colors for Reflector



Optional Colors for Reflector





Colors

White Black

1.6 12V II V CE IP20

PRODUCT CODE	KL-TL-NZ-L2307
POWER	7W
CCT	3000k,3500k,4000k
OPTIC	15° 24° 36° 60°
LUMENS	414lm
CRI	>95
SIZE	72W*69H



1.6 12V II V CE IP20

PRODUCT CODE	KL-TL-NZ-L2310
POWER	10W
CCT	3000k,3500k,4000k
OPTIC	15° 24° 36° 60°
LUMENS	620lm
CRI	>95
SIZE	72W*69H

Colors

White Black



1.6 12V II V CE IP20

PRODUCT CODE	KL-TL-NZ-L2315
POWER	15W
CCT	3000k,3500k,4000k
OPTIC	15° 24° 36° 60°
LUMENS	844lm
CRI	>95
SIZE	72W*106H

Colors

White Black

Optional Colors for Reflector



White Black Dark Chrome Chrome Golden

Optional Colors for Reflector




White Black Dark Chrome Chrome Golden

Optional Colors for Reflector



White Black Dark Chrome Chrome Golden




Colors

White Black

1.6 12V II V CE IP20

PRODUCT CODE	KL-TL-NZ1-L2407
POWER	7W
CCT	3000k,3500k,4000k
OPTIC	15° 24° 36° 60°
LUMENS	414lm
CRI	>95
SIZE	72W*61H



Colors

White Black

1.6 12V II V CE IP20

PRODUCT CODE	KL-TL-NZ1-L2410
POWER	10W
CCT	3000k,3500k,4000k
OPTIC	15° 24° 36° 60°
LUMENS	620lm
CRI	>95
SIZE	72W*61H




Colors

White Black


1.6 12V II V CE IP20

PRODUCT CODE	KL-TL-NZ1-L2415
POWER	15W
CCT	3000k,3500k,4000k
OPTIC	15° 24° 36° 60°
LUMENS	844lm
CRI	>95
SIZE	72W*99H


Optional Colors for Reflector



Optional Colors for Reflector



Optional Colors for Reflector





Colors
☐ White ☐ Black

1.4 120 II V CE IP 20

PRODUCT CODE	KL-TL-NZ3-L2507
POWER	7W
CCT	3000k,3500k,4000k
OPTIC	15° 24° 36° 60°
LUMENS	414lm
CRI	>95
SIZE	72W*87H



Colors
☐ White ☐ Black

1.4 120 II V CE IP 20

PRODUCT CODE	KL-TL-NZ3-L2510
POWER	10W
CCT	3000k,3500k,4000k
OPTIC	15° 24° 36° 60°
LUMENS	620lm
CRI	>95
SIZE	72W*87H




Colors
☐ White ☐ Black


1.4 120 II V CE IP 20

PRODUCT CODE	KL-TL-NZ3-L2515
POWER	15W
CCT	3000k,3500k,4000k
OPTIC	15° 24° 36° 60°
LUMENS	844lm
CRI	>95
SIZE	72W*125H


Optional Colors for Reflector



Optional Colors for Reflector



Optional Colors for Reflector





Colors
White Black

1.4 120 II V CE IP 20

PRODUCT CODE	KL-TL-NZ4-05
POWER	5W
CCT	3000k,3500k,4000k
OPTIC	8° 24° 30°
LUMENS	414lm
CRI	>95
SIZE	72W*427H



1.4 120 II V CE IP 20

PRODUCT CODE	KL-TL-ASY-L007
POWER	7W
CCT	3000k,3500k,4000k
OPTIC	25°*30°
LUMENS	414lm
CRI	>95
SIZE	72W*87H

Colors
White Black




Colors
White Black

1.4 120 II V CE IP 20


PRODUCT CODE	KL-TL-ASY-L010
POWER	10W
CCT	3000k,3500k,4000k
OPTIC	25°*30°
LUMENS	620lm
CRI	>95
SIZE	72W*87H

Optional Colors for Reflector




White Black Dark Chrome Chrome Golden

Optional Colors for Reflector




White Black Dark Chrome Chrome Golden

Optional Colors for Reflector



White Black Dark Chrome Chrome Golden



White Black

White Black

PRODUCT CODE	KL-TL-DF-L07
POWER	7W
CCT	3000k,3500k,4000k
OPTIC	WIDE
LUMENS	414lm
CRI	>95
SIZE	72W*38H

PRODUCT CODE	KL-TL-EYEBALL-L007
POWER	7W
CCT	3000k,3500k,4000k
OPTIC	15°-55°
LUMENS	614lm
CRI	>95
SIZE	72W*68H



White Black Dark Chrome Chrome Golden



White Black Dark Chrome Chrome Golden



White Black Dark Chrome Chrome Golden



Be Flexible

Be Flexible

Be Flexible

No Border Installation

Standard Installation

Black&Gold

Black

White

Black&Gold

Black

White

Wall Washer

Adjustable

Fixed

Wall Washer



No Border Installation

Standard Installation

Ring Color

White

White

Black

White

Black

White

Black

Gold

Silver

Gold

Silver



Colors

- White
- Black

1.6 IP20

PRODUCT CODE	KL-RING-AA
POWER	7W
CCT	3000k,3500k,4000k
OPTIC	WIDE
LUMENS	414lm
CRI	>95
SIZE	75MM



Colors

- White
- Black

1.6 IP20

PRODUCT CODE	KL-RING-BB
POWER	7W
CCT	3000k,3500k,4000k
OPTIC	15°-55°
LUMENS	614lm
CRI	>95
SIZE	75MM

Optional Colors for Reflector

- White
- Black
- Dark Chrome
- Chrome
- Golden


Optional Colors for Reflector

- White
- Black
- Dark Chrome
- Chrome
- Golden

Optional Colors for Reflector

- White
- Black
- Dark Chrome
- Chrome
- Golden

SPY { RECESSED LED SPOT }



Colors
White Black

1.6 12V II CE IP20

PRODUCT CODE	KL-NR-03
POWER	3W
CCT	3000k,3500k,4000k
OPTIC	8° 24°
CRI	>90
SIZE	41W*65H



Colors
White Black


1.6 12V II CE IP20

PRODUCT CODE	KL-NR-06
POWER	6W
CCT	3000k,3500k,4000k
OPTIC	8° 12°
CRI	>90
SIZE	55W*80H

Optional Colors for Reflector



Optional Colors for Reflector



Optional Colors for Reflector



AIDE

RECESSED LED SPOT LIGHTS






Colors

White Black

1.6 ENEC IP20

PRODUCT CODE	KL-FX-5001
POWER	5W
CCT	3000k,3500k,4000k
OPTIC	20° 35°
LUMENS	412lm
CRI	>90
SIZE	56W*56L*45H



1.6 ENEC IP20

PRODUCT CODE	KL-FX-5002
POWER	10W
CCT	3000k,3500k,4000k
OPTIC	20° 35°
LUMENS	810lm
CRI	>90
SIZE	56W*99L*45H

Colors

White Black



1.6 ENEC IP20

PRODUCT CODE	KL-FX-5003
POWER	15W
CCT	3000k,3500k,4000k
OPTIC	20° 35°
LUMENS	1178lm
CRI	>90
SIZE	56W*142L*45H

Colors


White Black

Optional Colors for Reflector




White Black Dark Chrome Chrome Golden

Optional Colors for Reflector




White Black Dark Chrome Chrome Golden

Optional Colors for Reflector



White Black Dark Chrome Chrome Golden



1.6 ENEC IP20

PRODUCT CODE	KL-TL-FX-5011
POWER	5W
CCT	3000k,3500k,4000k
OPTIC	20° 35°
LUMENS	412lm
CRI	>90
SIZE	65W*65L*58H

Colors

White Black

1.6 ENEC IP20



PRODUCT CODE	KL-TL-FX-5012
POWER	10W
CCT	3000k,3500k,4000k
OPTIC	20° 35°
LUMENS	810lm
CRI	>90
SIZE	65W*100L*58H

Colors

White Black

1.6 ENEC IP20



PRODUCT CODE	KL-TL-FX-5013
POWER	15W
CCT	3000k,3500k,4000k
OPTIC	20° 35°
LUMENS	1178lm
CRI	>90
SIZE	65W*140L*58H

Colors

White Black

Optional Colors for Reflector



White Black Dark Chrome Chrome Golden

Optional Colors for Reflector




White Black Dark Chrome Chrome Golden

Optional Colors for Reflector



White Black Dark Chrome Chrome Golden

SURFACE MOUNTED LED SPOT



Colors
White Black

1.6 12V II V CE IP20

PRODUCT CODE	KL-SF-5021
POWER	5W
CCT	3000k,3500k,4000k
OPTIC	20° 35°
LUMENS	412lm
CRI	>90
SIZE	56W*80H



Colors
White Black

1.6 12V II V CE IP20

PRODUCT CODE	KL-SF-5022
POWER	10W
CCT	3000k,3500k,4000k
OPTIC	20° 35°
LUMENS	810lm
CRI	>90
SIZE	99W*80H

Optional Colors for Reflector



Optional Colors for Reflector



Optional Colors for Reflector



MINI { RECESSED LED SPOT }



Colors
White Black

1.6 12V II V CE IP20

PRODUCT CODE	KL-FX-4007
POWER	7 W
CCT	3000k,3500k,4000k
OPTIC	15° 24° 36°
CRI	>90
SIZE	37W*81H



Colors
White Black

1.6 12V II V CE IP20

PRODUCT CODE	KL-FX-4010
POWER	10W
CCT	3000k,3500k,4000k
OPTIC	15° 24° 36°
CRI	>90
SIZE	42W*91H

Optional Colors for Reflector




Optional Colors for Reflector



Optional Colors for Reflector





Colors

White Black

1.6 12V II CE IP20

PRODUCT CODE	KL-TL-FX-4107
POWER	7 W
CCT	3000k,3500k,4000k
OPTIC	15° 24° 36°
CRI	>90
SIZE	40W*81H



Colors

White Black

1.6 12V II CE IP20

PRODUCT CODE	KL-TL-FX-4110
POWER	10W
CCT	3000k,3500k,4000k
OPTIC	15° 24° 36°
CRI	>90
SIZE	45W*91H

Optional Colors for Reflector



White Black Dark Chrome Chrome Golden

Optional Colors for Reflector



White Black Dark Chrome Chrome Golden

Optional Colors for Reflector



White Black Dark Chrome Chrome Golden




Colors

White Black

1.6 12V II V CE IP20

PRODUCT CODE	KL-FX-4012
POWER	12W
CCT	3000k,3500k,4000k
OPTIC	24° 36°
CRI	>90
SIZE	54W*73H



Colors

White Black

1.6 12V II V CE IP20

PRODUCT CODE	KL-TL-FX-4112
POWER	12W
CCT	3000k,3500k,4000k
OPTIC	24° 36°
CRI	>90
SIZE	60W*73H

Optional Colors for Reflector



Optional Colors for Reflector



Optional Colors for Reflector





Colors

White Black

1.6 12V II V CE IP20

PRODUCT CODE	KL-FX-4207
POWER	7W
CCT	3000k,3500k,4000k
OPTIC	15° 24° 36° 60°
CRI	>90
SIZE	37W*81H



Colors

White Black

1.6 12V II V CE IP20

PRODUCT CODE	KL-FX-4210
POWER	10W
CCT	3000k,3500k,4000k
OPTIC	15° 24° 36° 60°
CRI	>90
SIZE	42W*91H

Optional Colors for Reflector



White Black Dark Chrome Chrome Golden

Optional Colors for Reflector



White Black Dark Chrome Chrome Golden

Optional Colors for Reflector



White Black Dark Chrome Chrome Golden



Colors

White Black

1.6 12V II V CE IP20

PRODUCT CODE	KL-TL-FX-4307
POWER	7 W
CCT	3000k,3500k,4000k
OPTIC	15° 24° 36° 60°
CRI	>90
SIZE	40W*81H



Colors

White Black

1.6 12V II V CE IP20

PRODUCT CODE	KL-TL-FX-4310
POWER	10W
CCT	3000k,3500k,4000k
OPTIC	15° 24° 36° 60°
LUMENS	844lm
CRI	>90
SIZE	45W*91H

Optional Colors for Reflector



Optional Colors for Reflector




Optional Colors for Reflector



APOLLO

RECESSED LED SPOT





Colors

White Black

1.6 12V II V CE IP20

PRODUCT CODE	KL-FX/AD-7007
POWER	7 W
CCT	3000k,3500k,4000k
OPTIC	25° 50°
CRI	>90
SIZE	Φ81xH65



Colors

White Black

1.6 12V II V CE IP20

PRODUCT CODE	KL-TL-FX/AD-7107
POWER	7W
CCT	3000k,3500k,4000k
OPTIC	25° 50°
CRI	>90
SIZE	Φ75xH65

Optional Colors for Reflector



Optional Colors for Reflector



Optional Colors for Reflector






Colors

White Black

1.6 12V II V CE IP20

PRODUCT CODE	KL-FX/AD-7010
POWER	10W
CCT	3000k,3500k,4000k
OPTIC	25° 50°
CRI	>90
SIZE	φ81xH87



Colors

White Black

1.6 12V II V CE IP20

PRODUCT CODE	KL-FX/AD-7015
POWER	15W
CCT	3000k,3500k,4000k
OPTIC	25° 50°
CRI	>90
SIZE	φ81xH87

Optional Colors for Reflector




Optional Colors for Reflector



Optional Colors for Reflector





Colors

White Black

1.6 12V II V CE IP20

PRODUCT CODE	KL-TL-FX/AD-7110
POWER	10W
CCT	3000k,3500k,4000k
OPTIC	25° 50°
CRI	>90
SIZE	φ75xH87



Colors

White Black

1.6 12V II V CE IP20

PRODUCT CODE	KL-TL-FX/AD-7115
POWER	15W
CCT	3000k,3500k,4000k
OPTIC	25° 50°
CRI	>90
SIZE	φ75xH87

Optional Colors for Reflector




Optional Colors for Reflector



Optional Colors for Reflector





Colors

White Black

1.6 12V II V CE IP20

PRODUCT CODE	KL-TL-FX/AD-7210
POWER	10W
CCT	3000k,3500k,4000k
OPTIC	25° 50°
CRI	>90
SIZE	L75XW75xH87



Colors

White Black

1.6 12V II V CE IP20

PRODUCT CODE	KL-TL-FX/AD-7215
POWER	15W
CCT	3000k,3500k,4000k
OPTIC	25° 50°
CRI	>90
SIZE	L75XW75xH87

Optional Colors for Reflector



White Black Dark Chrome Chrome Golden

Optional Colors for Reflector



White Black Dark Chrome Chrome Golden

Optional Colors for Reflector



White Black Dark Chrome Chrome Golden

CASTOR

RECESSED LED SPOT





Colors

White Black

1.6 100% II V CE IP20

PRODUCT CODE	KL-AD-L2120
POWER	20W
CCT	3000k,3500k,4000k
OPTIC	15° 24° 36°
LUMENS	1733lm
CRI	>90
SIZE	W90*H104



Colors

White Black

1.6 100% II V CE IP20

PRODUCT CODE	KL-AD-L2130
POWER	30W
CCT	3000k,3500k,4000k
OPTIC	15° 24° 36°
LUMENS	2200lm
CRI	>90
SIZE	W90*H105

Optional Colors for Reflector



White Black Dark Chrome Chrome Golden

Optional Colors for Reflector



White Black Dark Chrome Chrome Golden

Optional Colors for Reflector



White Black Dark Chrome Chrome Golden



Colors

White Black

1.6 100% II V CE IP 20

PRODUCT CODE	KL-ZM-L2220
POWER	20W
CCT	3000k,3500k,4000k
OPTIC	15° 24° 36°
LUMENS	1733lm
CRI	>90
SIZE	W90*H105



Colors

White Black

1.6 100% II V CE IP 20

PRODUCT CODE	KL-ZM-2230
POWER	30W
CCT	3000k,3500k,4000k
OPTIC	15° 24° 36°
LUMENS	2200lm
CRI	>90
SIZE	W90*H105

Optional Colors for Reflector



Optional Colors for Reflector



Optional Colors for Reflector





Colors

White Black

1.6 12V II V CE IP20

PRODUCT CODE	KL-RS-T010
POWER	10W
CCT	3000k,3500k,4000k
OPTIC	15° 24° 36°
LUMENS	872lm
CRI	>90



Colors

White Black

1.6 12V II V CE IP20

PRODUCT CODE	KL-RS-T015
POWER	15W
CCT	3000k,3500k,4000k
OPTIC	15° 24° 36°
LUMENS	1176lm
CRI	>90

Optional Colors for Reflector



Optional Colors for Reflector



Optional Colors for Reflector





Colors

White Black

1.6 12V II V CE IP20

PRODUCT CODE	KL-SM-T010
POWER	10W
CCT	3000k,3500k,4000k
OPTIC	15° 24° 36°
LUMENS	872lm
CRI	>90



Colors

White Black

1.6 12V II V CE IP20

PRODUCT CODE	KL-SM-T015
POWER	15W
CCT	3000k,3500k,4000k
OPTIC	15° 24° 36°
LUMENS	1176lm
CRI	>90

Optional Colors for Reflector



White Black Dark Chrome Chrome Golden

Optional Colors for Reflector



White Black Dark Chrome Chrome Golden

Optional Colors for Reflector



White Black Dark Chrome Chrome Golden



Colors

White Black

1.6 12V II V CE IP20

PRODUCT CODE	KL-SU-T015
POWER	10W
CCT	3000k,3500k,4000k
OPTIC	15° 24° 36°
LUMENS	872lm
CRI	>90



Colors

White Black

1.6 12V II V CE IP20

PRODUCT CODE	KL-TRK-T030
POWER	30W
CCT	3000k,3500k,4000k
OPTIC	15° 24° 36°
LUMENS	872lm
CRI	>90

Optional Colors for Reflector



White Black Dark Chrome Chrome Golden

Optional Colors for Reflector




White Black Dark Chrome Chrome Golden


Optional Colors for Reflector



White Black Dark Chrome Chrome Golden


Orian





PRODUCT CODE	MOUNTING KIT TRIMLESS
	1M
	2M
	3M

Colors
☒ White ☐ Black



PRODUCT CODE	MOUNTING KIT TRIM
	1M
	2M
	3M

Colors
☒ White ☐ Black

Optional Colors for Reflector



Optional Colors for Reflector



Optional Colors for Reflector





1.6 ENEC II V CE IP 20

PRODUCT CODE	KL-FX-5201-06
POWER	6W
CCT	3000k,3500k,4000k
OPTIC	20° 30° 40° 50°
LUMENS	
CRI	>90
SIZE	60*37.5



1.6 ENEC II V CE IP 20

PRODUCT CODE	KL-FX5202-12
POWER	12W
CCT	3000k,3500k,4000k
OPTIC	20° 30° 40° 50°
LUMENS	
CRI	>90
SIZE	75.5*60



1.6 ENEC II V CE IP 20

PRODUCT CODE	KL-FX-5203-06
POWER	6W
CCT	3000k,3500k,4000k
OPTIC	20° 30° 40° 50°
LUMENS	
CRI	>90
SIZE	37.5*85



1.6 ENEC II V CE IP 20

PRODUCT CODE	KL-5204-06
POWER	6W
CCT	3000k,3500k,4000k
OPTIC	20°,30°,40°
LUMENS	
CRI	>90
SIZE	132*27

Colors

White Black

Colors

White Black

Optional Colors for Reflector



Optional Colors for Reflector



Optional Colors for Reflector



Star Series

Recessed Led Spot Lights



1.8 100% 11 12 CE IP20

PRODUCT CODE	KL-FX-7007-07
POWER	7W
CCT	3000k,3500k,4000k
OPTIC	8"10"15"24"36"50"
LUMENS	420LM
CRI	>90
SIZE	φ60*H81mm



Colors

White Black

1.8 100% 11 12 CE IP20

PRODUCT CODE	KL-FX-7010-10
POWER	10W
CCT	3000k,3500k,4000k
OPTIC	8"10"15"24"36"50"
LUMENS	700LM
CRI	>90
SIZE	φ70*H89mm



Colors

White Black

1.8 100% 11 12 CE IP20

PRODUCT CODE	KL-FX-7015-15v
POWER	15W
CCT	3000k,3500k,4000k
OPTIC	8"10"15"24"36"50"
LUMENS	1500LM
CRI	>90
SIZE	80W*100H



Colors

White Black

1.8 100% 11 12 CE IP20

PRODUCT CODE	KL-SN-7107-07
POWER	7ttW
CCT	3000k,3500k,4000k
OPTIC	24"36"
LUMENS	1800lm
CRI	>90
SIZE	Ø55mm



Colors

White Black

Optional Colors for Reflector



Optional Colors for Reflector



Optional Colors for Reflector



KAIRVI LIGHTING

Lio

Track







    	
PRODUCT CODE	KL-MT-6625-06
POWER	6W
CCT	3000k,3500k,4000k,5000k
OPTIC	15° 24° 36° 60°
LUMENS	
CRI	>90
SIZE	Ø35*80mm



     IP 20	
PRODUCT CODE	KL-MT6625-18
POWER	18W
CCT	3000k,3500k,4000k,5000k
OPTIC	15° 24° 36° 60°
LUMENS	
CRI	>90
SIZE	Ø55*114mm



     IP 20	
PRODUCT CODE	KL-MT-6625-12
POWER	12W
CCT	3000k,3500k,4000k,5000k
OPTIC	15° 24° 36° 60°
LUMENS	
CRI	>90
SIZE	Ø45*103mm



White Black Dark Chrome Chrome Golden

White Black Dark Chrome Chrome Golden

White Black Dark Chrome Chrome Golden



Colors

White Black

18W ENEC CE IP20

PRODUCT CODE	KL-MT-7625-06
POWER	6W
CCT	3000k,3500k,4000k,5000k
OPTIC	15° 24° 36°
LUMENS	
CRI	>90
SIZE	L112*W*22*H25mm



18W ENEC CE IP20

PRODUCT CODE	KL-MT7625-12
POWER	12W
CCT	3000k,3500k,4000k,5000k
OPTIC	15° 24° 36° 60°
LUMENS	
CRI	>90
SIZE	L328*W*22*H25mm



Colors

White Black

18W ENEC CE IP20

PRODUCT CODE	KL-MT7625-18
POWER	18W
CCT	3000k,3500k,4000k,5000k
OPTIC	15° 24° 36° 60°
LUMENS	
CRI	>90
SIZE	L328*W*22*H25mm

Colors

White Black

Optional Colors for Reflector



White Black Dark Chrome Chrome Golden

Optional Colors for Reflector



White Black Dark Chrome Chrome Golden

Optional Colors for Reflector



White Black Dark Chrome Chrome Golden



Astro

Surface Spot Light





1.6 8000 11 12 CE IP 20

PRODUCT CODE	KL-WM-3310-03/06
POWER	3W/6W
CCT	2700k,3000k
OPTIC	8° 15° 24° 40° 15°*35°
LUMENS	
CRI	>80
SIZE	67*90*43



1.6 8000 11 12 CE IP 20

PRODUCT CODE	KL-WM-3310-03/06
POWER	3W/6W
CCT	2700k,3000k
OPTIC	8° 15° 24° 40° 15°*35°
LUMENS	
CRI	>80
SIZE	67*90*43



1.6 8000 11 12 CE IP 20

PRODUCT CODE	KL-WM-3310-03/06
POWER	3W/6W
CCT	2700k,3000k
OPTIC	8° 15° 24° 40° 15°*35°
LUMENS	
CRI	>80
SIZE	67*90*43

Lorem Ipsum

Optional Colors for Reflector



White Black Dark Chrome Chrome Golden

Optional Colors for Reflector



White Black Dark Chrome Chrome Golden

Optional Colors for Reflector



White Black Dark Chrome Chrome Golden

Outdoor Surface Mounted Lights





1.6 ENEC II V CE IP67

PRODUCT CODE	KL-IG-5510
POWER	2W-24VDC
CCT	2700k,3000k
OPTIC	10°,15°,20°
LUMENS	135lm
CRI	
SIZE	W27*H43
IK Rating	IK02



1.6 ENEC II V CE IP67

PRODUCT CODE	KL-IG-6510
POWER	2W-24VDC
CCT	2700k,3000k
OPTIC	8°,13°,25°,30°
LUMENS	120lm
CRI	
SIZE	W45*H65
IK Rating	IK06



1.6 ENEC II V CE IP67

PRODUCT CODE	KL-IG-7510
POWER	3W-24VDC/220-240VAC
CCT	2700k,3000k
OPTIC	9° 15° 20° 30° 45° 11X33°
LUMENS	183lm
CRI	
SIZE	W55W*H85
IK Rating	IK08



1.6 ENEC II V CE IP67

PRODUCT CODE	KL-IG-8510
POWER	5W-24VDC /220-240VAC
CCT	2700k,3000k
OPTIC	9° 15° 20° 30° 45° 11X33°
LUMENS	305lm
CRI	
SIZE	W65*H105
IK Rating	IK08



PRODUCT CODE	KL-SF-R03
POWER	240V-03W
CCT	2700k,3000k
OPTIC	20°
LUMENS	
CRI	>80
SIZE	D45*L76



PRODUCT CODE	KL-SF-S03
POWER	240V-03W
CCT	2700k,3000k
OPTIC	20°
LUMENS	
CRI	>80
SIZE	D45*L76



PRODUCT CODE	KL-SF-7510
POWER	240V-03W
CCT	2700k,3000k
OPTIC	9° 15° 20° 30° 45° 10°X45°
LUMENS	
CRI	>80
SIZE	D42*L85*H85



1.6 5000K 12W 12V CE IP 65

PRODUCT CODE	KL-WM4210-06
POWER	06W-24VDC/220-240VAC
CCT	2700K,3000k
OPTIC	15° 30° 45°
LUMENS	282lm
CRI	>80
SIZE	



1.6 5000K 12W 12V CE IP 65

PRODUCT CODE	KL-WM4220-12
POWER	12W-24VDC/220-240VAC
CCT	2700k,3000k
OPTIC	15° 30° 45°
LUMENS	282lm*2
CRI	>80
SIZE	

1.6 5000K 12W 12V CE IP 65

PRODUCT CODE	KL-WM3310-06
POWER	03W-06W-24VDC
CCT	2700K,3000k
OPTIC	8° 15° 24° 36° 15°*35°
LUMENS	240lm,460lm
CRI	>80
SIZE	W40*H90°



1.8 6000h 1000lm V CE IP 65

PRODUCT CODE	KL-SFLN-4360-06
POWER	06W-24VDC
CCT	2700K,3000k
OPTIC	30° 38°
LUMENS	289
CRI	>80
SIZE	W25*H15*L255



1.8 6000h 1000lm V CE IP 65

PRODUCT CODE	KL-SFLN-4321-12
POWER	12W-24VDC
CCT	2700k,3000k
OPTIC	30° 38°
LUMENS	510
CRI	>80
SIZE	W25*H15*L505



1.8 6000h 1000lm V CE IP 65

PRODUCT CODE	KL-SFLN-4342-24
POWER	24W-24VDC
CCT	2700k,3000k
OPTIC	30° 38°
LUMENS	1020
CRI	>80
SIZE	W25*H15*L1005




PRODUCT CODE	KL-SFLN-5360-06
POWER	06W-24VDC
CCT	2700k,3000k
OPTIC	L11X33°
LUMENS	335
CRI	>80
SIZE	W25*H25*L255
IK Rating	IK02



PRODUCT CODE	KL-SFLN-5321-12
POWER	12W-24VDC
CCT	2700k,3000k
OPTIC	L11X33°
LUMENS	700
CRI	>80
SIZE	W25*H25*L500
IK Rating	IK02



PRODUCT CODE	KL-SFLN-5342-24
POWER	24W-24VDC
CCT	2700k,3000k
OPTIC	L11X33°
LUMENS	1413
CRI	>80
SIZE	W25*H25*L1000
IK Rating	IK02



Colors

White Black

1.6 RoHS CE IP 67

PRODUCT CODE	KL-CURB2012-03
POWER	3W-24VDC
CCT	2700K,3000k,4000k,RGBW
OPTIC	Diffused
LUMENS	
CRI	>80
SIZE	W100*H200*35mm



Colors

White Black

1.6 RoHS CE IP 67

PRODUCT CODE	KL-CURB2013-05
POWER	5W-24VDC
CCT	2700K,3000k,4000k,RGBW
OPTIC	Diffused
LUMENS	
CRI	>80
SIZE	W150*H300*36mm



Kairvi Lighting

CONTACT US
SHAGUN ENTERPRISES INDIA

Upper Ground Floor, B-35/938/1-A, Opp. MBD Mall,
Ferozepur Road, Ludhiana - 141012.

T: +91 98146 22737

E: rajat@kairvilighting.com | info@kairvilighting.com

Illuminating Your World.