In [5]:
```
import numpy as np
import pandas as pd
from sklearn.linear_model import LogisticRegression
from sklearn.preprocessing import StandardScaler
```

In [6]:
```
df = pd.read_csv(r"C:\Users\jyothi reddy\Downloads\ionosphere.csv")
df
```

Out[6]:

	column_a	column_b	column_c	column_d	column_e	column_f	column_g	column_h	column_i	column
0	True	False	0.99539	-0.05889	0.85243	0.02306	0.83398	-0.37708	1.00000	0.037
1	True	False	1.00000	-0.18829	0.93035	-0.36156	-0.10868	-0.93597	1.00000	-0.045
2	True	False	1.00000	-0.03365	1.00000	0.00485	1.00000	-0.12062	0.88965	0.011
3	True	False	1.00000	-0.45161	1.00000	1.00000	0.71216	-1.00000	0.00000	0.000
4	True	False	1.00000	-0.02401	0.94140	0.06531	0.92106	-0.23255	0.77152	-0.163
...	...	...	...	...	...	...	...	...	...	
346	True	False	0.83508	0.08298	0.73739	-0.14706	0.84349	-0.05567	0.90441	-0.046
347	True	False	0.95113	0.00419	0.95183	-0.02723	0.93438	-0.01920	0.94590	0.016
348	True	False	0.94701	-0.00034	0.93207	-0.03227	0.95177	-0.03431	0.95584	0.024
349	True	False	0.90608	-0.01657	0.98122	-0.01989	0.95691	-0.03646	0.85746	0.001
350	True	False	0.84710	0.13533	0.73638	-0.06151	0.87873	0.08260	0.88928	-0.091

351 rows × 35 columns

In [7]:
```
pd.set_option('display.max_rows',10000000000)
pd.set_option('display.max_columns',10000000000)
pd.set_option('display.width',95)
```

In [8]:
```
print('This DataFrame has %d Rows and %d columns'%(df.shape))
```

```
This DataFrame has 351 Rows and 35 columns
```

In [9]:
```
df.head()
```

Out[9]:

	column_a	column_b	column_c	column_d	column_e	column_f	column_g	column_h	column_i	column_j
0	True	False	0.99539	-0.05889	0.85243	0.02306	0.83398	-0.37708	1.00000	0.03760
1	True	False	1.00000	-0.18829	0.93035	-0.36156	-0.10868	-0.93597	1.00000	-0.04549
2	True	False	1.00000	-0.03365	1.00000	0.00485	1.00000	-0.12062	0.88965	0.01198
3	True	False	1.00000	-0.45161	1.00000	1.00000	0.71216	-1.00000	0.00000	0.00000
4	True	False	1.00000	-0.02401	0.94140	0.06531	0.92106	-0.23255	0.77152	-0.16399

In [10]:
```
features_matrix = df.iloc[:,0:34]
```

In [11]:
```
target_vector = df.iloc[:,-1]
```

In [12]:
```
print('The Features Matrix Has %d Rows And %d columns(s)'%(features_matrix.shape))
print('The Target Matrix Has %d Rows And %d Columns(s)'%(np.array(target_vector).reshape(
```

```
The Features Matrix Has 351 Rows And 34 columns(s)
The Target Matrix Has 351 Rows And 1 Columns(s)
```

In [13]:
```
features_matrix_standardized = StandardScaler().fit_transform(features_matrix)
```

In [14]:
```
algorithm = LogisticRegression(penalty=None,dual=False, tol=1e-4,C=1.0, fit_intercept=Tru
class_weight=None,random_state=None,solver='lbfgs',max_iter=10000,
multi_class='auto',verbose=0, warm_start=False, n_jobs=None,l1_ratio=None)
```

In [15]:
```
Logistic_Regression_Mode = algorithm.fit(features_matrix_standardized,target_vector)
```

In [16]:
```
observation=[[1,0,0.99539,-0.5889,0.8524299999999999,0.02306,0.83397999999999,-0.37708,
              1.0,0.0376,0.8524-299999999999,-0.17755,0.59755,-0.44945,0.60536,-0.38223,
              0.84356000000000001,-0.38542,0.58212,-0.32192,0.56971,-0.29674,0.36946,
              -0.47357,0.56811,-0.51171,0.41078000000000003,-0.46168000000000003,0.21256,
              -0.3409,0.112267,-0.54487,0.18641,-0.4453]]
```

In [17]:
```
predictions = Logistic_Regression_Mode.predict(observation)
print('The Model predicted The observation To Belong To Class %s'%(predictions))
```

```
The Model predicted The observation To Belong To Class ['g']
```

In [18]:
```
print('The algorithm was trained to predict one of the two classes:%s'%(algorithm.classes_
```

```
The algorithm was trained to predict one of the two classes:['b' 'g']
```

In [20]:
```
print("""The Model Says The Probability Of The observation We Passed belonging To The Clas
%(algorithm.predict_proba(observation)[0][0]))
print()
print("""The Model Says The Probability Of The observation We Passed belonging To The Clas
%(algorithm.predict_proba(observation)[0][1]))
```

```
The Model Says The Probability Of The observation We Passed belonging To The Class ['b']
is 0.0

The Model Says The Probability Of The observation We Passed belonging To The Class ['g']
is 1.0
```

In [ ]:
```

```