

src / Addnum / main



Project ▾  
Addnum  
Add C:\Users\LENOVO\IdeaProjects\Add  
  > .idea  
  > out  
  > src  
    Addnum  
    Add.iml  
  > External Libraries  
  > Scratches and Consoles



Addnum.java  
1 public class Addnum {  
2     public static void main(String[] args)  
3     {  
4         //print the result  
5         System.out.println("Output is :");  
6  
7         //loop to print 1 to 10.  
8         for(int i = 1; i <= 6; i++)  
9         {  
10             System.out.println(i);  
11         }  
12     }  
13 }  
14


Run: Addnum

↑ Output is :  
1  
2  
3  
4  
5  
6

Process finished with exit code 0







PC0

Physical Config Desktop Programming Attributes

Command Prompt

```
Packet Tracer PC Command Line 1.0
C:\>ping 100.100.100.101

Pinging 100.100.100.101 with 32 bytes of data:

Reply from 100.100.100.101: bytes=32 time=8ms TTL=128
Reply from 100.100.100.101: bytes=32 time=3ms TTL=128
Reply from 100.100.100.101: bytes=32 time=4ms TTL=128
Reply from 100.100.100.101: bytes=32 time=3ms TTL=128

Ping statistics for 100.100.100.101:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 3ms, Maximum = 8ms, Average = 4ms

C:\>ping 100.100.100.102

Pinging 100.100.100.102 with 32 bytes of data:

Reply from 100.100.100.102: bytes=32 time<1ms TTL=128
Reply from 100.100.100.102: bytes=32 time=6ms TTL=128
Reply from 100.100.100.102: bytes=32 time<1ms TTL=128
Reply from 100.100.100.102: bytes=32 time<1ms TTL=128

Ping statistics for 100.100.100.102:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 6ms, Average = 1ms

C:\>
```

Top

Toggle PDU List Window