


One Source, Two Filters

A Dillon Architecture Interpretation of Gravity, Nuclear Confinement, BCDE Cryptography, and Self-Healing Trust Systems



Timothy J. Dillon

206 Innovation Inc. — Bellevue, Washington

May 2026

Canonical control statement. Local relativistic c remains invariant. The Dillon Architecture uses c_{eff} for curvature-conditioned effective propagation across structured geometry, curvature gradients, boundary conditions, and temporal curvature evolution.

Contents

Abstract	2
1 Purpose and Scope	2
2 Canonical Dillon Architecture Foundation	2
3 Updated Canonical Equation Set	3
3.1 Local Invariance and Effective Propagation	3
3.2 Dillon Operator over Gravitational Geometry	3
3.3 Curvature Response Operator	3
3.4 Effective Coupling Surface	3
4 Curvature Variable Physics as the Force Translation Layer	4
5 The One Source, Two Filters Model	4
6 The Coupling Hierarchy as Curvature Compression	4
7 Nuclear Confinement as Curvature Locking	5
8 Gravity as Decompressed Residual Curvature	5
9 Relationship to Effective Coupling	5
10 Dillon Cryptography Extension: From Force Coupling to Structural Security	6
10.1 Post-Hardness Structural Reduction	6
10.2 Cryptographic Curvature State	6
10.3 CVP Spin Overlay and GPU-Resident Integrity	6
10.4 TEVR Proof Bundle	7
10.5 Security Interpretation	7
10.6 The 256-Bit Manifold Mapping	7
10.7 Binary Curvature Decoding Engine Metrics	8
10.8 PQC Exposure Mapping and Omega Classification	8
10.9 Self-Healing Trust Plane	8
10.10Silicon and Operating-System Integration	9

10.113-6-9 Harmonic Gating for Deterministic Control Epochs	9
11 Integration with CVP Fusion Confinement	9
12 Expanded Validation Path	10
12.1 Matrix 1: Mathematical and Formal Verification	10
12.2 Matrix 2: Cryptographic and Silicon Prototype Testing	10
12.3 Matrix 3: GPU and TEVR Reproducibility	10
12.4 Matrix 4: Physical and Fusion Modeling	11
13 Candidate Dillon Coupling Hierarchy Equation	11
14 Public Summary	11
15 Conclusion	11
Recommended Title Set	12
References	12

Abstract

This paper summarizes and reframes the “one source, two filters” thesis through the Dillon Architecture, Curvature Variable Physics (CVP), Dillon Cryptography, and the canonical c_{eff} formulation. The motivating claim is that gravity and the strong nuclear force may not be fundamentally separate primitives, but different scale-conditioned expressions of a single Planck-level geometric substrate. In this interpretation, the enormous hierarchy between nuclear interaction strength and gravitational coupling is modeled as a curvature-compression ratio produced by geometry, boundary conditions, and propagation filtering across scale.

The Dillon Architecture provides a structured language for this thesis. It preserves local relativistic invariance while introducing c_{eff} as a curvature-conditioned effective propagation variable. CVP then models force emergence as a consequence of dynamic curvature state, curvature gradients, temporal curvature evolution, and boundary constraints. Under this framework, nuclear confinement corresponds to high-density, short-radius curvature locking, while gravity corresponds to decompressed, long-range residual curvature expression. This paper formalizes that bridge and positions the gravitational coupling hierarchy as a candidate observable of curvature-conditioned projection rather than an unexplained separation between unrelated forces. The revision also adds the expanded Dillon Cryptography layer: the 256-bit manifold mapping, Binary Curvature Decoding Engine (BCDE), Composite Exposure Score, Omega Classification, Self-Healing Trust Plane, silicon interlocks, TEVR proof bundles, and GPU-resident integrity controls for deterministic high-performance computing.

1 Purpose and Scope

The public claim examined here can be summarized in one sentence: gravity and nuclear confinement may be two filtered expressions of one deeper geometric source. The first filter produces short-range, high-intensity nuclear confinement. The second produces long-range, weak gravitational curvature. The observed hierarchy between the two is therefore interpreted as an output of scale-conditioned geometry.

This paper does not assert that the hierarchy has already been experimentally derived from first principles. It provides a Dillon Architecture translation and a research framework for making the claim mathematically precise, testable, and publishable.

Working thesis. Nuclear confinement and gravity are scale-separated curvature projections of a common Planck-level substrate, mediated by curvature response, boundary conditions, and effective propagation geometry.

2 Canonical Dillon Architecture Foundation

The Dillon Architecture distinguishes local invariant causal speed from effective propagation across structured geometry. The canonical notation is:

$$c_{\text{eff}} = f(K, R, \nabla K, \partial_t K), \quad (1)$$

where K is a curvature field or curvature state, R is Ricci or gravitational curvature, ∇K is the spatial curvature gradient, $\partial_t K$ is temporal curvature evolution, and c_{eff} is observed or effective propagation behavior through structured geometry.

The important boundary condition is:

$$c_{\text{eff}} \rightarrow c \quad \text{when curvature is locally flat, static, or observationally negligible.} \quad (2)$$

Thus, local relativity is preserved. The framework does not claim that local light speed is broken. It claims that propagation, timing, coupling, and observed behavior can become geometry-conditioned across non-uniform curvature fields.

3 Updated Canonical Equation Set

The updated canonical equation set separates local invariance, effective propagation, curvature response, coupling sensitivity, and structural reduction into distinct layers. This prevents legacy variable-speed language from being confused with a claim that local relativistic causality is violated.

3.1 Local Invariance and Effective Propagation

$$c = \text{local invariant causal speed}, \quad (3)$$

$$c_{\text{eff}} = f(R), \quad (4)$$

$$c_{\text{eff}} = f(K, R, \nabla K, \partial_t K). \quad (5)$$

The shorthand $c_{\text{eff}} = f(R)$ is useful for public communication. The full canonical version is $c_{\text{eff}} = f(K, R, \nabla K, \partial_t K)$, where the effective propagation layer is conditioned by the full curvature state.

3.2 Dillon Operator over Gravitational Geometry

$$D(c_{\text{eff}}, h, G) = \left. \frac{\partial c_{\text{eff}}}{\partial G} \right|_h. \quad (6)$$

Here G denotes gravitational geometry or metric structure, and h denotes the informational hypersurface or evaluation scale held constant. The operator measures sensitivity of effective propagation to geometric variation.

3.3 Curvature Response Operator

$$C(K) = \beta_1 \frac{\partial K}{\partial t} + \beta_2 \nabla K + \beta_3 \nabla^2 K. \quad (7)$$

This operator is portable across force emergence, plasma confinement, electromagnetic propagation, cryptographic state spaces, GPU execution integrity, and deterministic AI control.

3.4 Effective Coupling Surface

$$\alpha_D(G, K) = \frac{e^2}{4\pi\epsilon_0\hbar c_{\text{eff}}}, \quad \alpha_{\text{eff}} = \mathcal{A}(c_{\text{eff}}, K, R, \nabla K, \partial_t K, B). \quad (8)$$

The coupling layer is not presented as a replacement for established constants in local laboratory regimes. It is a geometry-conditioned effective surface used to evaluate how coupling behavior may appear across structured curvature, boundary, and propagation regimes.

4 Curvature Variable Physics as the Force Translation Layer

CVP models complex behavior as the response of a system to curvature state, gradients, temporal drift, and boundary conditions. A compact curvature-response operator is:

$$C(K) = \beta_1 \frac{\partial K}{\partial t} + \beta_2 \nabla K + \beta_3 \nabla^2 K. \quad (9)$$

This combines temporal drift, spatial gradient, and curvature concentration. In the Dillon Architecture, observed force expression can therefore be modeled as a projection of curvature response:

$$F_{\text{observed}} = \mathcal{P}_{s,r,\rho,B} (C(K)), \quad (10)$$

where s is scale, r is localization radius or boundary, ρ is density or energy concentration, B is the boundary condition, and $\mathcal{P}$ is the projection operator mapping curvature response into observable force behavior.

This is the central bridge. The force is not merely isolated as a primitive. It is the measurable expression of curvature response under a specific projection regime.

5 The One Source, Two Filters Model

The thesis can be expressed as:

$$\text{Planck Curvature Source} \rightarrow \begin{cases} \text{nuclear-scale confinement curvature,} \\ \text{macroscopic gravitational curvature.} \end{cases} \quad (11)$$

In Dillon notation:

$$F_{\text{strong}} = \mathcal{P}_{\text{nuclear}} (C(K_{\text{Planck}})), \quad (12)$$

$$F_{\text{gravity}} = \mathcal{P}_{\text{macro}} (C(K_{\text{Planck}})). \quad (13)$$

The two forces are therefore modeled as different projections of a common curvature source. The nuclear projection is compact, high-density, and boundary-locked. The gravitational projection is decompressed, distributed, and long-range.

6 The Coupling Hierarchy as Curvature Compression

The ratio between nuclear-scale interaction strength and gravitational coupling is frequently described as a hierarchy problem. In this framework, the ratio becomes a curvature-compression factor:

$$\Lambda_D = \frac{\kappa_{\text{nuclear confinement}}}{\kappa_{\text{gravitational residual}}} \approx 10^{38}. \quad (14)$$

This equation should be read as an interpretive and research-program statement, not as a completed derivation. It states that the hierarchy may be the difference between curvature locked into a compact confinement regime and curvature distributed across macroscopic spacetime.

Dillon translation. The strong force is compressed curvature locked into a short-range confinement domain. Gravity is decompressed residual curvature distributed across spacetime. The hierarchy is the decompression ratio between those regimes.

7 Nuclear Confinement as Curvature Locking

A confinement domain may be represented as:

$$K_{\text{conf}} = K(t, r, \rho, \Psi, B), \quad (15)$$

where t is time, r is localization radius, ρ is energy density, Ψ is local field state, and B is the boundary condition. A nuclear-scale confinement regime occurs when curvature is highly localized, boundary-stabilized, and resistant to decompression:

$$\nabla K \gg 0, \quad \nabla^2 K \rightarrow \text{localized curvature well}, \quad B \rightarrow \text{closed confinement boundary}. \quad (16)$$

This is the Dillon Architecture interpretation of why nuclear confinement is short-range but extremely strong: it is curvature trapped in a high-gradient domain.

8 Gravity as Decompressed Residual Curvature

Gravity, by contrast, is long-range and comparatively weak. In Dillon terms, gravity is not weak because it is insignificant. It is weak because it is distributed.

The gravitational expression may be written conceptually as:

$$K_{\text{grav}} = \lim_{r \rightarrow \infty} \mathcal{D}(K_{\text{conf}}), \quad (17)$$

where $\mathcal{D}$ represents decompression, diffusion, or large-scale geometric distribution. The gravitational field appears as the residual curvature signature of the same deeper geometry:

$$F_{\text{gravity}} \sim \nabla R. \quad (18)$$

This produces the core equivalence:

$$\text{nuclear confinement} = \text{compressed curvature}, \quad \text{gravity} = \text{decompressed curvature}. \quad (19)$$

9 Relationship to Effective Coupling

The Dillon Architecture already generalizes coupling through the c_{eff} layer. For electromagnetic interaction, a curvature-sensitive expression can be written as:

$$\alpha_D(G, K) = \frac{e^2}{4\pi\epsilon_0\hbar c_{\text{eff}}}, \quad (20)$$

with:

$$c_{\text{eff}} = f(K, R, \nabla K, \partial_t K). \quad (21)$$

The same logic can be generalized for gravitational and nuclear coupling. Effective coupling is not only a fixed scalar; it may be modeled as a surface generated by geometry-conditioned propagation:

$$\alpha_{\text{eff}} = \mathcal{A}(c_{\text{eff}}, K, R, \nabla K, \partial_t K, B). \quad (22)$$

The deeper meaning of the one-source model is that coupling strength emerges from how curvature is filtered through scale and boundary.

10 Dillon Cryptography Extension: From Force Coupling to Structural Security

Dillon Cryptography applies the same architecture to information systems. The governing move is to treat cryptographic states not merely as random strings or opaque high-dimensional objects, but as structured state spaces whose invariants, curvature, residue behavior, and transformation paths can be audited.

10.1 Post-Hardness Structural Reduction

Let S represent a cryptographic state space and $\mathcal{F}$ represent its transformation family. A Dillon structural reduction is:

$$\rho : S \rightarrow G, \quad (23)$$

where G is a smaller geometric, residue, graph-theoretic, or invariant-preserving representation. The purpose is not to assume immediate breakage of modern systems. The purpose is to determine whether an apparently hard state space hides reducible structure.

The defensive version is:

$$\rho_{\text{def}} : S \rightarrow \{I, \Delta, \Gamma, H_{\text{audit}}\}, \quad (24)$$

where I denotes invariants, Δ denotes drift or contradiction, Γ denotes admissible state geometry, and H_{audit} denotes a hash-anchored audit trace.

10.2 Cryptographic Curvature State

A cryptographic object can be modeled as a curvature-state packet:

$$\mathcal{X}_{\text{crypto}} = \{S, \mathcal{F}, I, \rho, \Gamma, C(K), H_{\text{audit}}\}. \quad (25)$$

A secure system should preserve expected invariants under admissible transformation, while exposing contradiction, stale state, or unauthorized transition as measurable curvature drift:

$$\Delta_{\text{crypto}}(t) = \|I(S_{t+1}) - I(\mathcal{F}(S_t))\| + \lambda \|C(K_t)\|. \quad (26)$$

When $\Delta_{\text{crypto}}(t)$ exceeds a policy threshold, the system should flag, quarantine, replay, or reject the transition.

10.3 CVP Spin Overlay and GPU-Resident Integrity

For high-performance computing, the Dillon Cryptography layer becomes a GPU-resident integrity plane. Tensor states, kernel transitions, collective operations, memory paths, and fabric events are evaluated as geometry-conditioned state transitions rather than only as post-hoc checksums.

A compact state-integrity equation is:

$$\mathcal{I}_{\text{CSO}}(t) = \{T_t, K_t, Q_t, M_t, F_t, H_t\}, \quad (27)$$

where T_t denotes tensor state, K_t denotes kernel state, Q_t denotes scheduling or queue state, M_t denotes memory and storage provenance, F_t denotes fabric telemetry, and H_t denotes hash-anchored verification metadata.

The overlay checks whether the next state is admissible:

$$S_{t+1} \in \Gamma_{\text{admissible}}(S_t, C(K_t), \Pi_t), \quad (28)$$

where Π_t is the execution policy. This maps the force-coupling logic of the paper into computational security: valid propagation is constrained by geometry, invariants, and auditability.

10.4 TEVR Proof Bundle

The audit artifact can be represented as:

$$\mathcal{B}_{\text{TEVR}} = H(\text{kernel}, \text{seeds}, \text{schedule}, \text{invariants}, \text{checkpoints}, \text{environment}, \text{policy}). \quad (29)$$

The TEVR standard means Transparent, Encrypted, Verifiable, and Reproducible. A successful replay should satisfy:

$$\mathcal{R}(\mathcal{B}_{\text{TEVR}}) \rightarrow S'_T \quad \text{with} \quad d(S_T, S'_T) \leq \epsilon_{\text{policy}}. \quad (30)$$

For strict deterministic workloads, $\epsilon_{\text{policy}} = 0$ corresponds to bit-for-bit reproducibility. For floating-point and cross-architecture workloads, the tolerance can be policy-defined.

10.5 Security Interpretation

In this extension, cryptographic strength becomes more than secrecy through complexity. It becomes verified resistance under structural reduction:

$$\text{Security}_D = \text{Hardness} + \text{Invariant Preservation} + \text{Replayability} + \text{Auditability} - \text{Reducible Drift}. \quad (31)$$

This links the gravitational/nuclear hierarchy paper to Dillon Cryptography: both are projection problems. In physics, curvature projection produces force behavior. In cryptography, state-space projection reveals whether complexity is irreducible, auditable, or vulnerable to structural compression.

10.6 The 256-Bit Manifold Mapping

A 256-bit cryptographic state is usually treated as a point in a high-entropy space. Dillon Cryptography reframes that state as a coordinate on a structured recursive manifold. Let:

$$X_0 \in [2^{255}, 2^{256} - 1]. \quad (32)$$

The compressed odd-transition operator is:

$$U(X) = \frac{3X + 1}{2^{\beta(X)}}, \quad \beta(X) = \nu_2(3X + 1). \quad (33)$$

The structural behavior is classified into three regimes:

Regime	Valuation Condition	Dillon Cryptography Interpretation
Light	$\beta(X) = 1$	Entropic drift; apparent expansion and weak local contraction.
Near-Critical Strip	$\beta(X) \approx \ln(3)/\ln(2)$	Phase boundary where expansion and extraction balance.
Heavy	$\beta(X) \geq 2$	Syntropic contraction; structural volume compresses.

The cryptographic research question is whether practical key spaces contain repeated deformity corridors or residue alignments that can be detected defensively before they become exploitable.

10.7 Binary Curvature Decoding Engine Metrics

Let a 256-bit key or coefficient state be represented as:

$$\mathbf{b} = (b_0, b_1, \dots, b_{255}) \in \{0, 1\}^{256}. \quad (34)$$

The run-entropy metric tracks the distribution of contiguous bit runs:

$$H_{\text{run}}(\mathbf{b}) = - \sum_{i=1}^M P(\ell_i) \log_2 P(\ell_i), \quad (35)$$

where ℓ_i is the length of the i -th contiguous run and M is the number of runs. The Composite Exposure Score is proposed as:

$$\mathcal{E}(X) = \oint_{\mathcal{M}} \left[\left(\beta(X) - \frac{\ln 3}{\ln 2} \right) \nabla H_{\text{run}}(X) \right] dX. \quad (36)$$

Negative or rapidly decreasing exposure indicates heavy-regime contraction. Near-zero exposure indicates a phase-boundary condition requiring additional audit. Positive exposure indicates local entropic drift that may still leak rigidity through submanifold structure.

10.8 PQC Exposure Mapping and Omega Classification

For module-lattice systems, the notes model the polynomial ring used in ML-KEM-style constructions as:

$$R_q = \mathbb{Z}_q[X]/(X^{256} + 1), \quad q = 3329. \quad (37)$$

For a polynomial vector $\mathbf{s} \in R_q^k$, the discrete coordinate exposure is:

$$\mathcal{E}(R_q) = \sum_{j=1}^k \sum_{i=0}^{255} \left(v_2(3c_{ji} + 1) - \frac{\ln 3}{\ln 2} \right) H_{\text{run}}(c_{ji}). \quad (38)$$

Here c_{ji} is the i -th coefficient of the j -th polynomial module component. The following table is retained as an internal research-classification template and should be treated as a proposed scoring model requiring independent validation, not as a public claim that standardized PQC is broken.

Variant	Rank k	Modulus q	Illustrative Exposure	Omega Class
ML-KEM-512	2	3329	-128.45	Omega-1: Terminal Collapse
ML-KEM-768	3	3329	-42.10	Omega-2: Near-Critical Slip
ML-KEM-1024	4	3329	+12.84	Omega-3: Entropic Drift

For publication, this table should be paired with reproducible scripts, parameter files, sample keys, hardware traces, and independent red-team review.

10.9 Self-Healing Trust Plane

The Self-Healing Trust Plane is the defensive runtime layer that converts BCDE detection into containment and restoration. Incoming public-key or ciphertext coefficients are routed through a parallel register path that computes the Operational Trigger Tuple:

$$\Theta_{\text{op}} = (H_{\text{run}}, \beta, \mathcal{E}, \Gamma_{\text{safe}}). \quad (39)$$

The hardware fault boundary is:

$$\Lambda_{\text{fault}} = \text{Step} \left(\mathcal{E}_{\text{threshold}} - \left| \beta(X) - \frac{\ln 3}{\ln 2} H_{\text{run}}(X) \right| \right). \quad (40)$$

When $\Lambda_{\text{fault}} = 1$, the runtime response proceeds through three actions:

1. **Gate isolation:** drop or quarantine the active cryptographic execution context.
2. **Syntropic restructuring:** shift parameters into a temporary high-rigidity mask field so the same deformity corridor cannot be reused.
3. **Trust restoration:** issue a signed alert, rotate affected state, update policy, and preserve a proof bundle for audit.

10.10 Silicon and Operating-System Integration

At the silicon layer, the BCDE module is proposed as a parallel interlock near the polynomial arithmetic or tensor integrity path. It computes run structure, valuation depth, exposure, and fault state without relying only on post-hoc software checks. A conceptual implementation includes:

$$\text{Input Matrix} \rightarrow H_{\text{run}} \text{ Core} + \beta \text{ Core} \rightarrow \mathcal{E} \text{ Comparator} \rightarrow \Lambda_{\text{fault}}. \quad (41)$$

At the operating-system layer, the fault signal can be surfaced as a privileged interrupt. A top-half handler performs immediate containment, while a bottom-half daemon logs telemetry, isolates the namespace, rotates affected keys, and requests hardware-policy recalibration. This links microarchitectural defense to enterprise observability.

10.11 3-6-9 Harmonic Gating for Deterministic Control Epochs

The uploaded notes also specify a triadic gating schedule for stable sampling, curvature update, actuation, and verification windows:

$$\beta_1(t) = 3\omega_0 \sin(3\omega_0 t), \quad (42)$$

$$\beta_2(t) = 6\omega_0 \sin(6\omega_0 t), \quad (43)$$

$$\beta_3(t) = 9\omega_0 \sin(9\omega_0 t). \quad (44)$$

Substitution into the CVP operator gives:

$$C(K) = 3\omega_0 \sin(3\omega_0 t) \partial_t K + 6\omega_0 \sin(6\omega_0 t) \nabla K + 9\omega_0 \sin(9\omega_0 t) \nabla^2 K. \quad (45)$$

In computing, these gates define deterministic control epochs for integrity checks, kernel replay, stale-state suppression, and proof-bundle creation.

11 Integration with CVP Fusion Confinement

The connection to fusion is direct. In fusion, the engineering problem is not merely heating plasma. It is maintaining confinement against turbulence, drift, edge-localized modes, magnetohydrodynamic instability, and boundary loss.

A CVP plasma state may be represented as:

$$P(t) = \{n(t), T(t), B(t), J(t), K(t), \partial_t K, \nabla K\}. \quad (46)$$

A CVP correction signal is:

$$u_{\text{CVP}}(t) = -\gamma_1 \partial_t K - \gamma_2 \nabla K - \gamma_3 \nabla^2 K. \quad (47)$$

This mirrors the nuclear/gravity thesis. If nuclear force is a natural curvature-locking regime, then fusion confinement can be interpreted as an attempt to engineer an artificial curvature-locking regime at plasma scale.

The applied chain is:

$$\text{stabilize curvature boundary} \rightarrow \text{suppress turbulence} \rightarrow \text{extend confinement time} \rightarrow \text{enable net energy gain}. \quad (48)$$

12 Expanded Validation Path

The framework becomes scientifically and commercially stronger when each layer produces falsifiable, reproducible outputs. The recommended validation program is organized into four matrices.

12.1 Matrix 1: Mathematical and Formal Verification

Translate the compressed odd transition operator, residual-family definitions, and BCDE boundary lemmas into Lean 4 or Coq. The initial scaffolding verifies the operator:

$$U(n) = \frac{3n + 1}{2^{v_2(3n+1)}} \quad (49)$$

for odd n , then separates light-regime expansion, heavy-regime contraction, and near-critical boundary behavior. The audit target is removal of all placeholder assumptions and independent compilation under a clean proof environment.

12.2 Matrix 2: Cryptographic and Silicon Prototype Testing

Prototype the BCDE path in FPGA or GPU instrumentation. Inject controlled coefficient matrices and malformed public-key/ciphertext structures, then verify that Λ_{fault} triggers consistently under defined exposure conditions. The performance target from the notes is sub-cycle-class or very-low-latency detection in hardware, with immediate SRAM or state purge in high-risk conditions.

12.3 Matrix 3: GPU and TEVR Reproducibility

Run controlled workloads through CUDA/NCCL/GDS-style execution paths. Each run should produce a TEVR proof bundle:

$$\mathcal{B}_{\text{TEVR}} = H(\text{kernels, seeds, schedule, invariants, checkpoints, environment, policy}). \quad (50)$$

The acceptance metric is replay success under bit-for-bit or policy-tolerance conditions:

$$d(S_T, S'_T) \leq \epsilon_{\text{policy}}. \quad (51)$$

12.4 Matrix 4: Physical and Fusion Modeling

Derive Λ_D from explicit curvature operators, define $\mathcal{P}_{\text{nuclear}}$ and $\mathcal{P}_{\text{macro}}$ with boundary conditions, simulate compressed-to-decompressed curvature transition, and test whether CVP-guided control improves plasma stability metrics.

13 Candidate Dillon Coupling Hierarchy Equation

A compact summary equation is:

$$\Lambda_D = \frac{\mathcal{P}_{\text{nuclear}} [C(K_{\text{Planck}})]}{\mathcal{P}_{\text{grav}} [C(K_{\text{Planck}})]} \quad (52)$$

with:

$$C(K) = \beta_1 \partial_t K + \beta_2 \nabla K + \beta_3 \nabla^2 K, \quad c_{\text{eff}} = f(K, R, \nabla K, \partial_t K). \quad (53)$$

This states that the hierarchy between nuclear confinement and gravity is the ratio of two curvature projections operating on the same underlying curvature-response source.

14 Public Summary

Gravity, the strong nuclear force, and cryptographic state integrity may not be unrelated domains. In the Dillon Architecture, they can be interpreted as two scale-filtered expressions of one deeper curvature substrate. The strong force is compressed curvature locked into nuclear confinement. Gravity is decompressed residual curvature spread across spacetime. The famous coupling gap becomes a curvature-compression ratio, while Dillon Cryptography applies the same projection logic to state spaces, invariants, proof bundles, and deterministic GPU integrity.

15 Conclusion

The “one source, two filters” thesis becomes coherent inside the Dillon Architecture. In standard language, the claim is that gravity and the strong nuclear force may be different expressions of a single geometric origin. In Dillon language, the claim becomes more precise: nuclear confinement and gravity are scale-separated curvature projections of a common Planck-level substrate, mediated by curvature response, boundary conditions, and effective propagation geometry.

The strong force is interpreted as compressed curvature locked into a short-range confinement domain. Gravity is interpreted as decompressed residual curvature distributed across spacetime. The hierarchy between them becomes a curvature-compression ratio rather than an unexplained numerical gap.

The resulting chain is:

$$\text{Geometry} \rightarrow c_{\text{eff}} \rightarrow \text{Propagation} \rightarrow \text{Coupling} \rightarrow \text{Force} \rightarrow \text{Observable Behavior}. \quad (54)$$

This positions gravitational coupling, nuclear confinement, fusion control, and Dillon Cryptography as expressions of the same deeper principle: force is geometry under projection, confinement is curvature under boundary, and security is state evolution under invariant-preserving audit.

Recommended Title Set

1. **One Source, Two Filters: A Dillon Architecture Interpretation of Gravity and Nuclear Confinement**
2. Curvature Compression and the Gravitational Coupling Hierarchy
3. From Nuclear Confinement to Gravity: A CVP Model of Force Emergence
4. The Dillon Coupling Hierarchy: Reframing 10^{38} Through Curvature Variable Physics
5. Gravity as Decompressed Confinement: A Dillon Architecture Summary

References

1. Timothy J. Dillon, *The Dillon Architecture Grand Master Canon: c_{eff} Canonical Edition + Structural Solutions Binder*, 206 Innovation Inc., Bellevue, Washington, May 2026.
2. Timothy J. Dillon, *Curvature Variable Physics Confinement Layer for Fusion*, 206 Innovation Inc., 2026.
3. Timothy J. Dillon, *Dillon Fine-Structure Coupling and Curvature-Conditioned Electromagnetic Propagation*, 206 Innovation Inc., 2026.
4. Timothy J. Dillon, *Dillon Cryptography and Post-Hardness Architecture*, 206 Innovation Inc., 2026.
5. Timothy J. Dillon / 206 Innovation Inc., *The Convergence of Curvature Variable Physics and High-Performance Computing: CVP Spin Overlay and NVIDIA Inception Integration*, 2026.
6. A. Einstein, “The Foundation of the General Theory of Relativity,” *Annalen der Physik*, 1916.
7. H. Fritzsch, M. Gell-Mann, and H. Leutwyler, “Advantages of the Color Octet Gluon Picture,” *Physics Letters B*, 1973.
8. P. A. M. Dirac, “The Cosmological Constants,” *Nature*, 1937.