

My Github repo URL


My Render URL

My Github for Render URL


My Vercel URL

My Github for Vercel URL


## W07-P1: convert global blogs css to a styled component



```
JS Blogs_20js X JS BlogsSupabase JS BlogsSupabasePage_20js M ...
src > assets > wrapper JS Blogs_20js JS Wrapper
1 import styled from 'styled-components';
2
3 const Wrapper = styled.div`
4   --primary: #645cfff;
5   --primary-dark: #3c3799;
6   --grey-light: #f1f5f9;
7   --grey: #64748b;
8   --grey-dark: #0f172a;
9   --letter-spacing: 2px;
10  --fluid-width: 90vw;
11  --max-width: 1170px;
12  --border-radius: 0.15rem;
13  padding: 5rem 0;
14
15  .section-title {
16    text-align: center;
17    text-transform: capitalize;
18    margin: 2rem;
19    letter-spacing: 2px;
20  }
21
22  .blogs-center {
23    display: grid;
24    grid-template-columns: 1fr 1fr 1fr;
25    gap: 2rem;
26    width: var(--fluid-width);
27    max-width: var(--max-width);
28    margin: 0 auto;
29    /* max-width: 500px; */
30  }
31
32  export default BlogsSupabasePage_20;
33
34  useEffect(() => {
35    fetchBlogDataFromSupabase();
36  }, []);
37
38  return (
39    <Wrapper>
40      <section
41        className='blogs' >
42      </section>
43    </Wrapper>
44  );
45
46  export default
47  BlogsSupabasePage_20;
48
49  webpack compiled with 1 warning
```




```
JS BlogsLocalJsonPage_20js M JS BlogsNodeServerPage_20js M JS App_20js
src > pages > JS BlogsNodeServerPage_20js JS BlogsNodeServerPage_20 JS fetchBlogDataFromNodeServer
1 import { useState, useEffect } from 'react';
2
3 import axios from 'axios';
4
5 import Wrapper from '../assets/wrapper/Blogs_20';
6
7 // import blogsData from '../data/blogData2_20';
8
9 // let api url = 'http://localhost:5000/api/card2_20';
10 let api_url = 'https://one112-server-card-demo-20.onrender.com/api/card2_20';
11
12 const BlogsNodeServerPage_20 = () => {
13   const [name, setName] = useState('吴昱鑫');
14   const [id, setId] = useState('208417120');
15   const [data, setData] = useState({});
16   // console.log('blog data', data);
17
18   const fetchBlogDataFromNodeServer = async () => {
19     // ...
20   };
21
22   useEffect(() => {
23     fetchBlogDataFromNodeServer();
24   }, []);
25
26   return (
27     <Wrapper>
28       <section className='blogs' >
29         <div className='section-title' >
30           Fetch Blogs From Node --{name} {id}
31         </div>
32       </section>
33     </Wrapper>
34   );
35
36   export default
37   BlogsNodeServerPage_20;
38
39   webpack compiled with 1 warning
```



9993548 208417120


Wed Mar 29 21:33:51 2023 +0800 W07-P3: place BlogsSupabasePage\_xx data into DemoContext\_

# W07-P2: Convert mega menu (html, css) to React components using styled component



# W07-P3: place BlogsSupabasePage\_xx data into DemoContext\_xx.js, and make it work

The screenshot shows two files in a React project. The first file, `DemoContext_20.js`, defines a context provider. It uses `React.createContext()` to create `DemoContext_20` with an initial state of `{ pName: '吳昱霆', pid: '208417120', blogs: [] }`. A `DemoProvider_20` component is defined to wrap children with the context provider. A `useDemoContext_20` hook is also defined. The second file, `BlogsSupabasePage_20.js`, is a page component that imports `useDemoContext_20` and uses it to retrieve `pName` and `pid`. It also imports `fetchBlogDataFromSupabase` and uses it to fetch blog data. The page renders a list of blogs with their details.



d4fd7ec 208417120

Wed Mar 29 19:37:44 2023 +0800 W07-P1: convert global blogs css to a styled component

## W07-P4: place BlogsStaticPage\_xx data (name, id) into DemoContext\_xx.js, and make it work

![w07-p4-1.png]

## W07-P5: place BlogsLocalJsonPage\_xx data into DemoContext\_xx.js, and make it work

![w07-p5-1.png]

```
b4c6a4f 208417120    Wed Mar 22 21:01:58 2023 +0800    W06-P2: Deploy React to Vercel, show route /supabase_xx
8299f11 208417120    Wed Mar 22 20:23:47 2023 +0800    W06-P2: Deploy React to Vercel, show route /supabase_xx
```

## W07-logs

```
$ git log --pretty=format:"%h%x09%an%x09%ad%x09%s" --after="2023-3-28"
9993548 208417120    Wed Mar 29 21:33:51 2023 +0800    W07-P3: place BlogsSupabasePage_xx data into DemoContext_
8b77fdd 208417120    Wed Mar 29 20:39:33 2023 +0800    W07-P2: Convert mega menu (html, css) to React components
d4fd7ec 208417120    Wed Mar 29 19:37:44 2023 +0800    W07-P1: convert global blogs css to a styled component
```

```
User@E201-85 MINGW64 /d/1112_WP2_DEMO_20 (main)
$ git log --pretty=format:"%h%x09%an%x09%ad%x09%s" --after="2023-3-28"
9993548 208417120    Wed Mar 29 21:33:51 2023 +0800    W07-P3: place BlogsSupabasePage_xx data into DemoContext_xx.js, and make it work
8b77fdd 208417120    Wed Mar 29 20:39:33 2023 +0800    W07-P2: Convert mega menu (html, css) to React components using styled component
d4fd7ec 208417120    Wed Mar 29 19:37:44 2023 +0800    W07-P1: convert global blogs css to a styled component
```