
W11-P1: implement /api/mid2_24/menu_24/:category

```
× 🗑 聊天GPT
                JS apiMid2Router 24.is X () packs
                                                                                                                                                        🖻 ☆ 🖈 🔲 🚥 🗄
                                                                                                                                                                         O
                                                                                                                                                                         RHW
                                                                                                  "title": "buttermilk pancakes",
                                                                                                  "category": "breakfast",
                                                                                                  "price": "15.59",
               Uj
console.log('json data', results.rows);
res.json(results.rows);
tch(error){
console.log(error);
                                                                                                  "img": "/menu/images/item-1.jpeg",
"descrip": "Lorem ipsum dolor sit amet consectetur adipisicing
                                                                                             elit. Quam dolores ut iusto quas quia dignissimos ullam."
                                                                                                  "id": 5,
                                                                                       14
                                                                                                  "title": "Egg Attack",
                                                                                                  "category": "breakfast",
                                                                                       16
                                                                                                  "price": "2.99",
                                                                                                  "img": <a href="mages/item-5.jpeg"">"/menu/images/item-5.jpeg"</a>,
                                                                                                  "descrip": "Lorem ipsum dolor sit amet consectetur adipisicing
                                                                                             elit. Quam dolores ut iusto quas quia dignissimos ullam. Enim
                                                                                             voluptas, expedita"
                                                                            ≥ powershell
≥ bash
                                                                                                  "title": "Bacon Overflow",
                                                                                       24
                                                                                                  "category": "breakfast",
                                                                                                  "price": "8.99",
"img": "/menu/images/item-7.jpeg",
                                                                                                  "descrip": "Lorem ipsum dolor sit amet consectetur adipisicing
                                                                                             elit. Quam dolores ut iusto quas quia dignissimos ullam. Enim
                                                                                              voluptas, expedita"
```

git log --pretty=format:"%h%x09%an%x09%ad%x09%s" --after="2023-11-24"


5d0fefa unknown Wed Nov 22 20:13:56 2023 +0800 W11-P1: implement /api/mid2_24/menu_24/:category


W11-P2: implement /mid2_node_24 in React to get menu data from Node server



4c81370 unknown Sat Nov 25 17:02:02 2023 +0800 W11-P2: implement /mid2_node_24 in React to get menu data from Node server

W11-P3: implement /mid2_cat_node_24 in React to get category data from Node server






5b14ece unknown Sat Nov 25 17:53:30 2023 +0800 W11-P3: implement /mid2_cat_node_24 in React to get category data from Node server


W11-P4: Create two menu data with category 'dinner', and get these two data from React 'Dinner' button

デ 明天有雨 へ ② 図 ㎞ //。 Φ) 英 ① 下午 05:51 2023/11/25 ��

=> in pgAdmin, show two newly added data



=> in React, show two newly added data by pressing Dinner button



89a50fe unknown Sat Nov 25 18:01:35 2023 +0800 W11-P4: Create two menu data with category 'dinner', and get these two data from React 'Dinner' button

W011-P5: W7 all logs

