My Github URL

git log --pretty=format:"%h%x09%an%x09%ad%x09%s" --after="2024-03-06"

W3-P1: Use SupaClientGetBlog_xx.jsx (supabase client) to get card_24 data




```
eee371b unknown Thu Mar 7 14:25:38 2024 +0800   W3-P1: Use
SupaClientGetBlog_24.jsx (supabase client) to get card_24 data
```

W3-P2: Use SupaGetBlog_24.jsx to get card_24 data




```
0b18cc1 unknown Thu Mar 7 15:16:22 2024 +0800   W3-P2: Use SupaGetBlog_24.jsx to get card_24 data
```

W3-P3: Use SupaPostBlog_24.jsx to add blog data




```
2204a70 unknown Thu Mar 7 15:27:27 2024 +0800   W3-P3: Use SupaPostBlog_24.jsx to add blog data
```

W3-P4: Use SupaPatchBlog_24.jsx to modify blog data




```
2e15ba6 unknown Thu Mar 7 15:36:41 2024 +0800   W3-P4: Use SupaPatchBlog_24.jsx to modify
blog data
```

W3-P5: Use SupaDeleteBlog_24.jsx to delete blog data



```
3fa5589 unknown Thu Mar 7 15:44:57 2024 +0800   W3-P5: Use SupaDeleteBlog_24.jsx
to delete blog data
```

W3-P6: Git logs of W3

```
$ git log --pretty=format:"%h%x09%an%x09%ad%x09%s" --after="2024-03-06"
3fa5589 unknown Thu Mar 7 15:44:57 2024 +0800   W3-P5: Use SupaDeleteBlog_24.jsx
to delete blog data
2e15ba6 unknown Thu Mar 7 15:36:41 2024 +0800   W3-P4: Use SupaPatchBlog_24.jsx to
modify
blog data
2204a70 unknown Thu Mar 7 15:27:27 2024 +0800   W3-P3: Use SupaPostBlog_24.jsx to
add blog data
0b18cc1 unknown Thu Mar 7 15:16:22 2024 +0800   W3-P2: Use SupaGetBlog_24.jsx to
get card_24 data
eee371b unknown Thu Mar 7 14:25:38 2024 +0800   W3-P1: Use
SupaClientGetBlog_24.jsx (supabase client) to get card_24 data
```