

Pruebas de api

Api de patos

The screenshot shows a REST client interface with a dark theme. At the top, the URL bar contains `https://random-d.uk/api/random?type=jpg`, the method is `GET`, and the region is `US`. A blue `Send` button is on the right. Below the URL bar, there are tabs for `Content`, `Authorization`, `Headers`, and `Raw (2)`. To the right of these tabs are icons for sharing, refreshing, zooming, and saving. The `Content` tab is active, showing a dropdown menu with `JSON (application/json)`. The response body is a JSON object: `{"key": "value"}`. Below the response body, the status is `200 (OK)`, the time is `307 ms`, and the size is `0.08 kb`. At the bottom, there are tabs for `Content (4)`, `Headers (12)`, `Raw (14)`, `JSON`, and `Timings`. The `Content (4)` tab is active, showing a JSON object: `{ "message": "Powered by random-d.uk", "url": "https://random-d.uk/api/289.jpg" }`.

https://random-d.uk/api/random?type=jpg GET US Send

Content Authorization Headers Raw (2)

JSON (application/json)

```
{"key": "value"}
```

Status: 200 (OK) Time: 307 ms Size: 0.08 kb

Content (4) Headers (12) Raw (14) JSON Timings

```
{
  "message": "Powered by random-d.uk",
  "url": "https://random-d.uk/api/289.jpg"
}
```

Api de perros

The screenshot shows a REST client interface with a dark theme. At the top, the URL bar contains `https://dog.ceo/api/breeds/image/random/`. To the right of the URL bar are buttons for `GET`, `US`, and a blue `Send` button. Below the URL bar is a tabbed interface with `Content`, `Authorization`, `Headers`, and `Raw (2)`. The `Content` tab is active, showing a dropdown menu with `JSON (application/json)`. The response body is a large text area containing the JSON object `{"key": "value"}`. Below the response body, the status bar shows `Status: 200 (OK)`, `Time: 313 ms`, and `Size: 0.11 kb`. At the bottom, there is another tabbed interface with `Content (4)`, `Headers (21)`, `Raw (23)`, `JSON`, and `Timings`. The `Content (4)` tab is active, showing a JSON object with a message and status: `{ "message": "https://images.dog.ceo/breeds/setter-gordon/n02101006_4807.jpg", "status": "success" }`.

https://dog.ceo/api/breeds/image/random/ GET US Send

Content Authorization Headers Raw (2)

JSON (application/json)

```
{"key": "value"}
```

Status: 200 (OK) Time: 313 ms Size: 0.11 kb

Content (4) Headers (21) Raw (23) JSON Timings

```
{
  "message": "https://images.dog.ceo/breeds/setter-gordon/n02101006_4807.jpg",
  "status": "success"
}
```

Api de gatos

The screenshot shows a REST client interface with a dark theme. At the top, the URL bar contains `https://api.thecatapi.com/v1/images/search`. To the right of the URL bar are buttons for `GET`, `US`, and a blue `Send` button. Below the URL bar is a tabbed interface with `Content`, `Authorization`, `Headers`, and `Raw (2)`. The `Content` tab is selected. To the right of the tabs are icons for sharing, refreshing, zooming, and saving. Below the tabs is a dropdown menu showing `JSON (application/json)`. The main content area displays a JSON object: `{"key": "value"}`. Below this, the status bar shows `Status: 200 (OK)`, `Time: 122 ms`, and `Size: 0.11 kb`. At the bottom, there is another tabbed interface with `Content (6)`, `Headers (18)`, `Raw (20)`, `JSON`, and `Timings`. The `Content (6)` tab is selected. The main content area displays a JSON array: `[{"id": "d", "url": "https://25.media.tumblr.com/tumblr_krww7pEgmK1qa9hjs01_1280.jpg", "width": 800, "height": 600}]`.

`https://api.thecatapi.com/v1/images/search` GET US Send

Content Authorization Headers Raw (2)

JSON (application/json)

```
{"key": "value"}
```

Status: 200 (OK) Time: 122 ms Size: 0.11 kb

Content (6) Headers (18) Raw (20) JSON Timings

```
[{"id": "d",  
  "url": "https://25.media.tumblr.com/tumblr_krww7pEgmK1qa9hjs01_1280.jpg",  
  "width": 800,  
  "height": 600  
}]
```