

FULL STACK WITH MERN (JAVA) ASSIGNMENT-4

Galla manasa Vignan's Nirula
Institute of
Technology and Science
For Women (VNITSW) 4th
B-Tech (CSE)
20NN1A0512

ASSIGNMENT-4: Creating a Database Using MongoDB and Mongosh

OBJECTIVE:

The objective of this assignment is to familiarize yourself with MongoDB and its command-line interface, Mongosh, and to understand how to create, manage, and query databases and collections in MongoDB.

PROCESS

- **DATABASE SETUP:** Create a new MongoDB database called myDatabase.

❶ use myDatabase

❷ Output:

```
use myDatabase
switched to db myDatabase
db.createCollection("users")
{ ok: 1 }
```

- **COLLECTION CREATION:** Create a collection named users within the myDatabase database.

❸ db.createCollection("users")

❹ Output:

```

use myDatabase
switched to db myDatabase
db.createCollection("users")
{ ok: 1 }

```

- **DOCUMENT INSERTION:** Insert at least three documents into the users collection, each representing a user with fields such as name, email, and age.

⑩ Output:

```

db.users.insertMany([
  { name: "John Doe", email: "john@example.com", age: 25 },
  { name: "Sai", email: "sai@example.com", age: 35 },
  { name: "Alice Johnson", email: "alice@example.com", age: 30 },
  { name: "pavan", email: "pavan@example.com", age: 19 },
  { name: "lohi", email: "lohi@example.com", age: 20 },
  { name: "shubman gill", email: "shubman@example.com", age: 24 },
])
{
  acknowledged: true,
  insertedIds: {
    '0': ObjectId('65f95cf84594cd8c10686967'),
    '1': ObjectId('65f95cf84594cd8c10686968'),
    '2': ObjectId('65f95cf84594cd8c10686969'),
    '3': ObjectId('65f95cf84594cd8c1068696a'),
    '4': ObjectId('65f95cf84594cd8c1068696b'),
    '5': ObjectId('65f95cf84594cd8c1068696c')
  }
}
Database>

```

- **QUERYING:** Write queries to retrieve: All users from the users collection.

⑩ **Output:**

```
> db.users.find()
< {
  _id: ObjectId('65f952f64594cd8c1068695f'),
  name: 'John Doe',
  email: 'john@example.com',
  age: 25
}
{
  _id: ObjectId('65f952f64594cd8c10686960'),
  name: 'Sai',
  email: 'sai@example.com',
  age: 35
}
{
  _id: ObjectId('65f952f64594cd8c10686961'),
  name: 'Alice Johnson',
  email: 'alice@example.com',
  age: 30
}
{
  _id: ObjectId('65f953884594cd8c10686962'),
  name: 'pavan',
  email: 'pavan@example.com',
  age: 19
}
{
  _id: ObjectId('65f953884594cd8c10686963'),
  name: 'lohi',
  email: 'lohi@example.com',
  age: 20
}
{
  _id: ObjectId('65f953884594cd8c10686964'),
  name: 'shubman gill',
```

- **RETRIVING USERS WHOSE AGE IS GREATER THAN 30:** Users with an age greater than or equal to 30.

⑩ `db.users.find({ age: { $gte: 30 } })`

⑩ **Output:**

```
db.users.find({ age: { $gte: 30 } })
[
  {
    _id: ObjectId('65f952f64594cd8c10686960'),
    name: 'Sai',
    email: 'sai@example.com',
    age: 35
  },
  {
    _id: ObjectId('65f952f64594cd8c10686961'),
    name: 'Alice Johnson',
    email: 'alice@example.com',
    age: 30
  }
]
```

- **UPDATE OPERATION:** Update the age of a user with a specific email address.

⑩ **Output:**

```

db.users.updateOne(
  { email: "john@example.com" },
  { $set: { age: 28 } }
)
{
  acknowledged: true,
  insertedId: null,
  matchedCount: 1,
  modifiedCount: 1,
  upsertedCount: 0
}

```

- **DELETION OPERATION:** Delete a user document based on a specific email address.

⑩ Output:

```

> db.users.deleteOne({ email: "alice@example.com" })
{
  acknowledged: true,
  deletedCount: 1
}

```

- **INDEX CREATION:** Create an index on the email field of the users collection.

⑪ `db.users.createIndex({ email: 1 }, { unique: true })`

⑩ Output:

```
> db.users.createIndex({ email: 1 }, { unique: true })
```

```
< email_1
```

```
myDatabase> |
```