```
C:\Users\GOPI\OneDrive\Desktop\amazonreact\amazonreact>npm install
npm WARN old lockfile
npm WARN old lockfile The package-lock.json file was created with an old version of npm,
npm WARN old lockfile so supplemental metadata must be fetched from the registry.
npm WARN old lockfile
npm WARN old lockfile This is a one-time fix-up, please be patient...
npm WARN old lockfile
npm WARN deprecated svgo@1.3.2: This SVGO version is no longer supported. Upgrade to v2.x.x.

added 252 packages, changed 323 packages, and audited 1470 packages in 54s

226 packages are looking for funding
  run `npm fund` for details

8 high severity vulnerabilities

To address issues that do not require attention, run:
  npm audit fix

To address all issues (including breaking changes), run:
  npm audit fix --force

Run `npm audit` for details.
```

```
C:\Users\GOPI\OneDrive\Desktop\amazonreact\amazonreact>npm run build

> amazonreact@0.1.0 build
> react-scripts build

Creating an optimized production build...
Compiled with warnings.

[eslint]
src\components\Subheader\Subheader.js
  Line 11:9:   'hoverstyle' is assigned a value but never used      no-unused-vars
  Line 15:11:  'handleHoverin' is assigned a value but never used   no-unused-vars
  Line 18:11:  'handleHoverout' is assigned a value but never used  no-unused-vars

Search for the keywords to learn more about each warning.
To ignore, add // eslint-disable-next-line to the line before.

File sizes after gzip:

  59.6 kB  build\static\js\main.5f8ae29d.js
  855 B    build\static\css\main.059d7354.css

The project was built assuming it is hosted at /.
You can control this with the homepage field in your package.json.

The build folder is ready to be deployed.
You may serve it with a static server:

  npm install -g serve
  serve -s build

Find out more about deployment here:
```

Block Public Access settings for this bucket

Public access is granted to buckets and objects through access control lists (ACLs), bucket policies, access point policies, or all. In order to ensure that public access to this bucket and its objects is blocked, turn on Block all public access. These settings apply only to this bucket and its access points. AWS recommends that you turn on Block all public access, but before applying any of these settings, ensure that your applications will work correctly without public access. If you require some level of public access to this bucket or objects within, you can customize the individual settings below to suit your specific storage use cases. Learn more 🗗

☐ **Block *all* public access**
Turning this setting on is the same as turning on all four settings below. Each of the following settings are independent of one another.

☐ **Block public access to buckets and objects granted through *new* access control lists (ACLs)**
S3 will block public access permissions applied to newly added buckets or objects, and prevent the creation of new public access ACLs for existing buckets and objects. This setting doesn't change any existing permissions that allow public access to S3 resources using ACLs.

☐ **Block public access to buckets and objects granted through *any* access control lists (ACLs)**
S3 will ignore all ACLs that grant public access to buckets and objects.

☐ **Block public access to buckets and objects granted through *new* public bucket or access point policies**
S3 will block new bucket and access point policies that grant public access to buckets and objects. This setting doesn't change any existing policies that allow public access to S3 resources.

☐ **Block public and cross-account access to buckets and objects through *any* public bucket or access point policies**
S3 will ignore public and cross-account access for buckets or access points with policies that grant public access to buckets and objects.

⚠ **Turning off block all public access might result in this bucket and the objects within becoming public**
AWS recommends that you turn on block all public access, unless public access is required for specific and verified use cases such as static website hosting.

☑ I acknowledge that the current settings might result in this bucket and the objects within becoming public.

Bucket Versioning

Versioning is a means of keeping multiple variants of an object in the same bucket. You can use versioning to preserve, retrieve, and restore every version of every object stored in your Amazon S3 bucket. With versioning, you can easily recover from both unintended user actions and application failures. Learn more 🗗

Bucket Versioning
● Disable
○ Enable

Tags (0) - *optional*

You can use bucket tags to track storage costs and organize buckets. Learn more 🗗

No tags associated with this bucket.

[Add tag]

Default encryption Info

Server-side encryption is automatically applied to new objects stored in this bucket.

Encryption key type Info
● Amazon S3 managed keys (SSE-S3)
○ AWS Key Management Service key (SSE-KMS)

Bucket Key
When KMS encryption is used to encrypt new objects in this bucket, the bucket key reduces encryption costs by lowering calls to AWS KMS.

No tags associated with this bucket.

[Add tag]

Default encryption Info

Server-side encryption is automatically applied to new objects stored in this bucket.

Encryption key type Info
● Amazon S3 managed keys (SSE-S3)
○ AWS Key Management Service key (SSE-KMS)

Bucket Key
When KMS encryption is used to encrypt new objects in this bucket, the bucket key reduces encryption costs by lowering calls to AWS KMS.
Learn more 🗗
○ Disable
● Enable

▶ Advanced settings

ⓘ After creating the bucket you can upload files and folders to the bucket, and configure additional bucket settings.

[Cancel] [Create bucket]

⊘ Upload succeeded
View details below.

Files and folders   Configuration

Files and folders (13 Total, 763.3 KB)

Q Find by name   ‹ 1 2 ›

Name ▲	Folder ▽	Type ▽	Size ▽	Status ▽	Error ▽
amazon.png	images/	image/png	36.3 KB	⊘ Succeeded	-
asset-manifest.json	-	application/json	369.0 B	⊘ Succeeded	-
favicon.ico	-	image/x-icon	3.8 KB	⊘ Succeeded	-
index.html	-	text/html	754.0 B	⊘ Succeeded	-
logo192.png	-	image/png	5.2 KB	⊘ Succeeded	-
logo512.png	-	image/png	9.4 KB	⊘ Succeeded	-
main.059d7354.css	static/css/	text/css	2.3 KB	⊘ Succeeded	-
main.059d7354.css.map	static/css/	-	5.8 KB	⊘ Succeeded	-
main.5f8ae29d.js	static/js/	text/javascript	178.0 KB	⊘ Succeeded	-
main.5f8ae29d.js.LICENSE.txt	static/js/	text/plain	1.1 KB	⊘ Succeeded	-

Amazon S3 > Buckets > react-buckett > Edit static website hosting

Edit static website hosting Info

Static website hosting
Use this bucket to host a website or redirect requests. Learn more ⧉

Static website hosting
○ Disable
● Enable

Hosting type
● Host a static website
  Use the bucket endpoint as the web address. Learn more ⧉
○ Redirect requests for an object
  Redirect requests to another bucket or domain. Learn more ⧉

ⓘ For your customers to access content at the website endpoint, you must make all your content publicly readable. To do so, you can edit the S3 Block Public Access settings for the bucket. For more information, see Using Amazon S3 Block Public Access ⧉

Index document
Specify the home or default page of the website.
index.html

Error document - optional
This is returned when an error occurs.

index.html

Error document - optional
This is returned when an error occurs.
error.html

Redirection rules – optional
Redirection rules, written in JSON, automatically redirect webpage requests for specific content. Learn more ⧉

1

Cancel   Save changes

Block **all** public access
⚠ Off

▶ Individual Block Public Access settings for this bucket

Bucket policy

Edit | Delete

The bucket policy, written in JSON, provides access to the objects stored in the bucket. Bucket policies don't apply to objects owned by other accounts. Learn more ☒

```json
{
    "Version": "2012-10-17",
    "Statement": [
        {
            "Sid": "Statement1",
            "Effect": "Allow",
            "Principal": "*",
            "Action": "s3:GetObject",
            "Resource": "arn:aws:s3:::react-buckett/*"
        }
    ]
}
```

Copy

Amazon S3 > Buckets > react-buckett

react-buckett Info

Publicly accessible

Objects | **Properties** | Permissions | Metrics | Management | Access Points

Bucket overview

AWS Region	Amazon Resource Name (ARN)	Creation date
US West (N. California) us-west-1	arn:aws:s3:::react-buckett	March 24, 2023, 10:24:01 (UTC+05:30)

Bucket Versioning

Versioning is a means of keeping multiple variants of an object in the same bucket. You can use versioning to preserve, retrieve, and restore every version of every object stored in your Amazon S3 bucket. With versioning, you can easily recover from both unintended user actions and application failures. Learn more ☒

Edit

Bucket Versioning
Disabled

Multi-factor authentication (MFA) delete
An additional layer of security that requires multi-factor authentication for changing Bucket Versioning settings and permanently deleting object versions. To modify MFA delete settings, use the AWS CLI, AWS SDK, or the Amazon S3 REST API. Learn more ☒
Disabled

Static website hosting

Edit

Use this bucket to host a website or redirect requests. Learn more ☒

Static website hosting
Enabled

Hosting type
Bucket hosting

Bucket website endpoint
When you configure your bucket as a static website, the website is available at the AWS Region-specific website endpoint of the bucket. Learn more ☒

http://react-buckett.s3-website-us-west-1.amazonaws.com ☒