



Search Setup

Setup

Home

Object Manager

Quick Find

Setup Home

Service Setup Assistant

Multi-Factor Authentication Assistant

Release Updates

Lightning Experience Transition Assistant

Salesforce Mobile App

Lightning Usage

Optimizer

ADMINISTRATION

Users

Data

Email

PLATFORM TOOLS

Subscription Management

Apps

Feature Settings

Slack

MuleSoft

Einstein

Objects and Fields

Events

Process Automation

User Interface

Custom Code

Development

Performance

Environments

User Engagement

Integrations

Notification Builder

Offline

SETTINGS

Company Settings

Data Classification

Privacy Center

Identity

Security



SETUP

Home

Create

**Get Started with Einstein Bots**

Launch an AI-powered bot to automate your digital connections.

Get Started

**Mobile Publisher**

Use the Mobile Publisher to create your own branded mobile app.

Learn More

**Real-time Collaborative Docs**

Transform productivity with collaborative docs, spreadsheets, and slides inside Salesforce.

Get Started

Most Recently Used

5 items

NAME	TYPE	OBJECT
driver	Custom Object Definition	
Vechile	Custom Object Definition	
vechile Layout	Page Layout	Vechile
Kaviyarasan V	User	
Integration User	User	

**Stay ahead of incidents**

Help your teams proactively respond to large-scale disruptions with the free Customer Service Incident Management solution from Service Cloud.

Dismiss

Get Started

Label	API Name	Type	Description	Last Modified
Account	Account	Standard Object		
Activity	Activity	Standard Object		
Alternative Payment Method	AlternativePaymentMethod	Standard Object		
API Anomaly Event Store	ApiAnomalyEventStore	Standard Object		
Appointment Invitation	AppointmentInvitation	Standard Object		
Appointment Invitee	AppointmentInvitee	Standard Object		
Appointment Topic Time Slot	AppointmentTopicTimeSlot	Standard Object		
Asset	Asset	Standard Object		
Asset Action	AssetAction	Standard Object		
Asset Action Source	AssetActionSource	Standard Object		
Asset Relationship	AssetRelationship	Standard Object		
Asset State Period	AssetStatePeriod	Standard Object		
Assigned Resource	AssignedResource	Standard Object		
Associated Location	AssociatedLocation	Standard Object		
Authorization Form	AuthorizationForm	Standard Object		
Authorization Form Consent	AuthorizationFormConsent	Standard Object		
Authorization Form Data Use	AuthorizationFormDataUse	Standard Object		
Authorization Form Text	AuthorizationFormText	Standard Object		
Business Brand	BusinessBrand	Standard Object		
Campaign	Campaign	Standard Object		
Campaign Member	CampaignMember	Standard Object		
Card Payment Method	CardPaymentMethod	Standard Object		
Cart	WebCart	Standard Object		
Cart Adjustment Basis	WebCartAdjustmentBasis	Standard Object		
Cart Adjustment Group	WebCartAdjustmentGroup	Standard Object		
Cart Delivery Group	CartDeliveryGroup	Standard Object		
Cart Item	CartItem	Standard Object		
Cart Item Price Adjustment	CartItemPriceAdjustment	Standard Object		
Cart Tax	CartTax	Standard Object		
Case	Case	Standard Object		



Stay ahead of incidents



Help your teams proactively respond to large-scale disruptions with the free Customer Service Incident Management solution from Service Cloud.



Dismiss

Get Started



Setup

Home

Object Manager



SETUP

New Custom Object

New Custom Object

Custom Object Definition Edit

Save

Save & New

Cancel

Custom Object Information

The singular and plural labels are used in tabs, page layouts, and reports.

Label

Example: Account

Plural Label

Example: Accounts

Starts with vowel sound ☒

The Object Name is used when referencing the object via the API.

Object Name

Example: Account

Description

Context-Sensitive Help Setting

☒ Open the standard Salesforce.com Help & Training window☐ Open a window using a Visualforce page

Content Name

Enter Record Name Label and Format

The Record Name appears in page layouts, key lists, related lists, lookups, and search results. For example, the Record Name. Note that the Record Name field is always called "Name" when referenced via the API.

Record Name

Example: Account Name

Data Type

Optional Features

- ☒ Allow Reports
- ☒ Allow Activities
- ☒ Track Field History
- ☒ Allow in Chatter Groups
- ☐ Enable Licensing

Object Classification

When these settings are enabled, this object is classified as an Enterprise Application object. When these settings are disabled, this object is classified as a Standard object. [Learn more.](#)

- ☒ Allow Sharing
- ☒ Allow Bulk API Access
- ☒ Allow Streaming API Access

Deployment Status

- ☐ In Development



Search Setup

Setup

Home

Object Manager



SETUP

New Custom Object

New Custom Object

Help for this

Custom Object Definition Edit

Save

Save & New

Cancel

Custom Object Information

= Required Information

The singular and plural labels are used in tabs, page layouts, and reports.

Label

Vehicle

Example: Account

Plural Label

Vehicles

Example: Accounts

Starts with vowel sound



The Object Name is used when referencing the object via the API.

Object Name

Vehicle

Example: Account

Description

Context-Sensitive Help Setting



Open the standard Salesforce.com Help & Training window



Open a window using a Visualforce page

Content Name

--None--

Enter Record Name Label and Format

The Record Name appears in page layouts, key lists, related lists, lookups, and search results. For example, the Record Name for Account is "Account Name" and for Case it is "Number". Note that the Record Name field is always called "Name" when referenced via the API.

Record Name

Vehicle Name

Example: Account Name

Data Type

Text

Optional Features

☒ Allow Reports☒ Allow Activities☒ Track Field History☒ Allow in Chatter Groups☐ Enable Licensing

Object Classification

When these settings are enabled, this object is classified as an Enterprise Application object. When these settings are disabled, this object is classified as a Light Application object. [Learn more.](#)☒ Allow Sharing☒ Allow Bulk API Access☒ Allow Streaming API Access

Deployment Status

[What's New](#)☐ In Development☒ Deployed

Search Status

When this setting is enabled, your users can find records of this object type when they search. [Learn more.](#)☒ Allow Search

Object Creation Options (Available only when custom object is first created)

☒ Add Notes and Attachments related list to default page layout☒ Launch New Custom Tab Wizard after saving this custom object

Save

Save & New

Cancel

[Setup Home](#)[Service Setup Assistant](#)[Multi-Factor Authentication Assistant](#)[Release Updates](#)[Lightning Experience Transition Assistant](#)[Salesforce Mobile App](#)[Lightning Usage](#)[Optimizer](#)**ADMINISTRATION**[Users](#)[Data](#)[Email](#)**PLATFORM TOOLS**[Subscription Management](#)[Apps](#)[Feature Settings](#)[Slack](#)[MuleSoft](#)[Einstein](#)[Objects and Fields](#)[Object Manager](#)[Picklist Value Sets](#)[Schema Builder](#)[Events](#)[Process Automation](#)[User Interface](#)[Action Link Templates](#)[Actions & Recommendations](#)[App Menu](#)[Custom Labels](#)[Density Settings](#)[Global Actions](#)[Lightning App Builder](#)[Lightning Extension](#)[Loaded Console Tab Limit](#)[Path Settings](#)[Quick Text Settings](#)[Record Page Settings](#)[Rename Tabs and Labels](#)[Sites and Domains](#)[Tabs](#)[Themes and Branding](#)[Translation Workbench](#)[User Interface](#)[Custom Code](#)[Development](#)[Performance](#)[Environments](#)[User Engagement](#)[Integrations](#)[Notification Builder](#)[Offline](#)**SETTINGS**[Company Settings](#)[Data Classification](#)**SETUP
Tabs**

New Custom Object Tab

[Help for this Page](#)**Step 1. Enter the Details****Step 1**

Choose the custom object for this new custom tab. Fill in other details.

Select an existing custom object or [create a new custom object now](#).

Object

Tab Style

(Optional) Choose a Home Page Custom Link to show as a splash page the first time your users click on this tab.

Splash Page Custom Link

Enter a short description.

Description

[Next](#)



relop.my.salesforce.com

3




Tab Style Selector

Create your own style

Hide styles which are used on other tabs





Setup

Home

Object Manager

Setup Home

Service Setup Assistant

Multi-Factor Authentication Assistant

Release Updates

Lightning Experience Transition Assistant

Salesforce Mobile App

Lightning Usage

Optimizer

ADMINISTRATION

> Users

> Data

> Email

PLATFORM TOOLS

> Subscription Management

> Apps

> Feature Settings

> Slack

> MuleSoft

> Einstein

v Objects and Fields

Object Manager

Picklist Value Sets

Schema Builder

> Events

> Process Automation

v User Interface

Action Link Templates

Actions & Recommendations

App Menu

Custom Labels

Density Settings

> Global Actions

Lightning App Builder

Lightning Extension

Loaded Console Tab Limit

Path Settings

Quick Text Settings

Record Page Settings

Rename Tabs and Labels

> Sites and Domains

Tabs

Themes and Branding

> Translation Workbench

User Interface

> Custom Code

> Development

> Performance

> Environments

> User Engagement

> Integrations

> Notification Builder

> Offline

SETTINGS

> Company Settings

> Data Classification

> Privacy Center

SETUP
Tabs

New Custom Object Tab

Help for this Page ?

Step 2. Add to Profiles

Step 2 of 3

Choose the user profiles for which the new custom tab will be available. You may also examine or alter the visibility of tabs from the detail and edit pages of each profile.

☒ Apply one tab visibility to all profiles Default On☐ Apply a different tab visibility for each profile

Profile	Tab Visibility
Analytics Cloud Integration User	Default On
Analytics Cloud Security User	Default On
Authenticated Website	Default On
Authenticated Website	Default On
Contract Manager	Default On
Cross Org Data Proxy User	Default On
Custom: Marketing Profile	Default On
Custom: Sales Profile	Default On
Custom: Support Profile	Default On
Customer Community Login User	Default On
Customer Community Plus Login User	Default On
Customer Community Plus User	Default On
Customer Community User	Default On
Customer Portal Manager Custom	Default On
Customer Portal Manager Standard	Default On
External Apps Login User	Default On
External Identity User	Default On
Force.com - App Subscription User	Default On
Force.com - Free User	Default On
Gold Partner User	Default On
High Volume Customer Portal	Default On
High Volume Customer Portal User	Default On
Identity User	Default On
Marketing User	Default On
Minimum Access - Salesforce	Default On
Partner App Subscription User	Default On
Partner Community Login User	Default On
Partner Community User	Default On
Read Only	Default On
Salesforce API Only System Integrations	Default On
Silver Partner User	Default On
Solution Manager	Default On
Standard Platform User	Default On
Standard User	Default On
System Administrator	Default On

Previous Next Cancel

Details	Details	
Fields & Relationships	Description	
Page Layouts	API Name	Enable Reports
Lightning Record Pages	Vehicle__c	✓
Buttons, Links, and Actions	Custom	Track Activities
Compact Layouts	✓	✓
Field Sets	Singular Label	Track Field History
Object Limits	Vehicle	✓
Record Types	Plural Label	Deployment Status
Related Lookup Filters	Vehicles	Deployed
Search Layouts		Help Settings
List View Button Layout		Standard salesforce.com Help Window
Restriction Rules		
Scoping Rules		
Triggers		
Flow Triggers		
Validation Rules		

Call ended (0 hours 1 minutes 25 seconds)



Search Setup

Setup

Home

Object Manager



SETUP > OBJECT MANAGER

Vehicle

Details

Field

Quick Find

4 Items, sorted by Field Label

New

Deleted Fields

Field Dependencies

Set History Tracking

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

Restriction Rules

Scoping Rules


Triggers

Flow Triggers

Validation Rules

FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED
Created By	CreatedById	Lookup(User)		
Last Modified By	LastModifiedById	Lookup(User)		
Owner	OwnerId	Lookup(User,Group)		✓
Vehicle Name	Name	Text(80)		✓

Call ended (0 hours 1 minutes 25 seconds)



Search Setup



Setup

Home

Object Manager



SETUP > OBJECT MANAGER

Vehicle

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

Restriction Rules

Scoping Rules

Triggers

Flow Triggers

Validation Rules

Vehicle

New Custom Field

Help for this Page

Step 1. Choose the field type

Step 1

Next Cancel

Specify the type of information that the custom field will contain.

Data Type

☒ None Selected

Select one of the data types below.

☐ Auto Number

A system-generated sequence number that uses a display format you define. The number is automatically incremented for each new record.

☐ Formula

A read-only field that derives its value from a formula expression you define. The formula field is updated when any of the source fields change.

☐ Roll-Up Summary

A read-only field that displays the sum, minimum, or maximum value of a field in a related list or the record count of all records listed in a related list.

☐ Lookup Relationship

Creates a relationship that links this object to another object. The relationship field allows users to click on a lookup icon to select a value from a popup list. The other object is the source of the values in the list.

☐ Master-Detail Relationship

Creates a special type of parent-child relationship between this object (the child, or "detail") and another object (the parent, or "master") where:

- The relationship field is required on all detail records.
- The ownership and sharing of a detail record are determined by the master record.
- When a user deletes the master record, all detail records are deleted.
- You can create rollup summary fields on the master record to summarize the detail records.

The relationship field allows users to click on a lookup icon to select a value from a popup list. The master object is the source of the values in the list.

☐ External Lookup Relationship

Creates a relationship that links this object to an external object whose data is stored outside the Salesforce org.

☐ Checkbox

Allows users to select a True (checked) or False (unchecked) value.

☐ Currency

Allows users to enter a dollar or other currency amount and automatically formats the field as a currency. Useful if you export data to Excel or another spreadsheet.

☐ Date

Allows users to enter a date or pick a date from a popup calendar.


☐ Date/Time

Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.

☐ Email

Allows users to enter an email address, which is

Call ended (0 hours 2 minutes 40 seconds)



Search Setup

Setup

Home

Object Manager



SETUP > OBJECT MANAGER

Vehicle

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

Restriction Rules

Scoping Rules

Triggers

Flow Triggers

Validation Rules

Vehicle

New Custom Field

Help for this Page

Step 2. Enter the details

Step 2 of 4

Previous Next Cancel

Field Label Vehicle

Please enter the length of the number and the number of decimal places. For example, a number with a length of 8 and 2 decimal places can accept values up to "12345678.90".

Length 18

Decimal Places 0

Number of digits to the left of the decimal point

Number of digits to the right of the decimal point

Field Name Vehicle

Description

Help Text


Required ☐ Always require a value in this field in order to save a recordAuto add to custom report type ☒ Add this field to existing custom report types that contain this entity

Default Value Show Formula Editor

Use [formula syntax](#). Enclose text and picklist value API names in double quotes : ("the_text"), include numbers without quotes : (25), show percentages as decimals: (0.10), and express date calculations in the standard format: (Today() + 7). To reference a field from a Custom Metadata type record use: \$CustomMetadata.Type__mdt.RecordAPIName.Field_c

Previous Next Cancel

Call ended (0 hours 2 minutes 40 seconds)



Search Setup

Setup Home Object Manager



SETUP > OBJECT MANAGER

Vehicle

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

Restriction Rules

Scoping Rules

Triggers

Flow Triggers

Validation Rules

Create New Page Layout


Help for this Page

As an option, you may select an existing layout to clone. If you create a page layout without cloning, your page layout will not include the standard sections whose names are translated for your international users.

Existing Page Layout --None--

Page Layout Name Vehicle

Save Cancel



Search Setup

Setup

Home

Object Manager



SETUP > OBJECT MANAGER

Vehicle

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

Restriction Rules

Scoping Rules

Triggers

Flow Triggers

Validation Rules

Vehicle

Custom Console Components Mini Page Layout Mini Console View Video Tutorial Help for this Page

Save Quick Save Preview As... Cancel Undo Redo Layout Properties

Fields

Buttons

Quick Actions

Mobile & Lightning

Actions

Expanded Lookups

Related Lists

Quick Find

Field Name

+ Section

Owner

+ Blank Space

Vehicle Name

Created By

Last Modified By

Vehicle Sample

Highlights Panel

Customize the highlights panel for this page layout ...

Quick Actions in the Salesforce

Classic Publisher

Actions in this section are currently inherited from the global publisher layout. You can override the global publisher layout to set a customized list of actions for the publisher on pages that use this layout.

Salesforce Mobile and Lightning

Experience Actions

Actions in this section are predefined by Salesforce. You can [override the predefined actions](#) to set a customized list of actions on Lightning Experience and mobile app pages that use this layout. If you customize the actions in the Quick Actions in the Salesforce Classic Publisher section, and have saved the layout, then this section inherits that set of actions by default when you click to override.

Vehicle Detail

Standard Buttons

Edit

Delete

Clone

Change Owner

Change Record Type

Printable View

Sharing

Sharing Hierarchy

Custom Buttons

Fields (Header not visible)

★ Vehicle Name


Sample Text

Custom Links (Header visible on detail only)

Mobile Cards (Salesforce mobile only)

Drag expanded lookups and mobile-enabled Visualforce pages here to display them as mobile cards.

Related Lists



Search Setup

Setup Home Object Manager



SETUP > OBJECT MANAGER

Vehicle

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

Restriction Rules

Scoping Rules

Triggers

Flow Triggers

Validation Rules


Validation Rules

0 Items, Sorted by Rule Name

New

RULE NAME	ERROR LOCATION	ERROR MESSAGE	ACTIVE	MODIFIED BY
-----------	----------------	---------------	--------	-------------

No items to display.



Search Setup

Setup Home Object Manager

SETUP > OBJECT MANAGER
Vehicle

- Details
- Fields & Relationships
- Page Layouts
- Lightning Record Pages
- Buttons, Links, and Actions
- Compact Layouts
- Field Sets
- Object Limits
- Record Types
- Related Lookup Filters
- Search Layouts
- List View Button Layout
- Restriction Rules
- Scoping Rules
- Triggers
- Flow Triggers
- Validation Rules**

Vehicle Validation Rule

Help for this Page

Define a validation rule by specifying an error condition and a corresponding error message. The error condition is written as a Boolean formula expression that returns true or false. When the formula expression returns true, the save will be aborted and the error message will be displayed. The user can correct the error and try again.

Validation Rule Edit Save Save & New Cancel

Rule Name Vehicle

Active ☒

Description Vehicles

Quick Tips
• Operators & Functions

Error Condition Formula ⓘ Required Information

Example: Discount_Percent_c>0.30 More Examples...

Display an error if Discount is more than 30%

If this formula expression is true, display the text defined in the Error Message area

Insert Field Insert Operator

Check Syntax

Functions

-- All Function Categories --

ABS

Insert Selected Function

ABS(number)
Returns the absolute value of a number, a number without its sign

[Help on this function](#)

Error Message

Example: Discount percent cannot exceed 30%

This message will appear when Error Condition formula is true

Error Message

This error message can either appear at the top of the page or below a specific field on the page

Error Location ☒ Top of Page ☐ Field ⓘ

Save Save & New Cancel